

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 August 2001 (09.08.2001)

PCT

(10) International Publication Number
WO 01/57271 A2

(51) International Patent Classification⁷: C12Q 1/68,
C07H 21/04, C07K 14/47

(21) International Application Number: PCT/US01/00662

(22) International Filing Date: 30 January 2001 (30.01.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/180,312	4 February 2000 (04.02.2000)	US
60/207,456	26 May 2000 (26.05.2000)	US
09/608,408	30 June 2000 (30.06.2000)	US
09/632,366	3 August 2000 (03.08.2000)	US
60/234,687	21 September 2000 (21.09.2000)	US
60/236,359	27 September 2000 (27.09.2000)	US
0024263.6	4 October 2000 (04.10.2000)	GB

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- without international search report and to be republished upon receipt of that report
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

(71) Applicant (*for all designated States except US*):
AEROMICA, INC. [US/US]; 928 East Arques Avenue, Sunnyvale, CA 94085 (US).

(48) Date of publication of this corrected version:
6 December 2001

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **PENN, Sharron, G.** [GB/US]; 617 South Delaware Street, San Mateo, CA 94402 (US). **HANZEL, David, K.** [US/US]; 988 Loma Verde Avenue, Palo Alto, CA 94303 (US). **CHEN, Wensheng** [CN/US]; 210 Easy Street, #25, Mountain View, CA 94043 (US). **RANK, David, R.** [US/US]; 117 El Dorado Commons, Fremont, CA 94539 (US).

(15) Information about Correction:

see PCT Gazette No. 49/2001 of 6 December 2001, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(74) Agent: **RONNING, Royal, N., Jr.**; Amersham Pharmacia Biotech, Inc., 800 Centennial Avenue, Piscataway, NJ 08855 (US).

(54) Title: HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL FOR ANALYSIS OF GENE EXPRESSION IN HUMAN BREAST AND BT 474 CELLS

(57) Abstract: A single exon nucleic acid microarray comprising a plurality of single exon nucleic acid probes for measuring gene expression in a sample derived from human BT 474 cells is described. Also described are single exon nucleic acid probes expressed in the BT 474 cells and their use in methods for detecting gene expression.

WO 01/57271 A2

HUMAN GENOME-DERIVED SINGLE EXON NUCLEIC ACID PROBES USEFUL
FOR ANALYSIS OF GENE EXPRESSION IN HUMAN BREAST AND BT 474
CELLS

5 CROSS REFERENCE TO RELATED APPLICATIONS

The present application is a continuation-in-part of U.S.
patent application serial nos. 09/632,366, filed August 3,
2000 and 09/608,408, filed June 30, 2000; claims the
10 benefit under 35 U.S.C. s 119(e) of U.S. provisional patent
application serial nos. 60/236,359, filed September 27,
2000, 60/234,687, filed September 21, 2000, 60/207,456,
filed May 26, 2000, and 60/180,312, filed February 4, 2000;
and further claims the benefit under 35 U.S.C. s 119(a) of
15 UK patent application no. 0024263.6, filed October 4, 2000,
the disclosures of which are incorporated herein by
reference in their entireties.

REFERENCE TO SEQUENCE LISTING AND INCORPORATION BY

20 REFERENCE THEREOF

The present application includes a Sequence Listing in
electronic format, filed pursuant to PCT Administrative
Instructions 801 - 806 on a single CD-R disc, in
25 triplicate, containing a file named pto_BT474.txt, created
24 January 2001, having 11,325,593 bytes. The Sequence
Listing contained in said file on said disc is incorporated
herein by reference in its entirety.

30 Field of the Invention

The present invention relates to genome-derived
single exon microarrays useful for verifying the expression
of regions of genomic DNA predicted to encode protein. In
35 particular, the present invention relates to unique genome-

derived single exon nucleic acid probes expressed in human BT 474 cells and single exon nucleic acid microarrays that include such probes.

5 Background of the Invention

For almost two decades following the invention of general techniques for nucleic acid sequencing, Sanger et al., *Proc. Natl. Acad. Sci. USA* 70(4):1209-13 (1973); Gilbert et al., *Proc. Natl. Acad. Sci. USA* 70(12):3581-4
10 (1973), these techniques were used principally as tools to further the understanding of proteins - known or suspected - about which a basic foundation of biological knowledge had already been built. In many cases, the cloning effort that preceded sequence identification had
15 been both informed and directed by that antecedent biological understanding.

For example, the cloning of the T cell receptor for antigen was predicated upon its known or suspected cell type-specific expression, by its suspected membrane
20 association, and by the predicted assembly of its gene via T cell-specific somatic recombination. Subsequent sequencing efforts at once confirmed and extended understanding of this family of proteins. Hedrick et al., *Nature* 308(5955):153-8 (1984).

25 More recently, however, the development of high throughput sequencing methods and devices, in concert with large public and private undertakings to sequence the human and other genomes, has altered this investigational paradigm: today, sequence information often precedes
30 understanding of the basic biology of the encoded protein product.

One of the approaches to large-scale sequencing is predicated upon the proposition that expressed sequences - that is, those accessible through isolation of
35 mRNA - are of greatest initial interest. This "expressed

sequence tag" ("EST") approach has already yielded vast amounts of sequence data (see for example Adams et al., *Science* 252:1651 (1991); Williamson, *Drug Discov. Today* 4:115 (1999)). For nucleic acids sequenced by this approach, often the only biological information that is known *a priori* with any certainty is the likelihood of biologic expression itself. By virtue of the species and tissue from which the mRNA had originally been obtained, most such sequences are also annotated with the identity of the species and at least one tissue in which expression appears likely.

More recently, the pace of genomic sequencing has accelerated dramatically. When genomic DNA serves as the initial substrate for sequencing efforts, expression cannot be presumed; often the only *a priori* biological information about the sequence includes the species and chromosome (and perhaps chromosomal map location) of origin.

With the ever-accelerating pace of sequence accumulation by directed, EST, and genomic sequencing approaches – and in particular, with the accumulation of sequence information from multiple genera, from multiple species within genera, and from multiple individuals within a species – there is an increasing need for methods that rapidly and effectively permit the functions of nucleic sequences to be elucidated. And as such functional information accumulates, there is a further need for methods of storing such functional information in meaningful and useful relationship to the sequence itself; that is, there is an increasing need for means and apparatus for annotating raw sequence data with known or predicted functional information.

Although the increase in the pace of genomic sequencing is due in large part to technological changes in sequencing strategies and instrumentation, Service, *Science* 280:995 (1998); Pennisi, *Science* 283: 1822-1823 (1999),

there is an important functional motivation as well.

While it was understood that the EST approach would rarely be able to yield sequence information about the noncoding portions of the genome, it now also appears
5 the EST approach is capable of capturing only a fraction of a genome's actual expression complexity.

For example, when the *C. elegans* genome was fully sequenced, gene prediction algorithms identified over 19,000 potential genes, of which only 7,000 had been found
10 by EST sequencing. *C. elegans* Sequencing Consortium, *Science* 282:2012 (1998). Analogously, the recently completed sequence of chromosome 2 of *Arabidopsis* predicts over 4000 genes, Lin et al., *Nature*, 402:761 (1999), of which only about 6% had previously been identified via EST
15 sequencing efforts. Although the human genome has the greatest depth of EST coverage, it is still woefully short of surrendering all of its genes. One recent estimate suggests that the human genome contains more than 146,000 genes, which would at this point leave greater than half of
20 the genes undiscovered. It is now predicted that many genes, perhaps 20 to 50%, will only be found by genomic sequencing.

There is, therefore, a need for methods that permit the functional regions of genomic sequence — and
25 most importantly, but not exclusively, regions that function to encode genes — to be identified.

Much of the coding sequence of the human genome is not homologous to known genes, making detection of open reading frames ("ORFs") and predictions of gene function
30 difficult. Computational methods exist for predicting coding regions in eukaryotic genomes. Gene prediction programs such as GRAIL and GRAIL II, Uberbacher et al., *Proc. Natl. Acad. Sci. USA* 88(24):11261-5 (1991); Xu et al., *Genet. Eng.* 16:241-53 (1994); Uberbacher et al.,
35 *Methods Enzymol.* 266:259-81 (1996); GENEFINDER, Solovyev et

al., *Nucl. Acids. Res.* 22:5156-63 (1994); Solovyev et al., *Ismb* 5:294-302 (1997); and GENESCAN, Burge et al., *J. Mol. Biol.* 268:78-94 (1997), predict many putative genes without known homology or function. Such programs are known, however, to give high false positive rates. Burset et al., *Genomics* 34:353-367 (1996). Using a consensus obtained by a plurality of such programs is known to increase the reliability of calling exons from genomic sequence. Ansari-Lari et al., *Genome Res.* 8(1):29-40 (1998)

10 Identification of functional genes from genomic data remains, however, an imperfect art. For example, in reporting the full sequence of human chromosome 21, the Chromosome 21 Mapping and Sequencing Consortium reports that prior bioinformatic estimates of human gene number may
15 need to be revised substantially downwards. *Nature* 405:311-199 (2000); Reeves, *Nature* 405:283-284 (2000).

Thus, there is a need for methods and apparatus that permit the functions of the regions identified bioinformatically – and specifically, that permit the
20 expression of regions predicted to encode protein – readily to be confirmed experimentally.

Recently, the development of nucleic acid microarrays has made possible the automated and highly parallel measurement of gene expression. Reviewed in
25 Schena (ed.), DNA Microarrays : A Practical Approach (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); *Nature Genet.* 21(1)(suppl):1 - 60 (1999); Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books
30 Division (2000) (ISBN: 1881299376).

It is common for microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, such as those from the I.M.A.G.E. consortium, Lennon et al., *Genomics* 33(1):151-2 (1996), or
35 from the construction of "problem specific" libraries

targeted at a particular biological question, R.S. Thomas et al., *Cancer Res.* (in press). Such microarrays by definition can measure expression only of those genes found in EST libraries, and thus have not been useful as probes
5 for genes discovered solely by genomic sequencing.

The utility of using whole genome nucleic acid microarrays to answer certain biological questions has been demonstrated for the yeast *Saccharomyces cerevisiae*. De Risi et al., *Science* 278:680 (1997). The vast majority of
10 yeast nuclear genes, approximately 95% however, are single exon genes, i.e., lack introns, Lopez et al., *RNA* 5:1135-1137 (1999); Goffeau et al., *Science* 274:563-67 (1996), permitting coding regions more readily to be identified. Whole genome nucleic acid microarrays have not generally
15 been used to probe gene expression from more complex eukaryotic genomes, and in particular from those averaging more than one intron per gene.

Diseases of the breast are a significant cause of human morbidity and mortality. Increasingly, genetic
20 factors are being found that contribute to predisposition, onset, and/or aggressiveness of most, if not all, of these diseases. Although mutations in single genes have been identified as causative for some diseases of the breast, for the most part these disorders are believed to have
25 polygenic etiologies. There is a need for methods and apparatus that permit prediction, diagnosis and prognosis of diseases of the human breast, particularly those diseases with polygenic etiology.

30 Summary of the Invention

The present invention solves these and other problems in the art by providing methods and apparatus for predicting, confirming, and displaying functional
35 information derived from genomic sequence. The present

invention also provides apparatus for verifying the expression of putative genes identified within genomic sequence.

In particular, the invention provides novel
5 genome-derived single exon nucleic acid microarrays useful for verifying the expression of putative genes identified within genomic sequence.

The present invention also provides compositions and kits for the ready production of nucleic acids
10 identical in sequence to, or substantially identical in sequence to, probes on the genome-derived single exon microarrays of the present invention.

Accordingly, in a first aspect of the invention, there is provided a spatially-addressable set of single
15 exon nucleic acid probes for measuring gene expression in a sample derived from human breast, comprising a plurality of single exon nucleic acid probes according to any one of the nucleotide sequences set out in SEQ ID NOs: 1 - 5,205 or a complementary sequence, or a portion of such a sequence.

20 By plurality is meant at least two, suitably at least 20, most suitably at least 100, preferably at least 1000 and, most preferably, upto 5000.

In one embodiment of the first aspect, each of said plurality of probes is separately and addressably
25 amplifiable.

In an alternative embodiment, each of said plurality of probes is separately and addressably isolatable from said plurality.

In a preferred embodiment, each of said plurality
30 of probes is amplifiable using at least one common primer. Preferably, each of said plurality of probes is amplifiable using a first and a second common primer.

In yet another embodiment, said set of single exon nucleic acid probes comprises between 50 - 20,000
35 probes, for example, 50 - 5000.

Suitably, said set of single exon nucleic acid probes comprises at least 50 - 1000 discrete single exon nucleic acid probes having a sequence as set out in any of SEQ ID NOS.: 1 - 10,317 or a complimentary sequence, or a
5 portion of such a sequence.

Preferably, the average length of the single exon nucleic acid probes is between 200 and 500 bp. It is preferred that the average length should be at least 200bp, suitably at least 250bp, most suitably at least 300bp,
10 preferably at least 400bp and, most preferably, 500 bp.

In another embodiment, the single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence. It is preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least
15 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.

In another preferred embodiment, said single exon nucleic acid lack homopolymeric stretches of A or T. It is
20 preferred that at least 50%, suitably at least 60%, most suitably at least 70%, preferably at least 75%, more preferably at least 80, 85, 90, 95 or 99% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.

25 Preferably, a spatially-addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention is addressably disposed upon a substrate.

Suitable substrates include a filter membrane
30 which may, preferably, be nitrocellulose or nylon. The nylon may preferably, be positively-charged. Other suitable substrates include glass, amorphous silicon, crystalline silicon, and plastic. Further suitable materials include polymethylacrylic, polyethylene, polypropylene,
35 polyacrylate, polymethylmethacrylate, polyvinylchloride,

polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, and mixtures thereof.

In a second aspect of the invention, there is provided a microarray comprising a spatially addressable set of single exon nucleic acid probes in accordance with the first aspect of the invention.

In one embodiment, a genome-derived single-exon microarray is packaged together with such an ordered set of amplifiable probes corresponding to the probes, or one or more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is packaged separately from the genome-derived single exon microarray.

In another aspect, the invention provides genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression analysis by microarray. In particular embodiments of this aspect, the present invention provides human single-exon probes that include specifically-hybridizable fragments of SEQ ID Nos. 5,206 - 10,317, wherein the fragment hybridizes at high stringency to an expressed human gene. In particular embodiments, the invention provides single exon probes comprising SEQ ID Nos. 1 - 5,205.

Accordingly, in a third aspect of the invention, there is provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from human breast which is a nucleic acid molecule comprising a nucleotide sequence as set out in any of SEQ ID NOs.: 1 - 5,205 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human breast.

In one embodiment, a single exon nucleic acid probe in accordance with the third aspect comprises a nucleotide sequence as set out in any of SEQ ID NOs.: 5,206

- 10,317 or a complementary sequence or a fragment thereof.

In a fourth aspect of the invention, there is provided a single exon nucleic acid probe for measuring human gene expression in a sample derived from human breast
5 which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any of SEQ ID NOS.: 10,318 - 15,438 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human breast.

10 Preferably, a single exon nucleic acid probe in accordance with the third or fourth aspects of the invention comprises between at least 15 and 50 contiguous nucleotides of said SEQ ID NO:. It is preferred that the single exon nucleic acid probe comprises at least 15,
15 suitably at least 20, more suitably at least 25 or preferably at least 50 contiguous nucleotides of said SEQ ID NO:.

In another preferred embodiment, a single exon nucleic acid probe in accordance with the third or fourth
20 aspects of the invention is between 3kb and 25kb in length. It is preferred that said probe is no more than 3kb, suitably no more than 5kb, more suitably no more than 10kb, preferably 15kb, more preferably 20kb or, most preferably, no more than 20kb in length.

25 Preferably, a single exon nucleic acid probe in accordance with either the fifth or sixth aspect of the invention is DNA, preferably single-stranded DNA, RNA or PNA.

In another embodiment of either the third or
30 fourth aspect of the invention, a single exon nucleic acid probe is detectably labeled. Suitable detectable labels include a radionuclide, a fluorescent label or a first member of a specific binding pair. Suitable fluorescent labels include dyes such as cyanine dyes, preferably Cy3
35 and Cy5 although other suitable dyes will be known to those

skilled in the art.

In a particularly preferred embodiment, a single exon nucleic acid probe in accordance with either the third or fourth aspect of the invention lacks prokaryotic and bacteriophage vector sequence. In yet another embodiment, a single exon nucleic acid probe in accordance with either the third or fourth aspect of the invention lacks homopolymeric stretches of A or T.

In a fifth aspect of the invention, there is provided an amplifiable nucleic acid composition, comprising:

the single exon nucleic acid probe in accordance with either of the third or fourth aspects of the invention; and at least one nucleic acid primer;

wherein said at least one primer is sufficient to prime enzymatic amplification of said probe.

In an sixth aspect of the invention, there is provided a method of measuring gene expression in a sample derived from human Breast, comprising:

contacting the single exon microarray in accordance with the second aspect of the invention, with a first collection of detectably labeled nucleic acids, said first collection of nucleic acids derived from mRNA of human Breast; and then

measuring the label detectably bound to each probe of said microarray.

In a seventh aspect of the invention, there is provided a method of identifying exons in a eukaryotic genome, comprising:

algorithmically predicting at least one exon from genomic sequence of said eukaryote; and then

detecting specific hybridization of detectably labeled nucleic acids to a single exon probe,

wherein said detectably labeled nucleic acids are derived from mRNA from the Breast of said eukaryote, said

probe is a single exon probe having a fragment identical in sequence to, or complementary in sequence to, said predicted exon, said probe is included within a single exon microarray in accordance with the first aspect of the invention, and said fragment is selectively hybridizable at high stringency.

In a eighth aspect of the invention, there is provided a method of assigning exons to a single gene, comprising:

10 identifying a plurality of exons from genomic sequence in accordance with the seventh aspect of the invention; and then

measuring the expression of each of said exons in a plurality of tissues and/or cell types using hybridization to single exon microarrays having a probe with said exon,

wherein a common pattern of expression of said exons in said plurality of tissues and/or cell types indicates that the exons should be assigned to a single gene.

In an ninth aspect of the invention, there is provided a nucleic acid sequence as set out in any of SEQ ID NOS: 1 - 10,317 wherein said sequence encodes a peptide.

In a tenth aspect of the invention, there is provided a peptide encoded by a sequence comprising a sequence as set out in any of SEQ ID NOS: 5,206 - 10,317, or a complementary sequence or coding portion thereof.

In a preferred embodiment, a peptide may be encoded by a sequence comprising a sequence set out in any of SEQ ID NOS.: 1 -5,205.

In a further aspect, the invention provides peptides comprising an amino acid sequence translated from the DNA fragments, said amino acid sequences comprising SEQ ID NOS.: 10,318 - 15,438.

35 Accordingly in a eleventh aspect of the invention

there is provided a peptide comprising a sequence as set out in any of SEQ ID NOS: 10,318 - 15,438, or fragment thereof.

In another aspect, the invention provides means
5 for displaying annotated sequence, and in particular, for displaying sequence annotated according to the methods and apparatus of the present invention. Further, such display can be used as a preferred graphical user interface for electronic search, query, and analysis of such annotated
10 sequence.

Detailed Description of the Invention

15 Definitions

As used herein, the term "microarray" and phrase "nucleic acid microarray" refer to a substrate-bound collection of plural nucleic acids, hybridization to each of the plurality of bound nucleic acids being separately
20 detectable. The substrate can be solid or porous, planar or non-planar, unitary or distributed.

As so defined, the term "microarray" and phrase "nucleic acid microarray" include all the devices so called in Schena (ed.), DNA Microarrays: A Practical Approach
25 (Practical Approach Series), Oxford University Press (1999) (ISBN: 0199637768); *Nature Genet.* 21(1)(suppl):1 - 60 (1999); and Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376). As so defined, the
30 term "microarray" and phrase "nucleic acid microarray" further include substrate-bound collections of plural nucleic acids in which the nucleic acids are distributably disposed on a plurality of beads, rather than on a unitary planar substrate, as is described, *inter alia*, in Brenner
35 et al., *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000);

in such case, the term "microarray" and phrase "nucleic acid microarray" refer to the plurality of beads in aggregate.

As used herein with respect to a nucleic acid
5 microarray, the term "probe" refers to the nucleic acid that is, or is intended to be, bound to the substrate; in such context, the term "target" thus refers to nucleic acid intended to be bound thereto by Watson-Crick complementarity. As used herein with respect to solution
10 phase hybridization, the term "probe" refers to the nucleic acid of known sequence that is detectably labeled.

As used herein, the expression "probe comprising SEQ ID NO.", and variants thereof, intends a nucleic acid probe, at least a portion of which probe has either (i) the
15 sequence directly as given in the referenced SEQ ID NO., or (ii) a sequence complementary to the sequence as given in the referenced SEQ ID NO., the choice as between sequence directly as given and complement thereof dictated by the requirement that the probe hybridize to mRNA.

As used herein, the term "open reading frame" and
20 the equivalent acronym "ORF" refer to that portion of an exon that can be translated in its entirety into a sequence of contiguous amino acids i.e. a nucleic acid sequence that, in at least one reading frame, does not possess stop
25 codons; the term does not require that the ORF encode the entirety of a natural protein.

As used herein, the term "amplicon" refers to a PCR product amplified from human genomic DNA, containing the predicted exon.

As used herein the term "exon" refers to the
30 consensus prediction of the various exon and gene predicting algorithms i.e. a nucleic acid sequence bioinformatically predicted to encode a portion of a natural protein.

As used herein, the term "peptide" refers to a
35

sequence of amino acids. The sequences referred to as
PEPTIDE SEQ ID NOS.: are the predicted peptide sequences
that would be translated from one of the exons, or a
portion thereof set out in exon SEQ ID NOS.: The codons
5 encoding the peptide are wholly contained within the exon.

As used herein, a "portions" of a defined
nucleotide sequence or sequences can be and, preferably,
are fragments unique to that sequence or to one or a
combination of those sequences. A fragment unique to a
10 nucleic acid molecule is one that is a signature for the
larger nucleic acid molecule.

As used herein, the phrase "expression of a
probe" and its linguistic variants means that the ORF
present within the probe, or its complement, is present
15 within a target mRNA.

As used herein, "stringent conditions" refers to
parameters well known to those skilled in the art. When a
nucleic acid molecule is said to be hybridisable to another
of a given sequence under "stringent conditions" it is
20 meant that it is homologous to the given sequence.

As used herein, the phrase "specific binding
pair" intends a pair of molecules that bind to one another
with high specificity. Binding pairs are said to exhibit
specific binding when they exhibit avidity of at least 10^7 ,
25 preferably at least 10^8 , more preferably at least 10^9
liters/mole. Nonlimiting examples of specific binding
pairs are: antibody and antigen; biotin and avidin; and
biotin and streptavidin.

As used herein with respect to the visual display
30 of annotated genomic sequence, the term "rectangle" means
any geometric shape that has at least a first and a second
border, wherein the first and second borders each are
capable of mapping uniquely to a point of another visual
object of the display.

35 As used herein, a "Mondrian" means a visual

display in which a single genomic sequence is annotated with predicted and experimentally confirmed functional information.

5

Brief Description of the Drawings

The present invention is further illustrated with reference to the following non-limiting figures and

10 examples in which:

FIG. 1 illustrates a process for predicting functional regions from genomic sequence, confirming the functional activity of such regions experimentally, and associating and displaying the data so obtained in
15 meaningful and useful relationship to the original sequence data;

FIG. 2 further elaborates that portion of the process schematized in FIG. 1 for predicting functional regions from genomic sequence;

20 FIG. 3 illustrates a Mondrian visual display;

FIG. 4 presents a Mondrian showing a hypothetical annotated genomic sequence;

FIG. 5 is a histogram showing the distribution of ORF length and PCR products as obtained, with ORF length
25 shown in black and PCR product length shown in dotted lines;

FIG. 6 is a histogram showing the distribution, among exons predicted according to the methods described, of expression as measured using simultaneous two color
30 hybridization to a genome-derived single exon microarray. The graph shows the number of sequence-verified products that were either not expressed ("0"), expressed in one or more but not all tested tissues ("1" - "9"), or expressed in all tissues tested ("10");

35 FIG. 7 is a pictorial representation of the

expression of verified sequences that showed expression with signal intensity greater than 3 in at least one tissue, with: FIG. 7A showing the expression as measured by microarray hybridization in each of the 10 measured
5 tissues, and the expression as measured "bioinformatically" by query of EST, NR and SwissProt databases; with FIG. 7B showing the legend for display of physical expression (ratio) in FIG. 7A; and with FIG. 7C showing the legend for scoring EST hits as depicted in FIG. 7A;

10 FIG. 8 shows a comparison of normalized CY3 signal intensity for arrayed sequences that were identical to sequences in existing EST, NR and SwissProt databases or that were dissimilar (unknown), where black denotes the signal intensity for all sequence-verified products with a
15 BLAST Expect ("E") value of greater than $1e-30$ (1×10^{-30}) ("unknown") and a dotted line denotes sequence-verified spots with a BLAST expect ("E") value of less than $1e-30$ (1×10^{-30}) ("known");

FIG. 9 presents a Mondrian of BAC AC008172 (bases
20 25,000 to 130,000), containing the carbamyl phosphate synthetase gene (AF154830.1); and

FIG. 10 is a Mondrian of BAC A049839.

25 Methods and Apparatus for Predicting, Confirming, Annotating, and Displaying Functional Regions From Genomic Sequence Data

FIG. 1 is a flow chart illustrating in broad
30 outline a process for predicting functional regions from genomic sequence, confirming and characterizing the functional activity of such regions experimentally, and then associating and displaying the information so obtained in meaningful and useful relationship to the original
35 sequence data.

The initial input into process 10 of the present invention is drawn from one or more databases 100 containing genomic sequence data. Because genomic sequence is usually obtained from subgenomic fragments, the sequence data typically will be stored in a series of records corresponding to these subgenomic sequenced fragments. Some fragments will have been catenated to form larger contiguous sequences ("contigs"); others will not. A finite percentage of sequence data in the database will typically be erroneous, consisting *inter alia* of vector sequence, sequence created from aberrant cloning events, sequence of artificial polylinkers, and sequence that was erroneously read.

Each sequence record in database 100 will minimally contain as annotation a unique sequence identifier (accession number), and will typically be annotated further to identify the date of accession, species of origin, and depositor. Because database 100 can contain nongenomic sequence, each sequence will typically be annotated further to permit query for genomic sequence. Chromosomal origin, optionally with map location, can also be present. Data can be, and over time increasingly will be, further annotated with additional information, in part through use of the present invention, as described below. Annotation can be present within the data records, in information external to database 100 and linked to the records thereto, or through a combination of the two.

Databases useful as genomic sequence database 100 in the present invention include GenBank, and particularly include several divisions thereof, including the htgs(draft), NT (nucleotide, command line), and NR (nonredundant) divisions. GenBank is produced by the National Institutes of Health and is maintained by the National Center for Biotechnology Information (NCBI). Databases of genomic sequence from species other than

human, such as mouse, rat, Arabidopsis, *C. elegans*, *C. brigssii*, *Drosophila*, zebra fish, and other higher eukaryotic organisms will also prove useful as genomic sequence database 100.

5 Genomic sequence obtained by query of genomic sequence database 100 is then input into one or more processes 200 for identification of regions therein that are predicted to have a biological function as specified by the user. Such functions include, but are not limited to,
10 encoding protein, regulating transcription, regulating message transport after transcription into mRNA, regulating message splicing after transcription into mRNA, of regulating message degradation after transcription into mRNA, and the like. Other functions include directing
15 somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X chromosome inactivation, and the like.

 The particular genomic sequence to be input into process 200 will depend upon the function for which
20 relevant sequence is to be identified as well as upon the approach chosen for such identification. Process step 200 can be iterated to identify different functions within a given genomic region. In such case, the input often will be different for the several iterations.

25 Sequences predicted to have the requisite function by process 200 are then input into process 300, where a subset of the input sequences suitable for experimental confirmation is identified. Experimental confirmation can involve physical and/or bioinformatic
30 assay. Where the subsequent experimental assay is bioinformatic, rather than physical, there are fewer constraints on the sequences that can be tested, and in this latter case therefore process 300 can output the entirety of the input sequence.

35 The subset of sequences output from process 300

is then used in process 400 for experimental verification and characterization of the function predicted in process 200, which experimental verification can, and often will, include both physical and bioinformatic assay.

5 Process 500 annotates the sequence data with the functional information obtained in the physical and/or bioinformatic assays of process 400. Such annotation can be done using any technique that usefully relates the functional information to the sequence, as, for example, by
10 incorporating the functional data into the sequence data record itself, by linking records in a hierarchical or relational database, by linking to external databases, by a combination thereof, or by other means well known within the database arts. The data can even be submitted for
15 incorporation into databases maintained by others, such as GenBank, which is maintained by NCBI.

As further noted in FIG. 1, additional annotation can be input into process 500 from external sources 600.

The annotated data is then displayed in process
20 800, either before, concomitantly with, or after optional storage 700 on nontransient media, such as magnetic disk, optical disc, magneto-optical disk, flash memory, or the like.

FIG. 1 shows that the experimental data output
25 from process 400 can be used in each preceding step of process 10: e.g., facilitating identification of functional sequences in process 200, facilitating identification of an experimentally suitable subset thereof in process 300, and facilitating creation of physical and/or informational
30 substrates for, and performance of subsequent assay, of functional sequences in process 400.

Information from each step can be passed directly to the succeeding process, or stored in permanent or interim form prior to passage to the succeeding process.
35 Often, data will be stored after each, or at least a

plurality, of such process steps. Any or all process steps can be automated.

FIG. 2 further elaborates the prediction of functional sequence within genomic sequence according to process 200.

Genomic sequence database 100 is first queried for genomic sequence.

The sequence required to be returned by query 20 will depend, in the first instance, upon the function to be identified.

For example, genomic sequences that function to encode protein can be identified *inter alia* using gene prediction approaches, comparative sequence analysis approaches, or combinations of the two. In gene prediction analysis, sequence from one genome is input into process 200 where at least one, preferably a plurality, of algorithmic methods are applied to identify putative coding regions. In comparative sequence analysis, by contrast, corresponding, e.g., syntenic, sequence from a plurality of sources, typically a plurality of species, is input into process 200, where at least one, possibly a plurality, of algorithmic methods are applied to compare the sequences and identify regions of least variability.

The exact content of query 20 will also depend upon the database queried. For example, if the database contains both genomic and nongenomic sequence, perhaps derived from multiple species, and the function to be determined is protein coding regions in human genomic sequence, the query will accordingly require that the sequence returned be genomic and derived from humans.

Query 20 can also incorporate criteria that compel return of sequence that meets operative requirements of the subsequent analytical method. Alternatively, or in addition, such operative criteria can be enforced in subsequent preprocess step 24.

For example, if the function sought to be identified is protein coding, query 20 can incorporate criteria that return from genomic sequence database 100 only those sequences present within contigs sufficiently
5 long as to have obviated substantial fragmentation of any given exon among a plurality of separate sequence fragments.

Such criteria can, for example, consist of a required minimal individual genomic sequence fragment
10 length, such as 10 kb, more typically 20 kb, 30 kb, 40kb, and preferably 50 kb or more, as well as an optional further or alternative requirement that sequence from any given clone, such as a bacterial artificial chromosome ("BAC"), be presented in no more than a finite maximal
15 number of fragments, such as no more than 20 separate pieces, more typically no more than 15 fragments, even more typically no more than about 10 - 12 fragments.

Results using the present invention have shown that genomic sequence from bacterial artificial chromosomes
20 (BACs) is sufficient for gene prediction analysis according to the present invention if the sequence is at least 50 kb in length, and if additionally the sequence from any given BAC is presented in fewer than 15, and preferably fewer than 10, fragments. Accordingly, query 20 can incorporate
25 a requirement that data accessioned from BAC sequencing be in fewer than 15, preferably fewer than 10, fragments.

An additional criterion that can be incorporated into the query can be the date, or range of dates, of sequence accession. Although the process has been
30 described above as if genomic sequence database 100 were static, it is of course understood that the genomic sequence databases need not be static, and indeed are typically updated on a frequent, even hourly, basis. Thus, as further described in Examples 1 and 2, *infra*, it is
35 possible to query the database for newly added sequence,

either newly added after an absolute date, or newly added relative to a prior analysis performed using the methods and apparatus of the present invention. In this way, the process herein described can incorporate a dynamic,
5 temporal component.

One utility of such temporal limitation is to identify, from newly accessioned genomic sequence, the presence of novel genes, particularly those not previously identified by EST sequencing (or other sequencing efforts
10 that are similarly based upon gene expression). As further described in Example 1, such an approach has shown that newly accessioned human genomic sequence, when analyzed for sequences that function to encode protein, readily identifies genes that are novel over those in existing EST
15 and other expression databases. This makes the methods of the present invention extremely powerful gene discovery tools. And as would be appreciated, such gene discovery can be performed using genomic sequence from species other than human.

If query 20 incorporates multiple criteria, such as above-described, the multiple criteria can be performed as a series of separate queries or as a single query, depending in part upon the query language, the complexity of the query, and other considerations well known in the
25 database arts.

If query 20 returns no genomic sequence meeting the query criteria, the negative result can be reported by process 22, and process 200 (and indeed, entire process 10) ended 23, as shown. Alternatively, or in addition to
30 report and termination of the initial inquiry, a new query 20 can be generated that takes into account the initial negative result.

When query 20 returns sequence meeting the query criteria, the returned sequence is then passed to optional
35 preprocessing 24, suitable and specific for the desired

analytical approach and the particular analytical methods thereof to be used in process 25.

Preprocessing 24 can include processes suitable for many approaches and methods thereof, as well as
5 processes specifically suited for the intended subsequent analysis.

Preprocessing 24 suitable for most approaches and methods will include elimination of sequence irrelevant to, or that would interfere with, the subsequent analysis.
10 Such sequence includes repetitive sequence, such as Alu repeats and LINE elements, vector sequence, artificial sequence, such as artificial polylinkers, and the like. Such removal can readily be performed by identification and subsequent masking of the undesired sequence.

15 Identification can be effected by comparing the genomic sequence returned by query 20 with public or private databases containing known repetitive sequence, vector sequence, artificial sequence, and other artifactual sequence. Such comparison can readily be done using
20 programs well known in the art, such as CROSS_MATCH, or by proprietary sequence comparison programs the engineering of which is well within the skill in the art.

Alternatively, or in addition, undesirable, including artifactual, sequence can be identified
25 algorithmically without comparison to external databases and thereafter removed. For example, synthetic polylinker sequence can be identified by an algorithm that identifies a significantly higher than average density of known restriction sites. As another example, vector sequence can
30 be identified by algorithms that identify nucleotide or codon usage at variance with that of the bulk of the genomic sequence.

Once identified, undesired sequence can be removed. Removal can usefully be done by masking the
35 undesired sequence as, for example, by converting the

specific nucleotide references to one that is unrecognized by the subsequent bioinformatic algorithms, such as "X". Alternatively, but at present less preferred, the undesired sequence can be excised from the returned genomic sequence, leaving gaps.

Preprocessing 24 can further include selection from among duplicative sequences of that one sequence of highest quality. Higher quality can be measured as a lower percentage of, fewest number of, or least densely clustered occurrence of ambiguous nucleotides, defined as those nucleotides that are identified in the genomic sequence using symbols indicating ambiguity. Higher quality can also or alternatively be valued by presence in the longest contig.

Preprocessing 24 can, and often will, also include formatting of the data as specifically appropriate for passage to the analytical algorithms of process 25. Such formatting can and typically will include, *inter alia*, addition of a unique sequence identifier, either derived from the original accession number in genomic sequence database 100, or newly applied, and can further include additional annotation. Formatting can include conversion from one to another sequence listing standard, such as conversion to or from FASTA or the like, depending upon the input expected by the subsequent process.

Preprocessing, which can be optional depending upon the function desired to be identified and the informational requirements of the methods for effecting such identification, is followed by sequence processing 25, where sequences with the desired function are identified within the genomic sequence.

As mentioned above, such functions can include, but are not limited to, encoding protein, regulating transcription, regulating message transport after transcription into mRNA, regulating message splicing after

transcription, of regulating message degradation, and the like. Other functions include directing somatic recombination events, contributing to chromosomal stability or movement, contributing to allelic exclusion or X chromosome inactivation, or the like.

The methods of the present invention are particularly useful for gene discovery, that is, for identifying, from genomic sequence, regions that function to encode genes, and in a particularly useful embodiment, for identifying regions that function to encode genes not hitherto identified by expression-based or directed cloning and sequencing. In conjunction with verification using the novel single exon microarrays of the present invention, as further described below, the methods herein described become powerful gene discovery tools.

Accordingly, in a preferred embodiment of the present invention, process 25 is used to identify putative coding regions. Two preferred approaches in process 25 for identifying sequence that encodes putative genes are gene prediction and comparative sequence analysis.

Gene prediction can be performed using any of a number of algorithmic methods, embodied in one or more software programs, that identify open reading frames (ORFs) using a variety of heuristics, such as GRAIL, DICTION, and GENEFINDER. Comparative sequence analysis similarly can be performed using any of a variety of known programs that identify regions with lower sequence variability.

As further described in Example 1, below, gene finding software programs yield a range of results. For the newly accessioned human genomic sequence input in Example 1, for example, GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed; GENEFINDER was second, calling 1%; and DICTION yielded the least putative coding region, with 0.8% of genomic sequence called as coding region.

Increased reliability can be obtained when consensus is required among several such methods. Although discussed herein particularly with respect to exon calling, consensus among methods will in general increase
5 reliability of predicting other functions as well.

Thus, as indicated by query 26, sequence processing 25, optionally with preprocessing 24, can be repeated with a different method, with consensus among such iterations determined and reported in process 27.

10 Process 27 compares the several outputs for a given input genomic sequence and identifies consensus among the separately reported results. The consensus itself, as well as the sequence meeting that consensus, is then stored in process 29a, displayed in process 29b, and/or output to
15 process 300 for subsequent identification of a subset thereof suitable for assay.

Multiple levels of consensus can be calculated and reported by process 27. For example, as further described in Example 1, *infra*, process 27 can report
20 consensus as between all specific pairs of methods of gene prediction, as consensus among any one or more of the pairs of methods of gene prediction, or as among all of the gene prediction algorithms used. Thus, in Example 1, process 27 reported that GRAIL and GENEFINDER programs agreed on 0.7%
25 of genomic sequence, that GRAIL and DICTION agreed on 0.5% of genomic sequence, and that the three programs together agreed on 0.25% of the data analyzed. Put another way, 0.25% of the genomic sequence was identified by all three of the programs as containing putative coding region.

30 Furthermore, consensus can be required among different approaches to identifying a chosen function.

For example, if the function desired to be identified is coding of protein sequence, and a first used approach to exon calling is gene prediction, the process
35 can be repeated on the same input sequence, or subset

thereof, with another approach, such as comparative sequence analysis. In such a case, where comparative sequence analysis follows gene prediction, the comparison can be performed not only on genomic nucleic acid sequence, but additionally or alternatively can be performed on the predicted amino acid sequence translated from the ORFs prior identified by the gene prediction approach.

Although shown as an iterative process, the multiple analyses required to achieve consensus can be done in series, in parallel, or some combination thereof.

Predicted functional sequence, optionally representing a consensus among a plurality of methods and approaches for determination thereof, is passed to process 300 for identification of a subset thereof for functional assay.

In the preferred embodiment of the methods of the present invention, wherein the function sought to be identified is protein coding, process 300 is used to identify a subset thereof suitable for experimental verification by physical and/or bioinformatic approaches.

For example, putative ORFs identified in process 200 can be classified, or binned, bioinformatically into putative genes. This binning can be based inter alia upon consideration of the average number of exons/gene in the species chosen for analysis, upon density of exons that have been called on the genomic sequence, and other empirical rules. Thereafter, one or more among the gene-specific ORFs can be chosen for subsequent use in gene expression assay.

Where such subsequent gene expression assay uses amplified nucleic acid, considerations such as desired amplicon length, primer synthesis requirements, putative exon length, sequence GC content, existence of possible secondary structure, and the like can be used to identify and select those ORFs that appear most likely successfully

to amplify. Where subsequent gene expression assay relies upon nucleic acid hybridization, whether or not using amplified product, further considerations involving hybridization stringency can be applied to identify that
5 subset of sequences that will most readily permit sequence-specific discrimination at a chosen hybridization and wash stringency. One particular such consideration is avoidance of putative exons that span repetitive sequence; such sequence can hybridize spuriously to nonspecific message,
10 reducing specific signal in the hybridization.

For bioinformatic assay, there are fewer constraints on the sequences that can be tested experimentally, and in this latter case therefore process 300 can output the entirety of the input sequence.

15 The subset of sequences identified by process 300 as suitable for use in assay is then used in process 400 to create the physical and/or informational substrate for experimental verification of the predictions made in process 200, and thereafter to assay those substrates.

20 As mentioned, the methods of the present invention are particularly useful for identifying potential coding regions within genomic sequence. In a preferred embodiment of process 400, therefore, the expression of the sequences predicted to encode protein is verified. The
25 combination of the predictive and experimental methods provides a powerful gene discovery engine.

Thus, in another aspect, the present invention provides methods and apparatus for verifying the expression of putative genes identified within genomic sequence. In
30 particular, the invention provides a novel method of verifying gene expression in which expression of predicted ORFs is measured and confirmed using a novel type of nucleic acid microarray, the genome-derived single exon nucleic acid microarrays of the present invention.

35 Putative ORFs as predicted by a consensus of gene

calling, particularly gene prediction, algorithms in process 200, and as further identified as suitable by process 300, are amplified from genomic DNA using the polymerase chain reaction (PCR). Although PCR is
5 conveniently used, other amplification approaches can also be used.

Amplification schemes can be designed to capture the entirety of each predicted ORF in an amplicon with minimal additional (that is, intronic or intergenic)
10 sequence. Because ORFs predicted from human genomic sequence using the methods of the present invention differ in length, such an approach results in amplicons of varying length.

However, most predicted ORFs are shorter than 500
15 bp in length, and although amplicons of at least about 100 or 200 base pairs can be immobilized as probes on nucleic acid microarrays, early experimental results using the methods of the present invention have suggested that longer amplicons, at least about 400 or 500 base pairs, are more
20 effective. Furthermore, certain advantages derive from application to the microarray of amplicons of defined size.

Therefore, amplification schemes can alternatively, and preferably, be designed to amplify regions of defined size, preferably at least about 300, 400
25 or 500 bp, centered about each predicted ORF. Such an approach results in a population of amplicons of limited size diversity, but that typically contain intronic and/or intergenic nucleic acid in addition to putative ORF.

Conversely, somewhat fewer than 10% of ORFs
30 predicted from human genomic sequence according to the methods of the present invention exceed 500 bp in length. Portions of such extended ORFs, preferably at least about 300, 400 or 500 bp in length, can be amplified. However, it has been discovered that the percentage success at
35 amplifying pieces of such ORFs is low, and that such

putative exons are more effectively amplified when larger fragments, at least about 1000 or 1500 bp, and even as large as 2000 bp are amplified.

The putative ORFs selected in process 300 are thus input into one or more primer design programs, such as PRIMER3 (available online for use at <http://www-genome.wi.mit.edu/cgi-bin/primer/>), with a goal of amplifying at least about 500 base pairs of genomic sequence centered within or about ORFs predicted to be no more than about 500 bp, or at least about 1000 - 1500 bp of genomic sequence for ORFs predicted to exceed 500 bp in length, and the primers synthesized by standard techniques. Primers with the requisite sequences can be purchased commercially or synthesized by standard techniques.

Conveniently, a first predetermined sequence can be added commonly to the ORF-specific 5' primer and a second, typically different, predetermined sequence commonly added to each 3' ORF-unique primer. This serves to immortalize the amplicon, that is, serves to permit further amplification of any amplicon using a single set of primers complementary respectively to the common 5' and common 3' sequence elements. The presence of these "universal" priming sequences further facilitates later sequence verification, providing a sequence common to all amplicons at which to prime sequencing reactions. The common 5' and 3' sequences further serve to add a cloning site should any of the ORFs warrant further study.

Such predetermined sequence is usefully at least about 10, 12 or 15 nt in length, and usually does not exceed about 25 nt in length. The "universal" priming sequences used in the examples presented *infra* were each 16 nt long.

The genomic DNA to be used as substrate for amplification will come from the eukaryotic species from which the genomic sequence data had originally been

obtained, or a closely related species, and can conveniently be prepared by well known techniques from somatic or germline tissue or cultured cells of the organism. See, e.g., Short Protocols in Molecular Biology
5 : A Compendium of Methods from Current Protocols in Molecular Biology, Ausubel et al. (eds.), 4th edition (April 1999), John Wiley & Sons (ISBN: 047132938X) and Maniatis et al., Molecular Cloning : A Laboratory Manual, 2nd edition (December 1989), Cold Spring Harbor Laboratory
10 Press (ISBN: 0879693096). Many such prepared genomic DNAs are available commercially, with the human genomic DNAs additionally having certification of donor informed consent.

Although the intronic and intergenic material
15 flanking putative coding regions in the amplicons could potentially interfere with hybridizations during microarray experiments, we have found, surprisingly, that differential expression ratios are not significantly affected. Rather, the predominant effect of exon size is to alter the
20 absolute signal intensity, rather than its ratio. Equally surprising, the art had suggested that single exon probes would not provide sufficient signal intensity for high stringency hybridization analyses; we find that such probes not only provide adequate signal, but have substantial
25 advantages, as herein described.

After partial purification, as by size exclusion spin column, with or without confirmation as to amplicon quality as by gel electrophoresis, each amplicon (single exon probe) is disposed in an array upon a support
30 substrate.

Methods for creating microarrays by deposition and fixation of nucleic acids onto support substrates are well known in the art (Reviewed by Schena et al., see above).

35 Typically, the support substrate will be glass,

although other materials, such as amorphous or crystalline silicon or plastics. Such plastics include polymethylacrylic, polyethylene, polypropylene, polyacrylate, polymethylmethacrylate, polyvinylchloride, 5 polytetrafluoroethylene, polystyrene, polycarbonate, polyacetal, polysulfone, celluloseacetate, cellulosenitrate, nitrocellulose, or mixtures thereof, can also be used. Typically, the support will be rectangular, although other shapes, particularly circular disks and even 10 spheres, present certain advantages. Particularly advantageous alternatives to glass slides as support substrates for array of nucleic acids are optical discs, as described in WO 98/12559.

The amplified nucleic acids can be attached 15 covalently to a surface of the support substrate or, more typically, applied to a derivatized surface in a chaotropic agent that facilitates denaturation and adherence by presumed noncovalent interactions, or some combination thereof.

20 Robotic spotting devices useful for arraying nucleic acids on support substrates can be constructed using public domain specifications (The MGuide, version 2.0, <http://cmgm.stanford.edu/pbrown/mguide/index.html>), or can conveniently be purchased from commercial sources 25 (MicroArray GenII Spotter and MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Spotting can also be effected by printing methods, including those using ink jet technology.

As is well known in the art, microarrays 30 typically also contain immobilized control nucleic acids. For controls useful in providing measurements of background signal for the genome-derived single exon microarrays of the present invention, a plurality of *E. coli* genes can readily be used. As further described in Example 1, 16 or 35 32 *E. coli* genes suffice to provide a robust measure of

background noise in such microarrays.

As is well known in the art, the amplified product disposed in arrays on a support substrate to create a nucleic acid microarray can consist entirely of natural
5 nucleotides linked by phosphodiester bonds, or alternatively can include either nonnative nucleotides, alternative internucleotide linkages, or both, so long as complementary binding can be obtained in the hybridization. If enzymatic amplification is used to produce the
10 immobilized probes, the amplifying enzyme will impose certain further constraints upon the types of nucleic acid analogs that can be generated.

Although particularly described herein as using high density microarrays constructed on planar substrates,
15 the methods of the present invention for confirming the expression of ORFs predicted from genomic sequence can use any of the known types of microarrays, as herein defined, including lower density planar arrays, and microarrays on nonplanar, nonunitary, distributed substrates.

20 For example, gene expression can be confirmed using hybridization to lower density arrays, such as those constructed on membranes, such as nitrocellulose, nylon, and positively-charged derivatized nylon membranes. Further, gene expression can also be confirmed using
25 nonplanar, bead-based microarrays such as are described in Brenner et al., *Proc. Natl. Acad. Sci. USA* 97(4):166501670 (2000); U.S. Patent No. 6,057,107; and U.S. Patent No. 5,736,330. In theory, a packed collection of such beads provides in aggregate a higher density of nucleic acid,
30 probe than can be achieved with spotting or lithography techniques on a single planar substrate.

Planar microarrays on solid substrates, however, provide certain useful advantages, including high throughput and compatibility with existing readers. For
35 example, each standard microscope slide can include at

least 1000, typically at least 2000, preferably 5000 and upto 10,000 - 50,000 or more nucleic acid probes of discrete sequence. The number of sequences deposited will depend on their required application.

5 Each putative gene can be represented in the array by a single predicted ORF. Alternatively, genes can be represented by more than one predicted ORF. For purposes of measuring differential splicing, more than one predicted ORF will be provided for a putative gene. And as
10 is well known in the art, each probe of defined sequence, representing a single predicted ORF, can be deposited in a plurality of locations on a single microarray to provide redundancy of signal.

 The genome-derived single exon microarrays
15 described above differ in several fundamental and advantageous ways from microarrays presently used in the gene expression art, including (1) those created by deposition of mRNA-derived nucleic acids, (2) those created by *in situ* synthesis of oligonucleotide probes, and (3)
20 those constructed from yeast genomic DNA.

 Most nucleic acid microarrays that are in use for study of eukaryotic gene expression have as immobilized probes nucleic acids that are derived - either directly or indirectly - from expressed message. As discussed above,
25 it is common, for example, for such microarrays to be derived from cDNA/EST libraries, either from those previously described in the literature, see Lennon et al., or from the *de novo* construction of "problem specific" libraries targeted at a particular biological question,
30 R.S. Thomas et al., Cancer Res. (in press). Such microarrays are herein collectively denominated "EST microarrays".

 Such EST microarrays by definition can measure expression only of those genes found in EST libraries,
35 shown herein to represent only a fraction of expressed

genes. Furthermore, such libraries — and thus microarrays based thereupon — are biased by the tissue or cell type of message origin, by the expression levels of the respective genes within the tissues, and by the ability of the message
5 successfully to have been reverse-transcribed and cloned.

Thus, as further discussed in Example 1, the methods of the present invention enable sequences that do not appear in EST or other expression databases to be determined — subsequently arrayed for expression
10 measurements could not, therefore, have been represented as probes on an EST microarray. And as further demonstrated in the examples, *infra*, the remaining population of genes identified from genomic sequence by the methods of the present invention — that is, the one third of sequences
15 that had previously been accessioned in EST or other expression databases — are biased toward genes with higher expression levels.

Representation of a message in an EST and/or cDNA library depends upon the successful reverse transcription,
20 optionally but typically with subsequent successful cloning, of the message. This introduces substantial bias into the population of probes available for arraying in EST microarrays.

In contrast, neither reverse transcription nor
25 cloning is required to produce the probes arrayed on the genome-derived single exon microarrays of the present invention. And although the ultimate deposition of a probe on the genome-derived single exon microarray of the present invention depends upon a successful amplification from
30 genomic material, *a priori* knowledge of the sequence of the desired amplicon affords greater opportunity to recover any given probe sequence recalcitrant to amplification than is afforded by the requirement for successful reverse transcription and cloning of unknown message in EST
35 approaches.

Thus, the genome-derived single exon microarrays of the present invention present a far greater diversity of probes for measuring gene expression, with far less bias, than do EST microarrays presently used in the art.

5 As a further consequence of their ultimate origin from expressed message, the probes in EST microarrays often contain poly-A (or complementary poly-T) stretches derived from the poly-A tail of mature mRNA. These homopolymeric stretches contribute to cross-hybridization, that is, to a
10 spurious signal occasioned by hybridization to the homopolymeric tail of a labeled cDNA that lacks sequence homology to the gene-specific portion of the probe.

 In contrast, the probes arrayed in the genome-derived single exon microarrays of the present invention
15 lack homopolymeric stretches derived from message polyadenylation, and thus can provide more specific signal. Typically, at least about 50, 60 or 75% of the probes on the genome-derived single exon microarrays of the present invention lack homopolymeric regions consisting of A or T,
20 where a homopolymeric region is defined for purposes herein as stretches of 25 or more, typically 30 or more, identical nucleotides.

 A further distinction, which also affects the specificity of hybridization, is occasioned by the typical
25 derivation of EST microarray probes from cloned material. Because much of the probe material disposed as probes on EST microarrays is excised or amplified from plasmid, phage, or phagemid vectors, EST microarrays typically include a fair amount of vector sequence, more so when the
30 probes are amplified, rather than excised, from the vector.

 In contrast, the vast majority of probes in the genome-derived single exon microarrays of the present invention contain no prokaryotic or bacteriophage vector sequence, having been amplified directly or indirectly from
35 genomic DNA. Typically, therefore, at least about 50, 60,

70 or 80% or more of individual exon-including probes disposed on a genome-derived single exon microarray of the present invention lack vector sequence, and particularly lack sequences drawn from plasmids and bacteriophage.

5 Preferably, at least about 85, 90 or more than 90% of exon-including probes in the genome-derived single exon microarray of the present invention lack vector sequence. With attention to removal of vector sequences through preprocessing 24, percentages of vector-free exon-including
10 probes can be as high as 95 - 99%. The substantial absence of vector sequence from the genome-derived single exon microarrays of the present invention results in greater specificity during hybridization, since spurious cross-hybridization to a probe vector sequence is reduced.

15 As a further consequence of excision or amplification of probes from vectors in construction of EST microarrays, the probes arrayed thereon often contain artificial sequence, derived from vector polylinker multiple cloning sites, at both 5' and 3' ends. The probes
20 disposed upon the genome-derived single exon microarrays need have no such artificial sequence appended thereto.

As mentioned above, however, the ORF-specific primers used to amplify putative ORFs can include artificial sequences, typically 5' to the ORF-specific
25 primer sequence, useful for "universal" (that is, independent of ORF sequence) priming of subsequent amplification or sequencing reactions. When such "universal" 5' and/or 3' priming sequences are appended to the amplification primers, the probes disposed upon the
30 genome-derived single exon microarray will include artificial sequence similar to that found in EST microarrays. However, the genome-derived single exon microarray of the present invention can be made without such sequences, and if so constructed, presents an even
35 smaller amount of nonspecific sequence that would

contribute to nonspecific hybridization.

Yet another consequence of typical use of cloned material as probes in EST microarrays is that such microarrays contain probes that result from cloning artifacts, such as chimeric molecules containing coding region of two separate genes. Derived from genomic material, typically not thereafter cloned, the probes of the genome-derived single exon microarrays of the present invention lack such cloning artifacts, and thus provide greater specificity of signal in gene expression measurements.

A further consequence of the cloned origin of probes on many EST microarrays is that the individual probes often have disparate sizes, which can cause the optimal hybridization stringency to vary among probes on a single microarray. In contrast, as discussed above, the probes arrayed on the genome-derived single exon microarrays of the present invention can readily be designed to have a narrow distribution in sizes, with the range of probe sizes no greater than about 10% of the average size, typically no greater than about 5% of the average probe size.

Because of their origin from fully- or partially-spliced message, probes disposed upon EST arrays will often include multiple exons. The percentage of such exon-spanning probes in an EST microarray can be calculated, on average, based upon the predicted number of exons/gene for the given species and the average length of the immobilized probes. For human genes, the near-complete sequence of human chromosome 22, Dunham et al., *Nature* 402(6761):489-95 (1999), predicts that human genes average 5.5 exons/gene. Even with probes of 200 - 500 bp, the vast majority of human EST microarray probes include more than one exon.

In contrast, by virtue of their origin from algorithmically identified ORFs in genomic sequence, the

probes in the genome-derived single exon microarrays of the present invention can consist of individual exons. Thus, in contrast to EST microarrays, at least about 50, 60, 70, 75, 80, 85, 95 or 99% of probes deposited in the genome-derived microarray of the present invention consist of, or include, no more than one predicted ORF.

This provides the ability, not readily achieved using EST microarrays, to use the genome-derived single exon microarrays of the present invention to measure tissue-specific expression of individual exons, which in turn allows differential splicing events to be detected and characterized, and in particular, allows the correlation of differential splicing to tissue-specific expression patterns.

Furthermore, the exons that are represented in EST microarrays are often biased toward the 3' or 5' end of their respective genes, since sequencing strategies used for EST identification are so biased. In contrast, no such 3' or 5' bias necessarily inheres in the selection of exons for disposition on the genome-derived single exon microarrays of the present invention.

Conversely, the probes provided on the genome-derived single exon microarrays of the present invention typically, but need not necessarily, include intronic and/or intergenic sequence that is absent from EST microarrays, which are derived from mature mRNA. Typically, at least about 50, 60, 70, 80 or 90% of the exon-including probes on the genome-derived single exon microarrays of the present invention include sequence drawn from noncoding regions. As discussed above, the additional presence of noncoding region does not significantly interfere with measurement of gene expression, and provides the additional opportunity to assay prespliced RNA, and thus measure such phenomena such as nuclear export control.

The genome-derived single exon microarrays of the

present invention are also quite different from *in situ* synthesis microarrays, where probe size is severely constrained by inadequacies in the photolithographic synthesis process.

5 Typically, probes arrayed on *in situ* synthesis microarrays are limited to a maximum of about 25 bp. As a well known consequence, hybridization to such chips must be performed at low stringency. In order, therefore, to achieve unambiguous sequence-specific hybridization
10 results, the *in situ* synthesis microarray requires substantial redundancy, with concomitant programmed arraying for each probe of probe analogues with altered (*i.e.*, mismatched) sequence.

 In contrast, the longer probe length of the
15 genome-derived single exon microarrays of the present invention allows much higher stringency hybridization and wash. Typically, therefore, exon-including probes on the genome-derived single exon microarrays of the present invention average at least about 100, 200, 300, 400 or
20 500 bp in length. By obviating the need for substantial probe redundancy, this approach permits a higher density of probes for discrete exons or genes to be arrayed on the microarrays of the present invention than can be achieved for *in situ* synthesis microarrays.

25 A further distinction is that the probes in *in situ* synthesis microarrays typically are covalently linked to the substrate surface. In contrast, the probes disposed on the genome-derived microarray of the present invention typically are, but need not necessarily be, bound
30 noncovalently to the substrate.

 Furthermore, the short probe size on *in situ* microarrays causes large percentage differences in the melting temperature of probes hybridized to their complementary target sequence, and thus causes large
35 percentage differences in the theoretically optimum

stringency across the array as a whole.

In contrast, the larger probe size in the microarrays of the present invention create lower percentage differences in melting temperature across the
5 range of arrayed probes.

A further significant advantage of the microarrays of the present invention over *in situ* synthesized arrays is that the quality of each individual probe can be confirmed before deposition. In contrast, the
10 quality of probes cannot be assessed on a probe-by-probe basis for the *in situ* synthesized microarrays presently being used.

The genome-derived single exon microarrays of the present invention are also distinguished over, and present
15 substantial benefits over, the genome-derived microarrays from lower eukaryotes such as yeast. Lashkari et al., *Proc. Natl. Acad. Sci. USA* 94:13057-13062 (1997).

Only about 220 - 250 of the 6100 or so nuclear genes in *Saccharomyces cerevisiae* - that is, only about 4
20 - 5% - have standard, spliceosomal, introns, Lopez et al., *Nucl. Acids Res.* 28:85-86 (2000); Spingola et al., *RNA* 5(2):221-34 (1999). Furthermore, the entire yeast genome has already been sequenced. These two facts permit the ready amplification and disposition of single-ORF amplicons
25 on such microarray without the requirement for antecedent use of gene prediction and/or comparative sequence analyses.

Thus, a significant aspect of the present invention is the ability to identify and to confirm
30 expression of predicted coding regions in genomic sequence drawn from eukaryotic organisms that have a higher percentage of genes having introns than do yeast such as *Saccharomyces cerevisiae*, particularly in genomic sequence drawn from eukaryotes in which at least about 10, 20 or 50%
35 of protein-encoding genes have introns. In preferred

embodiments, the methods and apparatus of the present invention are used to identify and confirm expression of novel genes from genomic sequence of eukaryotes in which the average number of introns per gene is at least about
5 one, two or three or more.

After the physical substrate is prepared, experimental verification of predicted function is performed.

In a preferred embodiment of the present
10 invention, where the function sought to be identified in genomic sequence is protein coding, experimental verification is performed by measuring expression of the putative ORFs, typically through nucleic acid hybridization experiments, and in particularly preferred embodiments,
15 through hybridization to genome-derived single exon microarrays prepared as above- described.

Expression is conveniently measured and expressed for each probe in the microarray as a ratio of the expression measured concurrently in a plurality of mRNA
20 sources, according to techniques well known in the microarray art, Reviewed in Schena et al., and as further described in Example 2, below. The mRNA source for the reference against which specific expression is measured can be drawn from a homogeneous mRNA source, such as a single
25 cultured cell-type, or alternatively can be heterogeneous, as from a pool of mRNA derived from multiple tissues and/or cell types, as further described in Example 2, *infra*.

mRNA can be prepared by standard techniques, see Ausubel et al. and Maniatis et al., or purchased
30 commercially. The mRNA is then typically reverse-transcribed in the presence of labeled nucleotides: the index source (that in which expression is desired to be measured) is reverse transcribed in the presence of nucleotides labeled with a first label, typically a
35 fluorophore (fluorochrome; fluor; fluorescent dye); the

reference source is reverse transcribed in the presence of a second label, typically a fluorophore, typically fluorometrically-distinguishable from the first label. As further described in Example 2, *infra*, Cy3 and Cy5 dyes
5 prove particularly useful in these methods. After partial purification of the index and reference targets, hybridization to the probe array is conducted according to standard techniques, typically under a coverslip.

After wash, microarrays are conveniently scanned
10 using a commercial microarray scanning device, such as a Gen3 Scanner (Molecular Dynamics, Sunnyvale, CA). Data on expression is then passed, with or without interim storage, to process 500, where the results for each probe are related to the original sequence.

15 Often, hybridization of target material to the genome-derived single exon microarray will identify certain of the probes thereon as of particular interest. Thus, it is often desirable that the user be able readily to obtain sufficient quantities of an individual probe, either for
20 subsequent arrayed deposition upon an additional support substrate, often as part of a microarray having a plurality of probes so identified, or alternatively or additionally as a solitary solid-phase or solution-phase probe, for further use.

25 Thus, in another aspect, the present invention provides compositions and kits for the ready production of nucleic acids identical in sequence to, or substantially identical in sequence to, probes on the genome-derived single exon microarrays of the present invention.

30 In this aspect, a small quantity of each probe is disposed, typically without attachment to substrate, in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96 well microtiter plate can be used, greater efficiency is obtained using higher
35 density arrays, such as are provided by microtiter plates

having 384, 864, 1536, 3456, 6144, or 9600 wells, and although microtiter plates having physical depressions (wells) are conveniently used, any device that permits addressable withdrawal of reagent from fluidly-

5 noncommunicating areas can be used.

In this aspect of the invention, therefore, a fluidly noncommunicating addressable ordered set of individual probes, corresponding to those on a genome-derived single exon microarray, is provided, with each
10 probe in sufficient quantity to permit amplification, such as by PCR. As earlier mentioned, the ORF-specific 5' primers used for genomic amplification can have a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second,
15 different, common sequence added thereto, thus permitting, in this preferred embodiment, the use of a single set of 5' and 3' primers to amplify any one of the probes from the amplifiable ordered set.

Each discrete amplifiable probe can also be
20 packaged with amplification primers, solutes, buffers, etc., and can be provided in dry (e.g., lyophilized) form or wet, in the latter case typically with addition of agents that retard evaporation.

In another aspect of the present invention, a
25 genome-derived single-exon microarray is packaged together with such an ordered set of amplifiable probes corresponding to the probes, or one or more subsets of probes, thereon. In alternative embodiments, the ordered set of amplifiable probes is packaged separately from the
30 genome-derived single exon microarray.

In some embodiments, the microarray and/or ordered probe set are further packaged with recordable media that provide probe identification and addressing information, and that can additionally contain annotation
35 information, such as gene expression data. Such recordable

media can be packaged with the microarray, with the ordered probe set, or with both.

If the microarray is constructed on a substrate that incorporates recordable media, such as is described in international patent application no. WO 98/12559, then separate packaging of the genome-derived single exon microarray and the bioinformatic information is not required.

The amount of amplifiable probe material should be sufficient to permit at least one amplification sufficient for subsequent hybridization assay.

Although the use of high density genome-derived microarrays on solid planar substrates is presently a preferred approach for the physical confirmation and characterization of the expression of sequences predicted to encode protein, other types of microarrays (as herein defined) can also be used.

Furthermore, as earlier mentioned, experimental verification of the function predicted from genomic sequence in process 200 can be bioinformatic, rather than, or additional to, physical verification.

For example, where the function desired to be identified is protein coding, the predicted ORFs can be compared bioinformatically to sequences known or suspected of being expressed.

Thus, the sequences output from process 300 (or process 200), can be used to query expression databases, such as EST databases, SNP ("single nucleotide polymorphism") databases, known cDNA and mRNA sequences, SAGE ("serial analysis of gene expression") databases, and more generalized sequence databases that allow query for expressed sequences. Such query can be done by any sequence query algorithm, such as BLAST ("basic local alignment search tool"). The results of such query - including information on identical sequences and

information on nonidentical sequences that have diffuse or focal regions of sequence homology to the query sequence – can then be passed directly to process 500, or used to inform analyses subsequently undertaken in process 200, 5 process 300, or process 400.

Experimental data, whether obtained by physical or bioinformatic assay in process 400, is passed to process 500 where it is usefully related to the sequence data itself, a process colloquially termed "annotation". Such 10 annotation can be done using any technique that usefully relates the functional information to the sequence, as, for example, by incorporating the functional data into the record itself, by linking records in a hierarchical or relational database, by linking to external databases, or 15 by a combination thereof. Such database techniques are well within the skill in the art.

The annotated sequence data can be stored locally, uploaded to genomic sequence database 100, and/or displayed 800.

20 The methods and apparatus of the present invention rapidly produce functional information from genomic sequence. Coupled with the escalating pace at which sequence now accumulates, the rapid pace of sequence annotation produces a need for methods of displaying the 25 information in meaningful ways.

FIG. 3 shows visual display 80 presenting a single genomic sequence annotated according to the present invention. Because of its nominal resemblance to artistic works of Piet Mondrian, visual display 80 is alternatively 30 described herein as a "Mondrian".

Each of the visual elements of display 80 is aligned with respect to the genomic sequence being annotated (hereinafter, the "annotated sequence"). Given the number of nucleotides typically represented in an 35 annotated sequence, representation of individual

nucleotides would rarely be readable in hard copy output of display 80. Typically, therefore, the annotated sequence is schematized as rectangle 89, extending from the left border of display 80 to its right border. By convention
5 herein, the left border of rectangle 89 represents the first nucleotide of the sequence and the right border of rectangle 89 represents the last nucleotide of the sequence.

As further discussed below, however, the Mondrian
10 visual display of annotated sequence can serve as a convenient graphical user interface for computerized representation, analysis, and query of information stored electronically. For such use, the individual nucleotides can conveniently be linked to the X axis coordinate of
15 rectangle 89. This permits the annotated sequence at any point within rectangle 89 readily to be viewed, either automatically — for example, by time-delayed appearance of a small overlaid window upon movement of a cursor or other pointer over rectangle 89 — or through user intervention,
20 as by clicking a mouse or other pointing device at a point in rectangle 89.

Visual display 80 is generated after user specification of the genomic sequence to be displayed. Such specification can consist of or include an accession
25 number for a single clone (e.g., a single BAC accessioned into GenBank), wherein the starting and stopping nucleotides are thus absolutely identified, or alternatively can consist of or include an anchor or fulcrum point about which a chosen range of sequence is
30 anchored, thus providing relative endpoints for the sequence to be displayed. For example, the user can anchor such a range about a given chromosomal map location, gene name, or even a sequence returned by query for similarity or identity to an input query sequence. When visual
35 display 80 is used as a graphical user interface to

computerized data, additional control over the first and last displayed nucleotide will typically be dynamically selectable, as by use of standard zooming and/or selection tools.

5 Field 81 of visual display 80 is used to present the output from process 200, that is, to present the bioinformatic prediction of those sequences having the desired function within the genomic sequence. Functional sequences are typically indicated by at least one rectangle
10 83 (83a, 83b, 83c), the left and right borders of which respectively indicate, by their X-axis coordinates, the starting and ending nucleotides of the region predicted to have function.

 Where a single bioinformatic method or approach
15 identifies a plurality of regions having the desired function, a plurality of rectangles 83 is disposed horizontally in field 81. Where multiple methods and/or approaches are used to identify function, each such method and/or approach can be represented by its own series of
20 horizontally disposed rectangles 83, each such horizontally disposed series of rectangles offset vertically from those representing the results of the other methods and approaches.

 Thus, rectangles 83a in FIG. 3 represent the
25 functional predictions of a first method of a first approach for predicting function, rectangles 83b represent the functional predictions of a second method and/or second approach for predicting that function, and rectangles 83c represent the predictions of a third method and/or
30 approach.

 Where the function desired to be identified is protein coding, field 81 is used to present the bioinformatic prediction of sequences encoding protein. For example, rectangles 83a can represent the results from
35 GRAIL or GRAIL II, rectangles 83b can represent the results

from GENEFINDER, and rectangles 83c can represent the results from DICTION.

Optionally, and preferably, rectangles 83 collectively representing predictions of a single method and/or approach are identically colored and/or textured, and are distinguishable from the color and/or texture used for a different method and/or approach.

Alternatively, or in addition, the color, hue, density, or texture of rectangles 83 can be used further to report a measure of the bioinformatic reliability of the prediction. For example, many gene prediction programs will report a measure of the reliability of prediction. Thus, increasing degrees of such reliability can be indicated, e.g., by increasing density of shading. Where display 80 is used as a graphical user interface, such measures of reliability, and indeed all other results output by the program, can additionally or alternatively be made accessible through linkage from individual rectangles 83, as by time-delayed window ("tool tip" window), or by pointer (e.g., mouse)-activated link.

As earlier described, increased predictive reliability can be achieved by requiring consensus among methods and/or approaches to determining function. Thus, field 81 can include a horizontal series of rectangles 83 that indicate one or more degrees of consensus in predictions of function.

Although FIG. 3 shows three series of horizontally disposed rectangles in field 81, display 80 can include as few as one such series of rectangles and as many as can discriminably be displayed, depending upon the number of methods and/or approaches used to predict a given function.

Furthermore, field 81 can be used to show predictions of a plurality of different functions. However, the increased visual complexity occasioned by such

display makes more useful the ability of the user to select a single function for display. When display 80 is used as a graphical user interface for computer query and analysis, such function can usefully be indicated and user-selectable, as by a series of graphical buttons or tabs (not shown in FIG. 3).

Rectangle 89 is shown in FIG. 3 as including interposed rectangle 84. Rectangle 84 represents the portion of annotated sequence for which predicted functional information has been assayed physically, with the starting and ending nucleotides of the assayed material indicated by the X axis coordinates of the left and right borders of rectangle 84. Rectangle 85, with optional inclusive circles 86 (86a, 86b, and 86c) displays the results of such physical assay.

Although a single rectangle 84 is shown in FIG. 3, physical assay is not limited to just one region of annotated genomic sequence. It is expected that an increasing percentage of regions predicted to have function by process 200 will be assayed physically, and that display 80 will accordingly, for any given genomic sequence, have an increasing number of rectangles 84 and 85, representing an increased density of sequence annotation.

Where the function desired to be identified is protein coding, rectangle 84 identifies the sequence of the probe used to measure expression. In embodiments of the present invention where expression is measured using genome-derived single exon microarrays, rectangle 84 identifies the sequence included within the probe immobilized on the support surface of the microarray. As noted *supra*, such probe will often include a small amount of additional, synthetic, material incorporated during amplification and designed to permit reamplification of the probe, which sequence is typically not shown in display 80.

Rectangle 87 is used to present the results of

bioinformatic assay of the genomic sequence. For example, where the function desired to be identified is protein coding, process 400 can include bioinformatic query of expression databases with the sequences predicted in process 200 to encode exons. And as earlier discussed, because bioinformatic assay presents fewer constraints than does physical assay, often the entire output of process 200 can be used for such assay, without further subsetting thereof by process 300. Therefore, rectangle 87 typically need not have separate indicators therein of regions submitted for bioinformatic assay; that is, rectangle 87 typically need not have regions therein analogous to rectangles 84 within rectangle 89.

Rectangle 87 as shown in FIG. 3 includes smaller rectangles 880 and 88. Rectangles 880 indicate regions that returned a positive result in the bioinformatic assay, with rectangles 88 representing regions that did not return such positive results. Where the function desired to be predicted and displayed is protein coding, rectangles 880 indicate regions of the predicted exons that identify sequence with significant similarity in expression databases, such as EST, SNP, SAGE databases, with rectangles 88 indicating genes novel over those identified in existing expression data bases.

Rectangles 880 can further indicate, through color, shading, texture, or the like, additional information obtained from bioinformatic assay.

For example, where the function assayed and displayed is protein coding, the degree of shading of rectangles 880 can be used to represent the degree of sequence similarity found upon query of expression databases. The number of levels of discrimination can be as few as two (identity, and similarity, where similarity has a user-selectable lower threshold). Alternatively, as many different levels of discrimination can be indicated as

can visually be discriminated.

Where display 80 is used as a graphical user interface, rectangles 880 can additionally provide links directly to the sequences identified by the query of
5 expression databases, and/or statistical summaries thereof. As with each of the precedingly-discussed uses of display 80 as a graphical user interface, it should be understood that the information accessed via display 80 need not be resident on the computer presenting such display, which
10 often will be serving as a client, with the linked information resident on one or more remotely located servers.

Rectangle 85 displays the results of physical assay of the sequence delimited by its left and right
15 borders.

Rectangle 85 can consist of a single rectangle, thus indicating a single assay, or alternatively, and increasingly typically, will consist of a series of rectangles (85a, 85b, 85c) indicating separate physical
20 assays of the same sequence.

Where the function assayed is gene expression, and where gene expression is assayed as herein described using simultaneous two-color fluorescent detection of hybridization to genome-derived single exon microarrays,
25 individual rectangles 85 can be colored to indicate the degree of expression relative to control. Conveniently, shades of green can be used to depict expression in the sample over control values, and shades of red used to depict expression less than control, corresponding to the
30 spectra of the Cy3 and Cy5 dyes conventionally used for respective labeling thereof. Additional functional information can be provided in the form of circles 86 (86a, 86b, 86c), where the diameter of the circle can be used to indicate expression intensity. As discussed *infra*, such
35 relative expression (expression ratios) and absolute

expression (signal intensity) can be expressed using normalized values.

Where display 80 is used as a graphical user interface, rectangle 85 can be used as a link to further information about the assay. For example, where the assay is one for gene expression, each rectangle 85 can be used to link to information about the source of the hybridized mRNA, the identity of the control, raw or processed data from the microarray scan, or the like.

FIG. 4 is rendition of display 80 representing gene prediction and gene expression for a hypothetical BAC, showing conventions used in the Examples presented *infra*. BAC sequence ("Chip seq.") 89 is presented, with the physically assayed region thereof (corresponding to rectangle 84 in FIG. 3) shown in white. Algorithmic gene predictions are shown in field 81, with predictions by GRAIL shown, predictions by GENEFINDER, and predictions by DICTION shown. Within rectangle 87, regions of sequence that, when used to query expression databases, return identical or similar sequences ("EST hit") are shown as white rectangles (corresponding to rectangles 880 in FIG. 3), gray indicates low homology, and black indicates unknowns (where black and gray would correspond to rectangles 88 in FIG. 3).

Although FIGS. 3 and 4 show a single stretch of sequence, uninterrupted from left to right, longer sequences are usefully represented by vertical stacking of such individual Mondrians, as shown in FIGS. 9 and 10.

30 Single Exon Probes Useful For Measuring Gene Expression

The methods and apparatus of the present invention rapidly produce functional information from genomic sequence. Where the function to be identified is protein coding, the methods and apparatus of the present

invention rapidly identify and confirm the expression of portions of genomic sequence that function to encode protein. As a direct result, the methods and apparatus of the present invention rapidly yield large numbers of
5 single-exon nucleic acid probes, the majority from previously unknown genes, each of which is useful for measuring and/or surveying expression of a specific gene in one or more tissues or cell types.

It is, therefore, another aspect of the present
10 invention to provide genome-derived single exon nucleic acid probes useful for gene expression analysis, and particularly for gene expression analysis by microarray.

Using the methods and genome-derived single-exon microarrays of the present invention, we have for example
15 readily identified a large number of unique ORFs from human genomic sequence. Using single exon probes that encompass these ORFs, we have demonstrated, through microarray hybridization analysis, the expression of 5,205 of these ORFs in BT 474 cells.

20 The BT474 cell line is a human mammary ductal carcinoma cell line that is tumorigenic in nude mice. It was isolated from a solid, invasive ductal carcinoma of the breast, Lasfargues et al., J. Natl Cancer Inst. 61(4):967-78 (1978), and is epithelial and neoplastic. The cell line
25 grows as adherent patches of epithelial cells with compact, multilayered colonies, rarely become confluent.

The cell line is aneuploid human female (XO usually), with most chromosome counts in the hypertetraploid range. Several chromosomes (N11, N13, and N22) are absent, and
30 others are clearly under-represented (N9, N14, and N15) with respect to the other normal chromosomes. Chromosome N7 tends towards over-representation in several karyotypes. Some of the missing normal chromosomes are represented by their involvement in the nine stable marker chromosomes.

35 As would immediately be appreciated by one of skill in

the art, each single exon probe having demonstrable expression in BT 474 cells is currently available for use in measuring the level of its ORF's expression in breast cells.

5 Diseases of the breast are a significant cause of human morbidity and mortality. Increasingly, genetic factors are being found that contribute to predisposition, onset, and/or aggressiveness of most, if not all, of these diseases. Although mutations in single genes have been
10 identified as causative for some diseases of the breast, for the most part these disorders are believed to have polygenic etiologies.

For example, according to the American Cancer Society (ACS), carcinoma of the breast is the second most
15 common cancer in women and, after lung cancer, is the second deadliest. The ACS estimates that in the U.S. there occurred 182,800 new cases of malignant breast cancer in 2000, and about 40,800 deaths from the disease. Although incidence of breast cancer is said to have declined, the
20 disease clearly continues to represent a serious risk to the health and life of American women. Indeed, about one in nine U.S. women will develop breast cancer in her lifetime, and at present mortality rates, about a third of such women will eventually die from the disease.

25 A variety of factors are known to increase the risk of breast carcinoma. Sex is one: breast cancer in men is rare. Age is another: as women age, their risk for developing breast cancer increases, a 70 year old woman having three times the risk of developing cancer and five
30 times the risk of dying from the disease as compared to a 40 year old woman. Most breast cancers occur after age 50, although in women with a genetic susceptibility, breast cancer tends to occur at an earlier age than in sporadic cases. Reproductive and menstrual history are also known
35 to affect risk, with risk increasing with early menarche

and late menopause, and is reduced by early first full term pregnancy. Additional risk factors, oft-times termed "lifestyle factors", include weight gain, obesity, fat intake, alcohol consumption, and level of physical
5 activity.

That genetic factors underlie the etiology of breast cancer is suggested by the approximately two-fold increased risk for development of breast cancer by women with a first-degree relative who has also developed breast
10 cancer. After gender and age, a positive family history is the strongest known predictive risk factor for breast cancer. Genetic linkage analysis in families with high rates of inherited cancer have facilitated the identification of several genes in which mutations can be
15 shown to contribute substantially to the development and progression of breast cancer, including BRCA1, BRCA2, p53, and PTEN/MMAC1. Further study has made clear, however, that these genes are not alone sufficient to explain all genetic contributions to breast cancer.

For example, BRCA1 appears to be responsible for disease in up to 90% of families with both breast and ovarian cancer, but in only 45% of families with multiple cases of breast cancer without occurrence of ovarian cancer. And mutations in BRCA2, localized to the long arm
25 of chromosome 13, are thought to account for only approximately 35% of multiple case breast cancer families. Furthermore, despite the strong correlation between germline mutations in BRCA1 or BRCA2 and development of breast cancer, only weak connections have been made between
30 these genes and sporadic breast cancer.

Epistatic effects of BRCA1 and BRCA2 mutations on other genetic loci, only some of which have been identified, have been postulated to account for some of the deleterious effects of mutations in these two genes.

35 Thus, mutations in p53 seem to be much more

frequent in BRCA1 breast cancers (20/26) and somewhat more frequent in BRCA2-associated breast cancers (10/22) than in grade-matched sporadic cancers (7/20). BRCA mutation-associated cancers contain p53 mutations not typically found in sporadic breast cancer, and 12 individual hereditary breast cancers have been shown to contain more than a single p53 mutation. Mutations of BRCA1 and BRCA2 may thus confer a "mutator" phenotype permitting the accumulation of genetic abnormalities, with p53 inactivation selected during tumor progression.

Additionally, genome-wide screening for chromosomal gains or losses in breast cancers harboring BRCA1 or BRCA2 mutations demonstrated more regions that were amplified or deleted compared to controls, suggesting a generalized increase in large-scale genomic instability. Chromosomes 5q, 4q, and 4p had very frequent loss of heterozygosity in BRCA1 tumors, while BRCA2 tumors were characterized by losses at 13q (near the BRCA2 locus itself) and 6q, and chromosomal gains at 17q (outside of the HER2/neu locus) and 20q.

Mutations of other genes have also been implicated in susceptibility to development or aggressiveness of breast cancer. For example, germline mutations in the ATM gene, localized to chromosome 11q22-23, result in an increased risk of breast cancer among female heterozygote carriers with an estimated relative risk of 3.9 to 6.4; it is unclear, however, if mutations in the ATM gene itself contribute to breast cancer.

Normal allelic variation in a variety of genes, as opposed to frank mutation, may also influence susceptibility to developing breast carcinoma and the propensity for the disease to progress. Such polymorphisms may thus explain why particular women or ethnic groups who do not otherwise bear mutations in genes

known to be linked to breast cancer are at greater risk, especially in the context of exposure to environmental agents and other nonhereditary risk factors.

Polymorphically expressed genes may code for enzymes that
5 metabolize estrogens or detoxify drugs and environmental carcinogens.

For example, molecular epidemiologic studies of cancer of the breast have examined associations with p450 cytochrome genotypes including CYP1A1, CYP2D6, and CYP17.
10 The CYP1A1 gene, located on chromosome 15q, encodes the enzyme aryl hydrocarbon hydroxylase (AHH), present in breast tissue, and which catabolizes polycyclic aromatic hydrocarbons and arylamines. AHH is strongly inducible, i.e., greater enzymatic activity is seen with greater
15 exposure to substrates. AHH catalyzes the monooxygenation of polycyclic aromatic hydrocarbons to phenolic products and epoxides that may be carcinogenic. AHH is also involved in the conversion of estrogen to hydroxylated conjugated estrogens such as 2-hydroxyestradiol.

20 Three polymorphisms in the CYP1A1 gene have been identified: an MspI RFLP of the 3' end of the gene (MspI); an adenine to guanine mutation in exon 7, causing an isoleucine to valine substitution (Ile-Val); and a polymorphism of the CYP1A1 gene identified among Negroids.
25 The frequencies of the MspI and Ile-Val polymorphisms vary considerably by race, being higher among Japanese and Hawaiian populations as compared with Caucasians and Negroids.

The CYP2D6 gene is located on chromosome 22q and
30 encodes the enzyme debrisoquine hydroxylase, which metabolizes a variety of drugs and other xenobiotics. Like other polymorphically expressed p450 enzymes, it may activate procarcinogens or, conversely, detoxify carcinogens. A number of alleles have been characterized
35 at the CYP2D6 locus. The "poor metabolizer" phenotype

(CYP2D6 mutant/mutant genotype), which is rare in Asians, occurs in about 5% to 10% of Caucasians and in 2% of Negroids.

As another example, the N-acetyl transferase-1 (NAT1) and N-acetyl transferase-2 (NAT2) genes are located on chromosome 8q. Allelic variation in the NAT genes may contribute to variation in populations as to the susceptibility of individuals to development of breast carcinoma, particularly in the context of exposure to compounds present in tobacco. NAT2 detoxifies or, conversely, activates aromatic amines found in tobacco smoke such as 4-aminobiphenyl. Both phenotypic assays and genotypic assays for NAT2 can be used to classify individuals as rapid or slow acetylators. Genetic variants of the NAT2 gene have been cloned and 6 alleles at this locus have been identified: the F1 allele confers the fast acetylator phenotype. The distribution of NAT1 and NAT2 alleles differs widely between racial and ethnic groups.

As yet another example, the glutathione S-transferase-M1 (GSTM1) gene is located on chromosome 1 and the gene for glutathione S-transferase-T1 (GSTT1) is located on chromosome 11q. A glutathione S-transferase-P1 (GSTP1) gene has also been identified.

Glutathione S-transferases detoxify a variety of carcinogens and cytotoxic drugs (for example, benzo(a)pyrene, monohalomethanes such as methyl chloride, ethylene oxide, pesticides, and solvents used in industry) by catalyzing the conjugation of a glutathione moiety to the substrate. Allelic variation in the glutathione-S-transferase genes may contribute to variation in populations as to the susceptibility of individuals to development of breast carcinoma, particularly in the context of exposure to environmental toxins. Individuals homozygous for deletions in the GSTM1, GSTT1, or GSTP1 genes may have a higher risk of cancer of the breast and

other sites because of their impaired ability to metabolize and eliminate carcinogens.

GSTM1 is polymorphically expressed and 3 alleles at the GSTM1 locus have been identified: GSTM1-0 (homozygous deletion genotype), GSTM1a, and GSTM1b. The null allele (GSTM1-0) is present in about 38% to 67% of Caucasians and 22% to 35% of Negroids. GSTM is not expressed in breast tissue at high levels. Two functionally different genotypes at the GSTT1 locus have been described: GSTT1-0 (homozygous deletion genotype) and GSTT1-1 (genotypes with 1 or 2 undeleted alleles). A polymorphism of the GSTP1 gene, A313G (changing codon 105 from Ile to Val), has been identified. The GSTT1-0 allele has been associated with accelerated age of first breast cancer diagnosis as compared with the GSTT1-1 allele.

Many other genes have been suggested to be involved in the development and/or progression of breast cancer, either as a result of gain of function or loss of function mutations, or as a result of normal allelic variation within different populations. A nonexhaustive list of such genes, each followed by the gene's chromosomal location, if known, follows: AMPH 7p14-p13; AMPHL (BIN1, SH3P9) 2q14; API4 (survivin, SVV) 17q25(?); ARHA (ARH12, RhoA) 3p21.3; ARHC (RhoC) 1p21-p13; ATM (ATA, ATC) 11q22.3; BAG1 9p12; BARD1 2q34-q35; BCAR1 16q23.1; BCAR2; BCAR3 (NSP2); BCAS1 (NABC1, AIBC1) 20q13.2-q13.3; BRCA1 17q21; BRCA2 13q12.3; CCND1 (D11S287E, Cyclin D, PRAD1) 11q13; CD44 (MDU3, HA, MDU2) 11pter-p13; CD9 (p24, MIC3, BA2) 12p13; CDKN1B (KIP1, P27) 12p13; CDKN2A (P16, INK4A, MTS1) 9p21; COMT 22q11.2; COT (MAP3K8, TPL-2, EST) 10p11.2; CSK (c-src) 15q23-q25; CTSD (CPSD) 11p15.5; CYP17 10q24.3; CYP19 15q21.1; CYP1A1 (CYP1) 15q22-q24; CYP1B1 (GLC3A) 2p22-p21; EFNB2 (EPLG5, LERK5, ephrin-B2) 13q33; EIF3S6 (INT6) 8q22-q23; EIF4E (EIF-4E) 4q21-q25; EMS1 11q13; ERBB2 (HER2, NEU) 17q11.2-q12; ERBB3 (HER3) 12q13; ESR1 (ESRA)

6q25.1; ESR2 (ESRB, ERBeta) 14q; FGF8 (AIGF)
 10q24; GSTM1 (GST1, MU) 1p13.3; GSTP1 (FAEES3, GST3, PI)
 11q13; GSTT1 22q11.23; HRAS 11p15.5; HSPB1 (HSP27) 7q;
 HSPCA (HSP90A , HSPC1); HSPCB (HSP90B, HSPC2) 6p12; IGF1
 5 12q22-q24.1; IGF1R (JTK13) 15q25-q26; IGF2 11p15.5; IL6
 (IFNB2) 7p21; ING1 13q34; KISS1 (KiSS-1) 1q32; KLK3 (PSA,
 APS) 19q13; LASP1 (MLN50) 17q11-q21.3; LIBC 6q22; MAP2K4
 (MKK4, SEK1, JNKK1) 17p11.2; MKI67 (Ki-67) 10q25-qter;
 MMP11 (STMY3, STR3) 22q11.2; MMP2 (CLG4A, CLG4, GELA)
 10 16q13; MUC1 (PUM, PEM) 1q21; MYC (CMYC, C-MYC) 8q24.12-
 q24.13; NOTCH4 (INT3, NOTCH3) 6p21.3; PCNA 20p12; PI5
 (maspin) 18q21.3; PLAU (uPA , URK) 10q24; PSEN2 (D21S21,
 HPS2, BCEI) 21q22.3; RARB (NR1B2, HAP) 3p24; RB1 (Rb)
 13q14.2; S100A4 (MTS1, P9KA, metastasin) 1q21; SLC22A1L
 15 (BWSCR1A, ORCTL2, IMPT1) 11p15.5; SNCG (BCSG1) 10q23.2-
 q23.3; SRD5A2 2p23; STIP1 (HSP70) 11?; STK11 (LKB1, PJS)
 19p13.3; TFAP2A (AP2 , AP2TF) 6p24; TFAP2B (AP2B) 6p12;
 TFAP2C 20q13.2; TFF1 (D21S21, BCEI) 21q22.3; TGFBR2 3p22;
 TIMP2 17q25; TP53 (p53 , P53) 17q13.1; TPD52 (D52) 8q21;
 20 TPD52L1 (D53, hD53) 6q22-q23; TSG101 11p15.2-p15.1.

The etiology of non-cancerous disorders of the breast may also involve genetic factors. Such disorders include disorders of development, inflammatory diseases of the breast, fibrocystic changes, proliferative breast
 25 disease, and non-carcinoma tumors.

Disorders of development of the breast include supernumerary nipples or breasts; accessory axillary breast tissue; congenital inversion of the nipples; and macromastia.

30 Inflammatory diseases of the breast include acute mastitis; periductal mastitis, also called recurrent subareolar abscess and squamous metaplasia of the lactiferous ducts; mammary duct ectasia; fat necrosis; and granulomatous mastitis, including granulomatous lobular
 35 mastitis. Systemic granulomatous diseases that can affect

the breast include Wegener granulomatosis and sarcoidosis.

Proliferative breast diseases include epithelial hyperplasia; sclerosing adenosis; and small duct papillomas. Non-carcinoma tumors include stromal tumors including fibroadenoma and phyllodes tumor, and sarcomas that include angiosarcoma, rhabdomyosarcoma, liposarcoma, leiomyosarcoma, chondrosarcoma and osteosarcoma. Other breast tumors include epithelial cell tumors including large duct papillomas.

10 The human genome-derived single exon nucleic acid probes and microarrays of the present invention are useful for predicting, diagnosing, grading, staging, monitoring and prognosing diseases of human breast, particularly those diseases with polygenic etiology. With each of the single
15 exon probes described herein shown to be expressed at detectable levels in human breast cancer cells, and with about 2/3 of the probes identifying novel genes, the single exon microarrays of the present invention provide exceptionally high informational content for such studies.

20 For example, diagnosis, grading, and/or staging of a disease can be based upon the quantitative relatedness of a patient gene expression profile to one or more reference expression profiles known to be characteristic of a given breast disease, or to specific grades or stages
25 thereof.

 In one embodiment, the patient gene expression profile is generated by hybridizing nucleic acids obtained directly or indirectly from transcripts expressed in the patient's breast to the genome-derived single exon
30 microarray of the present invention. Reference profiles are obtained similarly by hybridizing nucleic acids from individuals with known disease. Methods for quantitatively relating gene expression profiles, without regard to the function of the protein encoded by the gene, are disclosed

in WO 99/58720, incorporated herein by reference in its entirety.

In another approach, the genome-derived single exon probes and microarrays of the present invention can be used to interrogate genomic DNA, rather than pools of expressed message; this latter approach permits predisposition to and/or prognosis of breast disease to be assessed through the massively parallel determination of altered copy number, deletion, or mutation in the patient's genome of exons known to be expressed in human breast. The algorithms set forth in WO 99/58720 can be applied to such genomic profiles without regard to the function of the protein encoded by the interrogated gene.

The utility is specific to the probe; at sufficiently high hybridization stringency, which stringencies are well known in the art — see Ausubel et al. and Maniatis et al. — each probe reports the level of expression of message specifically containing that ORF.

It should be appreciated, however, that the probes of the present invention, for which expression in the BT 474 cells has been demonstrated are useful for both measurement in the breast and for survey of expression in other tissues.

Significant among such advantages is the presence of probes for novel genes.

As mentioned above and further detailed in Examples 1 and 2, the methods described enable ORFs which are not present in existing expression databases to be identified. And the fewer the number of tissues in which the ORF can be shown to be expressed, the more likely the ORF will prove to be part of a novel gene: as further discussed in Example 2, ORFs whose expression was measurable in only a single of the tested tissues were represented in existing expression databases at a rate of only 11%, whereas 36% of ORFs whose expression was

measurable in 9 tissues were present in existing expression databases, and fully 45% of those ORFs expressed in all ten tested tissues were present in existing expressed sequence databases.

5 Either as tools for measuring gene expression or tools for surveying gene expression, the genome-derived single exon probes of the present invention have significant advantages over the cDNA or EST-based probes that are currently available for achieving these utilities.

10 The genome-derived single exon probes of the present invention are useful in constructing genome-derived single exon microarrays; the genome-derived single exon microarrays, in turn, are useful devices for measuring and for surveying gene expression in the human.

15 Gene expression analysis using microarrays - conventionally using microarrays having probes derived from expressed message - is well-established as useful in the biological research arts (see Lockhart et al. *Nature* 405, 827-836).

20 Microarrays have been used to determine gene expression profiles in cells in response to drug treatment (see, for example, Kaminski et al., "Global Analysis of Gene Expression in Pulmonary Fibrosis Reveals Distinct Programs Regulating Lung Inflammation and Fibrosis," *Proc. Natl. Acad. Sci. USA* 97(4):1778-83 (2000); Bartosiewicz et al., "Development of a Toxicological Gene Array and Quantitative Assessment of This Technology," *Arch. Biochem. Biophys.* 376(1):66-73 (2000)), viral infection (see for example, Geiss et al., "Large-scale Monitoring of Host Cell Gene Expression During HIV-1 Infection Using cDNA Microarrays," *Virology* 266(1):8-16 (2000)) and during cell processes such as differentiation, senescence and apoptosis (see, for example, Shelton et al., "Microarray Analysis of Replicative Senescence," *Curr. Biol.* 9(17):939-45 (1999);
35 Voehringer et al., "Gene Microarray Identification of Redox

and Mitochondrial Elements That Control Resistance or Sensitivity to Apoptosis," *Proc. Natl. Acad. Sci. USA* 97(6):2680-5 (2000)).

Microarrays have also been used to determine
5 abnormal gene expression in diseased tissues (see, for example, Alon et al., "Broad Patterns of Gene Expression Revealed by Clustering Analysis of Tumor and Normal Colon Tissues Probed by Oligonucleotide Arrays," *Proc. Natl. Acad. Sci. USA* 96(12):6745-50 (1999); Perou et al.,
10 "Distinctive Gene Expression Patterns in Human Mammary Epithelial Cells and Breast Cancers," *Proc. Natl. Acad. Sci. USA* 96(16):9212-7 (1999); Wang et al., "Identification of Genes Differentially Over-expressed in Lung Squamous Cell Carcinoma Using Combination of cDNA Subtraction and
15 Microarray Analysis," *Oncogene* 19(12):1519-28 (2000); Whitney et al., "Analysis of Gene Expression in Multiple Sclerosis Lesions Using cDNA Microarrays," *Ann. Neurol.* 46(3):425-8 (1999)), in drug discovery screens (see, for example, Scherf et al., "A Gene Expression Database for the
20 Molecular Pharmacology of Cancer," *Nat. Genet.* 24(3):236-44 (2000)) and in diagnosis to determine appropriate treatment strategies (see, for example, Sgroi et al., "In vivo Gene Expression Profile Analysis of Human Breast Cancer Progression," *Cancer Res.* 59(22):5656-61 (1999)).

25 In microarray-based gene expression screens of pharmacological drug candidates upon cells, each probe provides specific useful data. In particular, it should be appreciated that even those probes that show no change in expression are as informative as those that do change,
30 serving, in essence, as negative controls.

For example, where gene expression analysis is used to assess toxicity of chemical agents on cells, the failure of the agent to change a gene's expression level is evidence that the drug likely does not affect the pathway
35 of which the gene's expressed protein is a part.

Analogously, where gene expression analysis is used to assess side effects of pharmacological agents – whether in lead compound discovery or in subsequent screening of lead compound derivatives – the inability of the agent to alter a gene's expression level is evidence that the drug does not affect the pathway of which the gene's expressed protein is a part.

WO 99/58720 provides methods for quantifying the relatedness of a first and second gene expression profile and for ordering the relatedness of a plurality of gene expression profiles. The methods so described permit useful information to be extracted from a greater percentage of the individual gene expression measurements from a microarray than methods previously used in the art.

Other uses of microarrays are described in Gerhold et al., *Trends Biochem. Sci.* 24(5):168-173 (1999) and Zweiger, *Trends Biotechnol.* 17(11):429-436 (1999); Schena et al.

The invention particularly provides genome-derived single-exon probes known to be expressed in BT 474 cells.

The individual single exon probes can be provided in the form of substantially isolated and purified nucleic acid, typically, but not necessarily, in a quantity sufficient to perform a hybridization reaction.

Such nucleic acid can be in any form directly hybridizable to the message that contains the probe's ORF, such as double stranded DNA, single-stranded DNA complementary to the message, single-stranded RNA complementary to the message, or chimeric DNA/RNA molecules so hybridizable. The nucleic acid can alternatively or additionally include either nonnative nucleotides, alternative internucleotide linkages, or both, so long as complementary binding can be obtained. For example, probes can include phosphorothioates, methylphosphonates,

morpholino analogs, and peptide nucleic acids (PNA), as are described, for example, in U.S. Patent Nos. 5,142,047; 5,235,033; 5,166,315; 5,217,866; 5,184,444; 5,861,250.

Usefully, however, such probes are provided in a
5 form and quantity suitable for amplification, where the amplified product is thereafter to be used in the hybridization reactions that probe gene expression. Typically, such probes are provided in a form and quantity suitable for amplification by PCR or by other well known
10 amplification technique. One such technique additional to PCR is rolling circle amplification, as is described, *inter alia*, in U.S. Patent Nos. 5,854,033 and 5,714,320 and international patent publications WO '97/19193 and WO 00/15779. As is well understood, where the probes are
15 to be provided in a form suitable for amplification, the range of nucleic acid analogues and/or internucleotide linkages will be constrained by the requirements and nature of the amplification enzyme.

Where the probe is to be provided in form
20 suitable for amplification, the quantity need not be sufficient for direct hybridization for gene expression analysis, and need be sufficient only to function as an amplification template, typically at least about 1, 10 or 100 pg or more.

Each discrete amplifiable probe can also be
25 packaged with amplification primers, either in a single composition that comprises probe template and primers, or in a kit that comprises such primers separately packaged therefrom. As earlier mentioned, the ORF-specific
30 5' primers used for genomic amplification can have a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification can have a second, different, common sequence added thereto, thus permitting, in this embodiment, the use of a single set of 5' and 3'
35 primers to amplify any one of the probes. The probe

composition and/or kit can also include buffers, enzyme, etc., required to effect amplification.

As mentioned earlier, when intended for use on a genome-derived single exon microarray of the present invention, the genome-derived single exon probes of the present invention will typically average at least about 100, 200, 300, 400 or 500 bp in length, including (and typically, but not necessarily centered about) the ORF. Furthermore, when intended for use on a genome-derived single exon microarray of the present invention, the genome-derived single exon probes of the present invention will typically not contain a detectable label.

When intended for use in solution phase hybridization, however — that is, for use in a hybridization reaction in which the probe is not first bound to a support substrate (although the target may indeed be so bound) — length constraints that are imposed in microarray-based hybridization approaches will be relaxed, and such probes will typically be labeled.

In such case, the only functional constraint that dictates the minimum size of such probe is that each such probe must be capable of specifically identifying in a hybridization reaction the exon from which it is drawn. In theory, a probe of as little as 17 nucleotides is capable of uniquely identifying its cognate sequence in the human genome. For hybridization to expressed message — a subset of target sequence that is much reduced in complexity as compared to genomic sequence — even fewer nucleotides are required for specificity.

Therefore, the probes of the present invention can include as few as 20, 25 or 50 bp or ORF, or more. In particular embodiments, the ORF sequences are given in SEQ ID NOS. 5,206 - 10,317, respectively, for probe SEQ ID NOS. 1 - 5,205. The minimum amount of ORF required to be included in the probe of the present invention in order to

provide specific signal in either solution phase or microarray-based hybridizations can readily be determined for each of ORF SEQ ID NOS. 5,206 - 10,317 individually by routine experimentation using standard high stringency
5 conditions.

Such high stringency conditions are described, *inter alia*, in Ausubel et al. and Maniatis et al. For microarray-based hybridization, standard high stringency conditions can usefully be 50% formamide, 5X SSC, 0.2 µg/µl
10 poly(dA), 0.2 µg/µl human c_{ot}1 DNA, and 0.5 % SDS, in a humid oven at 42°C overnight, followed by successive washes of the microarray in 1X SSC, 0.2% SDS at 55°C for 5 minutes, and then 0.1X SSC, 0.2% SDS, at 55°C for 20 minutes. For solution phase hybridization, standard high
15 stringency conditions can usefully be aqueous hybridization at 65°C in 6X SSC. Lower stringency conditions, suitable for cross-hybridization to mRNA encoding structurally- and functionally-related proteins, can usefully be the same as the high stringency conditions but with reduction in
20 temperature for hybridization and washing to room temperature (approximately 25°C).

When intended for use in solution phase hybridization, the maximum size of the single exon probes of the present invention is dictated by the proximity of
25 other expressed exons in genomic DNA: although each single exon probe can include intergenic and/or intronic material contiguous to the ORF in the human genome, each probe of the present invention will include portions of only one expressed exon.

30 Thus, each single exon probe will include no more than about 25 kb of contiguous genomic sequence, more typically no more than about 20 kb of contiguous genomic sequence, more usually no more than about 15 kb, even more usually no more than about 10 kb. Usually, probes that are
35 maximally about 5 kb will be used, more typically no more

than about 3 kb.

It will be appreciated that the Sequence Listing appended hereto presents, by convention, only that strand of the probe and ORF sequence that can be directly
5 translated reading from 5' to 3' end. As would be well understood by one of skill in the art, single stranded probes must be complementary in sequence to the ORF as present in an mRNA; it is well within the skill in the art to determine such complementary sequence. It will further
10 be understood that double stranded probes can be used in both solution-phase hybridization and microarray-based hybridization if suitably denatured.

Thus, it is an aspect of the present invention to provide single-stranded nucleic acid probes that have
15 sequence complementary to those described herein above and below, and double-stranded probes one strand of which has sequence complementary to the probes described herein.

The probes can, but need not, contain intergenic and/or intronic material that flanks the ORF, on one or
20 both sides, in the same linear relationship to the ORF that the intergenic and/or intronic material bears to the ORF in genomic DNA. The probes do not, however, contain nucleic acid derived from more than one expressed ORF.

And when intended for use in solution
25 hybridization, the probes of the present invention can usefully have detectable labels. Nucleic acid labels are well known in the art, and include, *inter alia*, radioactive labels, such as ^3H , ^{32}P , ^{33}P , ^{35}S , ^{125}I , ^{131}I ; fluorescent labels, such as Cy3, Cy5, Cy5.5, Cy7, SYBR[®]

30 Green and other labels described in Haugland, *Handbook of Fluorescent Probes and Research Chemicals*, 7th ed., Molecular Probes Inc., Eugene, OR (2000), or fluorescence resonance energy transfer tandem conjugates thereof; labels suitable for chemiluminescent and/or
35 enhanced chemiluminescent detection; labels suitable for

ESR and NMR detection; and labels that include one member of a specific binding pair, such as biotin, digoxigenin, or the like.

The probes, either in quantity sufficient for
5 hybridization or sufficient for amplification, can be provided in individual vials or containers.

Alternatively, such probes can usefully be packaged as a plurality of such individual genome-derived single exon probes.

10 When provided as a collection of plural individual probes, the probes are typically made available in amplifiable form in a spatially-addressable ordered set, typically one per well of a microtiter dish. Although a 96 well microtiter plate can be used, greater efficiency is
15 obtained using higher density arrays.

If, as earlier mentioned, the ORF-specific 5' primers used for genomic amplification had a first common sequence added thereto, and the ORF-specific 3' primers used for genomic amplification had a second,
20 different, common sequence added thereto, a single set of 5' and 3' primers can be used to amplify all of the probes from the amplifiable ordered set.

Such collections of genome-derived single exon probes can usefully include a plurality of probes chosen
25 for the common attribute of expression in the human BT 474 cells.

In such defined subsets, typically at least 50, 60, 75, 80, 85, 90 or 95% or more of the probes will be chosen by their expression in the defined tissue or cell
30 type.

The single exon probes of the present invention, as well as fragments of the single exon probes comprising selectively hybridizable portions of the probe ORF, can be used to obtain the full length cDNA that includes the ORF
35 by (i) screening of cDNA libraries; (ii) rapid

amplification of cDNA ends ("RACE"); or (iii) other conventional means, as are described, *inter alia*, in Ausubel et al. and Maniatis et al.

It is another aspect of the present invention to
5 provide genome-derived single exon nucleic acid microarrays useful for gene expression analysis, where the term "microarray" has the meaning given in the definitional section of this description, *supra*.

The invention particularly provides genome-
10 derived single-exon nucleic acid microarrays comprising a plurality of probes known to be expressed in human BT 474 cells. In preferred embodiments, the present invention provides human genome-derived single exon microarrays comprising a plurality of probes drawn from the group
15 consisting of SEQ ID NOS.: 1 - 5,205.

When used for gene expression analysis, the genome-derived single exon microarrays provide greater physical informational density than do the genome-derived single exon microarrays that have lower percentages of
20 probes known to be expressed commonly in the tested tissue. At a fixed probe density, for example, a given microarray surface area of the defined subset genome-derived single exon microarray can yield a greater number of expression measurements. Alternatively, at a given probe density, the
25 same number of expression measurements can be obtained from a smaller substrate surface area. Alternatively, at a fixed probe density and fixed surface area, probes can be provided redundantly, providing greater reliability in signal measurement for any given probe. Furthermore, with
30 a higher percentage of probes known to be expressed in the assayed tissue, the dynamic range of the detection means can be adjusted to reveal finer levels discrimination among the levels of expression.

Although particularly described with respect to
35 their utility as probes of gene expression, particularly as

probes to be included on a genome-derived single exon microarray, each of the nucleic acids having SEQ ID NOS.: 1 - 5,205 contains an open-reading frame, set forth respectively in SEQ ID NOS.: 5,206 - 10,317, that encodes a protein domain. Thus, each of SEQ ID NOS. 1 - 5,205 can be used, or that portion thereof in SEQ ID NOS. 5,206 - 10,317 used, to express a protein domain by standard *in vitro* recombinant techniques. See Ausubel et al. and Maniatis et al.

10 Additionally, kits are available commercially that readily permit such nucleic acids to be expressed as protein in bacterial cells, insect cells, or mammalian cells, as desired (e.g., HAT[™] Protein Expression & Purification System, ClonTech Laboratories, Palo Alto, CA; Adeno-X[™] Expression System, ClonTech Laboratories, Palo Alto, CA; Protein Fusion & Purification (pMAL[™]) System, New England Biolabs, Beverley, MA)

20 Furthermore, shorter peptides can be chemically synthesized using commercial peptide synthesizing equipment and well known techniques. Procedures are described, *inter alia*, in Chan et al. (eds.), Fmoc Solid Phase Peptide Synthesis: A Practical Approach (Practical Approach Series, (Paper)), Oxford Univ. Press (March 2000) (ISBN: 0199637245); Jones, Amino Acid and Peptide Synthesis (Oxford Chemistry Primers, No 7) , Oxford Univ. Press (August 1992) (ISBN: 0198556683); and Bodanszky, Principles of Peptide Synthesis (Springer Laboratory), Springer Verlag (December 1993) (ISBN: 0387564314).

30 It is, therefore, another aspect of the invention to provide peptides comprising an amino acid sequence translated from SEQ ID NOS.: 5,206 - 10,317. Such amino acid sequences are set out in SEQ ID NOS: 10,318 - 15,438. Any such recombinantly-expressed or synthesized peptide of at least 8, and preferably at least about 15, amino acids, 35 can be conjugated to a carrier protein and used to generate

antibody that recognizes the peptide. Thus, it is a further aspect of the invention to provide peptides that have at least 8, preferably at least 15, consecutive amino acids.

5

The following examples are offered by way of illustration and not by way of limitation.

EXAMPLE 1

10 Preparation of Single Exon Microarrays from ORFs Predicted in Human Genomic Sequence

Bioinformatics Results

15 All human BAC sequences in fewer than 10 pieces that had been accessioned in a five month period immediately preceding this study were downloaded from GenBank. This corresponds to ~2200 clones, totaling ~350 MB of sequence, or approximately 10% of the human genome.

After masking repetitive elements using the
20 program CROSS_MATCH, the sequence was analyzed for open reading frames using three separate gene finding programs. The three programs predict genes using independent algorithmic methods developed on independent training sets: GRAIL uses a neural network, GENEFINDER uses a hidden
25 Markoff model, and DICTION, a program proprietary to Genetics Institute, operates according to a different heuristic. The results of all three programs were used to create a prediction matrix across the segment of genomic DNA.

30 The three gene finding programs yielded a range of results. GRAIL identified the greatest percentage of genomic sequence as putative coding region, 2% of the data analyzed. GENEFINDER was second, calling 1%, and DICTION yielded the least putative coding region, with 0.8% of
35 genomic sequence called as coding region.

The consensus data were as follows. GRAIL and GENEFINDER agreed on 0.7% of genomic sequence, GRAIL and DICTION agreed on 0.5% of genomic sequence, and the three programs together agreed on 0.25% of the data analyzed.

5 That is, 0.25% of the genomic sequence was identified by all three of the programs as containing putative coding region.

ORFs predicted by any two of the three programs ("consensus ORFs") were assorted into "gene bins" using two
10 criteria: (1) any 7 consecutive exons within a 25 kb window were placed together in a bin as likely contributing to a single gene, and (2) all ORFs within a 25 kb window were placed together in a bin as likely contributing to a single gene if fewer than 7 exons were found within the 25 kb
15 window.

PCR

The largest ORF from each gene bin that did not span repetitive sequence was then chosen for amplification,
20 as were all consensus ORFs longer than 500 bp. This method approximated one exon per gene; however, a number of genes were found to be represented by multiple elements.

Previously, we had determined that DNA fragments fewer than 250 bp in length do not bind well to the amino-
25 modified glass surface of the slides used as support substrate for construction of microarrays; therefore, amplicons were designed in the present experiments to approximate 500 bp in length.

Accordingly, after selecting the largest ORF per
30 gene bin, a 500 bp fragment of sequence centered on the ORF was passed to the primer picking software, PRIMER3 (available online for use at <http://www-genome.wi.mit.edu/cgi-bin/primer/>). A first additional sequence was commonly added to each ORF-unique
35 5' primer, and a second, different, additional sequence was

commonly added to each ORF-unique 3' primer, to permit subsequent reamplification of the amplicon using a single set of "universal" 5' and 3' primers, thus immortalizing the amplicon. The addition of universal priming sequences
5 also facilitates sequence verification, and can be used to add a cloning site should some ORFs be found to warrant further study.

The ORFs were then PCR amplified from genomic DNA, verified on agarose gels, and sequenced using the
10 universal primers to validate the identity of the amplicon to be spotted in the microarray.

Primers were supplied by Operon Technologies (Alameda, CA). PCR amplification was performed by standard techniques using human genomic DNA (Clontech, Palo Alto,
15 CA) as template. Each PCR product was verified by SYBR[®] green (Molecular Probes, Inc., Eugene, OR) staining of agarose gels, with subsequent imaging by Fluorimager (Molecular Dynamics, Inc., Sunnyvale, CA). PCR amplification was classified as successful if a single band
20 appeared.

The success rate for amplifying ORFs of interest directly from genomic DNA using PCR was approximately 75%. FIG. 5 graphs the distribution of predicted ORF (exon) length and distribution of amplified PCR products, with ORF
25 length shown in red and PCR product length shown in blue (which may appear black in the figure). Although the range of ORF sizes is readily seen to extend to beyond 900 bp, the mean predicted exon size was only 229 bp, with a median size of 150 bp (n=9498). With an average amplicon size of
30 475 ± 25 bp, approximately 50% of the average PCR amplification product contained predicted coding region, with the remaining 50% of the amplicon containing either intron, intergenic sequence, or both.

Using a strategy predicated on amplifying about
35 500 bp, it was found that long exons had a higher PCR

failure rate. To address this, the bioinformatics process was adjusted to amplify 1000, 1500 or 2000 bp fragments from exons larger than 500 bp. This improved the rate of successful amplification of exons exceeding 500 bp, constituting about 9.2% of the exons predicted by the gene finding algorithms.

Approximately 75% of the probes disposed on the array (90% of those that successfully PCR amplified) were sequence-verified by sequencing in both the forward and reverse direction using MegaBACE sequencer (Molecular Dynamics, Inc., Sunnyvale, CA), universal primers, and standard protocols.

Some genomic clones (BACs) yielded very poor PCR and sequencing results. The reasons for this are unclear, but may be related to the quality of early draft sequence or the inclusion of vector and host contamination in some submitted sequence data.

Although the intronic and intergenic material flanking coding regions could theoretically interfere with hybridization during microarray experiments, subsequent empirical results demonstrated that differential expression ratios were not significantly affected by the presence of noncoding sequence. The variation in exon size was similarly found not to affect differential expression ratios significantly; however, variation in exon size was observed to affect the absolute signal intensity (data not shown).

The 350 MB of genomic DNA was, by the above-described process, reduced to 9750 discrete probes, which were spotted in duplicate onto glass slides using commercially available instrumentation (MicroArray GenII Spotter and/or MicroArray GenIII Spotter, Molecular Dynamics, Inc., Sunnyvale, CA). Each slide additionally included either 16 or 32 *E. coli* genes, the average hybridization signal of which was used as a measure of

background biological noise.

Each of the probe sequences was BLASTed against the human EST data set, the NR data set, and SwissProt GenBank (May 7, 1999 release 2.0.9).

5 One third of the probe sequences (as amplified) produced an exact match (BLAST Expect ("E") values less than 1 e^{-100}) to either an EST (20% of sequences) or a known mRNA (13% of sequences). A further 22% of the probe sequences showed some homology to a known EST or mRNA
10 (BLAST E values from 1 e^{-5} to 1 e^{-99}). The remaining 45% of the probe sequences showed no significant sequence homology to any expressed, or potentially expressed, sequences present in public databases.

All of the probe sequences (as amplified) were
15 then analyzed for protein similarities with the SwissProt database using BLASTX, Gish et al., *Nature Genet.* 3:266 (1993). The predicted functional breakdowns of the 2/3 of probes identical or homologous to known sequences are presented in Table 1.

20

Table 1

Function of Predicted ORFs As Deduced From Comparative Sequence Analysis			
Total	V6 chip	V7 chip	Function Predicted from Comparative Sequence Analysis
211	96	115	Receptor
120	43	77	Zinc Finger
30	11	19	Homeobox
25	9	16	Transcription Factor
17	11	7	Transcription
118	57	61	Structural
95	39	56	Kinase

36	18	18	Phosphatase
83	31	52	Ribosomal
45	19	26	Transport
21	17	14	Growth Factor
17	12	5	Cytochrome
50	33	17	Channel

As can be seen, the two most common types of genes were transcription factors and receptors, making up 2.2% and 1.8% of the arrayed elements, respectively.

5

EXAMPLE 2

Gene Expression Measurements From Genome-Derived Single Exon Microarrays

10

The two genome-derived single exon microarrays prepared according to Example 1 were hybridized in a series of simultaneous two-color fluorescence experiments to (1) 15 Cy3-labeled cDNA synthesized from message drawn individually from each of brain, heart, liver, fetal liver, placenta, lung, bone marrow, HeLa, BT 474, or HBL 100 cells, and (2) Cy5-labeled cDNA prepared from message pooled from all ten tissues and cell types, as a control in 20 each of the measurements. Hybridization and scanning were carried out using standard protocols and Molecular Dynamics equipment.

Briefly, mRNA samples were bought from commercial sources (Clontech, Palo Alto, CA and Amersham Pharmacia 25 Biotech (APB)). Cy3-dCTP and Cy5-dCTP (both from APB) were incorporated during separate reverse transcriptions of 1 µg of polyA⁺ mRNA performed using 1 µg oligo(dT)12-18 primer and 2 µg random 9mer primers as follows. After heating to 70°C, the RNA:primer mixture was snap cooled on ice. After

snap cooling on ice, added to the RNA to the stated final concentration was: 1X Superscript II buffer, 0.01 M DTT, 100µM dATP, 100 µM dGTP, 100 µM dTTP, 50 µM dCTP, 50 µM Cy3-dCTP or Cy5-dCTP 50 µM, and 200 U Superscript II enzyme. The reaction was incubated for 2 hours at 42°C. After 2 hours, the first strand cDNA was isolated by adding 1 U Ribonuclease H, and incubating for 30 minutes at 37°C. The reaction was then purified using a Qiagen PCR cleanup column, increasing the number of ethanol washes to 5.

10 Probe was eluted using 10 mM Tris pH 8.5.

Using a spectrophotometer, probes were measured for dye incorporation. Volumes of both Cy3 and Cy5 cDNA corresponding to 50 pmoles of each dye were then dried in a Speedvac, resuspended in 30 µl hybridization solution containing 50% formamide, 5X SSC, 0.2 µg/µl poly(dA), 0.2 µg/µl human c_{ot}1 DNA, and 0.5 % SDS.

15

Hybridizations were carried out under a coverslip, with the array placed in a humid oven at 42°C overnight. Before scanning, slides were washed in 1X SSC, 0.2% SDS at 55°C for 5 minutes, followed by 0.1X SSC, 0.2% SDS, at 55°C for 20 minutes. Slides were briefly dipped in water and dried thoroughly under a gentle stream of nitrogen.

20

Slides were scanned using a Molecular Dynamics Gen3 scanner, as described. Schena (ed.), Microarray Biochip: Tools and Technology, Eaton Publishing Company/BioTechniques Books Division (2000) (ISBN: 1881299376).

25

Although the use of pooled cDNA as a reference permitted the survey of a large number of tissues, it attenuates the measurement of relative gene expression, since every highly expressed gene in the tissue/cell type-specific fluorescence channel will be present to a level of at least 10% in the control channel. Because of this fact, both signal and expression ratios (the latter hereinafter,

30

35

"expression" or "relative expression") for each probe were normalized using the average ratio or average signal, respectively, as measured across the whole slide.

Data were accepted for further analysis only when
5 signal was at least three times greater than biological noise, the latter defined by the average signal produced by the *E. coli* control genes.

The relative expression signal for these probes was then plotted as function of tissue or cell type, and is
10 presented in FIG. 6.

FIG. 6 shows the distribution of expression across a panel of ten tissues. The graph shows the number of sequence-verified products that were either not expressed ("0"), expressed in one or more but not all
15 tested tissues ("1" - "9"), and expressed in all tissues tested ("10").

Of 9999 arrayed elements on the two microarrays (including positive and negative controls and "failed" products), 2353 (51%) were expressed in at least one tissue
20 or cell type. Of the gene elements showing significant signal — where expression was scored as "significant" if the normalized Cy3 signal was greater than 1, representing signal 5-fold over biological noise (0.2) — 39% (991) were expressed in all 10 tissues. The next most common class
25 (15%) consisted of gene elements expressed in only a single tissue.

The genes expressed in a single tissue were further analyzed, and the results of the analyses are compiled in FIG. 7.

30 FIG. 7A is a matrix presenting the expression of all verified sequences that showed expression greater than 3 in at least one tissue. Each clone is represented by a column in the matrix. Each of the 10 tissues assayed is represented by a separate row in the matrix, and relative
35 expression of a clone in that tissue is indicated at the

respective node by intensity of green shading, with the intensity legend shown in panel B. The top row of the matrix ("EST Hit") contains "bioinformatic" rather than "physical" expression data - that is, presents the results returned by query of EST, NR and SwissProt databases using the probe sequence. The legend for "bioinformatic expression" (i.e., degree of homology returned) is presented in panel C. Briefly, white is known, black is novel, with gray depicting nonidentical with significant homology (white: E values < 1e-100; gray: E values from 1e-05 to 1e-99; black: E values > 1e-05).

As FIG. 7 readily shows, heart and brain were demonstrated to have the greatest numbers of genes that were shown to be uniquely expressed in the respective tissue. In brain, 200 uniquely expressed genes were identified; in heart, 150. The remaining tissues gave the following figures for uniquely expressed genes: liver, 100; lung, 70; fetal liver, 150; bone marrow, 75; placenta, 100; HeLa, 50; HBL, 100; and BT474, 50.

It was further observed that there were many more "novel" genes among those that were up-regulated in only one tissue, as compared with those that were down-regulated in only one tissue. In fact, it was found that ORFs whose expression was measurable in only a single of the tested tissues were represented in sequencing databases at a rate of only 11%, whereas 36% of the ORFs whose expression was measurable in 9 of the tissues were present in public databases. As for those ORFs expressed in all ten tissues, fully 45% were present in existing expressed sequence databases. These results are not unexpected, since genes expressed in a greater number of tissues have a higher likelihood of being, and thus of having been, discovered by EST approaches.

Comparison of Signal from Known and Unknown Genes

The normalized signal of the genes found to have high homology to genes present in the GenBank human EST database were compared to the normalized signal of those genes not found in the GenBank human EST database. The data are shown in FIG. 8.

FIG. 8 shows the normalized Cy3 signal intensity for all sequence-verified products with a BLAST Expect ("E") value of greater than $1e-30$ (designated "unknown") upon query of existing EST, NR and SwissProt databases, and shows in blue the normalized Cy3 signal intensity for all sequence-verified products with a BLAST Expect value of less than $1e-30$ ("known"). Note that biological background noise has an averaged normalized Cy3 signal intensity of 0.2.

As expected, the most highly expressed of the ORFs were "known" genes. This is not surprising, since very high signal intensity correlates with very commonly-expressed genes, which have a higher likelihood of being found by EST sequence.

However, a significant point is that a large number of even the high expressers were "unknown". Since the genomic approach used to identify genes and to confirm their expression does not bias exons toward either the 3' or 5' end of a gene, many of these high expression genes will not have been detected in an end-sequenced cDNA library.

The significant point is that presence of the gene in an EST database is not a prerequisite for incorporation into a genome-derived microarray, and further, that arraying such "unknown" exons can help to assign function to as-yet undiscovered genes.

Verification of Gene Expression

To ascertain the validity of the approach described above to identify genes from raw genomic

sequence, expression of two of the probes was assayed using reverse transcriptase polymerase chain reaction (RT PCR) and northern blot analysis.

Two microarray probes were selected on the basis of exon size, prior sequencing success, and tissue-specific gene expression patterns as measured by the microarray experiments. The primers originally used to amplify the two respective ORFs from genomic DNA were used in RT PCR against a panel of tissue-specific cDNAs (Rapid-Scan gene expression panel 24 human cDNAs) (OriGene Technologies, Inc., Rockville, MD).

Sequence AL079300_1 was shown by microarray hybridization to be present in cardiac tissue, and sequence AL031734_1 was shown by microarray experiment to be present in placental tissue (data not shown). RT-PCR on these two sequences confirmed the tissue-specific gene expression as measured by microarrays, as ascertained by the presence of a correctly sized PCR product from the respective tissue type cDNAs.

Clearly, all microarray results cannot, and indeed should not, be confirmed by independent assay methods, or the high throughput, highly parallel advantages of microarray hybridization assays will be lost. However, in addition to the two RT-PCR results presented above, the observation that 1/3 of the arrayed genes exist in expression databases provides powerful confirmation of the power of our methodology – which combines bioinformatic prediction with expression confirmation using genome-derived single exon microarrays – to identify novel genes from raw genomic data.

To verify that the approach further provides correct characterization of the expression patterns of the identified genes, a detailed analysis was performed of the microarrayed sequences that showed high signal in brain.

For this latter analysis, sequences that showed

high (normalized) signal in brain, but which showed very low (normalized) signal (less than 0.5, determined to be biological noise) in all other tissues, were further studied. There were 82 sequences that fit these criteria, approximately 2% of the arrayed elements. The 10 sequences showing the highest signal in brain in microarray hybridizations are detailed in Table 2, along with assigned function, if known or reasonably predicted.

10 Table 2

Function of the Most Highly Expressed Genes Expressed Only in Brain				
Microarray Sequence Name	Normal Signal	Expressi on Ratio	Homology to EST present in GenBank	Gene Function as described by GenBank
AP000217-1	5.2	+7.7	High	S-100 protein, b-chain, Ca ²⁺ binding protein expressed in central nervous system
AP000047-1	2.3		High	Unknown Function
AC006548-9	1.7		High	Similar to mouse membrane glyco-protein M6, expressed in central nervous system
AC007245-5	1.5		High	Similar to amphiphysin, a

				synaptic vesicle-associated protein. Ref 21
L44140-4	1.2	+2.0	High	Endothelial actin-binding protein found in nonmuscle filamin
AC004689-9	1.2	+3.5	High	Protein Phosphatase PP2A, neuronal/downregulates activated protein kinases
AL031657-1	1.2	+3.0	High	Unknown function/Contains the anhyrin motif, a common protein sequence motif
AC009266-2	1.1	+3.7	Low	Low homology to the Synaptotagmin I protein in rat/present at low levels throughout rat brain
AP000086-1	1.0	+2.7	Low	Unknown, very poor homology to collagen
AC004689-3	1.0		High	Protein

				Phosphatase PP2A, neuronal/ downregulates activated protein kinases
--	--	--	--	---

Of the ten sequences studied by these latter confirmatory approaches, eight were previously known. Of these eight, six had previously been reported to be
 5 important in the central nervous system or brain. The exon giving the highest signal (AP00217-1) was found to be the gene encoding an S100B Ca^{2+} binding protein, reported in the literature to be highly and uniquely expressed in the central nervous system. Heizmann, *Neurochem. Res.* 9:1097
 10 (1997).

A number of the brain-specific probe sequences (including AC006548-9, AC009266-2) did not have homology to any known human cDNAs in GenBank but did show homology to rat and mouse cDNAs. Sequences AC004689-9 and AC004689-3
 15 were both found to be phosphatases present in neurons (Millward et al., *Trends Biochem. Sci.* 24(5):186-191 (1999)). Two microarray sequences, AP000047-1 and AP000086-1 have unknown function, with AP000086-1 being absent from GenBank. Functionality can now be narrowed
 20 down to a role in the central nervous system for both of these genes, showing the power of designing microarrays in this fashion.

Next, the function of the chip sequences with the highest (normalized) signal intensity in brain, regardless
 25 of expression in other tissues, was assessed. In this latter analysis, we found expression of many more common genes, since the sequences were not limited to those expressed only in brain. For example, looking at the 20 highest signal intensity spots in brain, 4 were similar to
 30 tubulin (AC00807905; AF146191-2; AC007664-4; AF14191-2), 2

were similar to actin (AL035701-2; AL034402-1), and 6 were found to be homologous to glyceraldehyde-3-phosphate dehydrogenase (GAPDH) (AL035604-1; Z86090-1; AC006064-L, AC006064-K; AC035604-3; AC006064-L). These genes are often
 5 used as controls or housekeeping genes in microarray experiments of all types.

Other interesting genes highly expressed in brain were a ferritin heavy chain protein, which is reported in the literature to be found in brain and liver (Joshi et
 10 al., *J. Neurol. Sci.* 134(Suppl):52-56 (1995)), a result duplicated with the array. Other highly expressed chip sequences included a translation elongation factor 1 α (AC007564-4), a DEAD-box homolog (AL023804-4), and a Y-chromosome RNA-binding motif (Chai et al., *Genomics*
 15 49(2):283-89 (1998)) (AC007320-3). A low homology analog (AP00123-1/2) to a gene, DSCR1, thought to be involved in trisomy 21 (Down's syndrome), showed high expression in both brain and heart, in agreement with the literature (Fuentes et al., *Mol. Genet.* 4(10):1935-44 (1995)).

20 As a further validation of the approach, we selected the BAC AC006064 to be included on the array. This BAC was known to contain the GAPDH gene, and thus could be used as a control for the ORF selection process. The gene finding and exon selection algorithms resulted in
 25 choosing 25 exons from BAC AC006064 for spotting onto the array, of which four were drawn from the GAPDH gene. Table 3 shows the comparison of the average expression ratio for the 4 exons from BAC006064 compared with the average expression ratio for 5 different dilutions of a
 30 commercially available GAPDH cDNA (Clontech).

Table 3

Comparison of Expression Ratio, for each tissue, of GAPDH
--

	AC006064 (n = 4)	Control (n = 5)
Bone Marrow	-1.81 \pm 0.11	-1.85 \pm 0.08
Brain	-1.41 \pm 0.11	-1.17 \pm 0.05
BT474	1.85 \pm 0.09	1.66 \pm 0.12
Fetal Liver	-1.62 \pm 0.07	-1.41 \pm 0.05
HBL100	1.32 \pm 0.05	2.64 \pm 0.12
Heart	1.16 \pm 0.09	1.56 \pm 0.10
HeLa	1.11 \pm 0.06	1.30 \pm 0.15
Liver	-1.62 \pm 0.22	-2.07 \pm
Lung	-4.95 \pm 0.93	-3.75 \pm 0.21
Placenta	-3.56 \pm 0.25	-3.52 \pm 0.43

Each tissue shows excellent agreement between the experimentally chosen exons and the control, again demonstrating the validity of the present exon mining approach. In addition, the data also show the variability of expression of GAPDH within tissues, calling into question its classification as a housekeeping gene and utility as a housekeeping control in microarray experiments.

EXAMPLE 3

Representation of Sequence and Expression Data as a "Mondrian"

15

For each genomic clone processed for microarray as above-described, a plethora of information was accumulated, including full clone sequence, probe sequence within the clone, results of each of the three gene finding programs, EST information associated with the probe sequences, and microarray signal and expression for multiple tissues, challenging our ability to display the

information.

Accordingly, we devised a new tool for visual display of the sequence with its attendant annotation which, in deference to its visual similarity to the paintings of Piet Mondrian, is hereinafter termed a "Mondrian". FIGS. 3 and 4 present the key to the information presented on a Mondrian.

FIG. 9 presents a Mondrian of BAC AC008172 (bases 25,000 to 130,000 shown), containing the carbamyl phosphate synthetase gene (AF154830.1). Purple background within the region shown as field 81 in FIG. 3 indicates all 37 known exons for this gene.

As can be seen, GRAIL II successfully identified 27 of the known exons (73%), GENEFINDER successfully identified 37 of the known exons (100%), while DICTION identified 7 of the known exons (19%).

Seven of the predicted exons were selected for physical assay, of which 5 successfully amplified by PCR and were sequenced. These five exons were all found to be from the same gene, the carbamyl phosphate synthetase gene (AF154830.1).

The five exons were arrayed, and gene expression measured across 10 tissues. As is readily seen in the Mondrian, the five chip sequences on the array show identical expression patterns, elegantly demonstrating the reproducibility of the system.

FIG. 10 is a Mondrian of BAC AL049839. We selected 12 exons from this BAC, of which 10 successfully sequenced, which were found to form between 5 and 6 genes. Interestingly, 4 of the genes on this BAC are protease inhibitors. Again, these data elegantly show that exons selected from the same gene show the same expression patterns, depicted below the red line. From this figure, it is clear that our ability to find known genes is very good. A novel gene is also found from 86.6 kb to 88.6 kb,

upon which all the exon finding programs agree. We are confident we have two exons from a single gene since they show the same expression patterns and the exons are proximal to each other. Backgrounds in the following colors indicate a known gene (top to bottom):

5 red = kallistatin protease inhibitor (P29622);
purple = plasma serine protease inhibitor (P05154);
turquoise = α 1 anti-chymotrypsin (P01011); mauve = 40S ribosomal protein (P08865). Note that chip sequence 8 and

10 12 did not sequence verify.

EXAMPLE 4

Genome-Derived Single Exon Probes Useful For Measuring

15 Human Gene Expression

The protocols set forth in Examples 1 and 2, *supra*, were applied to additional human genomic sequence as it became newly available in GenBank to identify unique

20 exons in the human genome that could be shown to be expressed at significant levels in BT 474 cells.

These unique exons are within longer probe sequences. Each probe was completely sequenced on both strands prior to its use on a genome-derived single exon

25 microarray; sequencing confirms the exact chemical structure of each probe. An added benefit of sequencing is that it placed us in possession of a set of single base-incremented fragments of the sequenced nucleic acid, starting from the sequencing primer 3' OH. (Since the

30 single exon probes were first obtained by PCR amplification from genomic DNA, we were of course additionally in possession of an even larger set of single base incremented fragments of each of the 5,205 single exon probes, each fragment corresponding to an extension product from one of

35 the two amplification primers.)

The structures of the 5,205 unique single exon probes are clearly presented in the Sequence Listing as SEQ ID Nos.: 1 - 5,205. The 16 nt 5' primer sequence and 16 nt 3' primer sequence present on the amplicon are not included in the sequence listing. The sequences of the exons present within each of these probes is presented in the Sequence Listing as SEQ ID Nos.: 5,206 - 10,317, respectively. It will be noted that some amplicons have more than one exon, some exons are contained in more than one amplicon.

As detailed in Example 2, expression was demonstrated by disposing the amplicons as single exon probes on nucleic acid microarrays and then performing two-color fluorescent hybridization analysis; significant expression is based on a statistical confidence that the signal is significantly greater than negative biological control spots. The negative biological control is formed from spotted DNA sequences from a different species. Here, 32 sequences from E.Coli were spotted in duplicate to give a total of 64 spots.

For each hybridisation (each slide, each colour) the median value of the signal from all of the spots is determined. The normalised signal value is the arithmetic mean of the signal from duplicate spots divided by the population median.

Control spots are eliminated if there is more than a five-fold difference between each one of the duplicate spots raw signals.

The median of the signal from the remaining control spots is calculated and all subsequent calculations are done with normalised signals.

Control spots having a signal of greater than median + 2.4 (the value 2.4 is roughly 12 times the observed standard deviation of control spot populations) are eliminated. Spots with such high signals are considered

to be "outliers".

The mean and standard deviation of the modified control spot populations are calculated.

The mean + 3x the standard deviation (mean +
5 (3*SD)) is used as the signal threshold qualifier for that particular hybridisation. Thus, individual thresholds are determined for each channel and each hybridisation.

This means that, assuming that the data is distributed normally, there is a 99% confidence that any
10 signal exceeding the threshold is significant.

The probes and their expression data are presented in Table 4, set forth respectively in Example 5. Example 5 presents the subset of probes that is significantly expressed in the human BT 474 cells and thus
15 presents the subset of probes that was recognized to be useful for measuring expression of their cognate genes in human BT 474 cells.

The sequence of each of the exon probes identified by SEQ ID NOS.: 5,206 - 10,317 was individually
20 used as a BLAST (or, for SWISSPROT, BLASTX) query to identify the most similar sequence in each of dbEST, SwissProt (BLASTX), and NR divisions of GenBank. Because the query sequences are themselves derived from genomic sequence in GenBank, only nongenic hits from NR were
25 scored.

The smallest in value of the BLAST (or BLASTX) expect ("E") scores for each query sequence across the three database divisions was used as a measure of the "expression novelty" of the probe's ORF. Table 4 is sorted
30 in descending order based on this measure, reported as "Most Similar (top) Hit BLAST E Value". Those sequences for which no "Hit E Value" is listed are those exons which were found to have no similar sequences.

As sorted, Table 4 thus lists its respective
35 probes (by "AMPLICON SEQ ID NO.:" and additionally by the

SEQ ID NO:. of the exon contained within the probe:"EXON
SEQ ID NO.:" from least similar to sequences known to be
expressed (i.e., highest BLAST E value), at the beginning
of the table, to most similar to sequences known to be
5 expressed (i.e., lowest BLAST E value), at the bottom of
the table.

Table 4 further provides, for each listed probe,
the accession number of the database sequence that yielded
the "Most Similar (top) Hit BLAST E Value", along with the
10 name of the database in which the database sequence is
found ("Top Hit Database Source").

Table 4 further provides SEQ ID NOS.
corresponding to the predicted amino acid sequences where
they have been determined for the probe and exon nucleotide
15 sequences. These are set out as PEPTIDE SEQ ID NOS.:. The
peptide sequences for a given exon are predicted as
follows: Since each chip exon is a consensus sequence drawn
from predictions from various exon finding programs (i.e.
Grail, GeneFinder and GenScan), the multiple initial ORFs
20 are first determined in a uniform way according to each
prediction. In particular, the reading frame for predicting
the first amino acid in the peptide sequence always starts
with the first base of any codon and ends with the last
base of non-termination codon. Next, for each strand of the
25 exon, initial ORFs are merged into one or more final ORFs
in an exhaustive process based on the following criteria:
1) the merging ORFs must be overlapping, and 2) the merging
ORFs must be in the same frame.

The Sequence Listing, which is a superset of all
30 of the data presented in Table 4, further includes, for
each probe, the most similar hit, with accession number and
BLAST E value, from the each of the three queried
databases.

Table 4 further lists, for each probe, a portion
35 of the descriptor for the top hit ("Top Hit Descriptor") as

provided in the sequence database. For those ORFs that are similar in sequence, but nonidentical to known sequences (e.g., those with BLAST E values between about $1e-05$ and $1e-100$), the descriptor reveals the likely function of the protein encoded by the probe's ORF.

Using BLAST E value cutoffs of $1e-05$ (i.e., 1×10^{-5}) and $1e-100$ (i.e., 1×10^{-100}) as evidence of similarity to sequences known to be expressed is of course arbitrary: in Example 2, *supra*, a BLAST E value of $1e-30$ was used as the boundary when only two classes were to be defined for analysis (unknown, $>1e-30$; known $<1e-30$) (see also FIG. 8). Furthermore, even when the "Most Similar (Top) Hit BLAST E Value" is low, e.g., less than about $1e-100$ — which is probative evidence that the query sequence has previously been shown to be expressed — the top hit is highly unlikely exactly to match the probe sequence.

First, such expression entries typically will not have the intronic and/or intergenic sequence present within the single exon probes listed in the Table. Second, even the ORF itself is unlikely in such cases to be present identically in the databases, since most of the EST and mRNA clones in existing databases include multiple exons, without any indication of the location of exon boundaries.

As noted, the data presented in Table 4 represent a proper subset of the data present within the attached sequence listing. For each amplicon probe (SEQ ID NOs.: 1 – 5,205) and probe exon (SEQ ID NOs.: 5,206 – 10,317, respectively), the sequence listing further provides, through iterated annotation fields $<220>$ and $<223>$:

(a) the accession number of the BAC from which the sequence was derived ("MAP TO"), thus providing a link to the chromosomal map location and other information about the genomic milieu of the probe sequence;

(b) the most similar sequence provided by BLAST query of the EST database, with accession number and BLAST

E value for the "hit";

(c) the most similar sequence provided by BLAST query of the GenBank NR database, with accession number and BLAST E value for the "hit"; and

5 (d) the most similar sequence provided by BLASTX query of the SWISSPROT database, with accession number and BLAST E value for the "hit".

10 EXAMPLE 5

Genome-Derived Single Exon Probes Useful For Measuring Expression of Genes in Human BT 474 cells

Table 4 (214 pages) presents expression, homology, and
15 functional information for the genome-derived single exon probes that are expressed significantly in human BT 474 cells, human epithelial cells isolated from a solid, invasive ductal carcinoma of the breast and available commercially from American Type Culture Collection under
20 catalogue number HTB-20.

Page 1 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
449	5617	10762	4.28				
890	6040	11211	7.04				
1047	6188		2.6				
1306	6436	11611	12.4				
1627	6755	11949	2.17				
1647	6775	11967	4.24				
1738	6865	12069	1.89				
1781	6887	12093	1.25				
1787	6893	12100	6.38				
1898	7017	12238	0.96				
1980	7097	12328	1.31				
2147	7261	12508	1.73				
2256	7366	12622	2.11				
3187	8318	13480	2.71				
3431	8573	13733	1.47				
3500	8641	13807	11.21				
3547	8688		0.74				
3634	8773	13929	0.83				
3919	9055		0.92				
4169	9295	14433	1.54				
4235	9360	14492	6.08				
4255	9380	14512	0.87				
4255	9380	14513	0.87				
4314	9436		1.18				
4803	9916	15057	1.18				
5026	10128	15257	5.94				
5037	10139	15271	1.46				
2827	7728	12979	2.67	9.4E+00	L11433.1	NT	Dengue virus type 3 membrane protein (prM)/envelope glycoprotein (E) polypeptide mRNA, partial cds
2827	7728	12980	2.67	9.4E+00	L11433.1	NT	Dengue virus type 3 membrane protein (prM)/envelope glycoprotein (E) polypeptide mRNA, partial cds
2889	8043	13207	2.89	9.4E+00	AB043785.1	NT	Mus musculus A173 gene for antithrombin, complete cds
439	6808	10752	2.06	8.4E+00	5031804	NT	Homo sapiens insulin receptor substrate 1 (IRS1) mRNA
2947	8101	13265	2.56	7.2E+00	L12051.1	NT	Lycopodium obscurum Mill. GTPase (SAR2) mRNA, complete cds

Page 2 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2947	8101	13266	2.66	7.2E+00	L12051.1	NT	Lycopodium esculentum Mill. GTPase (SAR2) mRNA, complete cds
3510	8651		0.9	5.8E+00	7681557	NT	Homo sapiens DESCI1 protein (DESC1), mRNA
4752	9855	15014	1.25	5.3E+00	L43126.1	NT	Bovine immunodeficiency-like virus surface envelope gene, 5' end of cds
4036	9167		10.59	4.8E+00	AF185255.1	NT	Eurica australis histone H3 (H3) gene, partial cds
287	5476	10617	2.31	4.7E+00	BF240552.1	EST_HUMAN	601875854F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:4098716 5'
288	5476	10617	1.99	4.7E+00	BF240552.1	EST_HUMAN	601875854F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:4098716 5'
3257	8407	13568	1.64	4.7E+00	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
3012	8168	13323	0.63	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4215284 5'
3012	8168	13324	0.63	4.4E+00	BF530893.1	EST_HUMAN	602072585F1 NCI_CGAP_Bm67 Homo sapiens cDNA clone IMAGE:4215284 5'
3486	8627	13764	5.32	3.9E+00	X84518.1	NT	N. tabacum chitinase gene 50 for class I chitinase C
4298	9420		0.69	3.8E+00	AF055488.1	NT	Mus musculus seminal vesicle secretory protein 99 (MSVSP99) gene, promoter region
2595	7698		1.75	3.8E+00	AE001562.1	NT	Helicobacter pylori, strain J99 section 123 of 132 of the complete genome
3994	9128	14272	12.69	3.7E+00	AL161539.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 39
591	6763	10980	9.76	3.6E+00	AV761055.1	EST_HUMAN	AV761055 MDS Homo sapiens cDNA clone MDSBU10 5'
3230	8380	13540	1.12	3.5E+00	AF221538.1	NT	Cryptosporidium felis heat shock protein 70 (HSP70) gene, partial cds
1526	6653	11839	3.27	3.4E+00	AF254577.1	NT	Brassica napus RPB5d mRNA, complete cds
500	5667	10802	1.43	3.2E+00	X98422.1	NT	D. rerio zp-50 POU gene
3989	5667	10802	0.61	3.2E+00	X98422.1	NT	D. rerio zp-50 POU gene
4868	9812	14960	1.65	3.2E+00	4502404	NT	Homo sapiens carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein) (CEACAM1), mRNA
2799	7956	13121	1.47	3.0E+00	8923984	NT	Homo sapiens hypothetical protein PRO0889 (PRO0889), mRNA
2008	7128	12362	1.47	2.9E+00	AE002225.2	NT	Chlamydia pneumoniae AR39, section 53 of 84 of the complete genome
1469	6568	11764	7.24	2.8E+00	AF186398.1	NT	Buxus harlandii mature K (matK) gene, partial cds; chloroplast gene for chloroplast product
1643	6771		1.54	2.8E+00	AL161552.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 52
229	5423	10560	13.15	2.7E+00	6678308	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
229	5423	10561	13.15	2.7E+00	6678308	NT	Mus musculus per-hexamer repeat gene 3 (Phxr3), mRNA
4646	9764	14908	5.66	2.6E+00	AF068749.1	NT	Mus musculus sphingosine kinase (SPHK1b) mRNA, complete cds
1476	6603	11768	1.77	2.5E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4
1476	6603	11769	1.77	2.5E+00	AJ271844.1	NT	Aspergillus nidulans recQ gene for DNA helicase, exons 1-4
2994	8138	13303	0.95	2.4E+00	M24292.1	NT	Chicken alpha-3 collagen type VI mRNA, 3' end
4881	9992	15139	5.5	2.4E+00	4503352	NT	Homo sapiens double C2-like domains, alpha (DOC2A) mRNA
1257	6366	11563	11.36	2.3E+00	Z46724.1	NT	G.domesicus artificial single chain antibody gene (L3)
4093	9222		1.44	2.3E+00	AJ401081.1	NT	Bos taurus partial cyb gene for cytochrome b
3992	9126	14271	1.39	2.2E+00	AF020528.1	NT	Magnaporthe grisea Class IV chitin synthase (chs4) gene, complete cds

Page 3 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4290	9412	14647	3.83	2.2E+00	D87071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
4290	9412	14548	3.83	2.2E+00	D87071.1	NT	Rat gene for regucalcin, exon1 (non-coding exon)
568	7894	10861	6.54	2.1E+00	AF132612.2	NT	Mus musculus pre-T cell receptor alpha gene, enhancer region and upstream region
3576	8716		0.76	2.1E+00	AW440366.1	EST_HUMAN	UPLH.B18-ak-a-08-0-UL.1 NCL_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2734550 3'
1199	6332	11501	1.31	2.0E+00	AF180527.1	NT	Homo sapiens p22Dkdcl (DOKDEL) mRNA, complete cds
1199	6332	11502	1.31	2.0E+00	AF180527.1	NT	Homo sapiens p22Dkdcl (DOKDEL) mRNA, complete cds
1340	6468	11649	0.86	2.0E+00	AF204927.1	NT	Oryzopsis cuniculatus Nax.K+ATPase beta 1 subunit mRNA, complete cds
1588	6717		2.41	2.0E+00	P25592	SWISSPROT	PUTATIVE RRNA METHYLTRANSFERASE SPB1
2133	7247	12492	10.19	2.0E+00	Z78279.1	NT	R.norvegicus mRNA for collagen alpha1 type I
2133	7247	12493	10.19	2.0E+00	Z78279.1	NT	R.norvegicus mRNA for collagen alpha1 type I
4076	9206	14342	1.9	2.0E+00	AW684486.1	EST_HUMAN	h13c05.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01877
4076	9206	14343	1.9	2.0E+00	AW684486.1	EST_HUMAN	GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);
3086	8219	13371	1.87	1.8E+00	P21004	SWISSPROT	h13c05.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972168 3' similar to gb:X01877
							GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN);
3097	8250	13399	1.92	1.8E+00	U04355.1	NT	PROTEIN B8 PRECURSOR
							Synechococcus sp. PCC7942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
3097	8250	13400	1.92	1.8E+00	U04355.1	NT	Synechococcus sp. PCC7942 copper transporting P-ATPase (ctaA) and ATP synthase epsilon subunit (atpE) genes, complete cds
1109	6247	11410	2.95	1.7E+00	Q80114	SWISSPROT	LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE) (SUCROSE 6-FRUCTOSYL TRANSFERASE)
2250	7360	12617	1.65	1.7E+00	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2383	7480	12716	0.88	1.7E+00	AI141087.1	EST_HUMAN	alpha3H05.x1 Soares NIHMPu_S1 Homo sapiens cDNA clone IMAGE:1078137 3'
							LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE) (SUCROSE 6-FRUCTOSYL TRANSFERASE)
4438	9557	14699	0.76	1.7E+00	Q80114	SWISSPROT	LEVANSUCRASE (BETA-D-FRUCTOFURANOSYL TRANSFERASE) (SUCROSE 6-FRUCTOSYL TRANSFERASE)
2028	7145	12385	4.48	1.6E+00	AF189339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
2037	7155	12394	2.2	1.6E+00	AF077974.1	NT	Homo sapiens small proline-rich protein (SPRR3) gene, exons 1, 2, and 3 and complete cds
2041	7158	12398	1.13	1.6E+00	Y11344.1	NT	Mus musculus ST6GalNAcII gene, exon 2
2260	7370		1.15	1.6E+00	X98373.1	NT	B.napus gene encoding endo-polygalacturonase
2930	8084	13251	1.56	1.6E+00	W58426.1	EST_HUMAN	z225101.r1 Soares fetal heart_NbHH19W Homo sapiens cDNA clone IMAGE:341689 5' similar to gb:D29805 N-ACETYLACTOSAMINE SYNTHASE (HUMAN);
4005	9138		5.78	1.6E+00	BF70077.1	EST_HUMAN	602186095T1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4310591 3'
4328	9451	14584	1.52	1.6E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA6) mRNA, complete cds
4329	9451	14585	1.52	1.6E+00	AF155827.1	NT	Homo sapiens proliferation-associated SNF2-like protein (SMARCA6) mRNA, complete cds

Page 4 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5087	10169	15303	2.59	1.6E+00	Y11344.1	NT	Mus musculus ST8GaiNAc11 gene, exon 2
5087	10169	15304	2.59	1.6E+00	Y11344.1	NT	Mus musculus ST8GaiNAc11 gene, exon 2
31	5242	10358	3.73	1.6E+00	U63449.1	NT	Rattus norvegicus Jun dimerization protein 2 (jdp-2) mRNA, complete cds
230	5424	10502	2.47	1.5E+00	AE002201.2	NT	Chlamydomonas reinhardtii AR39, section 32 of 94 of the complete genome
618	5778		2.04	1.5E+00	6752981	NT	Mus musculus a disintegrin and metalloproteinase domain (ADAM) 15 (metagridin) (Adam15), mRNA
2387	7483	12746	1.38	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
2496	7590	12839	1.36	1.5E+00	6678350	NT	Mus musculus T-cell lymphoma invasion and metastasis 1 (Tiam1), mRNA
3116	7483	12746	2.41	1.5E+00	AJ131402.1	NT	Potato virus A RNA complete genome, isolate U
3356	8501	13869	0.6	1.5E+00	AE001945.1	NT	Deinococcus radiodurans R1 section 82 of 229 of the complete chromosome 1
28	5239	10354	1.12	1.4E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
28	5239	10355	1.12	1.4E+00	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
2315	7423		5.46	1.4E+00	U67922.1	NT	Ovis aries prion protein gene, complete cds
2630	7728	12984	1.41	1.4E+00	X74463.1	NT	Human papillomavirus type 7 genomic DNA
2735	7828	13083	227.51	1.4E+00	AF084584.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
2735	7828	13084	227.51	1.4E+00	AF084584.2	NT	Fugu rubripes neurofibromatosis type 1 (NF1), A-kinase anchor protein (AKAP84), BAW protein (BAW), and WSB1 protein (WSB1) genes, complete cds
3315	8462		0.8	1.4E+00	AF084584.2	NT	Homo sapiens Mad4 homolog (MADA) mRNA
4689	9677		1.57	1.4E+00	BF681547.1	EST_HUMAN	602156687F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4297556 6'
5031	10133	15203	0.82	1.4E+00	Y19213.1	NT	Homo sapiens putative psbHbA pseudogene for hair keratin, exons 2 to 7
589	5733		1.6	1.3E+00	Z73640.1	NT	M. musculus gene encoding 4-Dihydroxyethyl-t-isopropyl dehydrogenase
903	6063	11223	2.56	1.3E+00	AJ271192.1	NT	Cantharellus sp. partial 25S rRNA gene, isolate Tibet
1130	6267		23.68	1.3E+00	Y19213.1	NT	Homo sapiens putative psbHbA pseudogene for hair keratin, exons 2 to 7
1301	6431	11605	12.87	1.3E+00	4507898	NT	Homo sapiens zinc finger protein 157 (ZNF157) mRNA
1301	6431	11608	12.87	1.3E+00	4507898	NT	Homo sapiens zinc finger protein 157 (ZNF157) mRNA
1363	6492		1.49	1.3E+00	U61730.2	NT	CotA lacryme-jobi dihydrodipicolinate synthase (dapA) gene, complete cds
1623	6751		2.09	1.3E+00	AE002398.2	NT	Chlamydia muridarum, section 66 of 85 of the complete genome
2521	7625		1.25	1.3E+00	BE96735.2	EST_HUMAN	601661233R1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916945 3'
2906	8068	13227	0.74	1.3E+00	6756621	NT	Mus musculus alpha-spectrin 1, erythroid (Spn1), mRNA
							Fugu rubripes gamma-aminobutyric acid receptor beta subunit gene, partial cds; 55kd erythrocyte membrane protein (P35), synaptic vesicle-associated integral membrane protein (VAMP-1), procollagen C-proteinase enhancer protein (PCOLCE) genes, complete c
3583	8724	13852	0.82	1.3E+00	AF016494.1	NT	z122d08.s1 Scores: fetal_liver_spleen_INFLU_S1 Homo sapiens cDNA clone IMAGE:431535 3'
649	5910	10945	8.47	1.2E+00	AA676246.1	EST_HUMAN	

Page 5 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
824	5977	11441	1.11	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
824	5977	11442	1.11	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
824	5977	11443	1.11	1.2E+00	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
879	6029		1.11	1.2E+00	8924234	NT	Homo sapiens hypothetical protein PRO3077 (PRO3077), mRNA
1163	6298	11484	6.19	1.2E+00	AF080245.2	NT	Elais deflerra sesquiterpene synthase mRNA, complete cds
1208	6340	11510	1.88	1.2E+00	AJ252242.1	NT	pea seed-borne mosaic virus complete genome
1208	6340	11511	1.88	1.2E+00	AJ252242.1	NT	pea seed-borne mosaic virus complete genome
2366	7463	12719	0.98	1.2E+00	AF156495.1	NT	Homo sapiens post-synaptic density 95 (DLG4) gene, complete cds
3086	8239	13368	0.95	1.2E+00	AB020681.1	NT	Homo sapiens mRNA for KIAA0874 protein, partial cds
3144	8295	13453	5.63	1.2E+00	AL161563.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
3144	8295	13454	5.63	1.2E+00	AL161563.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 63
3270	8419		3.42	1.2E+00	P64910	SWISSPROT	CONJUGAL TRANSFER PROTEIN TRBE PRECURSOR
3336	8482	13649	0.65	1.2E+00	AF188740.1	NT	Homo sapiens LHX3 gene, intron 2
3691	8829	13983	7.07	1.2E+00	U75902.1	NT	Mus musculus subtilisin-like serine protease LPC (PC7) gene, exons 1 to 9, partial cds
3691	8829	14248	1.8	1.2E+00	BF373570.1	EST_HUMAN	MRO-FT0175-050900-203-g06, 1 FT0175 Homo sapiens cDNA
4274	8482	13849	1.07	1.2E+00	AF188740.1	NT	Homo sapiens LHX3 gene, intron 2
4450	9569		1.82	1.2E+00	M87060.1	NT	Rattus rattus cardiac AE3 gene, exons 1-23
4497	9616	14757	1.04	1.2E+00	AF161509.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 21
4534	9652	14797	1.81	1.2E+00	AF156495.1	NT	Homo sapiens post-synaptic density 95 (DLG4) gene, complete cds
4682	9880		5.91	1.2E+00	Y09200.1	NT	T. pinnastrum chloroplast rbcL gene, partial
483	5631	10770	1.04	1.1E+00	D86980.1	NT	Human mRNA for KIAA0227 gene, partial cds
1773	6899	12107	1.22	1.1E+00	AW995393.1	EST_HUMAN	QV0-BN0042-170300-163-g12 BN0042 Homo sapiens cDNA
3311	8458	13620	6.79	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3311	8458	13621	6.79	1.1E+00	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
3486	8610	13778	0.7	1.1E+00	8922641	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
3567	8708	13869	0.92	1.1E+00	AI088360.1	EST_HUMAN	wf54h11.x1 Soares, NFL, T, GBC S1 Homo sapiens cDNA clone IMAGE:2359461 3' similar to
3698	8836	13989	1.48	1.1E+00	AE003886.1	NT	SW:P531_HUMAN Q12888 P53-BINDING PROTEIN 53BP1 ;
3698	8836	13990	1.48	1.1E+00	AE003886.1	NT	Xylella fastidiosa, section 32 of 229 of the complete genome
3795	8932		0.73	1.1E+00	X85374.1	NT	Xylella fastidiosa, section 32 of 229 of the complete genome
3915	9051	14210	1.01	1.1E+00	8922641	NT	H. parahaeuylus hphIM(A), hphIM(C), hphIR and menB genes
3995	9129	14273	0.79	1.1E+00	6755205	NT	Homo sapiens hypothetical protein FLJ10749 (FLJ10749), mRNA
4189	9315		5.62	1.1E+00	5838331	NT	Mus musculus proteasome (prosome, macropain) subunit, beta type 7 (Psm57), mRNA
4656	9772		1.79	1.1E+00	U34992.1	NT	R. uniconis complete mitochondrial genome
							Carcharias plumbeus Ig lambda light chain gene, complete cds

Page 6 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4978	10086	15221	3.5	1.1E+00	U18466.1	NT	African swine fever virus, complete genome
96	5304		2.26	1.0E+00	U23808.1	NT	Xenopus laevis rhodopsin gene, complete cds
109	5313	10462	1.96	1.0E+00	D88425.1	NT	Cavia cobaya mRNA for serine/threonine kinase, complete cds
417	5585		2.14	1.0E+00	AB021084.1	NT	Marchantia polymorpha genes for 26S rRNA, 5S rRNA, 18S rRNA, 5.8S rRNA and 26S rRNA
574	5738	10855	2.43	1.0E+00	AJ251660.1	NT	Grandia tigrina mRNA for homeodomain transcription factor (so gene)
676	5834	10974	8.37	1.0E+00	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
677	5835		1.3	1.0E+00	AF125984.1	NT	Aedes aegypti much-like protein MUC1 mRNA, complete cds
1395	7916		2.27	1.0E+00	X80416.1	NT	V. carteri Algal-CAM mRNA
2459	7563	12815	1.02	1.0E+00	P48355	SWISSPROT	DNA GYRASE SUBUNIT B
2459	7563	12816	1.02	1.0E+00	P48355	SWISSPROT	DNA GYRASE SUBUNIT B
2841	7998	13154	3.76	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2841	7998	13155	3.76	1.0E+00	P24008	SWISSPROT	3-OXO-5-ALPHA-STEROID 4-DEHYDROGENASE 1 (STEROID 5-ALPHA-REDUCTASE 1) (SR TYPE 1)
2838	8090		0.78	1.0E+00	O14228	SWISSPROT	HYPOTHETICAL 67.9 KD PROTEIN O8F12.08C IN CHROMOSOME I
3182	8333	13496	1.13	1.0E+00	AA628453.1	EST_HUMAN	af26q08.s1 Soares_tetral_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:1032830 3' similar to
3585	5304		0.73	1.0E+00	U23808.1	NT	WP:042D8.3 CE04204 ; contains element MER22 MER22 repetitive element ;
3658	8797	13953	1.44	1.0E+00	AJ223816.1	NT	Xenopus laevis rhodopsin gene, complete cds
						NT	Agaricus bisporus mRNA for tyrosinase
4044	9175	14316	0.8	1.0E+00	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4249	9374		0.66	1.0E+00	8822245	NT	Homo sapiens hypothetical protein FLJ10139 (FLJ10139), mRNA
4773	9886	15032	3.01	1.0E+00	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
5134	10234		0.63	1.0E+00	AF200817.1	NT	Pilot whale morbillivirus phosphoprotein (P) gene, partial cds
3590	8730		8.61	9.8E-01	AF174585.1	NT	Apple mosaic virus RNA 2 putative polymerase gene, complete cds
621	6687	10819	1.66	9.8E-01	P22587	SWISSPROT	AMINO-ACID ACETYLTRANSFERASE (N-ACETYL-GLUTAMATE SYNTHASE) (AGS) (NAGS)
2782	7858		1.19	9.8E-01	AF174644.1	NT	Xenopus laevis rec GTPase mRNA, complete cds
4415	9335	14674	0.66	9.8E-01	AF197925.1	NT	Bromus inermis putative cytosolic phosphoglucomutase (pgm1) mRNA, complete cds
4415	9335	14675	0.66	9.8E-01	AF197925.1	NT	Bromus inermis putative cytosolic phosphoglucomutase (pgm1) mRNA, complete cds
4437	9556	14698	1.52	9.8E-01	AW799574.1	EST_HUMAN	PM2-UM0063-240300-005-f12 UM0063 Homo sapiens cDNA
3761	8898	14048	1.82	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
3761	8898	14049	1.92	9.5E-01	BE902340.1	EST_HUMAN	601675639F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3958473 5'
3184	8336		3.87	9.4E-01	AF165990.1	NT	Bartonella clarridgeiae RNA polymerase beta subunit (rpoB) gene, partial cds
3203	8354		1.98	9.4E-01	AF080595.1	NT	Pimpla brachycarpa zinc finger protein (ZFP1) mRNA, complete cds

Page 7 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1745	6871		1.14	9.3E-01	AF242382.1	NT	Homo sapiens phyrenoyl-CoA hydroxylase (PHYH) gene, exon 6
2599	7699	12954	2.9	9.3E-01	BE071172.1	EST_HUMAN	RC5-BT0503-271199-011-B01 BT0503 Homo sapiens cDNA
4009	9142	14282	0.78	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
4009	9142	14283	0.78	9.3E-01	M20219.1	NT	Bovine papillomavirus type 2, complete genome
3224	8374	13537	3.14	9.2E-01	BE022702.1	EST_HUMAN	801441338T1 NIH_MGC 72 Homo sapiens cDNA clone IMAGE:3916184 3'
2116	7231		1.21	9.1E-01	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
3189	8340	13501	1.03	9.1E-01	T28418.1	EST_HUMAN	AB200068 Infant brain, LLNL array of Dr. M. Soares 1NIB Homo sapiens cDNA clone LLAB200068 5'
3189	8340	13502	1.03	9.1E-01	T28418.1	EST_HUMAN	AB200068 Infant brain, LLNL array of Dr. M. Soares 1NIB Homo sapiens cDNA clone LLAB200068 5'
3191	8342	13505	0.78	9.0E-01	7661625	NT	Homo sapiens DKFZP664M2423 protein (DKFZP664M2423), mRNA
4338	9480	14618	1.77	9.0E-01	AF098810.1	NT	Homo sapiens neurxin III-alpha gene, partial cds
5001	10108	15237	0.9	9.0E-01	AF017729.1	NT	Oryctolagus cuniculus Rad51 (RAD51) mRNA, complete cds
4616	8633	14778	1.69	8.8E-01	O28350	SWISSPROT	PUTATIVE F420-DEPENDENT NADP REDUCTASE
484	5632	10771	1.49	8.7E-01	AF106953.2	NT	Homo sapiens SOS1 (SOS1) gene, partial cds
2380	7488	12740	1.03	8.7E-01	5901893	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
2839	7894	13152	13.39	8.7E-01	AA695863.1	EST_HUMAN	nm05511.s1 NCL_COAP_P14.1 Homo sapiens cDNA clone IMAGE:1076877
4894	10100		3.43	8.7E-01	AF121970.1	NT	Pseudomonas aeruginosa topoisomerase (top), putative transcriptional regulatory protein OhbR (ohbR), ortho-halobenzoate 1,2-dioxygenase beta-ISP protein OhbA (ohbA), OhbC (ohbC), ortho-halobenzoate 1,2-dioxygenase alpha-ISP protein OhbB (ohbB), and put
474	5941		2.14	8.6E-01	X17012.1	NT	Rat IGFI gene for insulin-like growth factor II
859	6010	11182	5.02	8.6E-01	W58089.1	EST_HUMAN	z444603.r1 Soares_fetal_NbHH19W Homo sapiens cDNA clone IMAGE:343510 5'
3602	8741	13895	0.86	8.6E-01	AL161565.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
3778	8915	14087	1.3	8.6E-01	U49724.1	NT	Drosophila melanogaster meilin (Dmeilin) mRNA, complete cds
740	5896	11048	2.34	8.3E-01	M89437.1	NT	Thermus thermophilus cytochrome c-552 (cycA) and CycB (cycB) genes, complete cds
3088	8221	13372	3.2	8.3E-01	AL161506.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
3987	9121	14268	2.82	8.3E-01	Y19177.1	NT	Streptomyces antibioticus polyketide biosynthetic gene cluster
2044	7160	12399	1.35	8.2E-01	AB000489.1	NT	Rattus norvegicus mRNA for RPHO-1, complete cds
3440	8582	13742	2.56	8.1E-01	AF055066.1	NT	Homo sapiens MHC class 1 region
3440	8582	13743	2.56	8.1E-01	AF055066.1	NT	Homo sapiens MHC class 1 region
4901	10012		0.83	8.1E-01	AF202634.1	NT	Drosophila melanogaster NaK-ATPase beta subunit isoform 4 (JYbeta2) mRNA, complete cds
172	5367		2.34	8.0E-01	AJ271510.1	NT	Staphylococcus aureus partial pta gene for phosphate acetyltransferase allele 15
286	5475	10616	12.52	8.0E-01	AL132772.1	NT	Bos taurus tubb and rtf genes
1613	6741	11936	0.96	8.0E-01	8394087	NT	Rattus norvegicus protease (prosome, macropain) 28 subunit alpha (Psmr1), mRNA

Page 8 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2028	7147		1	8.0E-01	BF530862.1	EST_HUMAN	802072473F1 NCL CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4215091 5'
3049	8203	13359	1.08	8.0E-01	AF127897.1	NT	Salnit boliviensis olfactory receptor (SBO27) gene, partial cds
3284	8441	13603	1.1	8.0E-01	AB006183.1	NT	Mus musculus gene for ovalcuticular glycoprotein, complete cds
3880	8816		1.58	8.0E-01	AL162758.2	NT	Neisseria meningitidis serogroup A strain Z2491 complete genome, segment 7/7
4507	9826	14769	6.59	8.0E-01	X63739.2	NT	G.gallus mRNA for nicotinic acetylcholine receptor (nAChR) beta 3 subunit
4986	10074	15212	1.12	8.0E-01	7657352	NT	Mus musculus myosin IXb (Myo9b), mRNA
453	5621	10784	0.97	7.9E-01	D11476.1	NT	Lymnaea dispar nuclear polyhedrosis virus gene for DNA polymerase, complete cds
713	5870		0.73	7.9E-01	AE002130.1	NT	Ureaplasma urealyticum section 31 of 69 of the complete genome
1618	6748		10.36	7.9E-01	AB040885.1	NT	Homo sapiens mRNA for KIAA1452 protein, partial cds
1688	6797		0.99	7.9E-01	U32739.1	NT	Haemophilus influenzae Rd section 54 of 163 of the complete genome
2243	7354	12611	4.45	7.9E-01	AB004816.1	NT	Oryctolagus cuniculus mRNA for mitogunin29, complete cds
2244	7355	12612	1.07	7.9E-01	AF130459.1	NT	Danio rerio Trp4-associated protein Trp1A (tsp1A) mRNA, complete cds
3501	8642	13808	2.75	7.9E-01	AF228864.1	NT	Gallus gallus SOX8 transcription factor (SOX8) mRNA, complete cds
4277	9400		1.62	7.9E-01	BE263812.1	EST_HUMAN	601192033F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3535785 5'
4583	9701	14839	0.91	7.9E-01	6753745	NT	Mus musculus embigin (Emb), mRNA
4583	8701	14840	0.91	7.9E-01	6753745	NT	Mus musculus embigin (Emb), mRNA
5140	10240		0.65	7.9E-01	AF139718.1	NT	Chrysomya bezziana pettrophitin-48 precursor, gene, complete cds
5158	10258	15397	1.26	7.9E-01	AF229843.1	NT	Mus musculus WNT-2 gene, partial cds; putative ankyrin-related protein and cystic fibrosis transmembrane conductance regulator (CFTR) genes, section 1 of 2 of the complete cds; and unknown gene
877	6027		1.78	7.8E-01	Z49785.1	EST_HUMAN	HSCTK1041 normalized infant brain cDNA Homo sapiens cDNA clone c-1kb04
2254	7384	12620	1.48	7.8E-01	AW959567.1	EST_HUMAN	EST371637 MAGE resequences, MAGF Homo sapiens cDNA
4670	9786	14931	1.11	7.8E-01	U87305.1	NT	Rattus norvegicus transmembrane receptor Unc5H1 mRNA, complete cds
5018	10121		0.75	7.8E-01	AW763353.1	EST_HUMAN	RC3-CT0254-130100-023-c02 CT0254 Homo sapiens cDNA
139	6336	10480	4.5	7.7E-01	AF184345.1	NT	Lycopersicon hirsutum ADP-glucose pyrophosphorylase large subunit (AGP-L1) mRNA, complete cds
724	5880		1.32	7.7E-01	AF050157.1	NT	Mus musculus major histocompatibility locus class II region: major histocompatibility protein class II alpha chain (Iaalpha) and major histocompatibility protein class II beta chain (Ib beta) genes, complete cds; butyrophilin-like (NG9), butyrophilin-like
2673	7770	13022	1.32	7.7E-01	O33915	SWISSPROT	CITRATE SYNTHASE
3337	8483		0.76	7.7E-01	8393408	NT	Homo sapiens UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetyl-galactosaminyltransferase 7 (GalNAc-T7) (GALNAc-T7), mRNA
3586	8728	13884	3.68	7.7E-01	AF118085.1	NT	Homo sapiens PRO1975 mRNA, complete cds
4375	8486	14640	3.05	7.7E-01	AF199488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds

Page 9 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E- Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4375	8486	14941	3.06	7.7E-01	AF189488.1	NT	Coturnix coturnix japonica sub-species japonica beta-actin mRNA, partial cds
511	5877		1.29	7.8E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
582	5745	10873	1.08	7.9E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
3341	8487	13653	0.96	7.9E-01	C14203.1	EST_HUMAN	G14203 Clontech human aorta pcDNA+ mRNA (#8572) Homo sapiens cDNA clone GEN-037E11 6'
1131	6268	11430	1.4	7.4E-01	AI509146.1	EST_HUMAN	In14b09.x1 NCJ_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167577 3' similar to contains Alu repetitive element contains element MIR repetitive element ;
2324	7432	12884	0.99	7.4E-01	AB011108.1	NT	Homo sapiens mRNA for KIAA0534 protein, partial cds
3707	8845	13999	1.07	7.4E-01	AF112538.1	NT	Malva pusilla actin (Act1) mRNA, complete cds
3878	8014	14171	0.93	7.4E-01	AF133310.1	NT	Vibrio cholerae phage CTXphi Calcutta-rsR-a (rsR-a) and Calcutta-rsR-b (rsR-b) genes, complete cds
4288	9410	14546	7.33	7.4E-01	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2989	8123	13286	0.83	7.3E-01	P08710	SWISSPROT	HYPOTHETICAL PROTEIN HKLF1 (IRL1) (TRL1)
4587	8705	14843	0.75	7.3E-01	AE001166.1	NT	Borrelia burgdorferi (section 52 of 70) of the complete genome
4689	8785	14830	4.1	7.3E-01	AF228421.1	NT	Homo sapiens HT017 mRNA, complete cds
832	5984		1.44	7.2E-01	L29281.1	NT	Rattus norvegicus Initiation factor-2 kinase (eIF-2a) mRNA, complete cds
1951	7078	12302	7.25	7.2E-01	X79140.1	NT	N. tabacum Nelf-4A13 mRNA
3039	8193	13348	1.3	7.2E-01	AF198100.1	NT	Fowlpox virus, complete genome
3434	8576	13736	2.23	7.2E-01	AF065606.1	NT	Giardia intestinalis variant-specific surface protein (vps417-8) gene, vps417-8/A-1 allele, complete cds
4735	8848	14994	3.19	7.2E-01	D90314.1	NT	L. mesenteroides gene for sucrose phosphorylase (EC 2.4.1.7)
5088	10198	15338	1.13	7.2E-01	AF198779.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel a2
5098	10198	15337	1.13	7.2E-01	AF198779.1	NT	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel a2
690	5847	10990	8.62	7.1E-01	D21070.1	NT	Rana catesbeiana mRNA for bullfrog skeletal muscle calcium release channel (ryanodine receptor) alpha isoform(RYR1), complete cds
3036	8189	13346	12.51	7.1E-01	AJ270777.1	NT	Homo sapiens partial TCF-4 gene for T-cell transcription factor-4, exons 15-16
4180	9306	14442	3.32	7.1E-01	7305360	NT	Mus musculus otogelin (Olog), mRNA
4180	9306	14443	3.32	7.1E-01	7305360	NT	Mus musculus otogelin (Olog), mRNA
1232	6363	11335	1.64	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds
1232	6363	11336	1.64	7.0E-01	AB014514.1	NT	Homo sapiens mRNA for KIAA0614 protein, partial cds

Page 10 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5038	10140		1.55	7.0E-01	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
5168	10288	16407	3.95	7.0E-01	T68328.1	EST_HUMAN	ye41h03.a1 Stratagene liver (#637224) Homo sapiens cDNA clone IMAGE:83285 3' similar to gb:K03020 PHENYLALANINE-4-HYDROXYLASE (HUMAN);
971	6118	11287	13.08	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds
971	6118	11288	13.08	6.9E-01	U69674.1	NT	Candida albicans squalene epoxidase (CAERG1) gene, complete cds and translational regulator gene, partial cds
1314	6444	11621	1.98	6.9E-01	AA593530.1	EST_HUMAN	mm28609.a1 NCI_CGAP_Gas1 Homo sapiens cDNA clone IMAGE:1085176 3'
3204	8355	13516	1.41	6.9E-01	AE002271.2	NT	Chlamydia muridarum, section 3 of 85 of the complete genome
958	6106	11275	1.78	6.8E-01	AF017784.1	NT	Giardia intestinalis carbamate kinase gene, complete cds
2835	7733		2.28	6.8E-01	D90917.1	NT	Synechocystis sp. PCC6803 complete genome, 27/27, 3418852-3573470
2789	6766	11950	1.22	6.8E-01	AA864475.1	EST_HUMAN	aj75a05.e1 Soares: parathyroid tumor, N6HPA Homo sapiens cDNA clone IMAGE:1402256 3' similar to gb:X66411.maf1 ALCOHOL DEHYDROGENASE CLASS II PI CHAIN (HUMAN);
4644	9662	14805	1.28	6.8E-01	J00782.1	NT	Rat (hooded) prolactin gene: exon iii and flanks
298	5484	10628	24.41	6.7E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
337	5520	10659	18.99	6.7E-01	AF213884.1	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
2131	7246	12489	1.07	6.7E-01	AA451864.1	EST_HUMAN	zx12g12.e1 Soares: total fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:786310 3' similar to contains element TAR1 repetitive element;
2148	7934	12509	1.89	6.7E-01	AF186073.1	NT	Drosophila melanogaster Msi85C gene, complete cds; NMDMC isoform (Nmdmc) gene, complete cds, alternatively spliced; and transcription factor (Relish) gene, complete cds, alternatively spliced
2964	8118	13281	3.1	6.7E-01	6678580	NT	Mus musculus Wiskott-Aldrich syndrome protein (Wasp), mRNA
4431	9550	14693	0.84	6.7E-01	X74421.1	NT	S. tuberosum mRNA for glucose-6-phosphate dehydrogenase
4947	10056	15194	1.03	6.7E-01	AW079110.1	EST_HUMAN	xa95g12.x1 NCI_CGAP_Co17 Homo sapiens cDNA clone IMAGE:2574598 3'
2681	7767	13008	1.24	6.6E-01	AF199339.1	NT	Homo sapiens lens epithelium-derived growth factor gene, alternatively spliced, complete cds
3470	8612	13778	1.02	6.6E-01	4506880	NT	Homo sapiens sema domain, seven thrombospondin repeats (type 1 and type 1-like), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 5A (SEMA5A) mRNA
3635	8774	13930	3.79	6.6E-01	Y07690.1	NT	Calbicans random DNA marker, 282bp
4085	9214		0.72	6.6E-01	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
6170	10268	15408	1.21	6.6E-01	AL161572.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68

Page 11 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
622	5782	10912	1.19	6.5E-01	M75140.1	NT	H. vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
622	5782	10913	1.19	6.5E-01	M75140.1	NT	H. vulgaris Na,K-ATPase alpha subunit mRNA, complete cds
3414	8557	13718	4.01	6.5E-01	AB041226.1	NT	Mus musculus gene for Tob2, complete cds
4258	8381	14514	4.73	6.5E-01	AJ272285.1	NT	Homo sapiens SPP2 gene for secreted phosphoprotein 24 precursor, exons 1-8
5045	10147	15278	2.62	6.5E-01	U28921.1	NT	Phaseolus vulgaris ATPase gamma subunit mRNA, nuclear gene encoding mitochondrial protein, partial cds
249	5440	10580	5.59	6.4E-01	U48948.1	NT	Drosophila melanogaster 8kd dynein light chain mRNA, complete cds
3438	8950	13740	3.26	6.4E-01	U48954.2	NT	Mus musculus dystroglycan 1 (DAG1) gene, exons 1 and 2 and complete cds
3840	8978	14131	1.22	6.4E-01	AB046827.1	NT	Homo sapiens mRNA for KIAA1607 protein, partial cds
433	5602	10749	3.11	6.3E-01	P05228	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-III)
533	5659	10831	1.69	6.3E-01	U32689.1	NT	Haemophilus influenzae Rd section 4 of 163 of the complete genome
2144	7258	12504	1.04	6.3E-01	U81136.1	NT	Shigella flexneri multi-antigen resistance locus
2542	7646	12886	35.36	6.3E-01	U76331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
2542	7645	12886	35.36	6.3E-01	U75331.1	NT	Gallus gallus bone morphogenetic protein 1 (BMP1) mRNA, partial cds
2887	8142		0.7	6.3E-01	Y17275.1	NT	Lycopodium obscurum p88a gene, complete CDS
2371	7477		2.11	6.1E-01	6678076	NT	Mus musculus secreted acidic cysteine rich glycoprotein (Sparc), mRNA
5182	10289	15428	1.04	6.1E-01	BF314193.1	EST HUMAN	601901013F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4130378 6'
494	5661	10797	1.02	6.0E-01	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
560	5725		2.77	6.0E-01	5802999	NT	Homo sapiens adaptor-related protein complex 3, mu 2 subunit (CLA20), mRNA
1371	8499	11682	1.83	6.0E-01	AF065253.1	NT	Human respiratory syncytial virus strain CH63-53b attachment protein (G) gene, complete cds
3792	8929	14077	0.82	6.0E-01	AJ233396.1	NT	Viral hemorrhagic septicemia virus N, P, M, G, Nv, L genes, French strain 07-71
4007	9140	14281	1.3	6.0E-01	X16842.1	NT	Xenopus mRNA for desmin
4159	9285		1.94	6.0E-01	AF058895.1	NT	Homo sapiens Notch3 (NOTCH3) gene, exons 26, 27, and 28
1001	8147	11314	2.24	5.9E-01	U32701.1	NT	Haemophilus influenzae Rd section 16 of 163 of the complete genome
1409	6536	11714	1.11	5.9E-01	6680232	NT	Mus musculus 3-hydroxy-3-methylglutaryl-Coenzyme A lyase (Hmgcl), mRNA
3253	8403	13864	5.03	5.9E-01	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C067
3253	8403	13865	5.03	5.9E-01	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C067
4188	9323		5.04	5.9E-01	AF162786.1	NT	Rattus norvegicus cenech 2 mRNA, partial cds
1913	7032	12252	1.08	5.8E-01	P40472	SWISSPROT	SIM1 PROTEIN
3957	9092	14244	1.09	5.9E-01	BF695738.1	EST HUMAN	601852474F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4076131 5'
4488	9907	14745	4.55	5.8E-01	AB005077.1	NT	Vigna radiata mRNA for protein pyrophosphatase, complete cds
4765	9978		0.92	5.8E-01	AF110846.1	NT	Megascella scalaris sex-lethal homolog (Megascl) gene, partial cds, alternatively spliced products
1507	6634	11820	0.96	5.7E-01	P06727	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
1507	6634	11821	0.96	6.7E-01	P06727	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)

Page 12 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3015	8169		0.67	5.7E-01	6755253	NT	Mus musculus plasmacytoma variant translocation 1 (Pvt1), mRNA
3208	8359	13520	1.87	5.7E-01	Q9WTJ2	SWISSPROT	PUTATIVE TRANSCRIPTION FACTOR OVO-LIKE 1 (MOVO1A)
3487	8828		2.46	5.7E-01	AB033503.1	NT	Populus euramericana pcc99-2 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
5183	10280	15418	1	5.7E-01	L41887.1	NT	Drosophila extra sex combis gene, exon 1-4, complete cds
3345	8491	13657	1.31	5.6E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
3345	8491	13658	1.31	5.6E-01	AB018283.2	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
4218	8343	14473	1	5.6E-01	D83135.1	NT	Chicken TBP gene, exon8, complete cds
1214	6346	11516	2.95	5.5E-01	8933912	NT	Rattus norvegicus Protonyl Coenzyme A carboxylase, beta polypeptide (Pccb), mRNA
2862	7768	13009	2.01	5.5E-01	P03341	SWISSPROT	GAG POLYPEPTIDE [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2862	7768	13010	2.01	5.5E-01	P03341	SWISSPROT	GAG POLYPEPTIDE [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2884	8038	13203	0.84	5.5E-01	5902085	NT	Homo sapiens superkiller virulence activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
3038	8192		1.93	5.5E-01	H46219.1	EST_HUMAN	yo18a10.s1 Soares adult brain N255HB55Y Homo sapiens cDNA clone IMAGE:178265 3'
3219	8370	13533	3.87	5.5E-01	AF227240.1	NT	Rabbit oral papillomavirus, complete genome
3667	8806	13962	2.13	5.5E-01	P48755	SWISSPROT	FOS-RELATED ANTIGEN-1
140	5337	10481	12.97	5.4E-01	7657266	NT	Homo sapiens KIAA0929 protein Mex2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
140	5337	10482	12.97	5.4E-01	7657266	NT	Homo sapiens KIAA0929 protein Mex2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
583	5746	10874	1.14	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and Gsta (gsta) genes, complete cds; and unknown genes
583	5748	10875	1.14	5.4E-01	AF232006.1	NT	Pseudomonas syringae pv. tomato strain DC3000 AvrE (avrE), HrpW (hrpW), and Gsta (gsta) genes, complete cds; and unknown genes
1275	6404	11578	2.32	5.4E-01	AW888087.1	EST_HUMAN	QV4-NN0040-070400-180-c04 NN0040 Homo sapiens cDNA
2097	7212		2.04	5.4E-01	AE002247.2	NT	Chlamydomonas reinhardtii AR39, section 74 of 94 of the complete genome
2235	7347	12602	1.13	5.4E-01	AJ276982.1	NT	Drosophila melanogaster mRNA for 15,15' beta carotene dioxygenase (beta-dio gene)
514	5080	10814	2.01	5.3E-01	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B (Bf), and complement component C2 (C2) genes;
2744	7838	13092	12.78	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
2744	7838	13093	12.78	5.3E-01	4506328	NT	Homo sapiens protein tyrosine phosphatase, receptor-type, zeta polypeptide 1 (PTPRZ1) mRNA
3227	8377	13538	3.1	5.3E-01	AF037658.1	NT	Homo sapiens secreted C-type lectin precursor (LSCCL) gene, complete cds

Page 13 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4184	8310		1.26	5.3E-01	U3687.1	NT	Mycoplasma genitalium section 9 of 51 of the complete genome
817	6970	11131	9.27	5.2E-01	L20770.1	NT	Drosophila melanogaster helix-loop-helix mRNA, complete cds
1166	6301	11467	6.81	5.2E-01	Q9WV30	SWISSPROT	NUCLEAR FACTOR OF ACTIVATED T CELLS 6 (T CELL TRANSCRIPTION FACTOR NFAT5) (NF-AT5)
1183	6327	11494	3.63	5.2E-01	AF224492.1	NT	(REL DOMAIN-CONTAINING TRANSCRIPTION FACTOR NFAT5)
1894	7013		4.02	5.2E-01	AL163285.2	NT	Homo sapiens phospholipid scramblase 1 gene, complete cds
2130	7244	12488	1.46	5.2E-01	AB018283.2	NT	Homo sapiens chromosome 21 segment HS21C085
3056	8249	13398	1.39	5.2E-01	U65942.1	NT	Homo sapiens mRNA for KIAA0740 protein, partial cds
3222	8373		0.66	5.2E-01	D73443.1	NT	Chlamydia abortus strain S28/3 POMP91A and POMP90A precursor, genes, complete cds
3366	8630		1.73	5.2E-01	AL116780.1	NT	Acetabacter vinelandii tcd gene for isocitrate dehydrogenase, complete cds
3425	8667	13726	2.15	5.2E-01	AA984165.1	EST_HUMAN	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
3612	8751		1.26	5.2E-01	AF020269.1	NT	am7705.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:1616504 3'
4054	8751		0.64	5.2E-01	AF020269.1	NT	Medicago sativa chloroplast malate dehydrogenase precursor (p1mdh) mRNA, nuclear gene encoding chloroplast protein, complete cds
5114	10215		1.1	5.2E-01	AL163281.2	NT	Medicago sativa chloroplast malate dehydrogenase precursor (p1mdh) mRNA, nuclear gene encoding chloroplast protein, complete cds
614	5774	10905	2.44	5.1E-01	M59509.1	NT	Homo sapiens chromosome 21 segment HS21C081
647	5808	10942	4.08	5.1E-01	AJ233944.1	NT	Human adrenodoxin reductase gene, exons 3 to 12
647	5808	10943	4.08	5.1E-01	AJ233944.1	NT	Polyangium vitellinum (strain PI vt1) 16S rRNA gene
1665	6793		1.04	5.1E-01	X87885.1	NT	Polyangium vitellinum (strain PI vt1) 16S rRNA gene
4052	9183	14325	4.76	5.1E-01	AJ859495.1	EST_HUMAN	R. norvegicus mRNA for mammalian fusca protein
4168	9284	14420	2.65	5.1E-01	P68390	SWISSPROT	w33612.x1 NCI CGAP UH1 Homo sapiens cDNA clone IMAGE:2427293 3'
3654	8793	13949	1.16	5.0E-01	AE001785.1	NT	TRANSCRIPTION-REPAIR COUPLING FACTOR (TRCF)
3728	8866	14020	0.77	5.0E-01	U55574.1	NT	Thermotoga maritima section 97 of 136 of the complete genome
3809	8946	14095	1.12	5.0E-01	L38483.1	NT	Mus musculus anti-DNA immunoglobulin light chain IgM mRNA, antibody 363p.138, partial cds
3851	8987	14142	3.05	5.0E-01	AB033010.1	NT	Refus norvegicus lagged protein mRNA, complete cds
790	6944	11104	2.2	4.9E-01	BF571482.1	EST_HUMAN	Homo sapiens mRNA for KIAA1184 protein, partial cds
1672	8801	11896	1.23	4.9E-01	AJ243955.1	NT	602076649F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:4243860 5'
1911	7030	12250	1.11	4.9E-01	U40869.1	NT	Xeropus laevis mRNA for c-Jun protein, 1978 BP
3525	8666		1.14	4.8E-01	AA912842.1	EST_HUMAN	Cavia porcellus pulmonary surfactant protein A (SP-a) mRNA, complete cds
3932	9088		1.38	4.7E-01	BF407975.1	EST_HUMAN	032a09.s1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1626144 3'
3724	8862	14015	1.52	4.6E-01	BF633300.1	EST_HUMAN	601298359F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3629198 5'
3724	8862	14016	1.52	4.6E-01	BF633300.1	EST_HUMAN	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
5117	10218		1.06	4.6E-01	M11267.1	NT	602081103F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4245481 5'
							Bovine steroid 21-hydroxylase gene (P-450-c21) gene, complete cds

Page 14 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2834	7989	13149	4.74	4.5E-01	AA677088.1	EST_HUMAN	z55d02.s1 Soares fetal liver spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:454179 3'
3298	8445	13607	4	4.5E-01	Q05793	SWISSPROT	BASEMENT MEMBRANE-SPECIFIC HEPARAN SULFATE PROTEOGLYCAN CORE PROTEIN
3359	8504	13871	1.01	4.5E-01	AF126378.1	NT	PRECURSOR (HSPG) (PERLECAN) (PLC)
4001	9194		1.29	4.5E-01	Q28247	SWISSPROT	Mus musculus DNA polymerase epsilon catalytic subunit (Pde) gene, exons 2 through 12
4050	9181	14323	1.02	4.5E-01	A1708908.1	EST_HUMAN	COLLAGEN ALPHA 5(V) CHAIN
4147	10317		4.15	4.5E-01	AW873495.1	EST_HUMAN	as96a09.x1 Barstead aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2353480 3'
4920	10030	15172	1.18	4.5E-01	BE963445.2	EST_HUMAN	h000g02.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3041810 3'
2030	7148		2.19	4.4E-01	6880503	NT	601657225R1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3866023 3'
2366	7472	12727	2.49	4.4E-01	P49785	SWISSPROT	Mus musculus integral membrane-associated protein 1 (litrapi), mRNA
3296	8443	13605	1.3	4.4E-01	AF058790.1	NT	VASCULAR ENDOTHELIAL GROWTH FACTOR B PRECURSOR (VEGF-B) (VEGF RELATED FACTOR)
3296	8443	13606	1.3	4.4E-01	AF058790.1	NT	Rattus norvegicus SynGAP-b mRNA, complete cds
3300	8447	13609	2.03	4.4E-01	BF056728.1	EST_HUMAN	Rattus norvegicus SynGAP-b mRNA, complete cds
4213	8338		1.54	4.4E-01	BE378707.1	EST_HUMAN	791d02.y1 NC1_CGAP_B16 Homo sapiens cDNA clone IMAGE:3393795 5'
410	5578	10726	2.01	4.3E-01	AF155218.1	NT	601237139F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3809393 5'
410	5578	10727	2.01	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
1617	6745	11940	1	4.3E-01	AW886550.1	EST_HUMAN	Callithrix jacchus MW/LW opsin gene, upstream flanking region
2836	7991		1.95	4.3E-01	AW935289.1	EST_HUMAN	QV4-SN0024-200400-183-b01 SN0024 Homo sapiens cDNA
3032	8186	13341	0.81	4.3E-01	AW999477.1	EST_HUMAN	GM2-DT0003-010200-077-g01 DT0003 Homo sapiens cDNA
4123	9251	14388	1.16	4.3E-01	J00308.1	NT	MFO-BN0070-270300-008-g04 BN0070 Homo sapiens cDNA
4385	5578	10726	1.2	4.3E-01	AF155218.1	NT	Human somatostatin 1 gene and flanks
4385	5578	10727	1.2	4.3E-01	AF155218.1	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
4336	10046		1.1	4.3E-01	AL161902.2	NT	Callithrix jacchus MW/LW opsin gene, upstream flanking region
5094	10194		0.89	4.3E-01	8635250	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 14
1367	7915	11678	1.08	4.2E-01	Q39102	SWISSPROT	Xestia c-nigrum granulovirus, complete genome
3593	8732	13886	4.15	4.2E-01	AE003947.1	NT	CELL DIVISION PROTEIN FTSH HOMOLOG PRECURSOR
3615	8754	13910	0.97	4.2E-01	A1290338.1	EST_HUMAN	Xyella fastidiosa, section 93 of 229 of the complete genome
3690	10316		0.67	4.2E-01	N81203.1	EST_HUMAN	q94b01.x1 Soares NIHMPU_S1 Homo sapiens cDNA clone IMAGE:1879945 3'
3857	8993	14150	0.62	4.2E-01	AW835527.1	EST_HUMAN	789IE1 fetal brain cDNA Homo sapiens cDNA clone 789IE1-K similar to R07879, Z40498
3955	9090	14243	1.14	4.2E-01	Q04886	SWISSPROT	QVQ-LT0015-180200-127-101 LT0015 Homo sapiens cDNA
4686	9782	14926	5.49	4.2E-01	AA534093.1	EST_HUMAN	SOX-8 PROTEIN
4748	9861	15010	3.83	4.2E-01	R13467.1	EST_HUMAN	nj59h01.s1 NC1_CGAP_P10 Homo sapiens cDNA clone IMAGE:997777 similar to gb:M33600 HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DR-1 BETA CHAIN (HUMAN);
							y77e01.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:28278 5'

Page 15 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1095	6233	11398	1.45	4.1E-01	AI005481.1	EST_HUMAN	RC-BT091-210189-142 BT091 Homo sapiens cDNA
1104	6242	11405	1.2	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
1104	6242	11406	1.2	4.1E-01	AV705243.1	EST_HUMAN	AV705243 ADB Homo sapiens cDNA clone ADBAHF08 5'
2872	7768	13020	1.09	4.1E-01	7705283	NT	Homo sapiens anaphase-promoting complex subunit 7 (APC7), mRNA
2906	8059	13228	1.99	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 36
2906	8059	13228	1.98	4.1E-01	AL161536.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 36
4248	9373	14506	3.92	4.1E-01	AJ249207.1	NT	Rhodococcus sp. AD45 isoC, isoH, isoI, isoJ, isoK, isoL, isoM, isoN, isoO, isoP, isoQ, isoR, isoS, isoT, isoU, isoV, isoW, isoX, isoY, isoZ, isoAA, isoAB, isoAC, isoAD, isoAE and isoAF genes
4282	9405	14902	0.72	4.1E-01	AA809267.1	EST_HUMAN	am33d02.s1 Soares_NFL_T_03C_S1 Homo sapiens cDNA clone IMAGE:1542819 3'
4637	9755	14915	1.1	4.1E-01	AV747880.1	EST_HUMAN	AV747880 NPC Homo sapiens cDNA clone NPCBDF10 5'
4652	9769	14915	1.23	4.1E-01	AA480067.1	EST_HUMAN	z66407.1 Soares total fetus_Nb2Hf8_9w Homo sapiens cDNA clone IMAGE:796428 5'
1041	6181	11346	0.93	4.0E-01	8404856	NT	Laqueus rubellus mitochondrion, complete genome
1344	6473	11853	1	4.0E-01	AF203478.1	NT	Drosophila melanogaster Dalmatian (dmt) mRNA, complete cds
1495	6622	11853	2.81	4.0E-01	6679238	NT	Mus musculus platelet derived growth factor receptor, beta polypeptide (Pdgrfb), mRNA
2786	5334	10479	2.2	4.0E-01	6878490	NT	Mus musculus ubiquitin-protein ligase c3 component n-recognin (Ubr1), mRNA
2937	8091	13257	1.3	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2937	8091	13258	1.3	4.0E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
							Streptococcus pneumoniae Y1C (Y1C), Y1D (Y1D), penicillin-binding protein 2x (pbp2x), and undecaprenyl-phosphate-UDP-MurNAc-pentapeptide phospho-MurNAc-pentapeptide transferase (mraY) genes, complete cds
3672	8811	13969	2	4.0E-01	AF088903.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3806	8943	14091	3.15	4.0E-01	AJ277511.1	NT	Ovis aries partial JD2 gene for T cell receptor delta chain (TCRDJ2), exon 1
3806	8943	14092	3.15	4.0E-01	AJ277511.1	NT	NADH-PLASTOQUINONE OXIDOREDUCTASE CHAIN 5, CHLOROPLAST
4786	9899		8.37	4.0E-01	Q31949	SWISSPROT	Gorilla gorilla carboxyl-ester lipase (CEL) gene, complete cds
1387	6515	11897	1.52	3.9E-01	AF206618.1	NT	Homo sapiens mRNA for KIAA1193 protein, partial cds
2605	7704	12980	2.05	3.9E-01	AB033019.1	NT	H. sapiens B-myb gene
2667	7763	13013	2.86	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
2667	7763	13014	2.86	3.9E-01	X82032.1	NT	H. sapiens B-myb gene
3070	8223	13374	4.04	3.9E-01	AJ225986.1	NT	Sinorhizobium meliloti egl, syrB2, cys3 genes and orf3
4056	9189	14328	1.34	3.9E-01	BF592611.1	EST_HUMAN	781d01.x1 NCI CGAP_B116 Homo sapiens cDNA clone IMAGE:3339769 3'
4977	10095	15220	1.69	3.9E-01	BE726867.1	EST_HUMAN	6016639-48FT NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3833699 5'
155	5352		13.75	3.8E-01	7019488	NT	Homo sapiens protein kinase PKNbeta (pknbeta), mRNA
505	5671		9.81	3.8E-01	AB029291.1	NT	Mus musculus pom-1 mRNA for pericardial material-1, complete cds
2536	7639	12887	3.74	3.8E-01	AF214117.1	NT	Arabidopsis thaliana putative c-myc-like transcription factor (MYB3R-3) mRNA, complete cds
2597	7845	12861	2.31	3.8E-01	6678002	NT	Mus musculus solute carrier family 1, member 8 (Slc1a8), mRNA
2973	8127		0.91	3.8E-01	AJ251057.1	NT	Human immunodeficiency virus type 1 complete genome (isolate 88SE-MP1213)

Page 16 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3020	8174	13332	1.93	3.8E-01	AF043383.1	NT	Pleuronectes americanus aminopeptidase N (ampN) gene, partial cds
3465	8807	13771	7.75	3.8E-01	AL161518.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 30
3540	8867		0.92	3.8E-01	AI807219.1	EST_HUMAN	wf30b12.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2357856 3'
3737	8875	14026	0.96	3.8E-01	BE154080.1	EST_HUMAN	PMO-HT0339-200400-010-G01 HT0339 Homo sapiens cDNA
4040	9171	14312	0.75	3.8E-01	AJ271361.2	NT	Tadifugu rubripes wnt2 (partial), frank1, cfr and frank2 (partial) genes
5030	10132	15262	1.07	3.8E-01	AF038633.1	NT	Homo sapiens Mpv17 protein (MPV17) gene, partial cds; end urocorin gene, complete cds
2454	7556	12809	4.15	3.7E-01	AB037831.1	NT	Homo sapiens mRNA for KIAA1410 protein, partial cds
3442	8584	13745	8.82	3.7E-01	AF056336.1	NT	Danio rerio bone morphogenetic protein 4 precursor (BMP4) gene, complete cds
3849	8955	14141	0.7	3.7E-01	AA319482.1	EST_HUMAN	EST21715 Adrenal gland tumor Homo sapiens cDNA 5' end
4207	8932	14465	6.9	3.7E-01	AJ218707.1	EST_HUMAN	ok38c07.x1 Soares_NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:1510188 3'
4297	8418	14852	1.3	3.7E-01	AW878037.1	EST_HUMAN	MR3-OT0007-080300-104-b02 OT0007 Homo sapiens cDNA
4388	9489	14633	3.08	3.7E-01	AE002408.1	NT	Neisseria meningitidis serogroup B strain MCS8 section 50 of 206 of the complete genome
258	5448	10587	0.84	3.6E-01	AJ009609.1	NT	Brassica napus mRNA for MAP4K alpha2 protein
896	6142		8.33	3.6E-01	U89241.1	NT	Human mlb gene, partial cds
1318	6447	11628	2.54	3.6E-01	T80255.1	EST_HUMAN	y03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1318	6447	11627	2.54	3.6E-01	T80255.1	EST_HUMAN	y03e05.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:24443 5'
1919	7038	12258	3.85	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCL CGAP_GC8 Homo sapiens cDNA clone IMAGE:2847419 3'
1919	7038	12259	3.85	3.6E-01	AW590184.1	EST_HUMAN	hg33f02.x1 NCL CGAP_GC8 Homo sapiens cDNA clone IMAGE:2847419 3'
1956	7073	12298	3.28	3.6E-01	AF216207.1	NT	Mus musculus ribosomal protein S19 (Rps19) gene, complete cds
2367	7473		1.87	3.6E-01	X76725.1	NT	P. irregularis (P3804) gene for actin
2884	10314		6.6	3.6E-01	AF160485.1	NT	Drosophila melanogaster sugar transporter 3 (sut3) mRNA, complete cds
3451	8593	13750	2.12	3.6E-01	X76758.1	NT	H. sapiens serotonin transporter gene, exons 9 and 10
3451	8593	13757	2.12	3.6E-01	X76758.1	NT	H. sapiens serotonin transporter gene, exons 9 and 10
4386	9506	14648	1.13	3.6E-01	BE707883.1	EST_HUMAN	RC1-HT0545-150600-014-b12 HT0545 Homo sapiens cDNA
4686	9802	14948	0.97	3.6E-01	AF071938.1	NT	Mus musculus protein tyrosine kinase Tec (Tec) gene, alternative exons 4 and 4a, exons 5 through 7 and Tec isoform, complete cds
4686	9802	14949	0.97	3.6E-01	AF071938.1	NT	Mus musculus protein tyrosine kinase Tec (Tec) gene, alternative exons 4 and 4a, exons 5 through 7 and Tec isoform, complete cds
4720	9834	14978	0.85	3.6E-01	Y11520.1	NT	Z. mays mRNA for casein kinase II alpha subunit
4761	9874	15026	1.32	3.6E-01	AJ229237.1	NT	Bacteria from anoxic bulk soil 16S rRNA gene (strain XB46)
4097	10103	15294	2.4	3.6E-01	AW339393.1	EST_HUMAN	ha0204.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2872569 3'
111	5315	10454	0.83	3.5E-01	AL161336.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 36
206	5401	10543	2.38	3.5E-01	5578933	NT	Mus musculus mannose receptor, C type 2 (Mrc2), mRNA
723	5879	11027	1.02	3.5E-01	7708136	NT	Homo sapiens GAP-like protein (LOC81308), mRNA

Page 17 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
723	5879	11028	1.02	3.5E-01	7705138	NT	Homo sapiens GAP-like protein (LOC51306), mRNA
780	5935	11093	2.99	3.5E-01	BF129796.1	EST_HUMAN	601811060R1 NIH_MGC_48 Homo sapiens cDNA clone IMAGE:4053951 3'
1831	6760	11958	1.07	3.5E-01	BF310888.1	EST_HUMAN	601894653F2 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4124244 5'
1651	6778	11971	2.33	3.5E-01	U35776.1	NT	Rattus norvegicus ADP-ribosylation factor-directed GTPase activating protein mRNA, complete cds
2259	7369	12625	1.03	3.5E-01	P09798	SWISSPROT	HOMEOBOX PROTEIN HOX-A4 (HOX-1.4) (MH-3)
2571	7944	12926	2.4	3.5E-01	AA223252.1	EST_HUMAN	z08a09.s1 Stratagene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:650872 3'
2866	7762		1.11	3.5E-01	U05897.1	NT	Fibrobacter succinogenes S85 endoglucanase E (celE) and endoglucanase D (celD) gene, complete cds
3784	8921		1.46	3.5E-01	AA642138.1	EST_HUMAN	nr00803.s1 NCL_CGAP_Lym3 Homo sapiens cDNA clone IMAGE:1172357 3'
4236	9301	14493	1.81	3.5E-01	AF071253.1	NT	Danio rerio homeobox protein (hoxb5b) gene, complete cds
4911	10021	15166	5.47	3.5E-01	M18349.1	NT	Rat leukocyte common antigen (L-CA) gene, exons 1 through 5
705	5882		1.51	3.4E-01	AJ242856.1	NT	Homo sapiens partial N-myc (exon 3), HPV45 L2, HPV45 L1, HPV45 E6, HPV45 E7 and HPV45 E1 genes isolated from IC4 cervical carcinoma cell line
977	6123	11293	5.3	3.4E-01	Y08798.2	NT	Pseudomonas fluorescens colR, colS genes, orf222 and partial inaA gene
1331	6460	11639	2.1	3.4E-01	Y00554.1	NT	Azotobacter vinelandii nifA gene for NifA protein (positive regulatory element)
2378	7495	12739	2	3.4E-01	D80909.1	NT	Synechocystis sp. PCC6803 complete genome, 11/27, 1311235-1430418
2971	8125	13288	0.68	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2971	8125	13289	0.68	3.4E-01	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3127	8279	13436	0.68	3.4E-01	D80909.1	NT	Synechocystis sp. PCC6803 complete genome, 11/27, 1311235-1430418
3140	8291	13448	6.85	3.4E-01	U83905.1	NT	Canis familiaris rod photoreceptor cGMP-gated channel alpha-subunit (CNGB1) mRNA, complete cds
3325	8472	13634	0.7	3.4E-01	AF034862.1	NT	Homo sapiens pulmonary surfactant protein D, promoter region and exon 1
3518	8659	13828	5.42	3.4E-01	AF106835.1	NT	Methyovirus sp. strain SS1 putative GpE (gpE), DnaK (dnaK), and putative DnaJ (dnaJ) genes, complete cds
3769	8906		2.04	3.4E-01	BF446010.1	EST_HUMAN	7n84801.x1 NCL_CGAP_Ov18 Homo sapiens cDNA clone IMAGE:3872232 3' similar to TR:Q9UJ15
4010	9143		0.92	3.4E-01	AF184614.1	NT	Q9UJ15 DU18C9.1
4026	9157		1.3	3.4E-01	AA584196.1	EST_HUMAN	Homo sapiens p47-phox (NCF1) gene, complete cds
4613	9731	14868	1.87	3.4E-01	BE088912.1	EST_HUMAN	no1b10.s1 NCL_CGAP_Phot1 Homo sapiens cDNA clone IMAGE:1100347 3'
4930	10040		4.7	3.4E-01	AJ240973.1	EST_HUMAN	MR4-BT0403-230200-202-c01 BT0403 Homo sapiens cDNA
13	5224	10336	7.33	3.3E-01	X07690.1	NT	q95c05.x1 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1867208 3' similar to contains Alu repetitive element
							Rhizobium leguminosarum sym plasmid pRL5J nodX gene

Page 18 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
102	5224	10336	3.15	3.3E-01	X07880.1	NT	Rhizobium leguminosarum sym plasmid pRLSJ nodX gene
447	5615	10761	1.27	3.3E-01	AL161545.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 45
632	5793	10927	1.14	3.3E-01	7662485	NT	Homo sapiens KIAA1100 protein (KIAA1100), mRNA
1203	6336	11507	5.33	3.3E-01	Q12446	SWISSPROT	PROLINE-RICH PROTEIN LAS17
1311	6441	11618	2.99	3.3E-01	BF568880.1	EST_HUMAN	60218401611 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300251 3'
1366	6495	11677	1.22	3.3E-01	U43628.1	NT	Human chromosome 15q11-q13 putative DNA replication origin in the g-aminobutyric acid receptor b3 and a5 gene cluster
1619	6747	11941	1.68	3.3E-01	6753685	NT	Mus musculus disintegrin 5 (Dign5), mRNA
1750	6876		2.18	3.3E-01	AA332734.1	EST_HUMAN	EST36722 Embryo, 8 week 1 Homo sapiens cDNA 5' end
2382	7488		2.55	3.3E-01	4507834	NT	Homo sapiens uridine monophosphate synthetase (urotate phosphoribosyl transferase and orotidine-5'-decarboxylase) (UMPS) mRNA
2915	8069	13241	2.30	3.3E-01	AJ251805.1	NT	Bacteriophage phi-YeO3-12 complete genome
2986	8141		0.83	3.3E-01	O02743	SWISSPROT	INTERLEUKIN-12 ALPHA CHAIN PRECURSOR (IL-12A) (CYTOTOXIC LYMPHOCYTE MATURATION FACTOR 35 KD SUBUNIT) (CLMF P35)
3027	8181	13337	0.77	3.3E-01	AJ007832.2	NT	Streptomyces argillaceus mitramycin biosynthesis genes
3476	8618	13784	1.15	3.3E-01	AB012022.1	NT	Homo sapiens MTA1-L1 gene, complete cds
3787	8924	14074	1.88	3.3E-01	O84645	SWISSPROT	EXODEOXYRIBONUCLEASE V BETA CHAIN
3796	8933	14080	1.12	3.3E-01	P22602	SWISSPROT	GENOME POLYPROTEIN [CONTAINS: N-TERMINAL PROTEIN (P1); HELPER COMPONENT PROTEINASE (HC-PRO); PROTEIN P3]
3938	9074	14229	1.56	3.3E-01	AL161488.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
3976	9110	14268	1.82	3.3E-01	AF200446.1	NT	Hypoxylon fragiforme chitin synthase gene, partial cds
4346	9468		3.16	3.3E-01	D31662.1	NT	Rattus norvegicus DNA for regucalcin, partial cds
4680	9776		1.49	3.3E-01	AI539114.1	EST_HUMAN	1p78b12.x1 NCJ CGAP U8 Homo sapiens cDNA clone IMAGE:2205407 3' similar to gb:X57522 ANTIGEN PEPTIDE TRANSPORTER 1 (HUMAN);
4805	9917	15058	1.12	3.3E-01	D84003.1	NT	Synechocystis sp. PCC6803 complete genome, 22/27, 2755703-2868766
456	5624		1.78	3.2E-01	AF018281.1	NT	Rattus norvegicus EH domain binding protein Epsin mRNA, complete cds
716	5873		0.82	3.2E-01	AL161581.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 61
1164	6289	11465	11.49	3.2E-01	AF047013.1	NT	Fusarium poae virus 1 RNA2 putative RNA dependent RNA polymerase gene, complete cds
1286	6415	11601	1.65	3.2E-01	Z60202.1	NT	P. vulgaris arc5-1 gene
1397	6525	11704	5.03	3.2E-01	Q49624	SWISSPROT	LACTOSE PERMEASE (LACTOSE-PROTON SYMPORT) (LACTOSE TRANSPORT PROTEIN)
1784	6910	12118	1.45	3.2E-01	Z36041.1	NT	S. cerevisiae chromosome II reading frame ORF YBR172a
1794	6920	12130	3.15	3.2E-01	AW957194.1	EST_HUMAN	EST369284 MAGe sequences, MAGD Homo sapiens cDNA
1794	6920	12131	3.15	3.2E-01	AW957194.1	EST_HUMAN	EST369284 MAGe sequences, MAGD Homo sapiens cDNA
2142	7256	12502	1.18	3.2E-01	BF203817.1	EST_HUMAN	601968804F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:411612 5'

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2512	7615		1.28	3.2E-01	7110078	NT	Mus musculus Pbx/knotted 1 homeobox (Pknxt1), mRNA
3095	8248	13397	0.95	3.2E-01	BF380745.1	EST_HUMAN	IL2-UT0073-180900-161-H11 UT0073 Homo sapiens cDNA
3924	9060		0.65	3.2E-01	AL161548.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 46
4316	9438	14571	1.15	3.2E-01	4759195	NT	Homo sapiens symplekin (SYM) mRNA
4372	9483	14637	1.41	3.2E-01	M18818.1	NT	Rabbit beta-like globin gene cluster encoding the epsilon, gamma, delta (pseudogene) and beta globin polypeptides, complete cds
4476	9598	14735	1.25	3.2E-01	Q10268	SWISSPROT	HYPOTHETICAL 81.7 KD PROTEIN C13G7 MAC IN CHROMOSOME I PRECURSOR
4706	9822		7.84	3.2E-01	BF693617.1	EST_HUMAN	602081972F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4248505 5'
4817	9929	15070	1.1	3.2E-01	4557568	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
5188	10285	15421	1.32	3.2E-01	AL161514.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 28
2632	7730	12987	1.35	3.1E-01	R18051.1	EST_HUMAN	y50h06.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:125051 5' similar to gb:1M64241 QM PROTEIN (HUMAN);
2658	7878	13004	2.52	3.1E-01	7681971	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2658	7879	13005	2.52	3.1E-01	7681971	NT	Homo sapiens KIAA0174 gene product (KIAA0174), mRNA
2821	7977		1.05	3.1E-01	AW629036.1	EST_HUMAN	hi40h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975391 3'
3153	8304		3.29	3.1E-01	AB029069.1	NT	Mus musculus gene for Ser/Thr kinase KIAA0174, exon 6
3884	9020	14177	1.15	3.1E-01	AJ251586.1	NT	Daucus carota mRNA for transcription factor E2F (E2F gene)
4942	10052	15190	0.64	3.1E-01	AE003984.1	NT	Xylella fastidiosa, section 130 of 229 of the complete genome
71	7859	10418	1.35	3.0E-01	6756083	NT	Mus musculus protein kinase C, epsilon (Pkcε), mRNA
251	5442	10582	7.54	3.0E-01	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
1226	6358	11528	2.11	3.0E-01	AW300400.1	EST_HUMAN	xs63108.x1 NCI CGAP Kid11 Homo sapiens cDNA clone IMAGE:2774943 3'
1523	6650	11836	3	3.0E-01	AJ006755.1	NT	Balaenoptera physalus gene encoding atrial natriuretic peptide
2977	8131		1.03	3.0E-01	AB008677.1	NT	Bos taurus mRNA for UDP-glucuronosyltransferase, complete cds
3188	8339		0.98	3.0E-01	X83615.1	NT	S. pombe plc1 gene
3188	8347		1.28	3.0E-01	AB030481.1	NT	Corynebacterium sp. ALY-1 alyP gene for polyuracilate lyase, complete cds
3844	8980	14135	1.71	3.0E-01	AW817785.1	EST_HUMAN	PM1-ST0262-261199-001-g01 ST0262 Homo sapiens cDNA
3947	9082	14234	0.82	3.0E-01	AJ271738.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
4487	9606	14744	1.8	3.0E-01	AJ006755.1	NT	Balaenoptera physalus gene encoding atrial natriuretic peptide
2229	7341	12594	1.01	2.9E-01	AF222718.1	NT	Chrysodidymus synuralis mitochondrion, complete genome
3165	8316	13478	1.05	2.9E-01	AF078111.1	NT	Xenopus laevis transcription factor E2F mRNA, complete cds
3234	8384	13545	3.55	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0328-171289-001-f12 CT0328 Homo sapiens cDNA
3234	8384	13546	3.56	2.9E-01	AW754239.1	EST_HUMAN	PM1-CT0328-171289-001-f12 CT0328 Homo sapiens cDNA
3873	9009	14165	0.93	2.9E-01	AI610836.1	EST_HUMAN	p21a11.x1 NCLCGAP_Gas4 Homo sapiens cDNA clone IMAGE:2188412 3' similar to gb:D15050 NIL-2-A ZINC FINGER PROTEIN (HUMAN); contains element L1 repetitive element;

Page 20 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4047	9178	14319	0.64	2.9E-01	AB016428.1	NT	Cavia porcellus mRNA for glutathione S-transferase, complete cds
4062	9193		0.65	2.9E-01	AW002802.1	EST_HUMAN	wf02f10.x1 NCL CGAP_GC5 Homo sapiens cDNA clone IMAGE:2480396 3'
4464	9583	14721	0.94	2.9E-01	AA284468.1	EST_HUMAN	zs57d12.1 NCL CGAP_G081 Homo sapiens cDNA clone IMAGE:701691 5' similar to contains Alu repetitive element
4657	9774		0.73	2.9E-01	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
5012	10115	15246	5.24	2.9E-01	BF104760.1	EST_HUMAN	601822438F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4045616 5'
5012	10115	15247	5.24	2.9E-01	BF104760.1	EST_HUMAN	601822438F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4045616 5'
5096	10196		1.02	2.9E-01	AI870899.1	EST_HUMAN	wa06f03.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2287308 3' similar to contains L1.12 L1 repetitive element
5205	10302	15438	0.81	2.9E-01	AV724733.1	EST_HUMAN	AV724733 HTB Homo sapiens cDNA clone HTBGF005 5'
587	6732		3.2	2.8E-01	U67136.1	NT	Rattus norvegicus A-kinase anchoring protein AKAP150 mRNA, complete cds
572	5736		1.03	2.8E-01	L28145.1	NT	Prune dwarf virus movement protein, complete cds; coat protein, complete cds
1084	6223	11390	2.64	2.8E-01	AF168050.1	NT	Gultra guinea oocyte maturation factor Mos (c-mos) gene, partial cds
1281	6410	11585	0.85	2.8E-01	BE313442.1	EST_HUMAN	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1281	6410	11586	0.85	2.8E-01	BE313442.1	EST_HUMAN	601148733F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3163688 5'
1295	6424	11597	0.84	2.8E-01	D86850.1	NT	Human mRNA for semithrombin protein kinase, complete cds
1740	6867	12072	2.48	2.8E-01	AW860020.1	EST_HUMAN	QV1-CT0384-120200-065-905 CT0364 Homo sapiens cDNA
2009	7127	12363	1.22	2.8E-01	AL047620.1	EST_HUMAN	DKFZp56612321_11 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp56612321
2122	7237	12480	0.98	2.8E-01	AW511106.1	EST_HUMAN	hd44b03.x1 Soares_NFL_T_G8C_S1 Homo sapiens cDNA clone IMAGE:2912333 3'
2447	7551	12804	1.43	2.8E-01	AE000494.1	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2447	7551	12805	1.43	2.8E-01	AE000494.1	NT	Escherichia coli K-12 MG1655 section 384 of 400 of the complete genome
2518	7622		1.06	2.8E-01	AL161695.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 65
2626	7725	12978	1.16	2.8E-01	AB020975.1	NT	Arabidopsis thaliana mRNA for [poly]transferase, complete cds
2840	8094		1.32	2.8E-01	AF179480.1	NT	Toxoplasma gondii 80kDa heat-shock protein (HSP90) mRNA, partial cds
2841	8095	13261	2.3	2.8E-01	Z14037.1	NT	B. taurus microsatellite (ETH121)
2841	8095	13262	2.3	2.8E-01	Z14037.1	NT	B. taurus microsatellite (ETH121)
3241	8391	13553	0.73	2.8E-01	4603842	NT	Homo sapiens coagulation factor V (proaccelerin, labile factor) (F5) mRNA
3360	8505	13672	0.88	2.8E-01	AP000004.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 777001-894000 nt, position (4/7)
3971	9105	14253	1.57	2.8E-01	AE001180.1	NT	Bordetella burgdorferi (section 66 of 70) of the complete genome
4096	9225		0.62	2.8E-01	AE004450.1	NT	Pseudomonas aeruginosa PAO1, section 11 of 529 of the complete genome
4170	9286		2.1	2.8E-01	AI060868.1	EST_HUMAN	ov44g10.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1840228 3' similar to contains Alu repetitive element; contains element MER22 repetitive element
4434	9553	14688	0.94	2.8E-01	AL021272.2	NT	Mus musculus chromosome X contigA; putative Magea9 gene, Caltractin, NAD(P) steroid dehydrogenase and Zinc finger protein 185

Page 21 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4439	9558	14700	2.82	2.8E-01	P13615	SWISSPROT	RNA POLYMERASE BETA SUBUNIT (LARGE STRUCTURAL PROTEIN) (L PROTEIN)
4750	9863	15012	0.96	2.8E-01	D15050.1	NT	Human mRNA for transcription factor AREB6, complete cds
4750	9863	15013	0.96	2.8E-01	D15050.1	NT	Human mRNA for transcription factor AREB6, complete cds
4791	9804	15044	0.9	2.8E-01	AF075238.1	NT	Hepatitis G Virus isolate 00 (SZNAE12) polyprotein precursor, gene, partial cds
4797	9910	15051	2.63	2.8E-01	AF030154.1	NT	Bovine adenovirus 3 complete genome
4830	9942	15084	1.1	2.8E-01	BF528188.1	EST_HUMAN	602042801F1 NCI_CGAP_Brm87 Homo sapiens cDNA clone IMAGE:4180128 5'
4855	9967	15112	2.48	2.8E-01	AI272668.1	EST_HUMAN	q19c11.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:4180128 5'
476	5643	10784	2.44	2.7E-01	Y17324.1	NT	repetitive element; contains element LTR5 repetitive element
610	5770	10899	3.75	2.7E-01	AA450061.1	EST_HUMAN	Rattus norvegicus CDK104 mRNA
1265	6394	11868	2.01	2.7E-01	AB004906.1	NT	z33b10.s1 Soares_fetal_fetus_Nb2Hf8_8w Homo sapiens cDNA clone IMAGE:788827 3' similar to
1833	6762	12073	1.92	2.7E-01	X79815.1	NT	contains Alu repetitive element
1742	6869	12073	2.26	2.7E-01	W58067.1	EST_HUMAN	Iponosea purpurea transposable element Tip100 gene for transposase, complete cds
1786	6912	12120	1.11	2.7E-01	P03341	SWISSPROT	G Jambila SR2 gene
2124	7833	12707	1.06	2.7E-01	AF047575.1	NT	z222h10.f1 Soares_fetal_heart_NbH19W Homo sapiens cDNA clone IMAGE:341443 5'
2347	7454	12707	3.72	2.7E-01	Y13888.1	NT	GAG POLYPROTEIN [CONTAINS: INNER COAT PROTEIN P12; CORE PROTEIN P15; CORE SHELL PROTEIN P30; NUCLEOPROTEIN P10]
2432	7636	12789	2.19	2.7E-01	AI310858.1	EST_HUMAN	PROTEIN P30; NUCLEOPROTEIN P10]
2953	8107	14267	0.77	2.7E-01	BF088284.1	EST_HUMAN	Rattus norvegicus vesicular monocarboxylate transporter type 2, promoter region and exon 1
3996	9120	14267	1.94	2.7E-01	AI928075.1	EST_HUMAN	Feline immunodeficiency virus env gene, isolate ITTO088P1J (M86), partial
3996	9130	14274	0.68	2.7E-01	AF216214.1	NT	fa43c11.x2 NCI_CGAP_Lu25 Homo sapiens cDNA clone IMAGE:2046836 3' similar to contains element L1
3996	9130	14275	0.68	2.7E-01	AF216214.1	NT	repetitive element
4002	9135	14278	2.24	2.7E-01	L77569.1	NT	CM1-HT0875-060900-385-e05 HT0875 Homo sapiens cDNA
4865	9977	15123	0.66	2.7E-01	L27516.1	NT	wa02e11.x1 NCI_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2462828 3'
6023	10125	10777	3.3	2.7E-01	AW856131.1	EST_HUMAN	Drosophila buzzatii alpha-esterase 6 (aE6) gene, partial cds
489	7891	10777	3.04	2.6E-01	P78411	SWISSPROT	Drosophila buzzatii alpha-esterase 6 (aE6) gene, partial cds
480	5648	11707	1.08	2.6E-01	D18459.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
1400	8528	11707	1.46	2.6E-01	BE885087.1	EST_HUMAN	Triticum aestivum (Wes66) gene, complete cds
1447	6575	11761	1.26	2.6E-01	AB013260.1	NT	RC1-CT0288-230200-016-e03 G10288 Homo sapiens cDNA
1803	7022	12241	4.04	2.6E-01	AL161472.2	NT	IROQUOIS-CLASS HOMEODOMAIN PROTEIN [RX-2
1803	7022	12242	4.04	2.6E-01	AL161472.2	NT	Bos taurus mRNA for mb-1, complete cds
							Bo01510838F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3912346 6'
							Glycine max pseudogene for Bd 30K
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 2

Page 22 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
							bb04d10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:298451 3' similar to gb:M36072 60S RIBOSOMAL PROTEIN L7A (HUMAN); gb:M14889_cds1 Mouse surfeit locus surfeit 3 protein gene (MOUSE);
2084	7200		4.41	2.0E-01	AW733152.1	EST_HUMAN	B.martinius fcdL gene
2448	7552		2.33	2.6E-01	Y12896.1	NT	
2517	7621		4.2	2.6E-01	BE272440.1	EST_HUMAN	801126016F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:2890043 5'
3065	8218		1.12	2.6E-01	AW974631.1	EST_HUMAN	EST386635 MAGE resequences, MAGM Homo sapiens cDNA
3568	8709	13870	0.82	2.6E-01	M22342.1	NT	Bacteriophage T2 DNA-(adenine-N6)methyltransferase (dam) gene, complete cds
3621	8760	13917	2.13	2.6E-01	AF229118.1	NT	Homo sapiens acetylcholinesterase collagen-like tail subunit (COLO) gene, exons 1A, 2, 3, 4, and 5
4076	9206	14341	0.68	2.6E-01	AW959510.1	EST_HUMAN	EST371580 MAGE resequences, MAGF Homo sapiens cDNA
4128	9254	14393	15.62	2.6E-01	BE080598.1	EST_HUMAN	QV1-BT0630-040400-132-e03 BT0630 Homo sapiens cDNA
4334	9456	14593	1.08	2.6E-01	AF175293.1	NT	Enterococcus faecium strain N97-330 vanD glycopeptide resistance gene cluster, complete cds; and unknown gene
4470	9589	14728	0.87	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4470	9589	14729	0.87	2.6E-01	AB021180.1	NT	Gallus gallus mRNA for skeletal myosin heavy chain, complete cds
4521	9639	14786	1.36	2.6E-01	AA457617.1	EST_HUMAN	aa89407.r1 Stralagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:898477 5'
4616	9734	14871	2.91	2.6E-01	U01103.1	NT	Arabidopsis thaliana PSI type III chlorophyll a/b-binding protein (Lhca3*) mRNA, complete cds
4683	9789	14944	1.44	2.6E-01	AF142703.1	NT	Ophrestia radiosa maturase-like protein (matK) gene, complete cds; chloroplast gene for chloroplast product
4956	10064	15203	3.82	2.6E-01	H04658.1	EST_HUMAN	y51e05.r1 Sceres placenta Nb2HP Homo sapiens cDNA clone IMAGE:152288 5'
238	5431	10570	1.47	2.6E-01	4502298	NT	Homo sapiens ATP synthase, H ⁺ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
239	5431	10570	1.65	2.6E-01	4502298	NT	Homo sapiens ATP synthase, H ⁺ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
262	5443		4.63	2.6E-01	M28501.1	NT	Starfish (P. ochraceus) cytoplasmic actin gene, complete cds
833	5985	11152	1.13	2.6E-01	U08984.1	NT	Mus musculus ICR/Swiss glyceraldehyde 3-phosphate dehydrogenase (Gapd-S) gene, complete cds
1081	6202		0.83	2.6E-01	AE002158.1	NT	Ureaplasma urealyticum section 57 of 59 of the complete genome
1122	6260	11425	10.45	2.6E-01	T86837.1	EST_HUMAN	yw11907.r1 Stralagene lung (#837210) Homo sapiens cDNA clone IMAGE:117468 5'
1386	6516		0.88	2.6E-01	AB025943.1	NT	Olea europaea OEIW mRNA for lipoel synthase, complete cds
1741	6868		3.12	2.6E-01	4885406	NT	Homo sapiens hyperpolarization activated cyclic nucleotide-gated potassium channel 4 (HCN4) mRNA
1891	7928	12230	1.19	2.6E-01	BE686804.1	EST_HUMAN	PM4-CT0400-310700-005-d08 CT0400 Homo sapiens cDNA
1891	7929	12231	1.19	2.6E-01	BE686804.1	EST_HUMAN	PM4-CT0400-310700-005-d08 CT0400 Homo sapiens cDNA

Page 23 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2384	7490		2.19	2.5E-01	AE000675.1	NT	Aquifex aeolicus section 7 of 109 of the complete genome
2467	7571		1.12	2.5E-01	AA251987.1	EST_HUMAN	zsl1a12.1 NCL CGAP_GCB1 Homo sapiens cDNA clone IMAGE:684862 5'
3394	8538		3.28	2.5E-01	AW973471.1	EST_HUMAN	EST385464 MAGE resequences, MAGM Homo sapiens cDNA
3522	8663	13830	1.17	2.5E-01	AF233875.1	NT	Danio rerio peptide YY precursor gene, complete cds
3536	8678	13839	6.55	2.5E-01	AL161517.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 29
3824	8960	14108	1.49	2.5E-01	AI741483.1	EST_HUMAN	wg11c07.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2364780 3'
3824	8960	14109	1.49	2.5E-01	AI741483.1	EST_HUMAN	wg11c07.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2364780 3'
4043	9174		0.84	2.5E-01	P32323	SWISSPROT	A-AGGLUTININ ATTACHMENT SUBUNIT PRECURSOR
4295	9417		0.79	2.5E-01	Q03314	SWISSPROT	RHB PROTEIN
4714	9830		1.19	2.5E-01	Q27225	SWISSPROT	MOLT-INHIBITING HORMONE PRECURSOR (MH)
4721	9835	14978	3.61	2.5E-01	AF007768.1	NT	Charistoneura fumiferana diapause associated protein 2 (DAP2) mRNA, complete cds
4749	9862	15011	1.98	2.5E-01	AE004418.1	NT	Vibrio cholerae chromosome II, section 73 of 83 of the complete chromosome
4771	9884		3.4	2.5E-01	AJ230113.1	NT	Mus musculus annexin V gene, intron 4 segment containing 5' LTR and gag portion of MuERV-L (murine endogenous retrovirus) element
5203	10300	15437	24.99	2.5E-01	U57838.1	NT	Arabidopsis thaliana FK506 binding protein FKBP22 (ROF1) gene, complete cds
552	5717	10849	0.74	2.4E-01	AA036316.1	EST_HUMAN	on70c04.s1 Soares NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:1662023 3'
849	6000	11172	2.06	2.4E-01	BF576124.1	EST_HUMAN	602132442F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4271578 5'
1308	6438	11613	13.62	2.4E-01	AJ288980.1	NT	Homo sapiens KIAA0851 gene (partial), XT3 gene and LZTFL1 gene
1308	6438	11614	13.62	2.4E-01	AJ288980.1	NT	Homo sapiens KIAA0851 gene (partial), XT3 gene and LZTFL1 gene
1394	6522	11701	1.03	2.4E-01	Y17293.1	NT	Homo sapiens FLI-1 gene, partial
1862	6982		7.18	2.4E-01	AF267753.1	NT	Mesembryanthemum crystallinum putative potassium channel protein Mkt1p mRNA, complete cds
1906	7025	12245	0.88	2.4E-01	AF251708.1	NT	Zaocys dhumnades fructose-1,6-bisphosphatase mRNA, complete cds
2242	7363	12610	1.8	2.4E-01	AE000680.1	NT	Aquifex aeolicus section 12 of 109 of the complete genome
2510	7613	12863	1.72	2.4E-01	Z36534.1	NT	D.discoideum (Ax3-K) ponA gene
2723	7818	13074	1.33	2.4E-01	X71783.1	NT	S.pombe swi6 gene
2747	7841	13098	3.47	2.4E-01	AF030154.1	NT	Bovine adenovirus 3 complete genome
3110	8263		2.69	2.4E-01	U72726.1	NT	Oryza longistaminata receptor kinase-like protein, family member D, and retrofit (gag/pol) genes, complete cds
3126	8278	13434	1.77	2.4E-01	X74209.1	NT	H. sapiens AGT gene, PstI fragment of Intron 4
3741	8879	14030	0.82	2.4E-01	AE000312.1	NT	Escherichia coli K-12 MG1655 section 202 of 400 of the complete genome
4004	9137		0.68	2.4E-01	D29960.1	NT	Rattus norvegicus mRNA for alphaB crystallin-related protein, complete cds
4882	9393	15140	9.08	2.4E-01	BE180080.1	EST_HUMAN	QV1-HT0412-020400-138-b10 HT0412 Homo sapiens cDNA
387	5556	10700	0.87	2.3E-01	S75698.1	NT	aromatase [Psephila guttata=zebra finches; ovary, mRNA, 3'188 nt]
636	5787		5.1	2.3E-01	U93713.1	NT	Mycoplasma genitalium section 35 of 51 of the complete genome

Page 24 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
666	5826	10964	17.78	2.3E-01	U67598.1	NT	Methanococcus jannaschii section 138 of 150 of the complete genome
935	6083	11248	3.03	2.3E-01	BE311893.1	EST_HUMAN	601142073F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3505818 5'
1524	6651	11837	1.01	2.3E-01	6077980	NT	Mus musculus vacuolar protein sorting 4b (yeast) (Vps4b), mRNA
1642	6770	11984	2.22	2.3E-01	Y10887.2	NT	Mus musculus cdt5 gene, exon 1, partial
2039	7166	12780	1.14	2.3E-01	AJ235353.1	NT	Homo sapiens partial intron 3 of the wild type AF-4/FEL gene
2423	7528	12780	1.37	2.3E-01	BE29718.1	EST_HUMAN	601176562F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531015 5'
2612	7711	12864	1.05	2.3E-01	MT1319.1	NT	Human erythropoietin gene, complete cds
2784	6523	11702	2.19	2.3E-01	AB015033.1	NT	Marinibacteria agarovicens gylB gene for DNA gyrase subunit B, partial cds, strain:IFO 14957
2832	8086	13253	0.87	2.3E-01	AA601378.1	EST_HUMAN	repetitive element: contains element THR repetitive element:
3056	8209	14582	5.29	2.3E-01	R21732.1	EST_HUMAN	yh21b07.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:130357 3'
3352	8497	13666	0.8	2.3E-01	H60836.1	EST_HUMAN	y67h10.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:213283 5'
3489	8630	13787	0.84	2.3E-01	4502054	NT	Homo sapiens arachidonate 15-lipoxygenase (ALOX15) mRNA
3818	8955	14103	1.02	2.3E-01	S82821.1	NT	GSTA5=glutathione S-transferase Yc2 subunit (5' region, intron 1) [rats, Morris hepatoma cell line, Genomic, 2212 nt, segment 1 of 3]
3908	9044		5.06	2.3E-01	7662133	NT	Homo sapiens KIAA0450 gene product (KIAA0450), mRNA
4327	9449	14582	0.7	2.3E-01	R82252.1	EST_HUMAN	y17f01.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:148017 5'
4379	9500		1.33	2.3E-01	L78789.1	NT	Mus musculus renin (Ren-1c) gene, promoter region
4429	9548	14690	0.7	2.3E-01	D90899.1	NT	Synechocystis sp. PCC6803 complete genome, 1/27, 1-133859
4465	9584	14722	2.1	2.3E-01	AF092835.1	NT	Homo sapiens mitogen-activated protein kinase p38delta (PRKM13) mRNA, complete cds
4827	9645	14702	6.45	2.3E-01	5031984	NT	Homo sapiens nuclear transport factor 2 (placental protein 15) (PP15) mRNA
5053	10155	15286	0.91	2.3E-01	BF316136.1	EST_HUMAN	601898136F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125368 5'
5171	10269	15410	1.05	2.3E-01	AE000240.1	NT	Escherichia coli K-12 MG1655 section 130 of 400 of the complete genome
5195	10292	15429	0.65	2.3E-01	U45324.1	NT	Human Kruppel-related 3 (HKR3) gene, exons 1-3
85	5294	10434	0.72	2.2E-01	AI052190.1	EST_HUMAN	ccz14a10.x1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1675290 3' similar to
1580	6709	11900	2.93	2.2E-01	AF187850.1	NT	TR:Q13040 Q13040 ATP-BINDING CASSETTE PROTEIN ;
2014	7131		2.57	2.2E-01	AF171901.1	NT	Homo sapiens PPAR delta gene, promoter region
2082	7198	12443	1.53	2.2E-01	M84640.1	NT	Trimeresurus malabaricus cyb gene, partial cds; mitochondrial gene for mitochondrial product
2381	7487	12741	2.76	2.2E-01	BF677338.1	EST_HUMAN	Froeh-water sponge Emf1 alpha collagen (COLF1) gene
2549	7652	12901	1.39	2.2E-01	BE618258.1	EST_HUMAN	602095500F1 NIH_MGC_63 Homo sapiens cDNA clone IMAGE:4249869 5'
2549	7652	12902	1.39	2.2E-01	BE618258.1	EST_HUMAN	601462629F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868190 5'
2648	8003	13163	4.77	2.2E-01	BE155625.1	EST_HUMAN	601462629F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868190 5'
2848	8003	13164	4.77	2.2E-01	BE155625.1	EST_HUMAN	PM2-HT0353-281298-003-a12 HT0353 Homo sapiens cDNA

Page 25 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2886	8040		1.5	2.2E-01	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
3373	8518		2.23	2.2E-01	AL161562.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3791	8028		1.47	2.2E-01	AF155728.1	NT	Xiphophorus maculatus truncated Rex1 retrotransposon reverse transcriptase (RT) pseudogene
4185	9311		0.92	2.2E-01	AF119102.1	NT	Drosophila melanogaster UNC-119 (unc-119) gene, complete cds
4195	9320	14452		2.2E-01	AF155142.1	NT	Mus musculus mixed lineage kinase 3 (Mlk3) and two pore domain K ⁺ channel subunit (Kcnk8) genes, complete cds
4237	9362	14494	2.75	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase kinase 1 (Meck1) mRNA, complete cds
4237	9362	14495	2.75	2.2E-01	AF117340.1	NT	Mus musculus MAP kinase kinase kinase 1 (Meck1) mRNA, complete cds
4333	9455	14591	1.02	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4333	9455	14592	1.02	2.2E-01	U01307.1	NT	Human scRNA (BC200 beta) pseudogene
4477	9587	14738	0.95	2.2E-01	Z54148.1	NT	B. abortus bp28 gene
4794	9807		1.27	2.2E-01	D90604.1	NT	Human beta-cytoplasmic actin (ACTBP6) pseudogene
4799	9912	15053	3.51	2.2E-01	AA21216.1	EST_HUMAN	zab/c05.r1 Stragene rNT neuron (#837233) Homo sapiens cDNA clone IMAGE:849868 5'
5025	10127		1.41	2.2E-01	L13299.1	NT	Mus musculus Vinculin gene, exon 3
5099	10189	15338	1.08	2.2E-01	BE141035.1	EST_HUMAN	MR0-HT0087-201089-002-c10 HT0087 Homo sapiens cDNA
5115	10216		0.95	2.2E-01	S57565.1	NT	Histamine H2-receptor (rats, Genomic, 1928 nt)
5146	10245	15383	1.83	2.2E-01	4502296	NT	Homo sapiens ATP synthase, H ⁺ transporting, mitochondrial F1 complex, delta subunit (ATP5D), nuclear gene encoding mitochondrial protein, mRNA
5164	10291	15428	0.96	2.2E-01	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
5200	10297	15434	1.8	2.2E-01	H60548.1	EST_HUMAN	yr42h09.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:208001 5' similar to gb:Z14116_ma1 CD86 GLYCOPROTEIN PRECURSOR (HUMAN);
972	8119	11289	1.38	2.1E-01	AA569289.1	EST_HUMAN	nm31e1.s1 NCJ CGAP Lip2 Homo sapiens cDNA clone IMAGE:1061804
975	8121	11291	0.97	2.1E-01	AL161504.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 16
1125	6262		2.16	2.1E-01	AE002314.2	NT	Chlamydia muridarum, section 45 of 85 of the complete genome
1201	6334	11503	1.11	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Inar2), mRNA
1201	6334	11504	1.11	2.1E-01	6754299	NT	Mus musculus interferon (alpha and beta) receptor 2 (Inar2), mRNA
1916	7035	12255	1.16	2.1E-01	AA900824.1	EST_HUMAN	ok73a02.e1 NCJ CGAP GC4 Homo sapiens cDNA clone IMAGE:1519610 3' similar to gb:K02765
2139	7253	12489	1.88	2.1E-01	BF08073.1	EST_HUMAN	COMPLEMENT C3 PRECURSOR (HUMAN);
2890	8044	13208	1.93	2.1E-01	8912445	NT	902083129F1 NIH_MGC_91 Homo sapiens cDNA clone IMAGE:4247603 5'
3785	8922		6.31	2.1E-01	8938381	NT	Homo sapiens potassium voltage-gated channel, subfamily H (eag-related), member 4 (KCNH4), mRNA
4028	9159	14302	1.27	2.1E-01	P11075	SWISSPROT	Beta vulgaris mitochondrion, complete genome IMMEDIATE-EARLY PROTEIN IE180

Page 26 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4028	9159	14303	1.27	2.1E-01	P11676	SWISSPROT	IMMEDIATE-EARLY PROTEIN IE180
4365	9477		1.69	2.1E-01	AB033041.1	NT	Homo sapiens mRNA for KIAA1215 protein, partial cds
4649	9867	14809	2.37	2.1E-01	AB010273.1	NT	Homo sapiens psisp47 gene, complete cds
5056	10158	15289	1.15	2.1E-01	Q01338	SWISSPROT	ALPHA-2A ADRENERGIC RECEPTOR (ALPHA-2A ADRENOCEPTOR) (ALPHA-2AAR)
5166	10256		0.68	2.1E-01	AF135027.1	NT	Homo sapiens silic acid-binding immunoglobulin-like lectin-9 (SIGLEC9) gene, complete cds
187	5392	10536	1.91	2.0E-01	AB017437.1	NT	Gallus gallus mRNA for avana, complete cds
532	5698		2.13	2.0E-01	7709601	NT	Homo sapiens CGI-18 protein (LOC61008), mRNA
697	5854	10999	1.44	2.0E-01	M77085.1	NT	O. cuniculus germline IgH heavy chain V-H pseudogene, allotype VHa2
811	5984	11128	1.59	2.0E-01	AF027865.1	NT	Mus musculus Major Histocompatibility Locus class II region
1012	6155	11321	0.83	2.0E-01	D90905.1	NT	Synechocystis sp. PCC6803 complete genome, 7127, 781449-920915
1128	6263	11427	2.67	2.0E-01	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
1258	6387	11594	1.19	2.0E-01	AJ132695.5	NT	Homo sapiens rec1 gene
1312	6442	11619	1.56	2.0E-01	AW384937.1	EST_HUMAN	PM1-HT0422-291289-002-c06 HT0422 Homo sapiens cDNA
1471	6598		1.81	2.0E-01	AJ243957.1	NT	Plum pox virus strain M, complete genome, isolate PS
1497	6824	11812	2.99	2.0E-01	4503408	NT	Homo sapiens dystrobrevin, alpha (DTNA), mRNA
1567	6895	11882	4.68	2.0E-01	AB007974.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIAA0505
1572	6700	11888	1.65	2.0E-01	AF280700.1	NT	Homo sapiens sodium/iodide symporter mRNA, partial cds
1710	6838	12039	1.27	2.0E-01	U22346.1	NT	Human bradykinin B1 receptor (bradyb1) gene, complete cds
1732	6859		1.48	2.0E-01	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1789	6895		2.1	2.0E-01	U67525.1	NT	Methanococcus jannaschii section 87 of 150 of the complete genome
1897	7016	12236	1.08	2.0E-01	BE871330.1	EST_HUMAN	601449441F1 NIH_MGC 65 Homo sapiens cDNA clone IMAGE:3853330 5'
1897	7016	12237	1.08	2.0E-01	BE871330.1	EST_HUMAN	601449441F1 NIH_MGC 66 Homo sapiens cDNA clone IMAGE:3853330 5'
2327	7435		1.03	2.0E-01	X82877.1	NT	H. sapiens Nat-D-glucose cotransport regulator gene
3555	8696		0.84	2.0E-01	AW238005.1	EST_HUMAN	XP1502.x1 NCL CGAP_HN8 Homo sapiens cDNA clone IMAGE:2740395 3' similar to contains element
3684	8823	13979	0.64	2.0E-01	P34641	SWISSPROT	MER21 repetitive element ;
3689	8828		0.71	2.0E-01	6680797	NT	GED-11 PROTEIN
3927	9063	14221	0.83	2.0E-01	Z46908.1	NT	Mus musculus bone morphogenetic protein 6 (Bmp6), mRNA
4003	9136	14279	0.78	2.0E-01	X83697.1	NT	Sus scrofa
4409	9529	14669	0.74	2.0E-01	AF242431.1	NT	C. parastolica eapC gene
4538	9556		7.82	2.0E-01	BE826165.1	EST_HUMAN	Mus musculus neuronal apoptosis inhibitory protein 6 (Naipe6) gene, complete cds; and Naipe3 gene, exons 2-9 and 11-16
5022	10124	15256	5.56	2.0E-01	8922080	NT	QV4-EN0032-190500-223-e03 EN0032 Homo sapiens cDNA
5087	10187	15326	0.98	2.0E-01	Y19216.1	NT	Homo sapiens hypothetical protein ASH1 (ASH1), mRNA
							Homo sapiens putative psithhd pseudogene for hair keratin, exons 1 to 9

Page 27 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5169	10267	15408	48.35	2.0E-01	Y14980.1	NT	Adrenomedullin receptor gene
106	5310		7.75	1.9E-01	7548743	NT	Rattus norvegicus Aryl hydrocarbon receptor nuclear translocator 1 (Ahr1), mRNA
349	5532	10671	4.99	1.9E-01	AF004353.1	NT	Mus musculus pale ear (ep) gene, wild type allele, 3' region, partial cds
655	5816	10953	1.43	1.9E-01	U32581.2	NT	Homo sapiens lamda/icta protein kinase C-interacting protein mRNA, complete cds
655	5816	10954	1.43	1.9E-01	U32581.2	NT	Homo sapiens lamda/icta protein kinase C-interacting protein mRNA, complete cds
662	5823	10961	5.59	1.9E-01	BE070801.1	EST_HUMAN	RC3-BT0502-251199-011-d01 BT0502 Homo sapiens cDNA
663	5823	10961	4.32	1.9E-01	BE070801.1	EST_HUMAN	RC3-BT0502-251199-011-d01 BT0502 Homo sapiens cDNA
887	6133		1.34	1.9E-01	7305180	NT	Mus musculus interleukin 2 receptor, gamma chain (IL2rg), mRNA
1106	6243	11407	7.57	1.9E-01	AA359813.1	EST_HUMAN	EST67784 Fetal lung II Homo sapiens cDNA 5' and
1378	6507	11688	1.76	1.9E-01	AF061282.1	NT	Sorghum bicolor 22 kDa kafirin cluster
1445	6873		2.28	1.9E-01	AF184623.1	NT	Plasmodium vivax reticulocyte binding protein-2 (rbp-2) gene, complete cds
2361	7468	12723	1.77	1.9E-01	8922533	NT	Homo sapiens hypothetical protein FLJ10581 (FLJ10581), mRNA
2888	8042	13206	4.43	1.9E-01	U63066.1	NT	Sigmaton hispidus p53 gene, partial cds
2904	8057		5.64	1.9E-01	J00922.1	NT	Gallus gallus ovalbumin (Y) gene, complete cds
2972	8128	13290	0.97	1.9E-01	U25148.1	NT	Rattus norvegicus brush border myosin-I (BBMI) mRNA, partial cds
3376	8521	13685	3.57	1.9E-01	D13197.1	NT	Mouse gene for immunoglobulin diversity region D1
3461	8603	13767	4.34	1.9E-01	R18467.1	EST_HUMAN	Y42H10.1 Sceres fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:128547 5'
3783	8920	14071	0.77	1.9E-01	AF264017.1	NT	Rattus norvegicus arylacetamide deacetylase gene, complete cds
3987	9102	14260	4.13	1.9E-01	AB006784.1	NT	Schizosaccharomyces pombe DNA for cytoplasmic dynein heavy chain, complete cds
4080	9191	14332	1.39	1.9E-01	AW754106.1	EST_HUMAN	GMB-CT0315-271189-045-b11 CT0315 Homo sapiens cDNA
4209	9334	14488	1.02	1.9E-01	BE834948.1	EST_HUMAN	MR1-FN0010-290700-007-d04 FN0010 Homo sapiens cDNA
4448	9567	14708	0.98	1.9E-01	AL161493.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 5
4998	10104		0.98	1.9E-01	AF223642.1	NT	Rattus norvegicus chemokine receptor CXCR3 mRNA, complete cds
50	5241	10357	2.94	1.8E-01	U73200.1	NT	Mus musculus Ccag gene for chaperonin containing TCP-1 gamma subunit, partial cds
257	7887	10586	1.87	1.8E-01	AB022090.1	NT	Homo sapiens calcium channel, voltage-dependent, beta 2 subunit (CACNB2) mRNA, and translated products
368	5548	10692	1.14	1.8E-01	4502632	NT	Oryzias latipes gene for membrane guanylyl cyclase OIGC1, complete cds
745	5801	11055	0.7	1.8E-01	AB021490.2	NT	wf7102.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2337051 3'
983	6129	11297	0.65	1.8E-01	AI912212.1	EST_HUMAN	Dictyostelium discoideum plasmid Ddp5, complete genome
1092	6230	11364	1.22	1.8E-01	AF000680.1	NT	Yersinia pestis plasmid pCD1
1292	6421	11598	5.95	1.8E-01	AL117189.1	NT	Mus musculus guanylate nucleotide binding protein 1 (Gbp1), mRNA
1518	6845	11831	1.83	1.8E-01	6753947	NT	Mus musculus guanylate nucleotide binding protein 1 (Gbp1), mRNA
1518	6845	11832	1.83	1.8E-01	6753947	NT	Homo sapiens latent transforming growth factor beta binding protein 4 (LTBP4) mRNA
1858	6978		1.09	1.8E-01	4505036	NT	

Page 28 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1877	6997		1.21	1.8E-01	AI733708.1	EST_HUMAN	qg22d10.x5 NCL_CGAP_Kd3 Homo sapiens cDNA clone IMAGE:1761811 3' similar to TR:O76936 O76936 GAMMA BUTYROBETAINE HYDROXYLASE.
1918	7037	12257	1.29	1.8E-01	AB051897.1	NT	Mus musculus Scya6, Scya9, Scya16-ps, Scya5 genes for small inducible cytokine A6 precursor, email inducible cytokine A9 precursor, Scya16 pseudogene, small inducible cytokine A6 precursor, complete cds
2653	7751		1.44	1.8E-01	AW935728.1	EST_HUMAN	QV3-DT0018-081289-038-g04 DT0018 Homo sapiens cDNA
2863	8018		1.78	1.8E-01	AF184589.1	NT	Jonopsidium acaule LEAFY protein (LEAFY2) gene, partial cds
2868	8022	13189	1.54	1.8E-01	AW182300.1	EST_HUMAN	X41a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2659758 3'
3101	8254	13404	2.1	1.8E-01	AW995178.1	EST_HUMAN	QV0-BN0041-070300-147-g04 BN0041 Homo sapiens cDNA
3348	8493	13660	0.63	1.8E-01	BF183582.1	EST_HUMAN	601809723R1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:4040621 3'
3604	8743	13897	0.78	1.8E-01	H03359.1	EST_HUMAN	Y45601.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:151704 3' similar to contains Alu repetitive element.
3604	8743	13898	0.78	1.8E-01	H03359.1	EST_HUMAN	Y45601.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:151704 3' similar to contains Alu repetitive element.
4309	9431		0.89	1.8E-01	D37954.1	NT	Bovine NB25 mRNA for MHC class II (BoLA-DQB), complete cds
4529	9647	14793	5.51	1.8E-01	AL161556.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 56
4738	9851	14998	2.65	1.8E-01	AB051897.1	NT	Mus musculus Scya6, Scya9, Scya16-ps, Scya5 genes for small inducible cytokine A6 precursor, small inducible cytokine A9 precursor, Scya16 pseudogene, small inducible cytokine A5 precursor, complete cds
4774	9887	15033	1.05	1.8E-01	X92179.1	NT	S.tuberosum mRNA for alcohol dehydrogenase
4837	9949	15093	50.8	1.8E-01	AA383750.1	EST_HUMAN	EST97199 Testis 1 Homo sapiens cDNA 5' end
5027	10129	15258	1.83	1.8E-01	AW814270.1	EST_HUMAN	MR3-ST0203-151299-112-g06 ST0203 Homo sapiens cDNA
5041	10143	15273	0.96	1.8E-01	AI792382.1	EST_HUMAN	an28g07.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1700028 5'
5079	10160	15316	10.32	1.8E-01	AF181258.1	NT	Mesocricetus auratus Na-taurocholate cotransporting polypeptide mRNA, partial cds
5082	10192	15332	0.91	1.8E-01	AI439881.1	EST_HUMAN	ti57e04.x1 NCL_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2134590 3'
5133	10233	15388	11.74	1.8E-01	AJ132844.1	NT	Broad bean wilt virus 2 genes encoding 118kDa protein, 104kDa protein, large coat protein, small coat protein
5133	10293	15370	11.74	1.8E-01	AJ132844.1	NT	Broad bean wilt virus 2 genes encoding 118kDa protein, 104kDa protein, large coat protein, small coat protein
575	5739	10868	1.63	1.7E-01	BE385164.1	EST_HUMAN	601274604F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615768 5'
806	5959	11122	2.09	1.7E-01	X53330.1	NT	P.dumetii histone gene cluster for core histones H2A, H2B, H3 and H4
962	5110		1.5	1.7E-01	P33516	SWISSPROT	NEUROFILAMENT TRIPLET L PROTEIN (NEUROFILAMENT LIGHT POLYPEPTIDE) (NFL)
1983	7100		1.85	1.7E-01	AF255051.1	NT	Homo sapiens BNIP3H (BNIP3H) gene, complete cds; nuclear gene for mitochondrial product

Page 29 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2823	7979	13138	2.4	1.7E-01	AF000716.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapt) gene, complete cds, and YRAL VIBCO gene, partial cds
2823	7979	13139	2.4	1.7E-01	AF000716.1	NT	Vibrio cholerae hypoxanthine phosphoribosyltransferase (hpt) gene, partial cds, hemagglutinin/protease regulatory protein (hapt) gene, complete cds, and YRAL VIBCO gene, partial cds
2882	8046	13211	1.38	1.7E-01	AA336809.1	EST_HUMAN	EST141681 Endometrial tumor Homo sapiens cDNA 5' and
2885	8119	13282	1.14	1.7E-01	AJ238736.1	NT	Neja naja atra cbx-1 gene, exons 1-3
2885	8119	13283	1.14	1.7E-01	AJ238736.1	NT	Neja naja atra cbx-1 gene, exons 1-3
3081	8234	13384	1.61	1.7E-01	AF081514.1	NT	Taxus canadensis geranylgeranyl diphosphate synthase mRNA, complete cds
3347	8482	13659	0.81	1.7E-01	N65763.1	EST_HUMAN	J2346F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2346 5'
3428	8570	13730	1.32	1.7E-01	AJ269505.1	NT	Anabaena sp. ORF4 (partial), ORF3, ORF2, ORF1, adpA gene, adpB gene, adpC gene, adpD gene, adpE gene and adpF gene
3911	9047	14206	6.39	1.7E-01	AJ235377.1	NT	Homo sapiens derivative 11 breakpoint fragment partial intron 10 of the ALL-1/MLL-HRX gene fused to intron 5 of the AF-4/FEL gene
4533	9651		1.75	1.7E-01	X52936.1	NT	Schistosoma gregaria alpha repetitive DNA
4808	9918	15059	1.16	1.7E-01	AJ247635.1	EST_HUMAN	qf57e09.x1 Soares fetal_liver spleen_NFLS_S1 Homo sapiens cDNA clone IMAGE:1848808 3' similar to contains ORF.b1 ORF repetitive element ;
5103	10204		1.17	1.7E-01	AF072725.1	NT	Zea mays starch branching enzyme IIb (ae) gene, complete cds
5138	10238	15374	0.62	1.7E-01	BF030010.1	EST_HUMAN	601557250F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:3827197 5'
121	5321	10465	1.23	1.6E-01	AF217532.1	NT	Homo sapiens mevalonate kinase gene, exon 6 and 7
678	7865	10976	1.15	1.6E-01	R31497.1	EST_HUMAN	y75f12.1 Soares placenta N52HP Homo sapiens cDNA clone IMAGE:135589 5'
1519	6846	11833	1.19	1.6E-01	AA548563.1	EST_HUMAN	nk28d12.e1 NCIC_OGAP_Co11 Homo sapiens cDNA clone IMAGE:1074839 3'
1637	6664	11850	3.14	1.6E-01	AF298117.1	NT	Homo sapiens homeobox protein OTX2 gene, complete cds
1929	7048	12269	1.14	1.6E-01	P22063	SWISSPROT	Homo sapiens homeobox protein OTX2 gene, complete cds
2363	7939	12726	1.35	1.6E-01	X94232.1	NT	AXONIN-1 PRECURSOR (AXONAL GLYCOPROTEIN TAG-1)
2385	7491	12744	1.94	1.6E-01	AL161533.2	NT	H. sapiens mRNA for novel T-cell activation protein
2858	8013	13178	33.76	1.6E-01	AF185589.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 33
2858	8013	13177	33.76	1.6E-01	AF185589.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
3613	8752	13908	1.03	1.6E-01	AJ003165.1	NT	Homo sapiens cytochrome P450 3A4 (CYP3A4) gene, promoter region
3613	8752	13909	1.03	1.6E-01	AJ003165.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
3975	9108		2.81	1.6E-01	AE004413.1	NT	Populus trichocarpa cv. Trichobel ABI3 gene
4305	9427	14562	10.51	1.6E-01	AF179580.1	NT	Vibrio cholerae chromosome II, section 70 of 93 of the complete chromosome
4435	9554		2.91	1.6E-01	AW968601.1	EST_HUMAN	Homo sapiens apelin gene, complete cds
							Homo sapiens apelin gene, complete cds
							EST380677 IMAGE resequences, MAGSJ Homo sapiens cDNA

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4443	9562		4.45	1.6E-01	6753319	NT	Mus musculus chaperonin subunit 3 (gamma) (Cct3), mRNA
4922	10032	15173	1.22	1.6E-01	AA088343.1	EST_HUMAN	284408.s1 Stragene colon (#337204) Homo sapiens cDNA clone IMAGE:511361 3' similar to TR:E221955
4962	10060	15168	1.54	1.6E-01	AJ006356.1	NT	E221955 38,855 BP SEGMENT OF CHROMOSOME XIV.:
4952	10060	15189	1.54	1.6E-01	AJ006356.1	NT	Lycopodium esculentum Rsal fragment 2, satellite region
5101	10201	15339	1.02	1.6E-01	AL353984.1	EST_HUMAN	DKFZp434O1729_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434O1729 5'
5101	10201	15340	1.02	1.6E-01	AL353984.1	EST_HUMAN	DKFZp434O1729_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434O1729 5'
5166	10283	15420	0.97	1.6E-01	AL161584.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 80
245	5436	10575	1.59	1.5E-01	BE710087.1	EST_HUMAN	IL3-H10619-040700-197-E05 HT0619 Homo sapiens cDNA
245	5436	10576	1.59	1.5E-01	BE710087.1	EST_HUMAN	IL3-H10619-040700-197-E05 HT0619 Homo sapiens cDNA
585	5784		2.03	1.6E-01	AV711696.1	EST_HUMAN	AV711696 DCA Homo sapiens cDNA clone DCAADH06 5'
783	5938	11096	1.83	1.5E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1093	6231	11395	0.64	1.6E-01	AJ009735.1	NT	Cyprinus carpio mRNA for EGG522 myosin heavy chain, 3'UTR
1098	6236	11399	2.29	1.5E-01	AJ251885.1	NT	Homo sapiens partial SL C22A2 gene for organic cation transporter (OCT2), exon 1
1114	6252		1.53	1.5E-01	L36125.1	NT	Rattus norvegicus Insulin-responsive glucose transporter (GLUT4) gene, 5' end
1219	6351	11520	1.03	1.5E-01	AW195516.1	EST_HUMAN	xt39d11.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2660085 3'
1279	8408	11582	3.97	1.5E-01	D26535.1	NT	Human gene for dihydroolipamide succinyltransferase, complete cds (exon 1-15)
1279	8408	11583	3.97	1.5E-01	D26535.1	NT	Human gene for dihydroolipamide succinyltransferase, complete cds (exon 1-16)
1492	6619	11809	1.96	1.5E-01	AF117340.1	NT	Mus musculus MAP kinase kinase 1 (Meck1) mRNA, complete cds
2879	8033		1.16	1.5E-01	AW572516.1	EST_HUMAN	xw556d2.x2 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2831978 3' similar to gb:X55072_mat
3007	8161	13318	0.88	1.5E-01	M81441.1	NT	THYROID HORMONE RECEPTOR ALPHA-1 (HUMAN):
							Bos taurus factor V variant 2 (factor V) mRNA, complete cds
3334	8480	13646	4.16	1.5E-01	AA355049.1	EST_HUMAN	cc68d05.s1 NCL CGAP_GC4 Homo sapiens cDNA clone IMAGE:1571337 3' similar to gb:M11433
3350	8495	13663	0.61	1.5E-01	Z23104.1	NT	RETINOL-BINDING PROTEIN I, CELLULAR (HUMAN):
3350	8495	13664	0.61	1.5E-01	Z23104.1	NT	L. stagnalis mRNA for G protein-coupled receptor
							L. stagnalis mRNA for G protein-coupled receptor
3736	8874	14025	2.53	1.5E-01	U09864.1	NT	Mus musculus ICR/Swiss glyceroldehyde 3-phosphata dehydrogenase (Gapd-S) gene, complete cds
							Homo sapiens pyruvate dehydrogenase kinase, isoenzyme 1 (PDK1), nuclear gene encoding mitochondrial protein, mRNA
3752	8889	14040	1.34	1.5E-01		7103358	NT
3846	8982	14137	2.23	1.5E-01	AW565983.1	EST_HUMAN	h110f06.x1 Soares_NFL_T_OBC_31 Homo sapiens cDNA clone IMAGE:2961411 3'
4024	9166	14300	0.99	1.5E-01	AW366659.1	EST_HUMAN	RC2-H10149-191089-012-c09 HT0149 Homo sapiens cDNA
4154	9280	14416	8.83	1.5E-01	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4653	8809	14858	1.55	1.5E-01	BF687665.1	EST_HUMAN	602087192F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4066223 5'

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4718	7769	13021	2.25	1.5E-01	BF605981.1	EST_HUMAN	602083789F1 NIH_MGC_B1 Homo sapiens cDNA clone IMAGE:4247537 5'
4758	9871	15021	1.16	1.5E-01	BE173796.1	EST_HUMAN	CMO-HT0565-280200-245-b10 HT0565 Homo sapiens cDNA
4758	9871	15022	1.16	1.5E-01	BE173796.1	EST_HUMAN	CMO-HT0565-280200-245-b10 HT0565 Homo sapiens cDNA
4085	10093	15224	1.21	1.5E-01	AL161580.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 60
297	5495		0.98	1.4E-01	AF009663.1	NT	Homo sapiens T cell receptor beta locus, TCRBV6S4P to TCRBV21S2A2 region
911	6091		2.65	1.4E-01	D78638.1	NT	Xenopus laevis mRNA for DNA (cytosine-5)-methyltransferase, complete cds
1263	6392		2.4	1.4E-01	T81884.1	EST_HUMAN	yd54c01.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:112032 3'
1760	6888		1.38	1.4E-01	6679880	NT	Mus musculus growth differentiation factor 6 (Gdf6), mRNA
1763	6889	12095	1.83	1.4E-01	AE001710.1	NT	Thermoboga maritima section 22 of 136 of the complete genome
1988	7103		8.62	1.4E-01	AA720815.1	EST_HUMAN	nm72407.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1283821 3'
2753	7847	13103	2.03	1.4E-01	AI933496.1	EST_HUMAN	wm74601.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2441685 3'
3879	9011	14167	1	1.4E-01	R59232.1	EST_HUMAN	y97a03.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:41467 5'
3875	9011	14168	1	1.4E-01	R59232.1	EST_HUMAN	y97a03.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:41467 5'
4145	9273	14410	8.95	1.4E-01	AI699094.1	EST_HUMAN	bx56c02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4145	9273	14411	8.95	1.4E-01	AI699094.1	EST_HUMAN	bx56c02.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2273570 3'
4215	9340	14472	3.21	1.4E-01	AE001710.1	NT	Thermoboga maritima section 22 of 136 of the complete genome
4648	9788	14911	0.76	1.4E-01	5453861	NT	Homo sapiens phosphodiesterase 4A, cAMP-specific (dunce (Drosophila)-homolog phosphodiesterase E2) (PDE4A), mRNA
320	5508	10844	1.71	1.3E-01	4758467	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
320	5508	10845	1.71	1.3E-01	4758467	NT	Homo sapiens G protein-coupled receptor 50 (GPR50) mRNA
527	5693	10825	2.26	1.3E-01	AB013139.1	NT	Homo sapiens gene for NBS1, complete cds
635	5798	10930	0.94	1.3E-01	AJ277606.1	NT	Human cellivrus HUNLV/Girlington/93/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/JUK
635	5798	10931	0.94	1.3E-01	AJ277606.1	NT	Human cellivrus HUNLV/Girlington/93/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/93/JUK
846	5996	11167	0.82	1.3E-01	X53330.1	NT	P.dumerill histone gene cluster for core histones H2A, H2B, H3 and H4
895	6045	11218	1.34	1.3E-01	AF139518.1	NT	Rattus norvegicus A-kinase anchor protein mRNA, complete cds
1028	6169	11334	1.59	1.3E-01	AL117078.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1128	6265		2.22	1.3E-01	AL115285.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
1218	6350	11519	2.48	1.3E-01	AV712467.1	EST_HUMAN	AV712467 DCA Homo sapiens cDNA clone DCAAF05 5'
1456	6582		0.98	1.3E-01	AF146277.1	NT	Homo sapiens adapter protein CBR5 mRNA, complete cds
1963	7080	12304	1.49	1.3E-01	AL117078.1	NT	Botrytis cinerea strain T4 cDNA library under conditions of nitrogen deprivation
2287	7377		1.09	1.3E-01	AW812104.1	EST_HUMAN	RC4-ST0173-191099-032-d12 ST0173 Homo sapiens cDNA
2360	7467		1.82	1.3E-01	AE001018.1	NT	Archeoglobus fulgidus section 91 of 172 of the complete genome

Page 32 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Description
2548	7851	12800	1.78	1.3E-01	M86918.1	NT	Carassius auratus keratin type I mRNA, complete cds
3338	8484	13650					Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
3432	8574	13734	1.12	1.3E-01	AF196778.1	NT	Bovine branched chain alpha-keto acid dihydrolylpyl transacylase mRNA, complete cds
3702	8840	13894	1.39	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
3702	8840	13895	1.39	1.3E-01	AP000001.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 1-287000 nt, position (1/7)
3709	8847	14001	0.7	1.3E-01	AB032159.1	NT	Homo sapiens DD4 gene for dihydrodipicol dehydrogenase 4 [AKR1C4], exon 2
3781	8918	14069	0.67	1.3E-01	6978840	NT	Rattus norvegicus Fibrinogen, gamma polypeptide (Fgg), mRNA
3863	9098		1.48	1.3E-01	AL161581.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 77
4025	5796	10830	0.77	1.3E-01	AJ277808.1	NT	Human calicivirus HUNLV/Girlington/83/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/83/JUK
4025	5796	10831	0.77	1.3E-01	AJ277808.1	NT	Human calicivirus HUNLV/Girlington/83/JUK RNA for capsid protein (ORF2), strain HUNLV/Girlington/83/JUK
4109	9237		1.01	1.3E-01	AF020713.1	NT	Bacteriophage SPBc2 complete genome
4130	9258		3.02	1.3E-01	AW368434.1	EST_HUMAN	QV3-DT0018-081299-036-e03 DT0018 Homo sapiens cDNA
4137	9265	14404	1.97	1.3E-01	AF026805.1	NT	Schistosoma mansoni fructose biphosphate aldolase mRNA, complete cds
4157	9283	14419	17.16	1.3E-01	AW273741.1	EST_HUMAN	x22f10.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813895 3'
4284	9389	14526	1.08	1.3E-01	AV752278.1	EST_HUMAN	AV752278 NPD Homo sapiens cDNA clone NPDAZE02 5'
4284	9389	14527	1.08	1.3E-01	AV752278.1	EST_HUMAN	AV752278 NPD Homo sapiens cDNA clone NPDAZE02 5'
4291	9413		1.43	1.3E-01	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4458	9577	14715	0.69	1.3E-01	M21572.1	NT	Bovine branched chain alpha-keto acid dihydrolylpyl transacylase mRNA, complete cds
4508	9627	14770	2.33	1.3E-01	BE272339.1	EST_HUMAN	601126036FT NIH_MGC_g Homo sapiens cDNA clone IMAGE:2980063 5'
4915	10025		0.97	1.3E-01	Y12694.1	NT	H. sapiens gene encoding translin, exon 3
381	5590	10735	12.86	1.2E-01	AI421744.1	EST_HUMAN	t83b02.x1 NCL_CGAP_Bm23 Homo sapiens cDNA clone IMAGE:2096539 3' similar to gb:U06780_ma1 ANNEXIN V (HUMAN);
423	5210		1.77	1.2E-01	U68912.1	NT	Dictyostelium discoideum ORF DG1016 gene, partial cds
548	5711		2.49	1.2E-01	AF039442.1	NT	Homo sapiens colon cancer antigen NY-CO-45 mRNA, partial cds
1385	6614	11695	2.43	1.2E-01	AU149146.1	EST_HUMAN	AU149146 NT2RM4 Homo sapiens cDNA clone NT2RM4001691 3'
1388	6514	11696	2.43	1.2E-01	AU149146.1	EST_HUMAN	AU149146 NT2RM4 Homo sapiens cDNA clone NT2RM4001691 3'
1393	6521		2.74	1.2E-01	AV755249.1	EST_HUMAN	AV755249 cda Homo sapiens cDNA clone cdaAJB11 5'
1522	6649		1.04	1.2E-01	AA897474.1	EST_HUMAN	aa48a0a.s1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1450584 3' similar to TR-Q16671 Q16671 ANTI-MULLERIAN HORMONE TYPE II RECEPTOR PRECURSOR. ;

Page 33 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1641	6769	11963	1.4	1.2E-01	Q14934	SWISSPROT	NUCLEAR FACTOR OF ACTIVATED T-CELLS, CYTOPLASMIC 4 (T CELL TRANSCRIPTION FACTOR NFAT3) (NF-ATC4) (NF-AT3)
1663	6791	11987	2.95	1.2E-01	A1265402.1	EST_HUMAN	q68009.x1 NCI_CGAP_E602 Homo sapiens cDNA clone IMAGE:1960553 3'
1770	6905		6.41	1.2E-01	X99211.1	NT	H. sapiens DNA for endogenous retroviral like element
1923	7042		3.35	1.2E-01	AW446988.1	EST_HUMAN	UIH-813-401-e-10-0-JL1 NCI_MGC_62 Homo sapiens cDNA clone IMAGE:2734554 3'
2164	7277	12524	1.94	1.2E-01	BF248490.1	EST_HUMAN	601821667F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4048224 5'
2551	7654	12904	2.16	1.2E-01	AW986536.1	EST_HUMAN	QV3-BN0046-220300-129-110 BN0046 Homo sapiens cDNA
2557	7659	12912	16.53	1.2E-01	BE219889.1	EST_HUMAN	h635f04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3178303 3'
2806	7961	13124	1.36	1.2E-01	U18018.1	NT	Human E1A enhancer binding protein (E1A-F) mRNA, partial cds
2867	8021	13188	2.04	1.2E-01	A1720470.1	EST_HUMAN	es80c09.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2335024 3' similar to gb.L05095
2900	8054	13223	3.27	1.2E-01	M16364.1	NT	60S RIBOSOMAL PROTEIN L30 (HUMAN);
2976	8130	13284	0.74	1.2E-01	X56882.1	NT	Human creatine kinase-B mRNA, complete cds
3215	8366	13530	1.77	1.2E-01	AW370698.1	EST_HUMAN	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3240	8390		0.72	1.2E-01	U87600.1	NT	QV1-BT0259-261099-021-405 BT0259 Homo sapiens cDNA
3460	8602		0.61	1.2E-01	Z99118.1	NT	Methanococcus jannaschii section 142 of 160 of the complete genome
3507	8648	13814	1.25	1.2E-01	X56882.1	NT	Bacillus subtilis complete genome (section 15 of 21); from 2795131 to 3013540
3507	8648	13815	1.25	1.2E-01	X56882.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3591	8602		0.84	1.2E-01	Z99118.1	NT	Wheat mRNA for a group 3 late embryogenesis abundant protein (LEA)
3750	8867		0.78	1.2E-01	BF128651.1	EST_HUMAN	Bacillus subtilis complete genome (section 15 of 21); from 2795131 to 3013540
4163	9278	14414	1.91	1.2E-01	Z54255.1	NT	601810786F1 NIH_MGC_46 Homo sapiens cDNA clone IMAGE:4056668 3'
4163	9278	14415	1.91	1.2E-01	Z54255.1	NT	P. clarkei mRNA; repeat region (ID 2MR17)
4798	9552		2.5	1.2E-01	L32873.1	NT	P. clarkei mRNA; repeat region (ID 2MR17)
5028	10131	15260	1	1.2E-01	BE173168.1	EST_HUMAN	Arabidopsis thaliana homeodomain protein (GLABRA2) gene, complete cds
5029	10131	15261	1	1.2E-01	BE173168.1	EST_HUMAN	MRO-HT0559-240400-016-c09 HT0559 Homo sapiens cDNA
5063	10165		1.01	1.2E-01	P16486	SWISSPROT	MRO-HT0559-240400-016-c09 HT0559 Homo sapiens cDNA
563	5728	10858	0.7	1.1E-01	A1561003.1	EST_HUMAN	HEMOLYSIN PRECURSOR
612	5772	10902	2.13	1.1E-01	AA569006.1	EST_HUMAN	hm08g11.s1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167983 3'
1056	6197	11362	1.37	1.1E-01	BF697308.1	EST_HUMAN	nm08g11.s1 NCI_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1059620 3' similar to gb.X06985_ma1
1086	6225		1.4	1.1E-01	AL161560.2	NT	HEME OXYGENASE 1 (HUMAN);
1161	7910	11462	3.53	1.1E-01	AW972158.1	EST_HUMAN	602129847F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:4286771 6'
1253	6363	11561	1.31	1.1E-01	DB4004.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 60
1535	6662	11848	2.07	1.1E-01	AU140363.1	EST_HUMAN	EST384142 MAGE resequences, MAGL Homo sapiens cDNA
							Synechocystis sp. PCC6803 complete genome, 23/27, 2868767-3002865
							AU140363 PLACE2 Homo sapiens cDNA clone PLACE2000403 5'

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2292	7401		1.57	1.1E-01	8756215	NT	Mus musculus pre T-cell antigen receptor alpha (Ptra), mRNA
2818	7974	13133	1.1	1.1E-01	S82418.1	NT	Interleukin-12 p35 subunit [nlce, Genomic, 700 nt, segment 4 of 5]
3005	8159	13316	0.89	1.1E-01	F03285.1	EST_HUMAN	HSC1RF022 normalized infant brain cDNA Homo sapiens cDNA clone o-1rf02 3'
3323	8470		1.44	1.1E-01	8753231	NT	Mus musculus calcium channel, voltage-dependent, T type, alpha 1G subunit (Ca α 1g), mRNA
3402	8548	13705	2.31	1.1E-01	BE383186.1	EST_HUMAN	601308679F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3627066 5'
3433	8575	13735	1.36	1.1E-01	X62135.1	NT	C.reinhardtii nuclear gene on linkage group XIX
3472	8614	13781	0.63	1.1E-01	R96943.1	EST_HUMAN	y62g08.81 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:200414 3' similar to contains
3570	8711	13871	0.78	1.1E-01	Y07695.1	NT	Alu repetitive element
3687	8828	13981	1.31	1.1E-01	X52708.1	NT	A.jimmersus gene for transposase
4086	9215	14348	0.85	1.1E-01	AW819412.1	EST_HUMAN	G.gallus gene encoding non-histone chromosomal protein HMG-14b, exons 4 and 5
4086	9215	14349	0.85	1.1E-01	AW819412.1	EST_HUMAN	MR3-ST0280-280100-025-g07 ST0280 Homo sapiens cDNA
4229	9354		7.73	1.1E-01	AF157059.1	NT	MR3-ST0280-280100-025-g07 ST0280 Homo sapiens cDNA
4261	9388	14523	0.85	1.1E-01	AW802056.1	EST_HUMAN	Drosophila melanogaster klatrict protein (klar) mRNA, complete cds
4800	9913	15054	1.32	1.1E-01	Y07695.1	NT	IL5-UM0070-020500-058-a08 UM0070 Homo sapiens cDNA
							A.jimmersus gene for transposase
							Mus musculus major histocompatibility locus class III region:butyrophilin-like protein gene, partial cds;
5006	9219		0.8	1.1E-01	AF030001.1	NT	Notch4, PBX2, RAGE, lysophosphatidic acid acyl transferase-alpha, palmitoyl-protein thioesterase 2 (PPT2),
1204	6337		3.8	1.0E-01	O62655	SWISSPROT	CREB-RP, and tenascin X (TNX) genes, complex
							DEOXYRIBONUCLEASE II PRECURSOR (DNASE II) (ACID DNASE) (LYSOSOMAL DNASE II)
1276	6405	11570	2.88	1.0E-01	A1985493.1	EST_HUMAN	ws08d01.x1 NCI_CGAP_K1d11 Homo sapiens cDNA clone IMAGE:2496577 3' similar to contains MER7.13
1399	6527	11706	1.81	1.0E-01	AL161804.2	NT	MERT repetitive element
3498	8639	13805	1.03	1.0E-01	BF033991.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 18
3699	8837	13991	0.92	1.0E-01	BF239818.1	EST_HUMAN	601456301F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859849 5'
3813	8950	14097	0.98	1.0E-01	AF297061.1	NT	601808489F1 NIH_MGC_54 Homo sapiens cDNA clone IMAGE:4134071 5'
3813	8950	14098	0.98	1.0E-01	AF297061.1	NT	Escherichia coli enterotoxin EspC (espC) gene, complete cds; and unknown genes
3926	9062	14220	2.33	1.0E-01	BF365703.1	EST_HUMAN	Escherichia coli enterotoxin EspC (espC) gene, complete cds; and unknown genes
4528	9846		0.61	1.0E-01	A1792349.1	EST_HUMAN	QV2-NT0048-160800-316-e05 NT0048 Homo sapiens cDNA
4880	9798	14941	1.02	1.0E-01	U50450.1	NT	an32c04.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1700358 5'
4903	10013	15157	2.26	1.0E-01	AW952344.1	EST_HUMAN	Drosophila melanogaster tyrosine kinase p45 isoform (fer) mRNA, complete cds
5108	10207	15344	1.08	1.0E-01	AL163279.2	NT	EST384414 MAGE resequences, MAGE Homo sapiens cDNA
							Homo sapiens chromosome 21 segment H321C078
							Drosophila melanogaster cAMP-dependent protein kinase type II regulatory subunit (pka-RII) mRNA,
2739	7833	13086	0.95	9.9E-02	AF274008.1	NT	complete cds
2748	7842	13087	1.36	8.8E-02	BE545554.1	EST_HUMAN	601070218F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458365 5'

Page 35 of 214
Table 4 :
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2748	7842	13028	1.36	9.8E-02	BE545554.1	EST_HUMAN	601070219F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3456365 5'
3249	8399	13560	1.23	9.9E-02	AF098810.1	NT	Homo sapiens neuraxin III-alpha gene, partial cds
562	5727		1.69	8.6E-02	X59338.1	NT	O. sativa RAmv3C gene for alpha-amylose
3078	8231		1.57	9.8E-02	4504578	NT	Homo sapiens I factor (complement) (IF) mRNA
3123	8275	13430	3.74	9.8E-02	AF184274.1	NT	Daucus carota leucanthocyathidin dioxygenase 2 (LDOX) mRNA, LDOX-2 allele, complete cds
4201	9326	14457	6.41	9.8E-02	AF257329.1	NT	Leposphaeria maculans beta-tubulin mRNA, complete cds
4201	9326	14458	6.41	9.8E-02	AF257329.1	NT	Leposphaeria maculans beta-tubulin mRNA, complete cds
1357	6486	11667	1.12	9.7E-02	AB005808.1	NT	Aloe arborescens mRNA for NADP-malic enzyme, complete cds
2241	7352	12609	1.36	9.7E-02	BE168680.1	EST_HUMAN	QV1-HT0516-070300-095-a04 HT0516 Homo sapiens cDNA
3958	8091		3.61	9.7E-02	Q69795	SWISSPROT	CELL SURFACE A33 ANTIGEN PRECURSOR (GLYCOPROTEIN A33)
4322	9444	14577	3.44	9.6E-02	Z32688.2	NT	Proteus mirabilis fibrinolytic operon, strain HK320
4987	10094	15225	1.27	9.6E-02	AW068230.1	EST_HUMAN	EST1378303 MAGE resequences, MAGE1 Homo sapiens cDNA
4077	9207	14344	1.88	9.5E-02	AW992995.1	EST_HUMAN	CM2-BN0023-050200-087-f12 BN0023 Homo sapiens cDNA
1847	6938	12188	2.28	9.4E-02	BF671063.1	EST_HUMAN	602150892F1 NIH_MGC_91 Homo sapiens cDNA clone IMAGE:4281817 5'
3958	8094	14151	6.14	9.4E-02	Z33059.1	NT	M. capricolum DNA for CONTIG MC073
2658	8112		1.78	9.3E-02	4809280	NT	Homo sapiens BAI1-associated protein 3 (BAIAP3) mRNA
3000	8155		6.59	9.3E-02	6912626	NT	Homo sapiens nasopharyngeal epithelium specific protein 1 (NESG1), mRNA
3239	8389	13552	1.84	9.3E-02	BF575511.1	EST_HUMAN	602133086F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4288269 5'
4124	9252	14389	3.24	9.3E-02	BE391943.1	EST_HUMAN	601288082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607853 5'
4124	9252	14380	3.24	9.3E-02	BE391943.1	EST_HUMAN	601288082F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607853 5'
4703	9819		1.91	9.3E-02	AV732224.1	EST_HUMAN	AV732224 HTF Homo sapiens cDNA clone HTFAUA06 5'
227	6421	10556	7.03	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
227	6421	10557	7.03	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
227	6421	10558	7.03	9.2E-02	U60315.1	NT	Molluscum contagiosum virus subtype 1, complete genome
2209	7321		5.16	9.2E-02	R54156.1	EST_HUMAN	Y98107.r1 Soares Infant brain TNIB Homo sapiens cDNA clone IMAGE:41618 5'
3159	8310	13470	3.52	9.2E-02	Q28631	SWISSPROT	MAJOR EPIDIDYMYIS-SPECIFIC PROTEIN E4 (EPIDIDYMAL PROTEIN BE-20)
3287	8436	13597	0.82	9.2E-02	AA534354.1	EST_HUMAN	nt79d01.st NCI_QGAP_C03 Homo sapiens cDNA clone IMAGE:926136 3'
3573	8714		1.06	9.2E-02	6765215	NT	Mus musculus pre T-cell antigen receptor alpha (Ptra), mRNA
4210	9341		0.94	9.2E-02	U62048.1	NT	Human herpesvirus 1 strain KOS-63, latency-associated transcript, promoter region
4285	9407		0.76	9.2E-02	BE299722.1	EST_HUMAN	600944365F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960176 5'
4808	9726	14862	1.22	9.2E-02	X96402.1	NT	G.gallus Mla-CK gene
422	5209	10322	1.78	9.1E-02	X77665.1	NT	O. cuticularis k12 keratin gene
2391	7497	12749	2.98	9.1E-02	P78985	SWISSPROT	8-PHOSPHOFRUCTOKINASE (PHOSPHOFRUCTOKINASE) (PHOSPHOHEXOKINASE)
3047	8783		0.94	9.1E-02	AW372568.1	EST_HUMAN	PM2-BT0349-161299-001-102 BT0349 Homo sapiens cDNA

Page 36 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4463	9582	14720	1.35	9.1E-02	AL161654.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 54
743	5899	11052	5.28	9.0E-02	P15328	SWISSPROT	FOLATE RECEPTOR ALPHA PRECURSOR (FR-ALPHA) (FOLATE RECEPTOR 1) (FOLATE RECEPTOR, ADULT) (ADULT FOLATE-BINDING PROTEIN) (FBP) (OVARIAN TUMOR-ASSOCIATED ANTIGEN MOV18) (KB CELLS FBP)
1845	6773	11965	4.28	9.0E-02	BE220482.1	EST_HUMAN	h39g10.x1 NCI_OGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175642 3' similar to contains Alu repetitive element;
2784	7858	13114	2.63	9.0E-02	AF138522.1	NT	HIV-1 p8c095-06 from USA envelope glycoprotein (env) gene, partial cds
2784	7858	13115	2.63	9.0E-02	AF138522.1	NT	HIV-1 p8c095-06 from USA envelope glycoprotein (env) gene, partial cds
3318	8485	13628	1.42	9.0E-02	AF279135.1	NT	Dicystostellum discoideum spore coat structural protein SP65 (cdtE) gene, complete cds
4275	9398	14538	0.61	9.0E-02	S68757.1	NT	corticosteroid-binding globulin (Salmir) scireus=squirrel monkeys, liver, mRNA, 1474 nt
4275	9398	14539	0.61	9.0E-02	S68757.1	NT	corticosteroid-binding globulin (Salmir) scireus=squirrel monkeys, liver, mRNA, 1474 nt
4396	9516	14658	0.97	9.0E-02	P55268	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ)
4638	9756	14903	2.02	9.0E-02	X65740.2	NT	Plasmodium falciparum P-type ATPase 3 gene
1448	6576	11762	2.13	8.9E-02	BF701593.1	EST_HUMAN	602129030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
1448	6576	11763	2.13	8.9E-02	BF701593.1	EST_HUMAN	602129030F2 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4285951 5'
4171	9287		1.62	8.9E-02	AF286055.1	NT	Arctium angustatum AtranFic2 protein (AtranFic2) gene, partial cds
4604	9722	14856	1.02	8.9E-02	AA424887.1	EST_HUMAN	zw03d04.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:766189 3'
1382	6510	11691	1.57	8.8E-02	Q27474	SWISSPROT	PROBABLE DNA LIGASE (POLYDEOXYRIBONUCLEOTIDE SYNTHASE [ATP])
3880	8016	14173	0.99	8.8E-02	AA299128.1	EST_HUMAN	EST11695 Uterus Homo sapiens cDNA 5' end
4008	9141		3.08	8.8E-02	O00268	SWISSPROT	TRANSCRIPTION INITIATION FACTOR TFIIID 135 KDA SUBUNIT (TAFII135) (TAFII-130) (TAFII130)
4217	9342		1.07	8.8E-02	460280.4	NT	Homo sapiens chromogranin A (parathyroid secretory protein 1) (CHGA) mRNA
4278	9401		0.76	8.8E-02	4580423	NT	Homo sapiens paired box gene 6 (enlidia, keratitis) (PAX6), isoform b, mRNA
1659	6787	11982	1.11	8.7E-02	AI187281.1	EST_HUMAN	oxd5b01.s1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1681161 3'
3870	8808	13956	4.16	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
3670	8809	13967	4.16	8.7E-02	U82695.2	NT	Homo sapiens zinc finger protein 92 (ZFP92), expressed-Xq28STS protein (XQ28ORF), and biglycan (BGN) genes, complete cds; and plasma membrane calcium ATPase isoform 3 (PMCA3) gene, partial cds
4874	9790	14936	1.39	8.7E-02	AF178536.1	NT	Mus musculus JNK interacting protein-3a (Jip3) mRNA, complete cds
1256	6385	11562	5.55	8.6E-02	AI271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 22
2224	7336	12590	1.27	8.6E-02	BE408667.1	EST_HUMAN	801904016F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638843 5'
3170	8321	13482	3.62	8.6E-02	U05468.1	NT	Trichomonas vaginalis beta-tubulin (biub7) gene, complete cds

Page 37 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3622	8761		3.68	8.6E-02	AF153362.1	NT	Dicystostellum discoideum adenyl cyclase (acrA) gene, complete cds
5135	10236	15371	2.2	8.6E-02	AF060174.1	NT	Rattus norvegicus synaptic vesicle protein 2C (SV2C) mRNA, complete cds
2373	7479	12733	1.4	8.5E-02	AE000652.1	NT	Haemobacter pylori 26895 section 130 of 134 of the complete genome
2628	7947	12081	2.91	8.4E-02	W69330.1	EST_HUMAN	z444611.1 Soares_fetal_heart_NH119W Homo sapiens cDNA IMAGE:343532 5'
4331	9453	14587	0.95	8.4E-02	AF267213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
4331	9453	14588	0.95	8.4E-02	AF267213.1	NT	Cavia porcellus glycoprotein alpha-subunit mRNA, complete cds
3579	8720	13878	6.98	8.3E-02	P76334	SWISSPROT	HYPOTHETICAL LIPOPROTEIN MG309 HOMOLOG PRECURSOR
1389	6517		4.18	8.2E-02	Y08170.2	NT	Gallus gallus mRNA for for OBCAM protein gamma isoform
1509	6536	11823	2.08	8.2E-02	AF167077.2	NT	Canis familiaris glutamate transporter (EAT4) mRNA, complete cds
3045	8199		2.21	8.2E-02	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
3780	8917		1.32	8.2E-02	AL161498.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 10
3982	9116	14264	1.16	8.2E-02	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
4258	9383	14516	5.8	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4258	9383	14517	5.8	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
4258	9383	14518	5.8	8.2E-02	P48960	SWISSPROT	LEUCOCYTE ANTIGEN CD97 PRECURSOR
5050	10152	15283	0.67	8.2E-02	AF240778.1	NT	Mus musculus pepsinogen F (Pepf) mRNA, complete cds
5065	10187	15301	3.12	8.2E-02	U76009.1	NT	Mus musculus zinc transporter (ZnT-3) gene, complete cds
1508	6635	11822	1.14	8.1E-02	AB017138.1	NT	Pseudomonas putida malonate decarboxylase gene cluster (mdcA, mdcB, mdcC, mdcD, mdcE, mdcG, mdcH, mdcL and mdcM genes), complete cds
4931	10041	15180	0.68	8.1E-02	BF343921.1	EST_HUMAN	602015608F1 NCI_CGAP_Brf64 Homo sapiens cDNA clone IMAGE:4151840 5'
4931	10041	15181	0.68	8.1E-02	BF343921.1	EST_HUMAN	602015608F1 NCI_CGAP_Brf64 Homo sapiens cDNA clone IMAGE:4151840 5'
5	7881	10330	3.97	8.0E-02	AW954653.1	EST_HUMAN	EST9368723 IMAGE resequences, MAGC Homo sapiens cDNA
1713	7923	12042	8.36	8.0E-02	D26535.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-15)
1713	7923	12043	8.36	8.0E-02	D26535.1	NT	Human gene for dihydrolipoamide succinyltransferase, complete cds (exon 1-15)
1809	7028	12248	3.28	8.0E-02	BE087219.1	EST_HUMAN	PM3-BT0347-170200-001-b08 BT0347 Homo sapiens cDNA
2446	7550		3.13	8.0E-02	BF246744.1	EST_HUMAN	601855548F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4078619 5'
2865	8019	13185	0.87	8.0E-02	AL445067.1	NT	Thermoplasma acidophilum complete genome; segment 5/5
3794	8931	14078	0.73	8.0E-02	AW966118.1	EST_HUMAN	EST1378191 IMAGE resequences, MAGI Homo sapiens cDNA
4046	9177		0.68	8.0E-02	4503034	NT	Homo sapiens cAMP responsive element binding protein-like 2 (CREBL2) mRNA
4743	9856	15004	1.19	8.0E-02	AI434202.1	EST_HUMAN	U31g02.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132114 3'
4783	9896		6.97	8.0E-02	X72784.1	NT	M.musculus gene for gelatinase B
4898	10009	15154	0.65	8.0E-02	M28071.1	NT	Herpesvirus salmuri transformation-associated protein (STP), and dihydrolipoate reductase (DHFR) gene.s complete cds, and small nuclear RNAs (snRNAs)
2153	7266	12516	1.91	7.9E-02	BE250008.1	EST_HUMAN	600943191F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859510 5'

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2949	8103	13268	8.92	7.9E-02	AI682029.1	EST_HUMAN	ar98c08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2173646 3' similar to gb:Z88976
3329	8965	14116	4.62	7.9E-02	6681044	NT	60S RIBOSOMAL PROTEIN L38 (HUMAN);
3329	8965	14117	4.52	7.9E-02	6681044	NT	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4780	9893	15141	1.37	7.9E-02	AB008019.1	NT	Mus musculus colony stimulating factor 1 receptor (Csf1r), mRNA
4884	9895	15141	1.76	7.9E-02	L24757.1	NT	Arabidopsis thaliana RXW24L mRNA, partial cds
4892	10003		4.93	7.9E-02	AW081738.1	EST_HUMAN	Human bone sialoprotein (BSP) gene, exons 2, 3 and 4
1213	6345	11514	1.42	7.8E-02	AI793275.1	EST_HUMAN	xb70a10.x1 Scarses_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2581626 3'
1213	6345	11515	1.42	7.8E-02	AI793275.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
5071	8868	11515	3.27	7.8E-02	BE250048.1	EST_HUMAN	repetitive element;
1406	7917	11712	1.02	7.7E-02	AF181897.1	NT	repetitive element;
3574	8715	13680	1.89	7.7E-02	AJ238093.1	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
3368	8513	13680	1.84	7.6E-02	BE514432.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
3389	8533	13694	0.89	7.6E-02	AA206447.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
785	5940	11098	1.54	7.5E-02	5902083	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
785	5940	11099	1.54	7.5E-02	5902083	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
1924	7043	12263	1.21	7.5E-02	AL163276.2	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
477	5644	10785	1.44	7.4E-02	AW838547.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
1473	6800		1.1	7.4E-02	AF030027.1	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
2544	7847		1.03	7.4E-02	8755089	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
3580	8721	13879	1.02	7.4E-02	AI807885.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
4672	9788	14933	1.11	7.4E-02	L78810.1	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
4763	9876	15027	2.6	7.4E-02	5978442	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
4919	10029	15171	1.6	7.4E-02	5978442	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
468	5636	10775	1.3	7.3E-02	BE964081.2	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
468	5636	10778	1.3	7.3E-02	BE964081.2	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
653	5841	10980	3.42	7.3E-02	AE001789.1	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
1491	7919	11808	3.35	7.3E-02	AW900281.1	EST_HUMAN	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
1868	7928		9.68	7.3E-02	AL163302.2	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1
4983	10091		1.11	7.3E-02	U12883.1	NT	cc59d02.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1570467 5' similar to contains L1.B L1

Page 39 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
116	5318	10460	0.97	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1029155 to 1039834 (section 88 of 148) of the complete genome
116	5318	10461	0.97	7.2E-02	AE000882.1	NT	Methanobacterium thermoautotrophicum from bases 1029155 to 1039834 (section 88 of 148) of the complete genome
1486	6613	11800	2.02	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
1486	6613	11801	2.02	7.2E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
2520	7624		1.57	7.2E-02	U14794.1	NT	Human immunodeficiency virus type 1 isolate 28 reverse transcriptase (pol) gene, internal fragment, partial cds
3862	8998	14155	0.64	7.2E-02	AW298322.1	EST_HUMAN	U1H-BW0-e-05-0-U1.s1 NCL CGAP_Sub66 Homo sapiens cDNA clone IMAGE:2732049 3'
4323	9445	14578	5.25	7.2E-02	BF572307.1	EST_HUMAN	602077757F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4251950 5'
1910	7029	12249	1.18	7.1E-02	L02280.1	NT	Human Immunodeficiency Virus type 1 (D9) proviral structural capsid protein (gag) gene, partial cds
2264	7374		1.21	7.1E-02	AE004890.1	NT	Pseudomonas aeruginosa PA01, section 451 of 529 of the complete genome
2269	7379	12828	4.24	7.1E-02	BF208802.1	EST_HUMAN	601872281F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4092981 5'
526	5692	10824	1	7.0E-02	Q07092	SWISSPROT	COLLAGEN ALPHA 1(XVI) CHAIN PRECURSOR
1514	6841		1.12	7.0E-02	X96677.1	NT	Martella Micut-1 gene
3001	8156	13314	1.96	7.0E-02	AW138152.1	EST_HUMAN	U1H-B1-acy-e-07-0-U1.s1 NCL CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2716020 3'
3874	9010	14166	0.83	7.0E-02	AA815498.1	EST_HUMAN	el68at12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1375878 3' similar to gb:K03002 60S
4018	9151	14293	1.05	7.0E-02	BE070284.1	EST_HUMAN	RIBOSOMAL PROTEIN L32 (HUMAN);
4111	9239		0.82	7.0E-02	AW792962.1	EST_HUMAN	QV4-BT0407-280100-090-e10 BT0407 Homo sapiens cDNA
4188	9314	14449	1.07	7.0E-02	AF077821.1	NT	CMO-UM0001-060300-270-e12 UM0001 Homo sapiens cDNA
4907	10017	15161	7.25	7.0E-02	BF381987.1	EST_HUMAN	Canis familiaris inducible nitric oxide synthase mRNA, complete cds
512	5678	10810	12.18	6.9E-02	AL163210.2	NT	601816281F1 NIH_MGC_56 Homo sapiens cDNA clone IMAGE:4050071 5'
512	5678	10811	12.18	6.9E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1338	6468		1.33	6.9E-02	4507868	NT	Homo sapiens chromosome 21 segment HS21C010
3770	8907	14059	1.06	6.9E-02	Q06364	SWISSPROT	Homo sapiens regulator of Gz-selective protein signaling (ZGAP1) mRNA, and translated products
3770	8907	14060	1.06	6.9E-02	Q06364	SWISSPROT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)
1912	7031	12261	2.62	6.8E-02	AF159073.1	NT	26S PROTEASOME REGULATORY SUBUNIT S3 (NUCLEAR ANTIGEN 21D7)
3075	8228	13379	1.13	6.8E-02	AA781996.1	EST_HUMAN	Homo sapiens putative hepato transcription factor (WBCR14) gene, complete cds
3075	8228	13380	1.13	6.8E-02	AA781996.1	EST_HUMAN	ai75a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1376628 3'
3075	8228	13381	1.13	6.8E-02	AA781996.1	EST_HUMAN	ai75a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1376628 3'
4526	9644		0.82	6.8E-02	BE141076.1	EST_HUMAN	ai75a06.s1 Soares_testis_NHT Homo sapiens cDNA clone 1376628 3'
							MRO-HT0069-071089-001-c05 HT0069 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1643	6671		1.63	6.7E-02	AF115536.1	NT	Oncorhynchus mykiss TAP1 protein (OmyTAP1) mRNA, OmyTAP1*01 allele, complete cds
1800	7019	12239	1.1	6.7E-02	A1220285.1	EST_HUMAN	qg/8e04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1841406 3'
3697	8835	13988	4.17	6.7E-02	P17276	SWISSPROT	HOMEOBOX PROTEIN HOX-D4 (HOXA4)
1355	8484	11664	2	6.6E-02	A1735509.1	EST_HUMAN	at12e09.x1 Bristol aorta HPLRB6 Homo sapiens cDNA clone IMAGE:2354820 3' similar to
2163	7276	12523	1.53	6.6E-02	AJ289241.1	NT	SW1LIN1_NYCCO P08548 LINE-1 REVERSE TRANSCRIPTASE HOMOLOG. ;
3445	8587	13750	8.96	6.6E-02	R64306.1	EST_HUMAN	Mus musculus Capn12 gene for calpain 12, exons 1-21, three alternative transcripts
3439	8601	13765	2.55	6.6E-02		NT	y18b10.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:139579 3'
3459	8601	13765	2.55	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
4057	8187	14329	1.66	6.6E-02	7108357	NT	Homo sapiens mesothelin (MSLN), transcript variant 1, mRNA
4963	10071	15207	9.79	6.6E-02	AF260225.1	NT	Homo sapiens TESTIN 2 and TESTIN 3 genes, complete cds, alternatively spliced
4963	10071	15208	9.79	6.6E-02	Q61703	SWISSPROT	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
580	5743	10871	1.9	6.5E-02	BF027639.1	EST_HUMAN	INTER-ALPHA-TRYPsin INHIBITOR HEAVY CHAIN H2 PRECURSOR (ITI HEAVY CHAIN H2)
888	6135	11305	2.02	6.5E-02	7706088	NT	601871046F1 NIH_MGC 20 Homo sapiens cDNA clone IMAGE:3954178 6'
1398	6526	11705	3.1	6.5E-02	U47624.1	NT	Homo sapiens E2F-like protein (LOC51270), mRNA
1748	6874	12079	1.22	6.5E-02	AE000764.1	NT	Xenopus laevis alpha(E)-catenin mRNA, complete cds
573	5737	10864	1.39	6.4E-02	X94549.1	NT	Aquifex acidicus section 98 of 109 of the complete genome
1746	6872	12076	1.04	6.4E-02	AE001777.1	NT	A. carterae precursor of peridinin-chlorophylla-protein (PCP) gene
1746	6872	12077	1.04	6.4E-02	AE001777.1	NT	Thermotoga maritima section 89 of 136 of the complete genome
4871	8140	13304	1.09	6.4E-02	6996923	NT	Thermotoga maritima section 89 of 136 of the complete genome
							Mus musculus histone deacetylase 5 (Hdac5), mRNA
1766	6892	12089	2.36	6.3E-02	AF109605.1	NT	Mus musculus major histocompatibility locus class III regions Hec70t gene, partial cds; smRNP, G7A, NG23,
3589	8729		2.12	6.3E-02	P37092	SWISSPROT	MuS homolog, CLCP, NG24, NG25, and NG26 genes, complete cds; and unknown genes
4228	9353	14486	4.28	6.2E-02	AL161572.2	NT	HEAT SHOCK PROTEIN 70 HOMOLOG
4315	9437		1.88	6.2E-02	AF271235.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 68
4556	8874		6.21	6.2E-02	Q62191	SWISSPROT	Rattus norvegicus differentiation-associated Na-dependent inorganic phosphate cotransporter (DNP1) mRNA, complete cds
293	5444	10563	3.71	6.1E-02	D18471.1	NT	S2 KD RO PROTEIN (SUOGEN SYNDROME TYPE A ANTIGEN (SS-A)) (RO(SS-A)) (RO82)
3866	9101		2.76	6.1E-02	U73325.1	NT	Human mRNA, Xq terminal portion
4624	9742	14884	0.98	6.1E-02	AF119413.1	NT	Arabidopsis thaliana K+ inward rectifying channel protein (AKG1) gene, complete cds
4624	9742	14885	0.98	6.1E-02	AF119413.1	NT	Lupinus albus 1-aminocyclopropane-1-carboxylate synthase 3 (ACCS3) gene, complete cds
5152	10252	15391	28.79	6.1E-02	Y12603.1	NT	Lupinus albus 1-aminocyclopropane-1-carboxylate synthase 3 (ACCS3) gene, complete cds
1268	6395	11569	1.23	6.0E-02	AE001777.1	NT	S. cerevisiae mRNA for Man9-mannosidase
							Thermotoga maritima section 89 of 136 of the complete genome

Page 41 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2637	7735	12889	1.12	8.0E-02	AW988948.1	EST_HUMAN	EST380924 IMAGE resequences; MAGJ Homo sapiens cDNA
2734	7828		1.27	8.0E-02	AB031289.1	NT	Mesocricetus crati mitochondrial DNA, NADH dehydrogenase subunit 4, rRNA-Gln, rRNA-Phe, rRNA-Met, ATPase subunit 6, and NADH dehydrogenase subunit 2
2802	6302	10441	1.12	8.0E-02	AA188730.1	EST_HUMAN	zp78c04.t1 Stratiotes Helia cell s3 937216 Homo sapiens cDNA clone IMAGE:926310 5'
2902	6302	10442	1.12	8.0E-02	AA188730.1	EST_HUMAN	zp78c04.t1 Stratiotes Helia cell s3 937216 Homo sapiens cDNA clone IMAGE:926310 3'
3214	8365	13528	1.97	8.0E-02	AA372376.1	EST_HUMAN	EST84266 Colon adenocarcinoma IV Homo sapiens cDNA 5' and similar to tissue-specific protein
3214	8365	13529	1.97	8.0E-02	AA372376.1	EST_HUMAN	EST84266 Colon adenocarcinoma IV Homo sapiens cDNA 5' and similar to tissue-specific protein
5081	10182	15319	4.4	8.0E-02	AF149738.1	NT	Rattus norvegicus testis specific protein mRNA, complete cds
228	5422	10559	4.39	5.8E-02	AW934719.1	EST_HUMAN	RC1-DT0007-280100-012-010 DT0001 Homo sapiens cDNA
2952	8108	13271	2.49	5.8E-02	AF190269.1	NT	Mus musculus p53 tumor suppressor gene, exon 10 and 11, partial cds; alternatively spliced
5188	10264	15403	0.87	5.8E-02	AW028748.1	EST_HUMAN	wg34e02.x1 NCL CGAP_OV18 Homo sapiens cDNA clone IMAGE:2531450 3' similar to TR:065388
5188	10264	15404	0.87	5.8E-02	AW028748.1	EST_HUMAN	wg34e02.x1 NCL CGAP_OV18 Homo sapiens cDNA clone IMAGE:2531450 3' similar to TR:065388
894	6082		4.78	8.0E-02	D60110.1	NT	Thiobacillus ferrooxidans merC, merA genes and URF-1
1673	6802	11897	1.12	5.8E-02	Q61768	SWISSPROT	KINESIN HEAVY CHAIN (UBIQUITOUS KINESIN HEAVY CHAIN) (UKHC)
3640	8778	13934	1.68	5.8E-02	AE001775.1	NT	Thermotoga maritima section 87 of 138 of the complete genome
4332	9454	14589	4.08	5.8E-02	AW051927.1	EST_HUMAN	wx24c02.x1 NCL CGAP_Kir11 Homo sapiens cDNA clone IMAGE:2544578 3'
4332	9454	14590	4.08	5.8E-02	AW051927.1	EST_HUMAN	wx24c02.x1 NCL CGAP_Kir11 Homo sapiens cDNA clone IMAGE:2544578 3'
4520	9638	14784	5.07	5.8E-02	AU247505.1	EST_HUMAN	qf56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
4520	9638	14785	5.07	5.8E-02	AU247505.1	EST_HUMAN	qf56f01.x1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1848697 3' similar to gb:M13142 COAGULATION FACTOR XI PRECURSOR (HUMAN);
4548	9864		2.31	5.8E-02	AF096264.1	NT	Gallus gallus tyrosine kinase JAK1 (JAK1) mRNA, complete cds
5155	10255	16394	0.63	5.8E-02	U78997.1	NT	Rattus norvegicus insulin-regulated membrane aminopeptidase IRAP mRNA, complete cds
5198	10295	15432	1.41	5.8E-02	S66299.1	NT	growth hormone [Syrian Golden hamsters, mRNA, 809 nt]
3029	8183	13338	1.34	6.7E-02	AI081644.1	EST_HUMAN	CE08611.1
3043	8197	13353	1.42	5.7E-02	AF119117.1	NT	Homo sapiens dopamine transporter (SLC6A3) gene, complete cds
3685	8824		0.73	5.7E-02	AF001292.1	NT	Chironomus thummi thummi globin VIIA.1 (cit-7A.1), globin 9.1 (cit-9.1), globin II-beta (cit-2beta), non-functional globin XII (cit-13FT), globin XII (cit-12) and globin XI (cit-11) genes, complete cds
3779	8916	14068	2.05	6.7E-02	AW966791.1	EST_HUMAN	EST378885 IMAGE resequences; MAGJ Homo sapiens cDNA
1541	6669	11855	1.89	5.6E-02	AF094455.1	NT	Hydrocotyle rotundifolia ribosomal protein L16 (rpl16) gene, intron; chloroplast gene for chloroplast product

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2265	7375		0.96	5.0E-02	BE304308.1	EST_HUMAN	601494578F2 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:38968610 5'
4610	9728	14864	1.2	5.0E-02	AB013100.1	NT	Lycopodium obscurum LE-ACS9 mRNA for 1-aminocyclopropane-1-carboxylate synthase, complete cds
4665	9781	14925	1	5.0E-02	AA290599.1	EST_HUMAN	ze45c01.s1 NCI_CGAP_GCBT Homo sapiens cDNA clone IMAGE:700416 3'
2616	7714	12967	3.67	5.0E-02	X07869.1	NT	H. sapiens gene encoding La autoantigen
3200	8351	13514	4.24	5.0E-02	6756501	NT	Mus musculus SH3 domain protein 1B (SH3d1B), mRNA
4190	9316	14450	1.05	5.0E-02	L41561.1	NT	Gallid herpesvirus mRNA fragment
1263	8422		2.32	5.4E-02	AF157623.1	NT	Homo sapiens HTA1 serine protease (PRSS11) gene, complete cds
2991	8146		0.76	5.4E-02	AJ277468.1	NT	Oryza sativa rbb3-1 gene for putative Bowman Birk trypsin inhibitor
3403	10315		8.25	5.4E-02	BE073468.1	EST_HUMAN	RCS-BT0559-140200-012-C03 BT0559 Homo sapiens cDNA
1055	6196	11360	1.75	6.3E-02	AW391248.1	EST_HUMAN	QV0-ST0213-021289-062-e08 ST0213 Homo sapiens cDNA
1055	6196	11361	1.75	5.3E-02	AW391248.1	EST_HUMAN	QV0-ST0213-021289-062-e09 ST0213 Homo sapiens cDNA
1521	6648	11835	3.37	5.3E-02	T94759.1	EST_HUMAN	y637H2.1 Stragene lung (#637210) Homo sapiens cDNA clone IMAGE:119951 5' similar to gb:K01508
2468	7572	12825	1.3	5.3E-02	AJ278408.1	NT	HLA CLASS II HISTOCOMPATIBILITY ANTIGEN, DP(1) ALPHA CHAIN (HUMAN);
2908	8062	13293	0.7	5.3E-02	M58417.1	NT	Pseudomonas putida tfgS gene
2908	8062	13294	0.7	5.3E-02	M58417.1	NT	Drosophila melanogaster laminin B2 gene, complete cds
3131	8262	13438	4.27	5.3E-02	AJ278408.1	NT	Drosophila melanogaster laminin B2 gene, complete cds
5073	10174	15309	10.8	5.3E-02	M80463.1	NT	Pseudomonas putida tfgS gene
2261	7371		170.81	5.2E-02	5031808	NT	Mus musculus caudal type homeobox-1 (Cbx-1) gene, complete cds
3090	8243	13302	2.34	5.2E-02	AJ277681.1	NT	Homo sapiens meprin A, alpha (PABA peptide hydrolase) (MEPTA) mRNA
3090	8243	13393	2.34	5.2E-02	AJ277681.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
3912	9046	14207	0.7	5.2E-02	AF236101.1	NT	Homo sapiens partial LMO1 gene for LIM domain only 1 protein, exon 1
4252	9377	14508	3.63	5.2E-02	U07192.1	NT	Arabidopsis thaliana putative alpha-carboxylate cation protein (Crd1) mRNA, complete cds
2344	7451		0.99	5.1E-02	AL134071.1	EST_HUMAN	Human steroid hormone receptor Nco-1 mRNA, complete cds
4176	9302	14438	0.72	5.1E-02	AE001301.1	EST_HUMAN	DKFZp547D073_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547D073 5'
482	5850	10788	1.14	5.0E-02	AF08004.1	NT	Chlamydia trachomatis section 28 of 87 of the complete genome
1207	6339	11509	14.54	5.0E-02	Z99104.1	NT	Mus musculus fatty acid amide hydrolase gene, exon 10
1981	7108	12341	2.34	5.0E-02	P02810	SWISSPROT	Bacillus subtilis complete genome (section 1 of 21): from 1 to 213080
2779	6134	11304	1.54	5.0E-02	U72742.1	NT	4) (PIF-FPIF-S) (PROTEIN APROTEIN C) (CONTAINS: PEPTIDE P-C)
3319	8466		1.4	5.0E-02	7305610	NT	Oryctolagus cuniculus UDP-glucuronosyltransferase (UGT2B13) mRNA, complete cds
3581	8722		0.91	5.0E-02	U32782.1	NT	Mus musculus Ubc-51 like kinase 2 (C. elegans) (Ulk2), mRNA
3661	8800	13956	9.12	5.0E-02	U12769.2	NT	Haemophilus influenzae Rd section 97 of 163 of the complete genome
						NT	Anthraxa pernyi period clock protein homolog mRNA, complete cds

Page 43 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
222	5415		32.46	4.9E-02	M14230.1	NT	Chicken 28-kDa vitamin D-dependent calcium-binding protein (CaBP-28) mRNA, complete cds
367	5547	10690	3.03	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
367	5547	10691	3.03	4.9E-02	AF275948.1	NT	Homo sapiens ABCA1 (ABCA1) gene, complete cds
2838	7893	13151	0.74	4.9E-02	U32636.1	NT	Zea mays phytoene synthase (Yt) gene, complete cds
3273	8422	13583	1.75	4.9E-02	P54258	SWISSPROT	ATROPHIN-1 (DENTATORUBRAL-PALLIDOLYSIAN ATROPHY PROTEIN)
3578	8719	13877	0.61	4.9E-02	AA400914.1	EST_HUMAN	z78a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
4808	8920	15061	5.76	4.9E-02	AW167821.1	EST_HUMAN	z78a03.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728428 3'
4808	8920	15062	5.76	4.9E-02	AW167821.1	EST_HUMAN	xg58g10.x1 NCI_CGAP_U44 Homo sapiens cDNA clone IMAGE:2632386 3'
5176	10273		1.34	4.9E-02	AF135416.1	NT	Homo sapiens UDP-glucuronosyltransferase gene, complete cds
328	5512	10650	1.16	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
329	5512	10650	2.06	4.8E-02	D16471.1	NT	Human mRNA, Xq terminal portion
486	5656	10793	9.98	4.8E-02	AF003100.1	NT	Arabidopsis thaliana AP2 domain containing protein RAP2.7 mRNA, partial cds
2252	7362	12618	1.13	4.8E-02	W51983.1	EST_HUMAN	z64902.s1 Soares_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:325611 3' similar to gb-M30908 LUPUS KU AUTOANTIGEN PROTEIN P86 (HUMAN);
3193	8344	13508	1.77	4.8E-02	X17144.1	NT	Tetrahymena rostrata histone H3l1 and histone H4l1 intergenic DNA
4642	9760		1.05	4.8E-02	Z54280.1	NT	S. scrofa gene for skeletal muscle ryanodine receptor
5109	10210	15347	0.61	4.8E-02	U91914.1	NT	Streptococcus constellatus D-alanine D-alanine ligase gene, partial cds
4896	10102	15233	0.63	4.7E-02	6981261	NT	Rattus norvegicus Nestin (Nes), mRNA
268	5458	10598	2.47	4.6E-02	BE153583.1	EST_HUMAN	PMO-HT0339-261199-003-g05 HT0339 Homo sapiens cDNA
738	5894	11046	2.37	4.6E-02	AE000445.1	NT	Escherichia coli K-12 MG1655 section 335 of 400 of the complete genome
1286	6425		0.98	4.6E-02	AD14255.1	EST_HUMAN	am50d02.s1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1338979 3' similar to TR:P90533
1368	6496	11679	2.37	4.6E-02	AV727098.1	EST_HUMAN	P90533_LIMA ; contains element LTR1 repetitive element ;
2462	7596	12819	1.62	4.6E-02	AW236023.1	EST_HUMAN	AV727059 HT0 Homo sapiens cDNA clone HTCBW001 5'
2769	5458	10598	1.92	4.6E-02	BE153583.1	EST_HUMAN	xn24f03.x1 NCI_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2694653 3' similar to SW:GRF1_HUMAN
3477	8134	13297	0.82	4.6E-02	BE153583.1	EST_HUMAN	Q12849 G-RICH SEQUENCE FACTOR-1 ;
4095	9224		0.98	4.6E-02	AF220365.1	NT	PMO-HT0339-261199-003-g05 HT0339 Homo sapiens cDNA
446	5614	10760	2.56	4.5E-02	P22448	SWISSPROT	Mus musculus nucleolar RNA helicase II(Gu (ddx21) gene, complete cds
1221	6353	11522	0.94	4.5E-02	AF005730.1	NT	RETINOIC ACID RECEPTOR BETA (RAR-BETA)
1221	6353	11523	0.94	4.5E-02	AF005730.1	NT	Marburg virus strain M/S Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
1816	6839	12166	3.29	4.5E-02	P32182	SWISSPROT	Marburg virus strain M/S Africa/Johannesburg/1975/Ozolin VP35 gene, complete cds
2100	7215	12462	2.27	4.5E-02	AE003984.1	NT	HEPATOCYTE NUCLEAR FACTOR 3-BETA (HNF-3B)
							Xylella fastidiosa, section 110 of 229 of the complete genome

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3703	8841	13998	4.15	4.8E-02	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
217	5411		3.43	4.4E-02	BE972733.1	EST_HUMAN	601852154F1 NIH_MGC_82 Homo sapiens cDNA clone IMAGE:3936388 5'
1028	6167	11333	2.5	4.4E-02	L19285.1	NT	Drosophila melanogaster extracellular (EXD) mRNA, complete cds
2087	7203		1.94	4.4E-02	P31588	SWISSPROT	HYPOTHETICAL PROTEIN (ORF 2280)
2463	7667	12820	1.02	4.4E-02	AW875475.1	EST_HUMAN	QV2.2P10012-010300-070-g02 P10012 Homo sapiens cDNA
3618	8767	13813	1.99	4.4E-02	AF159180.1	NT	Myococcus xanthus serine/threonine kinase Pln10 (pkn10) gene, complete cds
4596	9714	14850	1.03	4.4E-02	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds, and S171 gene, partial cds
4596	9714	14881	1.03	4.4E-02	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds, and S171 gene, partial cds
781	5636	11064	6.56	4.3E-02	AF003249.1	NT	Morone saxatilis myosin heavy chain FM3A (FM3A) mRNA, complete cds
3411	8654	13713	8.36	4.8E-02	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3636	8775		1	4.3E-02	AF060566.1	NT	Homo sapiens promyelocytic leukemia zinc finger protein (PLZF) gene, complete cds
823	5976	11140	1.39	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'
867	6018		1.81	4.2E-02	AU123327.1	EST_HUMAN	AU123327 NT2RM2 Homo sapiens cDNA clone NT2RM2000020 5'
897	6047	11218	0.73	4.2E-02	AW003645.1	EST_HUMAN	wx34g01.x1 NCL_CGAP_P111 Homo sapiens cDNA clone IMAGE:2546584 3' similar to TR:Q63281 Q63281 L1 RETROPOSON, ORF2 MRNA ; contains L1, L3 L1 L1 repetitive element ;
1734	6861		2.38	4.2E-02	AL445066.1	NT	Thermoplasma acidophilum complete genome, segment 4/5
1788	6914	12121	1.13	4.2E-02	P23091	SWISSPROT	TRANSFORMING PROTEIN MAF
3841	8780	13935	2.72	4.2E-02	P23091	SWISSPROT	TRANSFORMING PROTEIN MAF
4451	9570	13539	7.38	4.1E-02	AW893484.1	EST_HUMAN	QV1-NN0012-180400-164-f06 NN0012 Homo sapiens cDNA
3228	8378		4.02	4.0E-02	AB040904.1	NT	Homo sapiens mRNA for KIAA1471 protein, partial cds
3777	8914	14066	1.05	4.0E-02	L11910.1	NT	Human retinoblastoma susceptibility gene exon 1-27, complete cds
1121	6259	11424	2.96	3.9E-02	BF516146.1	EST_HUMAN	U1-HBW1-emx-h-08-0-U1.s1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3084194 3'
1351	6480	11659	2.91	3.9E-02	P41047	SWISSPROT	FAS ANTIGEN LIGAND
1985	7082	12306	1.5	3.9E-02	AJ403383.1	NT	M.musculus DNA for desmin-binding fragment DesD7
2665	7761		1.76	3.9E-02	4506862	NT	Homo sapiens succinate dehydrogenase complex, subunit C, integral membrane protein, 15kD (SDHC) mRNA
4110	9238	14375	1.12	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
4110	9238	14376	1.12	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
5119	10220	15354	0.61	3.9E-02	AW392417.1	EST_HUMAN	RC6-ST0258-171189-021-C08 ST0258 Homo sapiens cDNA
5139	10239	15375	1.02	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
5139	10239	15376	1.02	3.9E-02	8924019	NT	Homo sapiens hypothetical protein PRO1163 (PRO1163), mRNA
2110	7225		0.97	3.9E-02	AJ251973.1	NT	Homo sapiens partial elastin-1 gene

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4908	10016	16160	0.98	3.8E-02	AU124122.1	EST_HUMAN	AU124122 NT2RM2 Homo sapiens cDNA clone NT2RM2001698 5'
993	8139	11308	4.31	3.7E-02	P19137	SWISSPROT	LAMININ ALPHA-1 CHAIN PRECURSOR (LAMININ A CHAIN)
2218	7330	12583	3.72	3.7E-02	A1984806.1	EST_HUMAN	wf8508.x1 NCL_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2494502 3'
3022	8176	13333	1.21	3.7E-02	P79944	SWISSPROT	ECMESODERMIN
3024	8178	13334	5.36	3.7E-02	BF312863.1	EST_HUMAN	601866233F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4125584 5'
3436	8578		1.05	3.7E-02	8680541	NT	Mus musculus potassium large conductance pH-sensitive channel, subfamily M, alpha member 3 (Kcnn3), mRNA
3171	8322	13483	1.38	3.6E-02	AP000003.1	NT	Pyrococcus horikoshii OT3 genomic DNA, 544001-777000 nt, position (3/7)
3631	8770	13928	0.77	3.6E-02	X73221.1	NT	H. vulgare Ss1 gene for sucrose synthase
3639	8778	13933	0.65	3.6E-02	AL096808.1	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 10[10q26.3] of Homo sapiens
898	8048	11217	1.41	3.5E-02	U09506.1	NT	Drosophila melanogaster figgrin mRNA, complete cds
1009	6153	11320	1.03	3.5E-02	AF253417.1	NT	Homo sapiens microsomal epoxide hydrolase (EPHX1) gene, complete cds
1578	6708	11898	1.37	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
1579	6708	11899	1.37	3.5E-02	BF678085.1	EST_HUMAN	602085136F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4249377 5'
4187	9313	14448	1.83	3.5E-02	AE001773.1	NT	Thermotoga maritima section 85 of 136 of the complete genome
4293	9415	14560	1.15	3.5E-02	P53780	SWISSPROT	CYSTATHIONINE BETA-LYASE PRECURSOR (CBL) (BETA-CYSTATHIONASE) (CYSTEINE LYASE)
5177	10274		0.97	3.5E-02	P47144	SWISSPROT	HYPOTHETICAL 80.7 KD PROTEIN IN SOD1-GPA2 INTERGENIC REGION
576	5740	10867	1.05	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
576	5740	10868	1.06	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
577	5740	10867	4.5	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
577	5740	10868	4.5	3.4E-02	AK024424.1	NT	Homo sapiens mRNA for FLJ00013 protein, partial cds
1053	8194	11358	3.17	3.4E-02	AW274020.1	EST_HUMAN	xv26607.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814263 3' similar to SW:0211_HUMAN P53801 PUTATIVE SURFACE GLYCOPROTEIN C21ORF1 PRECURSOR ;
1208	6341		8.4	3.4E-02	11346459	NT	Homo sapiens hypothetical protein FLJ13220 (FLJ13220), mRNA
2369	7475	12729				EST_HUMAN	yc20a06.11 Stratiotes lung (#637210) Homo sapiens cDNA clone IMAGE:81250 5' similar to contains MER28 repetitive element
3412	8555	13714	1.19	3.4E-02	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
3756	8893	14043	0.85	3.4E-02	BE639514.1	EST_HUMAN	RC3-FN0165-060700-011-r10 FN0165 Homo sapiens cDNA
3894	9030	14189	3.8	3.4E-02	AW794982.1	EST_HUMAN	RC8-UM0015-210200-021-A10 UM0015 Homo sapiens cDNA
4571	9689	14827	2.46	3.4E-02	X59709.1	NT	M.musculus S-antigen gene promoter region
5042	10144		2.25	3.4E-02	Q28457	SWISSPROT	LA PROTEIN HOMOLOG (LA RIBONUCLEOPROTEIN) (LA AUTOANTIGEN HOMOLOG)
5087	10163	15286	1.48	3.4E-02	AL012469.1	NT	Caenorhabditis elegans mRNA for DYS-1 protein, partial

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
370	5550		21.45	3.3E-02	AA398735.1	EST_HUMAN	217508.s1 Soares, testis, NHT. Homo sapiens cDNA clone IMAGE:728198 3'
1169	6304	11470	9.4	3.3E-02	AB039867.1	NT	Cricetulus griseus CYP2A17 mRNA for cytochrome P450 2A17, complete cds
1690	6778	11970	1.49	3.3E-02	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
2077	7193		1.25	3.3E-02	RO9112.1	EST_HUMAN	y25c09.r1 Soares fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:127888 5'
2428	7632	12786	0.95	3.3E-02	6756882	NT	Mus musculus tumor rejection antigen gp96 (Tra1), mRNA
3342	8488	13654	1.16	3.3E-02	H02389.1	EST_HUMAN	y65h02.r1 Soares placenta NB2-TP Homo sapiens cDNA clone IMAGE:150771 5'
4148	6778	11970	2.58	3.3E-02	AF110763.1	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
4446	9665	14707	2.2	3.3E-02	6756882	NT	Mus musculus tumor rejection antigen gp96 (Tra1), mRNA
4779	9892	15039	0.63	3.3E-02	AW276936.1	EST_HUMAN	xp40b04.x1 NC1 CGAP_HN11 Homo sapiens cDNA clone IMAGE:2742789 3'
127	5325	10471	1.73	3.2E-02	AJ002005.1	NT	Oryctolagus cuniculus gene encoding ileal sodium-dependent bile acid transporter
1127	6264	11428	15.01	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 68 (hsp68) gene, hsp68d allele, complete cds
1127	6264	11429	15.01	3.2E-02	AF096275.1	NT	Drosophila melanogaster heat shock protein 68 (hsp68) gene, hsp68d allele, complete cds
2108	7223		2.07	3.2E-02	P28955	SWISSPROT	LARGE TEGUMENT PROTEIN
2802	5325	10471	0.63	3.2E-02	AJ002005.1	NT	Oryctolagus cuniculus gene encoding ileal sodium-dependent bile acid transporter
3112	8265	13420	9.38	3.2E-02	BE867353.1	EST_HUMAN	601442431F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846727 5'
3693	8831	13988	1.21	3.2E-02	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
3693	9069	14224	0.66	3.2E-02	Z74103.1	NT	S. cerevisiae chromosome IV reading frame ORF YDL055c
3933	9069	14225	0.66	3.2E-02	Z74103.1	NT	S. cerevisiae chromosome IV reading frame ORF YDL055c
4194	9319		14.19	3.2E-02	X94768.1	NT	H. sapiens RP3 gene (XLRP gene 3)
4793	9846	14992	3.38	3.2E-02	AF114182.1	NT	Saccharomyces cerevisiae (matK) gene, chloroplast gene encoding chloroplast protein, partial cds
4924	10334			3.2E-02	AF109906.1	NT	Mus musculus MHC class III region RD gene, partial cds; B1, C2, G8A, NGZ2, G9, HSP70, HSP70, HSC70, and emRNP genes, complete cds; G7A gene, partial cds; and unknown genes
1264	6393		2.27	3.1E-02	4503416	NT	Homo sapiens dual specificity phosphatase 4 (DUSP-4) mRNA
1309	6439	11615	1.45	3.1E-02	P18845	SWISSPROT	NEURONAL ACETYLCHOLINE RECEPTOR PROTEIN, ALPHA-3 CHAIN PRECURSOR (GF-ALPHA-3)
1976	7093		1.31	3.1E-02	Z50097.1	NT	Drosophila melanogaster mRNA for headcase protein
1635	6784		2.14	3.0E-02	AF187125.1	NT	Ptychocheilus minckleyi cytochrome oxidase I gene, partial cds; mitochondrial gene for mitochondrial product
3552	8693	13856	1.07	3.0E-02	M94176.1	NT	Saccharomyces cerevisiae stem-loop mutation suppressor SSL2 gene, complete cds
3630	8769	13925	2.49	3.0E-02	AF247644.1	NT	Pseudomonas fluorescens family II aminotransferase gene, complete cds
3726	8863		0.82	3.0E-02	AW820223.1	EST_HUMAN	QV2-ST0298-150200-040-e09 ST0298 Homo sapiens cDNA
3920	9058		1.08	3.0E-02	AA364003.1	EST_HUMAN	EST174530 Pineal gland II-Homo sapiens cDNA 5' end
4661	9777		12.98	3.0E-02	AI240467.1	EST_HUMAN	qM1008.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1844314 3'
5032	10134	15264	6.62	3.0E-02	AF281074.1	NT	Homo sapiens neurexophilin 2 (NRP2) gene, complete cds, alternatively spliced

Page 47 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5032	10134	16265	6.62	3.0E-02	AF281074.1	NT	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
3646	8867	13850	0.77	2.9E-02	X55294.1	NT	Sheep gene for ultra high-sulphur keratin protein
3903	8039	14189	0.71	2.9E-02	H72805.1	EST_HUMAN	y07010.1 Scores fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:233130 5'
3958	8083	14245	1.34	2.9E-02	O15440	SWISSPROT	MULTIDRUG RESISTANCE-ASSOCIATED PROTEIN 5 (ABC TRANSPORTER MOAT-C) (PABC11) (SMRP)
564	5729		0.84	2.8E-02	AW970183.1	EST_HUMAN	EST382234 MAGC resequences, MAGK Homo sapiens cDNA
3349	8494	13661	1.12	2.8E-02	AF068063.1	NT	Homo sapiens retinal fascic (FSCN2) gene, exon 2
3349	8494	13662	1.12	2.8E-02	AF068063.1	NT	Homo sapiens retinal fascic (FSCN2) gene, exon 2
4289	9411		0.77	2.8E-02	8393781	NT	Rattus norvegicus microtubule-associated protein tau (Mapt), mRNA
							Human germline T-cell receptor beta chain Dopamine-beta-hydroxylase-like, TRY1, TRY2, TRY3, TCRBV27S1P, TCRBV22S1A2N1T, TCRBV6S1A1T, TCRBV7S1A1N2T, TCRBV5S1A1T, TCRBV13S3, TCRBV6S7P, TCRBV7S3A2T, TCRBV13S2A1T, TCRBV6S2A2PT, TCRBV7S2A1N4T, TCRBV13S9/13S>
1499	6626	11813	1.13	2.7E-02	U68059.1	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 6
3413	8556	13715	1.71	2.7E-02	AL161494.2	NT	y88h12.r1 Scores_multiple sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:280487 5'
4174	9300	14435	1.88	2.7E-02	N47258.1	EST_HUMAN	y88h12.r1 Scores_multiple sclerosis_2NbhMSP Homo sapiens cDNA clone IMAGE:280487 5'
4174	9300	14436	1.88	2.7E-02	N47258.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C082
570	5734	10862	0.94	2.6E-02	AL163282.2	NT	IL3-CT0219-280100-082-C09 CT0219 Homo sapiens cDNA
1377	6505		1.09	2.6E-02	AW850515.1	EST_HUMAN	ab02b02.a1 Stratagene fetal retina 937202 Homo sapiens cDNA clone IMAGE:839595 3'
2346	7453	12706	1.53	2.6E-02	AA490021.1	EST_HUMAN	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2348	7455	12708	2.45	2.6E-02	6754241	NT	Mus musculus histidine rich calcium binding protein (Hrc), mRNA
2348	7455	12709	2.45	2.6E-02	6754241	NT	Mus musculus MHC class II region RD gene, partial cds; Bf, C2, G8A, NG22, G9, HSP70, HSP70, HSC70, and smRNP genes, complete cds; G7A gene, partial cds; and unknown genes
2881	8036		1.28	2.6E-02	AF108906.1	NT	Chicken dorsalin-1 mRNA, complete cds
3937	9073		0.96	2.6E-02	AW181945.1	EST_HUMAN	Delnocooccus radiodurans R1 section 151 of 228 of the complete chromosome 1
4878	9889	15135	2.43	2.6E-02	L12032.1	NT	xs52b04.x1 NCI_CGAP_Sar4 Homo sapiens cDNA clone IMAGE:2570383 3' similar to SW:Y069_HUMAN
5047	10149	15278	1.7	2.6E-02	AE002014.1	NT	Q115041 HYPOTHETICAL PROTEIN KIAA0069
5077	10178	15313	1.95	2.6E-02	AW241154.1	EST_HUMAN	on26106.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1557827 5'
530	5696	10828	1.62	2.5E-02	A1763130.1	EST_HUMAN	on26106.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1557827 5'
530	5696	10829	1.62	2.5E-02	A1763130.1	EST_HUMAN	on26106.y6 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1557827 5'
810	5963	11125	14.46	2.5E-02	BE974314.1	EST_HUMAN	601080305R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950685 3'
870	6021	11192	4.53	2.5E-02	BE974314.1	EST_HUMAN	601080305R2 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:3950685 3'
2724	7819		2.23	2.5E-02	U12671.1	NT	Rattus norvegicus rabphilin-3A mRNA, complete cds
2923	8077	13245	3.22	2.5E-02	X99697.1	NT	H. carterae mRNA for fucosanthin chlorophyll a/c binding protein, Fcp1

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2023	8077	13246	3.22	2.5E-02	X99897.1	NT	H. carterae mRNA for fucoxanthin chlorophyll a/c binding protein, Fcp1
4019	10308	14294	0.93	2.5E-02	BE701165.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4019	10308	14295	0.93	2.5E-02	BE701165.1	EST_HUMAN	PM2-NN0128-080700-001-a12 NN0128 Homo sapiens cDNA
4178	9304	14439	5.14	2.5E-02	AW592114.1	EST_HUMAN	h36h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2934015 3'
5083	10312		11.72	2.5E-02	AJ754201.1	EST_HUMAN	cr21f11.x1 Jia bone marrow stroma Homo sapiens cDNA clone HBM9C_cr21f11 3'
169	6384	10506	0.63	2.4E-02	AJ378592.1	EST_HUMAN	tc72c07.x1 Soares_Nhlmpu_S1 Homo sapiens cDNA clone IMAGE:2070156 3'
1611	6739	11933	1.86	2.4E-02	H65884.1	EST_HUMAN	y75f11.1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:211148 5'
2038	7931	12395	0.96	2.4E-02	P01901	SWISSPROT	H-2 CLASS HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
2038	7931	12396	0.96	2.4E-02	P01901	SWISSPROT	H-2 CLASS HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4347	9469	14606	1.59	2.4E-02	J05110.1	NT	T. thermophila calcium-binding 25 kDa (TCBP 26) protein mRNA, complete cds
4496	9814	14764	1.33	2.4E-02	P01901	SWISSPROT	H-2 CLASS HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
4495	9614	14755	1.33	2.4E-02	P01901	SWISSPROT	H-2 CLASS HISTOCOMPATIBILITY ANTIGEN, K-B ALPHA CHAIN PRECURSOR (H-2K(B))
5175	10272		1.2	2.4E-02	AF134513.1	NT	Kadipiro virus segment 6 VP6 gene, complete cds
1882	7002		2.4	2.3E-02	W05340.1	EST_HUMAN	zab4g08.r1 Soares_fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:269294 5'
1895	7014		3.49	2.3E-02	U94165.1	NT	4 Homo sapiens mammary tumor-associated protein INT6 (INT6) gene, exon 4
2330	7437	12690	1.36	2.3E-02	Z74293.1	NT	S. cerevisiae chromosome IV reading frame ORF YDL245c
3659	8798	13954	5.18	2.3E-02	Z20377.1	EST_HUMAN	HSAAAACADHP, Human foetal Brain Whole tissue Homo sapiens cDNA
3694	8832		2.23	2.3E-02	L23429.1	NT	Canis beta-galactosides-binding lectin (LGALS3) mRNA, 3' end
4121	8249	14386	0.69	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4121	9249	14387	0.68	2.3E-02	L24799.1	NT	Gallus gallus connexin 45.6 (Cx45.6) gene, complete cds
4308	9518	14650	1.03	2.3E-02	AF89107.1	EST_HUMAN	CM4-NN0080-280400-100-504 NN0080 Homo sapiens cDNA
4427	9547	14686	0.8	2.3E-02	BE635225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4427	9547	14687	0.8	2.3E-02	BE635225.1	EST_HUMAN	CM3-MT0118-010900-318-g07 MT0118 Homo sapiens cDNA
4428	10309	14688	0.75	2.3E-02	AW593683.1	EST_HUMAN	xs25d08.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2770871 3'
4428	10309	14689	0.75	2.3E-02	AW593683.1	EST_HUMAN	xs25d08.x1 NCI_CGAP_U2 Homo sapiens cDNA clone IMAGE:2770871 3'
4567	9885	14824	2.62	2.3E-02	BF026487.1	EST_HUMAN	601672279F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'
4567	9885	14825	2.62	2.3E-02	BF026487.1	EST_HUMAN	601672279F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3955386 5'
5132	10232	15367	0.78	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
5132	10232	15368	0.78	2.3E-02	AF257110.1	NT	Rattus norvegicus guanine nucleotide binding protein gamma subunit 11 mRNA, complete cds
							Columbia livia nucleoside diphosphate kinase (NDPK) gene, nuclear gene encoding mitochondrial protein, complete cds
736	5892	11044	2.95	2.2E-02	AF018267.1	NT	Homo sapiens chromodomain helicase DNA binding protein 2 (CHD2) mRNA
1759	6885		1.44	2.2E-02	4557448	NT	MYOSIN LIGHT CHAIN KINASE, SKELETAL MUSCLE (MLCK)
1772	6998	12105	1.12	2.2E-02	P07313	SWISSPROT	MYOSIN LIGHT CHAIN KINASE, SKELETAL MUSCLE (MLCK)
1772	6998	12106	1.12	2.2E-02	P07313	SWISSPROT	MYOSIN LIGHT CHAIN KINASE, SKELETAL MUSCLE (MLCK)

Page 49 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2011	7128	12365	1.12	2.2E-02	Z82001.1	NT	S.pneumoniae pcpA gene and open reading frames
3416	8559		1.84	2.2E-02	AA577785.1	EST_HUMAN	nm24a04.at NCI_CGAP_Gest1 Homo sapiens cDNA clone IMAGE:1084782 3'
3624	8763		4.07	2.2E-02	AF083094.1	NT	Infectious bursal disease virus segment B strain L4 VP1 gene, complete cds
3832	8958	14122	1.16	2.2E-02	AW601317.1	EST_HUMAN	PMO-BT0340-170100-004-b03 BT0340 Homo sapiens cDNA
3893	9028	14188	0.88	2.2E-02	Z74293.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
4585	9703		1.38	2.2E-02	P18759	SWISSPROT	HYPOTHETICAL PROTEIN UL21
5048	10130	15280	0.92	2.2E-02	Z73597.1	NT	S.cerevisiae chromosome XVI reading frame ORF YPL241c
5172	9028	14188	2.31	2.2E-02	Z74293.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
418	5586		4.02	2.1E-02	AV761502.1	EST_HUMAN	AV761502 MDS Homo sapiens cDNA clone MDSADG01 5'
448	5516		6.76	2.1E-02	AF028728.1	NT	Dicystosellum discoideum histidine kinase C (dhkC) mRNA, complete cds
1287	6396	11570	6.19	2.1E-02	U72073.1	NT	Bacillus subtilis cotKLM cluster, CotK (cotK), CotL (cotL), and spore coat protein CotM (cotM) genes, complete cds
1792	6918	12126	1.15	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1792	6918	12127	1.15	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
1792	6918	12128	1.15	2.1E-02	P02438	SWISSPROT	KERATIN, HIGH-SULFUR MATRIX PROTEIN, B2A
2777	5834	11092	3.07	2.1E-02	N29266.1	EST_HUMAN	y43h07.r1 Soares melanocyte 2NHJM Homo sapiens cDNA clone IMAGE:264541 5'
3128	7146	12386	4.84	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
3128	7146	12387	4.84	2.1E-02	BE072546.1	EST_HUMAN	PM2-BT0546-120100-001-f11 BT0546 Homo sapiens cDNA
3571	8712	13872	1.16	2.1E-02	AA461271.1	EST_HUMAN	z63509.r1 Soares fetal NB2HF8 9w Homo sapiens cDNA clone IMAGE:796121 5'
4102	9231	14388	0.6	2.1E-02	Z74293.1	NT	S.cerevisiae chromosome IV reading frame ORF YDL245c
4286	9409	14544	0.7	2.1E-02	BF343655.1	EST_HUMAN	602015306FT NCI_CGAP_Brt64 Homo sapiens cDNA clone IMAGE:4151161 5'
4423	9549	14682	1.79	2.1E-02	U4914.1	NT	Borrelia burgdorferi plasmid cp32.2, erpC and erpD genes, complete cds; and unknown genes
4433	9552	14686	1.33	2.1E-02	A1768127.1	EST_HUMAN	wg81d11.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371509 3'
4472	9591		15.42	2.1E-02	Y19213.1	NT	Homo sapiens putative psliHbA pseudogene for hair keratin, exons 2 to 7
4649	9591		1.54	2.1E-02	Y19213.1	NT	Homo sapiens putative psliHbA pseudogene for hair keratin, exons 2 to 7
4677	9793	14939	4.85	2.1E-02	Y08501.1	NT	A.thaliana mitochondrial genome, part A
4698	9814	14982	0.72	2.1E-02	AA685737.1	EST_HUMAN	ag55g12.a1 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1126918 3'
4783	9801	15042	0.67	2.1E-02	AB23432.1	EST_HUMAN	wh54a05.xt NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384528 3'
17	5228	10340	1.16	2.0E-02	BF002932.1	EST_HUMAN	7g51c08.xt NCI_CGAP_P28 Homo sapiens cDNA clone IMAGE:3309088 3' similar to contains MER1.3
18	5229	10341	7.52	2.0E-02	AW895585.1	EST_HUMAN	MER1 repetitive element;
258	5447	10585	2.69	2.0E-02	6753635	NT	QV4-NN0038-270400-187-105 NN0038 Homo sapiens cDNA
263	5481	10623	2.38	2.0E-02	AA456538.1	EST_HUMAN	Mus musculus DinB homolog 1 (E. cd) (Dinb1), mRNA
789	5953	11113	1.41	2.0E-02	6753635	NT	eat15b10.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:813307 5'
							Mus musculus DinB homolog 1 (E. cd) (Dinb1), mRNA

Page 50 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1088	6227	11392	1.21	2.0E-02	AL098805.1	NT	Homo sapiens genomic region containing hypervariable minisatellites chromosome 11(p38.33) of Homo sapiens
1202	6335	11505	1.33	2.0E-02	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
1202	6335	11506	1.33	2.0E-02	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
1883	7003	12221	1.29	2.0E-02	8922453	NT	Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
1883	7003	12222	1.29	2.0E-02	8922453	NT	Homo sapiens hypothetical protein FLJ10486 (FLJ10486), mRNA
2769	7853		2.22	2.0E-02	AL161532.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 32
3051	5228	10340	1.17	2.0E-02	BF002932.1	EST_HUMAN	7g51c08.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:3309898 3' similar to contains MER1.13
3122	8274		1.44	2.0E-02	7305474	NT	Mus musculus sem domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6B
3212	8363		1.28	2.0E-02	AF095888.1	NT	(Sense), mRNA
3981	9115	14263	1.19	2.0E-02	M18095.1	NT	Arabidopsis thaliana C2H2 zinc finger protein FZF mRNA, complete cds
5083	10193		2.7	2.0E-02	AJ271995.1	EST_HUMAN	P. vulgaris hydroxyproline-rich glycoprotein (HRGP) mRNA, 3' end
691	5848	10991	1.77	1.9E-02	AA572764.1	EST_HUMAN	q93ec03.x1 NCI_CGAP_K13 Homo sapiens cDNA clone IMAGE:1868076 3'
1628	6757	11951	0.95	1.9E-02	P18488	SWISSPROT	nf19a07.s1 NCI_CGAP_P11 Homo sapiens cDNA clone IMAGE:914196 similar to contains L1.11 L1
2033	7151	12390	1.63	1.9E-02	AL163303.2	NT	repetitive element
2033	7151	12391	1.63	1.9E-02	AL163303.2	NT	EMPTY SPIRACLES HOMEOTIC PROTEIN
2870	8024	13190	7.47	1.9E-02	AA713858.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
2919	8073	13243	1.57	1.9E-02	AV648659.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
3595	8734		1.05	1.9E-02	N52250.1	EST_HUMAN	rw04f05.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1238337 3'
3681	8820		9.11	1.9E-02	BE738088.1	EST_HUMAN	AV648659 GLC Homo sapiens cDNA clone GLOBLH07 3'
3695	8833	13987	0.72	1.9E-02	AJ301183.1	EST_HUMAN	y228b02.s1 Soares_multiple_sclerosis_2NbmSP Homo sapiens cDNA clone IMAGE:284931 3'
4021	9153	14297	1.39	1.9E-02	AF141940.1	NT	601572882F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:3839564 5'
4165	9291	14428	1.59	1.9E-02	P09081	SWISSPROT	q104c07.x1 NCI_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1897260 3' similar to contains Alu repetitive element
4165	9291	14429	1.59	1.9E-02	P09081	SWISSPROT	Myoplasma imitans VihA1 precursor (VihA1) and VihA2 precursor (VihA2) genes, partial cds
4314	9632	14777	2.89	1.9E-02	AI452899.1	EST_HUMAN	HOMEOTIC BICOID PROTEIN (PRD-4)
4999	7581	12832	2.69	1.9E-02	AL161550.2	NT	HOMEOTIC BICOID PROTEIN (PRD-4)
343	5628	10882	2.13	1.8E-02	AW771104.1	EST_HUMAN	p46d04.x1 Soares_NSIF_F8_GW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2144551 3' similar to contains Alu repetitive element
1182	6297	11463	1.42	1.8E-02	X17664.1	NT	contains Alu repetitive element
							Arabidopsis thaliana DNA chromosome 4, contig fragment No. 50
							hm52c06.x1 NCI_CGAP_Cot17 Homo sapiens cDNA clone IMAGE:3027274 3' similar to contains element
							MER29 repetitive element
							H. francisci mRNA for myelin basic protein (MBP)

Page 51 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2840	7738	12981	1.28	1.8E-02	AE004544.1	NT	Pseudomonas aeruginosa PA01, section 105 of 529 of the complete genome
3195	8346		0.89	1.8E-02	AI808829.1	EST_HUMAN	h62a09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2080298 3'
4083	9194		1.06	1.8E-02	AA861446.1	EST_HUMAN	ak24h04.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1408635 3'
4408	9528	14668	1.25	1.8E-02	AW936363.1	EST_HUMAN	QV4-DT0021-301299-071-b11 DT0021 Homo sapiens cDNA
907	6057	11226	1.22	1.7E-02	BE394869.1	EST_HUMAN	601310826f1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3632190 5'
1801	6926	12138	1.37	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.1 L1 repetitive element;
1801	6926	12139	1.37	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.1 L1 repetitive element;
1881	7001		1.44	1.7E-02	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2102	7217		5.4	1.7E-02	AB004816.1	NT	Oryctolagus cuniculus mRNA for milisugrin29, complete cds
2866	8120	13284	1	1.7E-02	AI147615.1	EST_HUMAN	q622a03.x1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:1696982 3'
3497	8638		4.29	1.7E-02	AW827368.1	EST_HUMAN	hm45a04.x1 NCI_CGAP_RDF1 Homo sapiens cDNA clone IMAGE:3015534 3' similar to contains MER19.b1 MER19 repetitive element;
4140	9288		1.01	1.7E-02	AA689618.1	EST_HUMAN	ac19f04.s1 Stratagene ovary (#837217) Homo sapiens cDNA clone IMAGE:856927 3' similar to contains Alu repetitive element; contains element MER24 repetitive element;
4172	9298		2.34	1.7E-02	R02506.1	EST_HUMAN	ye86f08.t1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:124847 5'
4432	9551	14694	0.62	1.7E-02	AI305276.1	EST_HUMAN	qno8g07.x1 NCI_CGAP_Lu53 Homo sapiens cDNA clone IMAGE:1881276 3' similar to gb:X62359 ZINC FINGER PROTEIN 30 (HUMAN);
4502	9621	14783	1.68	1.7E-02	AW573183.1	EST_HUMAN	h34a03.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2833740 3' similar to contains L1.1 L1 repetitive element;
4682	9798	14943	2.08	1.7E-02	V00641.1	NT	Messenger RNA for anglerfish (Lophius americanus) somatostatin II
4782	9895		6.03	1.7E-02	AI015076.1	EST_HUMAN	ov61e02.e1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1840858 3'
5153	10253	15392	0.62	1.7E-02	AJ251973.1	NT	Homo sapiens partial steerin-1 gene
510	5676		1.55	1.6E-02	AL021929.1	NT	Mycobacterium tuberculosis H37Rv complete genome, segment 13/162
1689	6798	11994	0.98	1.6E-02	Y18889.1	NT	Treponema mallophilum flaB2, flaB3 and flilD genes for flagellin subunit proteins and CAP protein homologue
2230	7342	12595	1.45	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
2230	7342	12598	1.45	1.6E-02	Q64176	SWISSPROT	LIVER CARBOXYLESTERASE 22 PRECURSOR (EGASYN) (ESTERASE-22)
2606	7705	12951	1.4	1.6E-02	AA484872.1	EST_HUMAN	ne81d06.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:910667
2855	7763		1.13	1.6E-02	AB014534.1	NT	Homo sapiens mRNA for KIAA0634 protein, partial cds
2889	8144	13308	0.66	1.6E-02	AF112282.1	NT	Lasaea sp. isolate 1Bd cytochrome oxidase III gene, partial cds, mitochondrial gene for mitochondrial product
3512	8653	13819	4.35	1.6E-02	AW850652.1	EST_HUMAN	IL3-CT0219-160200-063-C07 CT0219 Homo sapiens cDNA

Page 52 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3828	8982	14112	0.81	1.6E-02	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
4148	9274		2.14	1.6E-02	AF110520.1	NT	Mus musculus major histocompatibility complex region NG27, NG28, RPS28, NADH oxidoreductase, NG29, KIFC1, Fas-binding protein, BIN1, tapasin, RAGDS-like, KE2, BING4, beta 1,3-galactosyl transferase, and RPS18 genes, complete cds; Sacm21 gene, partial>
4278	9389	14540	1.02	1.6E-02	AW876407.1	EST_HUMAN	QV2-PT0012-140100-030-07 PT0012 Homo sapiens cDNA
750	6306		33.34	1.6E-02	8923734	NT	Homo sapiens transcription factor (HSA130894), mRNA
2127	7241	12483	1.83	1.5E-02	N39521.1	EST_HUMAN	y27b07.s1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:243926 3'
2184	7287	12516	1.33	1.5E-02	AL161594.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 80
3033	8187	13342	1.72	1.5E-02	AJ008216.1	NT	Homo sapiens CACNA1F gene, exons 1 to 48
3033	8187	13343	1.72	1.5E-02	AJ008216.1	NT	Homo sapiens CACNA1F gene, exons 1 to 48
3705	8843	13998	0.9	1.6E-02	BF092642.1	EST_HUMAN	MR4-TN0115-080900-201-612 TN0115 Homo sapiens cDNA
418	5584		1.44	1.4E-02	AE002230.2	NT	Chlamydomonas reinhardtii protein (LOC51225), mRNA
1119	6257	11421	3.44	1.4E-02	U32800.1	NT	Homo sapiens NESH protein (LOC51225), mRNA
1280	6389		2.71	1.4E-02	U67779.1	NT	Haemophilus influenzae Rd section 115 of 163 of the complete genome
1302	6432		2.7	1.4E-02	U67779.1	NT	Xenopus laevis neurogenin related 1b (X-NGNR-1b) mRNA, complete cds
1403	6531		2.39	1.4E-02	AF216854.1	NT	Homo sapiens headph gene, complete cds
1532	6859		0.97	1.4E-02	AV723785.1	EST_HUMAN	AV723785 HTB Homo sapiens cDNA clone HTBAHH11 5'
3197	8348	13510	2.4	1.4E-02	AF160889.2	NT	Bifidobacterium longum Na+/H+ antiporter (nhb), cytosine deaminase, and alpha-galactosidase (aglL) genes, complete cds; and N-acetylglucosaminylxylase repressor protein (nagCxyR) gene, partial cds
3379	8524	13687	0.87	1.4E-02	AW074212.1	EST_HUMAN	xb09d08.x1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2575793 3'
3498	8608	13772	5.95	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3488	8608	13773	5.95	1.4E-02	AL161586.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 82
3505	8846	13812	1.17	1.4E-02	4503628	NT	Homo sapiens coagulation factor XII (Hageman factor) (F12), mRNA
3633	8772	13928	7.72	1.4E-02	6898918	NT	Mus musculus histocompatibility 2, complement component factor B (H2-Bf), mRNA
4486	9385	14723	6.9	1.4E-02	AW962888.1	EST_HUMAN	Mus musculus histocompatibility 2, complement component factor B (H2-Bf), mRNA
4486	9385	14724	6.9	1.4E-02	AW962888.1	EST_HUMAN	EST374781 IMAGE resequences, MAGG Homo sapiens cDNA
4847	9859	15102	6.95	1.4E-02	BE733142.1	EST_HUMAN	EST374781 IMAGE resequences, MAGG Homo sapiens cDNA
4847	9859	15103	6.95	1.4E-02	BE733142.1	EST_HUMAN	601567403F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3842280 5'
1876	6398		0.98	1.3E-02	BE739283.1	EST_HUMAN	601567403F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3842280 5'
1959	7076	12299	1.32	1.3E-02	AL163201.2	NT	601556462F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:3828336 5'
3198	8349	13511	1.97	1.3E-02	BF697081.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C001
3198	8349	13512	1.97	1.3E-02	BF697081.1	EST_HUMAN	602128475F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:4286203 5'
3942	8078		1.27	1.3E-02	AF169288.1	NT	602128475F1 NIH_MGC 58 Homo sapiens cDNA clone IMAGE:4286203 5'
							Mus musculus beta-sarcoglycan gene, complete cds

Page 53 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
210	5404		0.71	1.2E-02	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, IPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
352	5534	10673	3.3	1.2E-02	AA059299.1	EST_HUMAN	zf66g01.r1 Soares retina N2b4-IR Homo sapiens cDNA clone IMAGE:381840 5' similar to contains element L1 repetitive element;
452	5620	10763	2.88	1.2E-02	P38898	SWISSPROT	HYPOTHETICAL 17.1 KD PROTEIN IN PUR5 3 REGION
737	5893	11045	0.77	1.2E-02	A183522.1	EST_HUMAN	qd58e12.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1734670 3' similar to contains L1.L1 L1 repetitive element;
2157	7270	12518	1.14	1.2E-02	AL163213.2	NT	Homo sapiens chromosome 21 segment HS21C013
2160	7273	12521	1.21	1.2E-02	AV731704.1	EST_HUMAN	AV731704 HTF Homo sapiens cDNA clone HTFBHG11 5'
2420	7525	12778	0.97	1.2E-02	AW172350.1	EST_HUMAN	x37e09.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2659432 3'
2457	7661	12813	1.27	1.2E-02	AL163216.2	NT	Homo sapiens chromosome 21 segment HS21C018
3076	8229	13552	6.89	1.2E-02	AA075418.1	EST_HUMAN	zm88e03.r1 Stralagene ovarian cancer (#837219) Homo sapiens cDNA clone IMAGE:545020 5'
3272	8421	13552	1.85	1.2E-02	R62805.1	EST_HUMAN	y11b08.s1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:138903 3'
4852	8664	15109	0.99	1.2E-02	6754367	NT	Mus musculus interferon regulatory factor 5 (Irf5), mRNA
4893	10004	15148	1.99	1.2E-02	U91328.1	NT	Human hereditary haemochromatosis region, histone 2A-like protein gene, hereditary haemochromatosis (HLA-H) gene, RoRet gene, and sodium phosphate transporter (NPT3) gene, complete cds
5024	10126	15305	1.27	1.2E-02	AB019788.1	NT	Cynops pyrrhogaster CplJq1T mRNA, partial cds
5088	10170	15305	1.77	1.2E-02	AV731704.1	EST_HUMAN	AV731704 HTF Homo sapiens cDNA clone HTFBHG11 5'
1273	6402	11578	1.05	1.1E-02	AA070364.1	EST_HUMAN	zm69e11.s1 Stralagene neuroepithelium (#837231) Homo sapiens cDNA clone IMAGE:530924 3'
1721	6848	12052	1.35	1.1E-02	X75491.1	NT	H. sapiens LIPA gene, exon 4
1721	6848	12053	1.35	1.1E-02	X75491.1	NT	H. sapiens LIPA gene, exon 4
2032	7150	12389	2.99	1.1E-02	BF345263.1	EST_HUMAN	602018037F1 NCI CGAP_Bim67 Homo sapiens cDNA clone IMAGE:4153808 5'
2843	7998		3.8	1.1E-02	N95523.1	EST_HUMAN	za40e05.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:285040 5'
3509	8650	13817	2.28	1.1E-02	AI65508.1	EST_HUMAN	tg95b10.x1 NCI CGAP_OV23 Homo sapiens cDNA clone IMAGE:2216539 3' similar to SW:XP_F_HUMAN
4082	9211	15052	0.64	1.1E-02	AW813796.1	EST_HUMAN	Q92889 DNA-REPAIR PROTEIN COMPLEMENTING XP-F CELL;
4798	9911	15052	2.21	1.1E-02	AL049383.2	EST_HUMAN	RC3-ST0197-120200-015-g11 ST0197 Homo sapiens cDNA
6	5217	10331	7.57	1.0E-02	AW846120.1	EST_HUMAN	DKFZp688E0924_s1 688 (synonym: hube1) Homo sapiens cDNA clone DKFZp688E0924
3082	8215	13369	2.62	1.0E-02	BE835556.1	EST_HUMAN	MR3-CT0176-111098-003-e10 CT0176 Homo sapiens cDNA
3245	8395	13557	1.16	1.0E-02	BE968999.1	EST_HUMAN	RCO-FN0025-250500-021-d02 FN0025 Homo sapiens cDNA
3493	8634		0.64	1.0E-02	AW845621.1	EST_HUMAN	601610987R1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933689 3'
3859	8996	14162	0.78	1.0E-02	AI065086.1	EST_HUMAN	MRO-CT0060-081098-003-h10 CT0060 Homo sapiens cDNA
4744	9857	15005	4.28	1.0E-02	6753521	NT	HA0921 Human fetal liver cDNA library Homo sapiens cDNA
							Mus musculus corticotropin releasing hormone receptor 2 (Cnr2), mRNA

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4813	8825	15066	5.66	1.0E-02	R06567.1	EST_HUMAN	y64h01.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:199633 5'
894	6044	11216	3.28	9.0E-03	A1796128.1	EST_HUMAN	wh42008.x1 NCI_CGAP_Kid111 Homo sapiens cDNA clone IMAGE:2383433 3' similar to contains element
1268	6307		1.47	9.0E-03	BE781889.1	EST_HUMAN	MER22 MER22 repetitive element;
1490	6818	11807	1.58	9.0E-03	AE001270.1	NT	601470242F1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:3873346 5'
2372	7478	12732	1.4	9.0E-03	AL161559.2	NT	Trepionema pallidum section 86 of 87 of the complete genome
2871	8025	13191	0.8	9.0E-03	A1251744.1	EST_HUMAN	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 59
2871	8025	13192	0.8	9.0E-03	A1251744.1	EST_HUMAN	q90f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
3045	8784	13938	0.92	9.0E-03	J05184.1	EST_HUMAN	q90f09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1854281 3'
4972	10080	15217	1.14	9.0E-03	BE047948.1	EST_HUMAN	S.acidocaldarius thermoplasma gene, complete cds
501	5698		2.57	8.0E-03	AA723007.1	EST_HUMAN	zh30e03.s1 Soares_pituitary_gland_N3HPG Homo sapiens cDNA clone IMAGE:2281466 5'
990	6137	11306	83.35	8.0E-03	AF109656.1	NT	Alu repetitive element;
2140	7254	12500	1	8.0E-03	AL163283.2	NT	Homo sapiens adenylosuccinate lyase gene, complete cds
2928	8082		0.97	8.0E-03	U47048.1	NT	Homo sapiens chromosome 21 segment HS21C093
3340	8486	13652	0.8	8.0E-03	AJ131016.1	NT	Escherichia coli microcin 24 region, DNA binding protein (mcbA), immunity protein (mtfI), microcin 24 (mtS), end microcin transport protein (mtfA, mtfB) genes, complete cds
3663	8792	13947	1.28	8.0E-03	P32844	SWISSPROT	Homo sapiens SCL gene locus
3663	8792	13948	1.28	8.0E-03	P32644	SWISSPROT	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
4362	9484	14625	4.21	8.0E-03	BF363327.1	EST_HUMAN	HYPOTHETICAL 127.0 KD PROTEIN IN RAD24-BMH1 INTERGENIC REGION
5164	10254	15983	0.84	8.0E-03	U02970.1	NT	GM4-NN0119-300600-223-b05 NN0119 Homo sapiens cDNA
692	5849	10982	12.77	7.0E-03	AF097183.1	NT	Prorhynchus wickerhamii 263-11 complete mitochondrial DNA
692	5849	10983	12.77	7.0E-03	AF097183.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
878	6124	11284	5.37	7.0E-03	AF243376.1	NT	Cryptosporidium parvum HC-10 gene, complete cds
1117	6255	11419	2.78	7.0E-03	AV731712.1	EST_HUMAN	Glycine max glutathione S-transferase GST 21 mRNA, partial cds
1373	6501		1.02	7.0E-03	Q61060	SWISSPROT	AV731712 HTF Homo sapiens cDNA clone HTFAZF10 5'
1402	6530	11709	3.16	7.0E-03	AA668298.1	EST_HUMAN	FORKHEAD BOX PROTEIN D3 (HNF3/FH TRANSCRIPTION FACTOR GENESIS) (HEPATOCYTE
1517	6944	11830	2.52	7.0E-03	AW303599.1	EST_HUMAN	NUCLEAR FACTOR 3 FORK-HEAD HOMOLOG 2 (HNF-2)
1763	6878	12084	1.23	7.0E-03	AW650556.1	EST_HUMAN	ab79509.s1 Stratiotes felix telomere 837202 Homo sapiens cDNA clone IMAGE:853145 3'
1763	6878	12085	1.23	7.0E-03	AW650556.1	EST_HUMAN	x21502.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813739 3'
2238	7936	12608	1.36	7.0E-03	P04929	SWISSPROT	MAGE resequences, MAGA Homo sapiens cDNA
3544	8865	13847	0.73	7.0E-03	A1150273.1	EST_HUMAN	EST362020 MAGA resequences, MAGA Homo sapiens cDNA
3747	8865	14036	0.72	7.0E-03	AW444463.1	EST_HUMAN	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
							q34h02.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1761855 3'
							U1-H-B13-alk-b-c-10-U1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2733691 3'

Page 55 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3789	8926	14076	0.86	7.0E-03	AF196344.1	NT	Rattus norvegicus neuronal nicotinic acetylcholine receptor subunit (Alpha10) mRNA, complete cds
4572	9690		1.42	7.0E-03	AW630888.1	EST_HUMAN	h189a05.y1 NCI_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2669936 5'
4074	10082		2.18	7.0E-03	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
5086	10186	15324	1.02	7.0E-03	BE044191.1	EST_HUMAN	h039h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3039807 3' similar to TR:O89434
5086	10186	15325	1.02	7.0E-03	BE044191.1	EST_HUMAN	O89434 RETICULOCALBIN ;
1244	6375	11550	9.29	8.0E-03	AW511148.1	EST_HUMAN	h039h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3039807 3' similar to TR:O89434
1244	6375	11551	9.29	8.0E-03	AW511148.1	EST_HUMAN	h039h08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2810224 3' similar to
2857	8012	13174	1.7	6.0E-03	AA759135.1	EST_HUMAN	SW:PXN_HUMAN 075469 ORPHAN NUCLEAR RECEPTOR PXR ;
2857	8012	13175	1.7	6.0E-03	AA759135.1	EST_HUMAN	SW:PXN_HUMAN 075469 ORPHAN NUCLEAR RECEPTOR PXR ;
3226	8376		2.39	6.0E-03	H75690.1	EST_HUMAN	af78e11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
3286	8435		1.13	6.0E-03	AF190338.1	NT	af78e11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1321772 3'
3363	8508	13675	1.21	6.0E-03	U90880.1	NT	y77h04.r1 Soares_fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:211351 5'
3363	8508	13676	1.21	6.0E-03	U90880.1	NT	Notoncus sp. cytochrome c oxidase subunit II gene, partial cds; mitochondrial gene for mitochondrial product
3533	8675		1.12	6.0E-03	W37985.1	EST_HUMAN	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, septaplerin reductase and vasotocin
3637	8776	13931	4.08	6.0E-03	BF510986.1	EST_HUMAN	Fugu rubripes zinc finger protein, isotocin, fatty acid binding protein, septaplerin reductase and vasotocin
3671	8810	13968	0.92	6.0E-03	BE077356.1	EST_HUMAN	genes, complete cds
3758	8895	14045	1.2	6.0E-03	6754028	NT	z013a11.r1 Soares_parathyroid_tumor_NHHPA Homo sapiens cDNA clone IMAGE:322172 5'
3896	9032	14192	1.21	6.0E-03	AW847284.1	EST_HUMAN	U1-H-B14-apm-c-06-p-U1x1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3087754 3'
3929	9085		0.8	6.0E-03	BE250108.1	EST_HUMAN	RC1-BT0608-260400-014-a07 BT0608 Homo sapiens cDNA
4342	9464		2.01	6.0E-03	A016833.1	EST_HUMAN	Mus musculus glucosamine-6-phosphate deaminase (Gppl), mRNA
4684	9760	14924	8.05	6.0E-03	AA324242.1	EST_HUMAN	RC0-CT0204-240989-021-b10 CT0204 Homo sapiens cDNA
668	5828	10967	1.88	5.0E-03	L25105.1	NT	600942804F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2969513 5'
668	5828	10968	1.88	5.0E-03	L25105.1	NT	ov33c11.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1639124 3'
							EST/27116 Cerebellum II Homo sapiens cDNA 5' end similar to EST containing Alu repeat
							Chlamydia trachomatis partial ORF8; aminocacyl-tRNA synthase, complete cds; complete ORFA, and grpE-
							like protein, complete cds
							Chlamydia trachomatis partial ORF8; aminocacyl-tRNA synthase, complete cds; complete ORFA, and grpE-
							like protein, complete cds

Page 56 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E- Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
669	5828	10967	2.85	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-IRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
669	5828	10968	2.85	5.0E-03	L25105.1	NT	Chlamydia trachomatis partial ORFB; aminocacyl-IRNA synthase, complete cds; complete ORFA, and grpE-like protein, complete cds
1113	6251	11415	0.99	5.0E-03	AJ010457.1	NT	Arabidopsis thaliana mRNA for DEAD box RNA helicase, RH3
2642	7740	12993	1.64	5.0E-03	AB033006.1	NT	Homo sapiens mRNA for KIAA1180 protein, partial cds
2801	8085	13224	0.75	5.0E-03	BE268057.1	EST_HUMAN	601194786F1 NIH_MGC. 7 Homo sapiens cDNA clone IMAGE:3538789 5'
3114	8267	13423	3.72	5.0E-03	T87623.1	EST_HUMAN	yc81f08.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:22395 3'
3133	8284		2.08	5.0E-03	AL161481.2	NT	Arabidopsis thaliana DNA chromosome 4, contig fragment No. 3
3145	8298	13455	1.14	5.0E-03	R71794.1	EST_HUMAN	yf85g02.s1 Soares breast 2N1bH1B1 Homo sapiens cDNA clone IMAGE:155666 3'
3261	8410		0.99	5.0E-03	AJ297357.1	NT	Homo sapiens partial LMD1 gene for LIM domains containing protein 1 and KIAA0851 gene
3676	8816	13971	3.63	5.0E-03	AF147449.2	NT	Pseudomonas aeruginosa strain PAO1 penicillin-binding protein 1B (ponB) gene, complete cds
3739	8877	14028	0.7	5.0E-03	U38914.1	NT	Citrus clementine seed storage protein citrin mRNA, complete cds
3944	9080		1.49	5.0E-03	AA298676.1	EST_HUMAN	EST12218 Uterus tumor 1 Homo sapiens cDNA 5' end
4281	9404	14543	0.65	5.0E-03	H78355.1	EST_HUMAN	yf79g10.r1 Soares fetal liver spleen 1N1FLS Homo sapiens cDNA clone IMAGE:240086 5'
4283	8877	14028	0.77	5.0E-03	U38914.1	NT	Citrus sinensis seed storage protein citrin mRNA, complete cds
4580	8698	14835	1.3	5.0E-03	AJ131016.1	NT	Homo sapiens SCL gene locus
4687	8803	14950	1.53	5.0E-03	AJ752387.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NTBC_cn15c02 random
231	5425	10563	8.16	4.0E-03	AW500198.1	EST_HUMAN	U1HF-BNO-eko-h-04-0-UI.r1 NIH_MGC. 50 Homo sapiens cDNA clone IMAGE:3076831 5'
319	5505	10843	1.71	4.0E-03	R49492.1	EST_HUMAN	y951e04.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:35988 3'
442	5810	10768	0.82	4.0E-03	P54675	SWISSPROT	PHOSPHATIDYLINOSITOL 3-KINASE 3 (PI3-KINASE) (PTDINS-3-KINASE) (PI3K)
601	5763	10891	4.31	4.0E-03	AA939339.1	EST_HUMAN	cn75g12.s1 Soares NFL.T. GBC S1 Homo sapiens cDNA clone IMAGE:1562666 3'
878	6028	11201	1.78	4.0E-03	R48482.1	EST_HUMAN	y951e04.s1 Soares Infant brain 1N1B Homo sapiens cDNA clone IMAGE:35988 3'
912	6062		3.34	4.0E-03	AW749101.1	EST_HUMAN	RC3-BT0333-110100-012-01 BT0333 Homo sapiens cDNA
1152	6288	11453	23.83	4.0E-03	AA069777.1	EST_HUMAN	z181e08.r1 Stratiogene colon (#837204) Homo sapiens cDNA clone IMAGE:510998 5'
1171	6306	11473	1.43	4.0E-03	AW794740.1	EST_HUMAN	RC6-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA
1307	6437	11612	1.15	4.0E-03	AA284374.1	EST_HUMAN	zs59a01.r1 NCI_CGAP_GCBT Homo sapiens cDNA clone IMAGE:701736 5'
1589	6727		1.29	4.0E-03	AV708305.1	EST_HUMAN	AV708305 ADC Homo sapiens cDNA clone ADGAKB06 5'
1755	6881	12087	2.25	4.0E-03	U33472.1	NT	Rattus norvegicus type 1 astrocyte end footery-limble associated protein AT1-46 mRNA, complete cds
2013	7130	12368	5.81	4.0E-03	AA099777.1	EST_HUMAN	z181e08.r1 Stratiogene colon (#837204) Homo sapiens cDNA clone IMAGE:510998 5'
2228	7340		1.8	4.0E-03	BE410558.1	EST_HUMAN	601304161F1 NIH_MGC. 21 Homo sapiens cDNA clone IMAGE:3638510 5'
2255	7366	12621	1.19	4.0E-03	AW794740.1	EST_HUMAN	RC6-UM0014-170400-023-G01 UM0014 Homo sapiens cDNA

Page 57 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2537	7640	12888	1.09	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adrenoleukodystrophy protein >
2537	7640	12889	1.09	4.0E-03	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT), CDM protein (CDM), adrenoleukodystrophy protein >
2652	7760	12888	2.57	4.0E-03	AJ277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2652	7760	13000	2.57	4.0E-03	AJ277365.1	NT	Homo sapiens polyglutamine-containing C14ORF4 gene
2657	7764	13003	1.11	4.0E-03	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
3210	8361	13523	1.16	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151288-003-h08 HT0340 Homo sapiens cDNA
3210	8361	13524	1.16	4.0E-03	BE154134.1	EST_HUMAN	PM1-HT0340-151288-003-h08 HT0340 Homo sapiens cDNA
3517	8658	13824	0.74	4.0E-03	AW188426.1	EST_HUMAN	X9804.x1 NCL CGAP Co18 Homo sapiens cDNA clone IMAGE:2665279 3'
3517	8658	13825	0.74	4.0E-03	AW188426.1	EST_HUMAN	X9804.x1 NCL CGAP Co18 Homo sapiens cDNA clone IMAGE:2665279 3'
3970	9104		1.64	4.0E-03	AJ011712.1	NT	Homo sapiens TNNT1 gene, exon 1-11 (and joined CDS)
5187	10284		1.19	4.0E-03	D99821	SWISSPROT	ATP SYNTHASE A CHAIN (PROTEIN 6)
369	5549	10693	2.01	3.0E-03	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
860	6030	11202	11.35	3.0E-03	AF011920.1	NT	Homo sapiens protein kinase CK2 catalytic subunit alpha gene, exon 1
1674	6803	11898	3.31	3.0E-03	AA488110.1	EST_HUMAN	nc73c05.at NCL CGAP_P2 Homo sapiens cDNA clone IMAGE:762984 similar to contains Alu repetitive element;
2270	7380		4.86	3.0E-03	Z32521.1	NT	S.cereale (cv. Halo) mRNA for triosephosphate isomerase
2961	8119		1.75	3.0E-03	Y09006.1	NT	Arabidopsis thaliana rpoM1 gene
3055	8208	13363	4.44	3.0E-03	BE379296.1	EST_HUMAN	601237962F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3609833 5'
3130	8281	13437	2.82	3.0E-03	AW802687.1	EST_HUMAN	IL2-UM0076-240300-056-D03 UM0076 Homo sapiens cDNA
3399	8543	13702	1.58	3.0E-03	U34806.1	NT	Mus musculus alpha-1(XVIII) collagen (COL18A1) gene, exon 1 and 2
3408	8551		7.13	3.0E-03	Y12500.1	NT	C.elegans samdc gene
3950	9085	14239	5.93	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
3950	9085	14240	5.93	3.0E-03	AV762392.1	EST_HUMAN	AV762392 MDS Homo sapiens cDNA clone MDSBSG01 5'
4011	9144	14284	1.37	3.0E-03	AI792278.1	EST_HUMAN	h040409.y5 Gessler Wilms tumor Homo sapiens cDNA clone IMAGE:1155689 5'
4122	9250		1.24	3.0E-03	Z32521.1	NT	S.cereale (cv. Halo) mRNA for triosephosphate isomerase
4374	9495	14639	13.02	3.0E-03	AJ011432.1	NT	Rattus norvegicus gdnf gene
4492	9611	14751	4.98	3.0E-03	AI636141.1	EST_HUMAN	h08 P10.H3 conorm Homo sapiens cDNA 3'
4801	9914	15055	3.48	3.0E-03	AI732754.1	EST_HUMAN	ab18a08.x3 Stratiogene lung (8637210) Homo sapiens cDNA clone IMAGE:841142 3' similar to contains Alu repetitive element
4823	9935	15076	7.71	3.0E-03	BE787945.1	EST_HUMAN	601482715F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3885483 5'

Page 58 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5123	10224	15359	1	3.0E-03	4506414	NT	Homo sapiens RAP1, GTPase activating protein 1 (RAP1GA1) mRNA
5123	10224	15360	1	3.0E-03	4506414	NT	Homo sapiens RAP1, GTPase activating protein 1 (RAP1GA1) mRNA
5159	10259	15398	0.92	3.0E-03	S52213.1	NT	CD11b-leukocyte integrin alpha chain [human, Genomic, 104 nt, segment 23 of 31]
5174	10271	15412	1.32	3.0E-03	AW237754.1	EST_HUMAN	xm61609.x1 NCJ_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2860608 3'
513	5678	10812	0.77	2.0E-03	Q04652	SWISSPROT	RING CANAL PROTEIN (KELCH PROTEIN)
513	5678	10813	0.77	2.0E-03	Q04652	SWISSPROT	RING CANAL PROTEIN (KELCH PROTEIN)
786	7901		10.75	2.0E-03	T70874.1	EST_HUMAN	y415i03.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:108341 5'
1372	6500	11683	2.08	2.0E-03	M20783.1	NT	Human alpha-2-plasmin inhibitor gene, exons 6 and 7
1376	6503	11685	1.9	2.0E-03	AA661805.1	EST_HUMAN	nu66101.s1 NCJ_CGAP_Alv1 Homo sapiens cDNA clone IMAGE:1217583
1384	6512	11683	5.44	2.0E-03	AF284446.1	NT	Homo sapiens tumor-related protein DRC2 (DRC2) gene, complete cds
1600	6627	11814	1.55	2.0E-03	P48509	SWISSPROT	PLATELET-ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN)
1631	6658	11844	1.76	2.0E-03	4557836	NT	Homo sapiens procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA
1631	6658	11845	1.76	2.0E-03	4557836	NT	Homo sapiens procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI) (PLOD) mRNA
1604	6732		5.07	2.0E-03	P29400	SWISSPROT	COLLAGEN ALPHA 5(V) CHAIN PRECURSOR
1781	6907	12116	1.08	2.0E-03	AA450138.1	EST_HUMAN	zx42a10.r1 Soares fetal testis Nb2Hf8 9w Homo sapiens cDNA clone IMAGE:789114 5'
1998	7113	12348	1.27	2.0E-03	AF302691.1	NT	Mus musculus myelin expression factor-3-like protein gene, partial cds
2543	7646		4.07	2.0E-03	AW137762.1	EST_HUMAN	U1-H-BH1-adf-g-10-0-U1.s1 NCJ_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2717010 3'
3398	8542	13701	3.36	2.0E-03	AA450138.1	EST_HUMAN	zx42a10.r1 Soares fetal testis Nb2Hf8 9w Homo sapiens cDNA clone IMAGE:789114 5'
3404	8547	13708	0.88	2.0E-03	BF658955.1	EST_HUMAN	602183960T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300070 3'
3843	8762	13936	5.49	2.0E-03	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, JPP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
4089	9217	14353	1.86	2.0E-03	P03374	SWISSPROT	ENV POLYPROTEIN [CONTAINS: COAT PROTEIN GP52; COAT PROTEIN GP36]
4197	9322		9.07	2.0E-03	U68491.1	NT	Rattus norvegicus 5-hydroxytryptamine7 receptor gene, partial cds
4405	9625		0.96	2.0E-03	AW297380.1	EST_HUMAN	U1-H-BWO-sir-g-03-0-U1.s1 NCJ_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2730413 3'
4519	9637	14782	2.13	2.0E-03	L42512.1	NT	Drosophila melanogaster shortighted class 2 (shs) mRNA, complete cds
4519	9637	14783	2.13	2.0E-03	L42512.1	NT	Drosophila melanogaster shortighted class 2 (shs) mRNA, complete cds
4678	9794		1.47	2.0E-03	R87773.1	EST_HUMAN	y045e02.e1 Soares adult brain N2b4HB55Y Homo sapiens cDNA clone IMAGE:180890 3'
5006	10110	15239	0.74	2.0E-03	AF003528.1	NT	Homo sapiens X-linked arylidic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
5013	10116	15248	1	2.0E-03	D38157.1	NT	Equine rotavirus RNA 5 for NSP1, complete cds, strain: H2
5013	10116	15249	1	2.0E-03	D38157.1	NT	Equine rotavirus RNA 5 for NSP1, complete cds, strain: H2

Page 59 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
438	5607	10751	1.94	1.0E-03	H96471.1	EST_HUMAN	y98c08.r1 Soares_pineal_gland_N3HPG Homo sapiens cDNA clone IMAGE:232334.5'
830	6082	11160	1.37	1.0E-03	A1720283.1	EST_HUMAN	as70b08.x1 Berstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039.3' similar to TR:Q13825 Q13825 AU-BINDING PROTEINENOVYL-COA HYDRATASE.;
830	5982	11151	1.37	1.0E-03	A1720283.1	EST_HUMAN	as70b08.x1 Berstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039.3' similar to TR:Q13825 Q13825 AU-BINDING PROTEINENOVYL-COA HYDRATASE.;
1096	6234	11397	3.44	1.0E-03	A1865788.1	EST_HUMAN	wk8a09.x1 NCLCGAP_Pan1 Homo sapiens cDNA clone IMAGE:2422258.3'
1116	6254	11418	2.36	1.0E-03	A1954572.1	EST_HUMAN	wk8a10.x1 NCLCGAP_Mel15 Homo sapiens cDNA clone IMAGE:2551242.3'
						EST_HUMAN	wk8a07.x1 NCLCGAP_Lu24 Homo sapiens cDNA clone IMAGE:2338440.3' similar to contains Alu repetitive element;
1168	6303	11469	1.32	1.0E-03	A1682516.1	EST_HUMAN	HIGH MOLECULAR WEIGHT FORM OF MYOSIN I (HMMWI)
2021	7138	12378	2.71	1.0E-03	P47808	SWISSPROT	Homo sapiens SCL gene locus
2137	7251	12497	1.87	1.0E-03	AJ131016.1	NT	Homo sapiens mRNA for KIAA1281 protein, partial cds
2950	8104	13269	1.23	1.0E-03	AB033117.1	NT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3174	8325	13486	2.13	1.0E-03	P18915	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3174	8325	13487	2.13	1.0E-03	P18915	SWISSPROT	CARBONIC ANHYDRASE VI PRECURSOR (CARBONATE DEHYDRATASE VI) (CA-VI) (SECRETED CARBONIC ANHYDRASE) (SALIVARY CARBONIC ANHYDRASE)
3284	8433	13598	0.8	1.0E-03	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
3530	8572	13837	0.8	1.0E-03	U68081.1	NT	Human MUC2 gene, promoter region
3530	8572	13838	0.8	1.0E-03	U68081.1	NT	Human MUC2 gene, promoter region
3642	8761		1.48	1.0E-03	AB044400.1	NT	Homo sapiens SVMT gene for synaptic vesicle monoamine transporter, exons 14, 15
3898	9034	14193	1.14	1.0E-03	AW170552.1	EST_HUMAN	xn63d07.x1 Soares_NHCC cervical_tumor Homo sapiens cDNA clone IMAGE:2698381.3' similar to contains TAR1.H1 TAR1 repetitive element;
3907	9043	14203	0.65	1.0E-03	Z46846.1	NT	S.cerevisiae chromosome X reading frame ORF YJR149w
4412	9332	14671	2.51	1.0E-03	BE939162.1	EST_HUMAN	RC1-TN0128-160800-021-g01 TN0128 Homo sapiens cDNA
						EST_HUMAN	TCBAP-ID4909 Podiatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4909
4455	9574	14713	3.89	1.0E-03	BE246536.1	EST_HUMAN	(Caenorhabditis elegans) spliced leader RNA (SL3 alpha), (SL4), and (SL6) genes
4633	9761	14898	0.8	1.0E-03	U29449.1	NT	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1840282.3'
4792	9905	15045	2.14	1.0E-03	A1073485.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1840282.3'
4792	9905	15048	2.14	1.0E-03	A1073485.1	EST_HUMAN	ov45c04.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1840282.3'
4793	9906		5.88	1.0E-03	BE154087.1	EST_HUMAN	PMO-HT0339-200400-010-D02 HT0339 Homo sapiens cDNA
5060	10162	15295	10.91	1.0E-03	O46409	SWISSPROT	APOLIPOPROTEIN A-IV PRECURSOR (APO-AIV)
5196	10293	15430	2.15	1.0E-03	AW297269.1	EST_HUMAN	UH-BW70-aj-4-08-0-UI.s1 NCL CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2731838.3'
1498	6625		1.19	8.0E-04	X96469.1	NT	X.laavis mRNA for C4SR protein
4151	9277		5.04	8.0E-04	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG

Page 60 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4730	9843	14989	2.53	8.0E-04	U29185.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
1841	6982	12185	1.06	7.0E-04	L41825.1	NT	Homo sapiens CYP17 gene, 5' end
2376	7482	12736	1.02	7.0E-04	U29186.1	NT	Homo sapiens prion protein (PrP) gene, complete cds
2875	7772	13023	3.11	7.0E-04	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
3264	8413	13575	0.97	7.0E-04	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
3931	9067	14223	1.49	6.0E-04	AI862525.1	EST_HUMAN	Homo sapiens CGR8 chemokine receptor (CMKBR8) gene, complete cds
4158	9282	14418	3.13	6.0E-04	U45983.1	NT	RC2-HT0560-190200-011-009 HT0560 Homo sapiens cDNA
4421	9541	14980	0.9	6.0E-04	BE173435.1	EST_HUMAN	RC2-HT0560-190200-011-009 HT0560 Homo sapiens cDNA
4421	9541	14981	0.9	6.0E-04	BE173435.1	EST_HUMAN	Plasmodium falciparum (strain Dd2) variant-specific surface protein (var-1) gene, complete cds
5003	10108		1.07	6.0E-04	L40808.1	NT	CM2-BT0898-230300-128-010 BT0898 Homo sapiens cDNA
5180	10277	15415	1.88	8.0E-04	BE089226.1	EST_HUMAN	CM2-BT0898-230300-128-010 BT0898 Homo sapiens cDNA
650	5811	10946	9.89	5.0E-04	O10341	SWISSPROT	HYPOPHOSPHATASE 2B.3
1516	8843		1.17	5.0E-04	AV185184.1	EST_HUMAN	QV0-CT0225-021099-030-a07 CT0225 Homo sapiens cDNA
3395	8839	13698	1.31	5.0E-04	AA549931.1	EST_HUMAN	nk27e11.s1 NCL CGAP_Co11 Homo sapiens cDNA clone IMAGE:1014764 3' similar to contains Alu repetitive element
390	5559		0.94	4.0E-04	BF241482.1	EST_HUMAN	601976534F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4104897 5'
672	5831	10971	1.09	4.0E-04	U32748.1	NT	Haemophilus influenzae Rd section 63 of 163 of the complete genome
848	6999	11170	1.25	4.0E-04	AI720283.1	EST_HUMAN	es70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825
848	6999	11171	1.25	4.0E-04	AI720283.1	EST_HUMAN	Q13825 AU-BINDING PROTEIN/ENOYL-COA HYDRATASE ;
1477	6804	11790	2.44	4.0E-04	AW153358.1	EST_HUMAN	es70b08.x1 Barstead colon HPLRB7 Homo sapiens cDNA clone IMAGE:2334039 3' similar to TR:Q13825
2076	7182	12436	1.04	4.0E-04	AL163278.2	NT	Q13825 AU-BINDING PROTEIN/ENOYL-COA HYDRATASE ;
2582	7693	12947	1.2	4.0E-04	O86615	SWISSPROT	RC3-CT0254-130100-023-101 CT0254 Homo sapiens cDNA
3143	8284	13452	3.12	4.0E-04	AF281074.1	NT	Homo sapiens chromosome 21 segment HS21C078
4300	9422	14864	3.09	4.0E-04	AA576331.1	EST_HUMAN	SERPIN-2 (SILK GUM PROTEIN 2)
4300	9422	14864	3.09	4.0E-04	AA576331.1	EST_HUMAN	Homo sapiens neuropilin 2 (NRP2) gene, complete cds, alternatively spliced
4300	9422	14864	3.09	4.0E-04	AA576331.1	EST_HUMAN	ht10a10.s1 NCL CGAP_Co1 Homo sapiens cDNA clone IMAGE:951930 3' similar to gb:M21121 T-CELL SPECIFIC RANTES PROTEIN PRECURSOR (HUMAN);
4510	9829	14773	2.08	4.0E-04	AA576331.1	EST_HUMAN	ht10a10.s1 NCL CGAP_Co1 Homo sapiens cDNA clone IMAGE:951930 3' similar to gb:M21121 T-CELL SPECIFIC RANTES PROTEIN PRECURSOR (HUMAN);
5072	10173	15308	3.37	4.0E-04	BE060660.1	EST_HUMAN	zn61c08.s1 Strabagene muscle 937209 Homo sapiens cDNA clone IMAGE:562670 3'
5184	10281	15419	1.78	4.0E-04	Q88848	SWISSPROT	601346896F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3678910 5'
151	5348	10490	1.81	3.0E-04	AL119426.1	EST_HUMAN	RABPHILIN-3A
192	5387	10530	1.92	3.0E-04	P49259	SWISSPROT	DKFZp761J221.t1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761J221 5'
							180 KD SECRETORY PHOSPHOLIPASE A2 RECEPTOR PRECURSOR (PLA2-R)

Page 61 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
881	6031	11203	1.6	3.0E-04	U83891.1	NT	Human short chain acyl CoA dehydrogenase gene, exons 1 and 2
1852	6973	12184	1.38	3.0E-04	AI262100.1	EST_HUMAN	qz28d03.y1 NCJ CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2028187 5'
1865	6985		2.63	3.0E-04	A199974.1	EST_HUMAN	h23a02.x1 NCJ CGAP_P28 Homo sapiens cDNA clone IMAGE:2118082 3'
3290	8438	13599	3.58	3.0E-04	P25147	SWISSPROT	INTERVALIN B PRECURSOR
3938	9072	14228	4.2	3.0E-04	P49448	SWISSPROT	GLUTAMATE DEHYDROGENASE 2 PRECURSOR (GDH)
4030	9161		1.23	3.0E-04	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
4069	9199		1.08	3.0E-04	BE140809.1	EST_HUMAN	RCO-HT0074-310599-028 HT0014 Homo sapiens cDNA
4785	9898		4.72	3.0E-04	BE153778.1	EST_HUMAN	FM0-HT0339-190200-007-g12 HT0339 Homo sapiens cDNA
171	5366	10507	1.36	2.0E-04	AF217798.1	NT	Homo sapiens SCG10 like-protein, helicase-like protein NHL, M89, and ADP-ribosylation factor related protein 1 (ARFRP1) genes, complete cds
478	5645	10786	2.85	2.0E-04	AU146707.1	EST_HUMAN	AU146707 HEMBB1 Homo sapiens cDNA clone HEMBB1001253 3'
908	6058	11227	8.82	2.0E-04	M86524.1	NT	Human dystrophin gene
908	6058	11228	8.82	2.0E-04	M86524.1	NT	Human dystrophin gene
1181	6316		4.31	2.0E-04	AI286021.1	EST_HUMAN	qh98a11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855052 3' similar to contains
1188	6322		4.78	2.0E-04	AL163203.2	NT	MER3.b2 MER3 repetitive element;
1846	6967		0.89	2.0E-04	AF224288.1	NT	Homo sapiens chromosome 21 segment HS21C003
2166	7279		0.99	2.0E-04	AA478980.1	EST_HUMAN	Mus musculus 5' flanking region of Pitx3 gene
							z139b05.s1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:740337 3' similar to contains Alu repetitive element
2539	7642	12891	2.6	2.0E-04	U63051.1	NT	Human germline T-cell receptor beta chain TCRBV17S1A1T, TCRBV2S1, TCRBV10S1P, TCRBV28S1P, TCRBV19S1P, TCRBV15S1, TCRBV11S1A1T, HVB relic, TCRBV28S1P, TCRBV34S1, TCRBV14S1, TCRBV3S1, TCRBV4S1A1T, TRY4, TRY5, TRY6, TRY7, TRY8, TCRBD1, TCRBJ1S1, TCRBJ1S2>
2956	8110	13273	0.83	2.0E-04	AI124529.1	EST_HUMAN	am58c09.x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1639760 3'
3316	8463	13628	0.68	2.0E-04	5174736	NT	Homo sapiens tubulin, beta, 4 (TUBB4) mRNA
3417	8560	13717	2.45	2.0E-04	BE082317.1	EST_HUMAN	QY2-BT0636-070500-194-b07 BT0636 Homo sapiens cDNA
3888	9024	14182	0.87	2.0E-04	AW078441.1	EST_HUMAN	EST330350 IMAGE resequences, MAGP Homo sapiens cDNA
4114	9242		6.91	2.0E-04	U01028.1	NT	Phaseolus vulgaris nitrate reductase (PNR2) gene, complete cds
4639	9757	14904	1.35	2.0E-04	H66285.1	EST_HUMAN	y401a11.t1 Soares_pitred_gland_N3HPG Homo sapiens cDNA clone IMAGE:232556 5'
4639	9757	14905	1.35	2.0E-04	H66285.1	EST_HUMAN	y401a11.t1 Soares_pitred_gland_N3HPG Homo sapiens cDNA clone IMAGE:232556 5'
4764	9877		1.65	2.0E-04	U09228.1	NT	Gallus gallus probasome 28 kDa subunit homolog mRNA, complete cds
5040	10142	15272	1.69	2.0E-04	AB037997.1	NT	Danio rerio hagoromo gene, exons 1 to 6, partial cds
767	5621	11078	1.21	1.0E-04	H93646.1	EST_HUMAN	y028c09.s1 Soares melanocyte 2Nblm Homo sapiens cDNA clone IMAGE:262864 3' similar to contains L1.1 L1 repetitive element;

Page 62 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1076	6216	11380	2.02	1.0E-04	P11389	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
1115	6253	11416	3.41	1.0E-04	AW013947.1	EST_HUMAN	U1H-B10-aab-9-09-0-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708825 3'
1115	6253	11417	3.41	1.0E-04	AW013947.1	EST_HUMAN	U1H-B10-aab-9-09-0-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2708825 3'
1337	6465		3.38	1.0E-04	U62918.1	NT	Arginella anguilla dopamine D1A1 receptor (d1A1) gene, complete cds
							Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GPQR, putative phosphoribosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1638	6767	11960	2.62	1.0E-04	AF148805.1	NT	Kaposi's sarcoma-associated herpesvirus ORF 68 gene, partial cds; and ORF 69, kaposin, v-FLIP, v-cyclin, latent nuclear antigen, ORF K14, v-GPQR, putative phosphoribosylformylglycinamide synthase, and LAMP (LAMP) genes, complete cds
1638	6767	11961	2.62	1.0E-04	AF148805.1	NT	(LAMP) genes, complete cds
1872	6802	12217	1.68	1.0E-04	AB048342.1	NT	Equus caballus DNA, chromosome 24q14, microsatellite TKY36
3268	8417	13578	0.97	1.0E-04	Q62203	SWISSPROT	SPLICEOSOME ASSOCIATED PROTEIN 62 (SAP 62) (SPLICING FACTOR 3A SUBUNIT 2) (SF3A66)
3717	8855	14009	0.71	1.0E-04	A1440282.1	EST_HUMAN	U01111.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2140289 3' similar to contains Alu repetitive element
4034	9165	14307	2.12	1.0E-04	M14042.1	NT	Mouse alpha 1 type-IV collagen mRNA
4059	9180	14331	1.38	1.0E-04	AV647727.1	EST_HUMAN	AV647727 GLC Homo sapiens cDNA clone GLCBBDD4 3'
5080	10181	15317	1.46	1.0E-04	7662015	NT	Homo sapiens KIAA0237 gene product (KIAA0237), mRNA
5080	10181	15318	1.46	1.0E-04	7662015	NT	Homo sapiens KIAA0237 gene product (KIAA0237), mRNA
5084	10184	15322	0.92	1.0E-04	A1357156.1	EST_HUMAN	q62h04.x1 NCI_CGAP_GC4 Homo sapiens cDNA clone IMAGE:2005975 3'
5202	10269	15436	0.97	1.0E-04	AW451457.1	EST_HUMAN	U1H-B10-ali-d-07-0-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736828 3'
688	6853	10968	2.38	9.0E-05	AA718933.1	EST_HUMAN	at45c11.s1 Soares_testis_NHT Homo sapiens cDNA clone 1292468 3'
822	5975	11139	1.19	8.0E-05	AJ251646.1	NT	Pleum sativum mRNA for beta-1,3 glucanase (gns2 gene)
865	6016		7.43	8.0E-05	AJ251646.1	NT	Pleum sativum mRNA for beta-1,3 glucanase (gns2 gene)
2816	8070		0.77	8.0E-05	M83575.1	NT	Human platelet-derived growth factor A chain (PDGFA) gene, exons only
4460	9578	14716	0.71	8.0E-05	AW044605.1	EST_HUMAN	wy78a04.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2554638 3'
5201	10268	15435	0.96	8.0E-05	L36916.1	NT	Pig microsatellite DNA (CA repeat)
344	5527	10963	7.12	7.0E-05	AW847445.1	EST_HUMAN	RC3-CT0208-220989-011-E04 CT0208 Homo sapiens cDNA
344	5527	10964	7.12	7.0E-05	AW847445.1	EST_HUMAN	RC3-CT0208-220989-011-E04 CT0208 Homo sapiens cDNA
966	5731	10859	1.01	7.0E-05	L49076.1	EST_HUMAN	HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014
966	5731	10860	1.01	7.0E-05	L49076.1	EST_HUMAN	HUM072014F Human fovea cDNA Homo sapiens cDNA clone EST HFD072014
							PROBABLE GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE, MITOCHONDRIAL PRECURSOR (GPAT)
1087	6168	11363	1.66	7.0E-05	Q22849	SWISSPROT	
2680	7177	13027	2.28	7.0E-05	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078

Page 63 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3137	8288	13445	5.82	7.0E-05	AB009080.1	NT	Dictyostelium discoideum gene for TRIFA, complete cds
4351	9473	14811	1.64	7.0E-06	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2020	7137	12378	1.27	8.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
2020	7137	12377	1.27	6.0E-05	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
2550	7653	12903	1.14	6.0E-05	AI655241.1	EST_HUMAN	W554H06.x1 NCI_CGAP_G036 Homo sapiens cDNA clone IMAGE:2308831 3' similar to gb:J03250 DNA TOPOISOMERASE I (HUMAN);
2775	5838	10975	2.57	6.0E-05	AF053630.1	NT	Homo sapiens monocyte/neutrophil elastase inhibitor gene, complete cds
1411	6538	11715	35.84	5.0E-05	AW392086.1	EST_HUMAN	QV4-ST0234-241189-040-111 ST0234 Homo sapiens cDNA
1874	8994	14241	1.42	5.0E-05	8923881	NT	Homo sapiens 22kDa peroxisomal membrane protein-like (LOC55895), mRNA
3952	9087	14241	3.47	5.0E-05	AJ251884.1	NT	Homo sapiens partial SLC22A3 gene for extraneuronal monoamine transporter (EMT), exon 1
2768	6419		3.52	4.0E-05	U12821.1	NT	Human renin (REN) gene, 5' flanking region
4461	9580	14717	0.63	4.0E-05	P49193	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
4461	9590	14718	0.93	4.0E-05	P49193	SWISSPROT	RETINAL-BINDING PROTEIN (RALBP)
4846	9558		1.17	4.0E-05	AF164488.1	NT	Cryptosporidium parvum isolate Zaire 15 kDa glycoprotein gp15 gene, partial cds
5004	10109	16238	0.62	4.0E-05	AF212313.1	NT	Drosophila melanogaster senseless protein (sens) gene, complete cds
679	5637	10977	0.84	3.0E-05	AI248081.1	EST_HUMAN	qf64c10.x1 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1849458 3' similar to contains Alu repetitive element/contains element KER repetitive element;
1060	6201	11365	1.2	3.0E-05	AW273851.1	EST_HUMAN	w24g03.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2814100 3'
1132	6269	11431	1.4	3.0E-05	BF037898.1	EST_HUMAN	601461463F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3885142 5'
1132	6269	11432	1.4	3.0E-05	BF037898.1	EST_HUMAN	601461463F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3885142 5'
2882	7779	13029	1.13	3.0E-05	Q62234	SWISSPROT	SKELEMIN
4361	9483	14823	5.96	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-e10 HT0521 Homo sapiens cDNA
4361	9483	14824	5.96	3.0E-05	BE169211.1	EST_HUMAN	PM1-HT0521-120200-001-e10 HT0521 Homo sapiens cDNA
4445	9564	14705	1.08	3.0E-05	AA368679.1	EST_HUMAN	EST76998 Placenta I Homo sapiens cDNA similar to similar to p53-associated protein
4445	9564	14706	1.08	3.0E-05	AA368679.1	EST_HUMAN	EST76998 Placenta I Homo sapiens cDNA similar to similar to p53-associated protein
4704	9820	14967	1.03	3.0E-05	P97468	SWISSPROT	CHEMOKINE RECEPTOR-LIKE 1 (G-PROTEIN COUPLED RECEPTOR DEZ)
4804	5837	10977	0.82	3.0E-05	AI248081.1	EST_HUMAN	qf64c10.x1 Soares fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:1849458 3' similar to contains Alu repetitive element/contains element KER repetitive element;
4811	9823	15064	0.98	3.0E-05	AJ125721.1	EST_HUMAN	AJ125721 NT2RM4 Homo sapiens cDNA clone NT2RM4002075 5'
2304	7413	12863	1.03	2.0E-05	AI286021.1	EST_HUMAN	qf89e11.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1855062 3' similar to contains MER3 b2 MER3 repetitive element;
2547	7650	12899	1.02	2.0E-05	M13792.1	NT	Human adenosine deaminase (ADA) gene, complete cds
2674	7771		3.95	2.0E-05	AA160362.1	EST_HUMAN	z446a12.r1 Stragene hNT neuron (#937233) Homo sapiens cDNA clone IMAGE:632734 5' similar to contains Alu repetitive element/contains element L1 repetitive element;

Page 64 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3116	8268	13424	1.29	2.0E-05	BE066038.1	EST_HUMAN	RC3-BT0319-120200-014-h08 BT0319 Homo sapiens cDNA
3330	8476	13639	0.88	2.0E-05	AF184614.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
3351	8488	13665	0.94	2.0E-05	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
3476	8817		0.52	2.0E-05	X93495.1	NT	S. cerevisiae 12.8 Kbp fragment of the left arm of chromosome XV
4594	9702	14841	0.83	2.0E-05	AI283349.1	EST_HUMAN	q13a08.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1932374 3' similar to contains
5010	10113		1.08	2.0E-05	L77688.1	NT	MER18.B3 MER18 repetitive element ;
2656	7848	13002	1.15	1.0E-05	AL163282.2	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
3627	8768	13922	1.84	1.0E-05	AF088273.1	NT	Homo sapiens chromosome 21 segment HS21C082
3790	8827		0.99	1.0E-05	AF223391.1	NT	Drosophila melanogaster strain Lanto 120 Suppressor of Hairless (Su(H)) gene, partial cds
3940	9076	14230	0.21	1.0E-05	P81274	SWISSPROT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4144	9272	14409	1.2	1.0E-05	AL163203.2	NT	MOSAIC PROTEIN LGN
4251	9376	14507	1.94	1.0E-05	AA431119.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
4820	9832	15073	1.91	1.0E-05	AW419734.1	EST_HUMAN	z669g04.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781494 5'
4954	10062	15201	0.7	1.0E-05	Z18943.1	NT	xy49g11.x1 NCI_CGAP_Lu34.1 Homo sapiens cDNA clone IMAGE:2856549 3'
2633	7731	12988	2.92	9.0E-06	AI583811.1	EST_HUMAN	H. sapiens repeat region
3089	8222	13373	4.49	9.0E-06	AI218983.1	EST_HUMAN	BT73a06.x1 NCI_CGAP_HSC3 Homo sapiens cDNA clone IMAGE:2246388 3'
3594	8733		3.18	9.0E-06	M61755.1	NT	qg11b08.x1 Soares_placenta_8to9weeks_2NblHP8to9W Homo sapiens cDNA clone IMAGE:1759191 3'
2501	7941	12853	3.36	8.0E-06	AW362839.1	EST_HUMAN	Human alanine glyoxylate aminotransferase (AGXT) gene, exons 1 and 2
980	8126		1.45	7.0E-06	AA889729.1	EST_HUMAN	RC3-CT0289-201189-011-h11 CT0289 Homo sapiens cDNA
1449	8577	11764	3.3	7.0E-06	7682177	NT	ab90f10.s1 Stratiogene lung (#837210) Homo sapiens cDNA clone IMAGE:854281 3' similar to contains
2837	7892		6.1	7.0E-06	AI368252.1	EST_HUMAN	MER20.t1 MER20 repetitive element ;
3549	8690		1.44	7.0E-06	AA385542.1	EST_HUMAN	Homo sapiens KIAA0555 gene product (KIAA0555), mRNA
2883	8037	13202	1	8.0E-06	BE069189.1	EST_HUMAN	qw18g09.x1 NCI_CGAP_U13 Homo sapiens cDNA clone IMAGE:1891298 3' similar to contains Alu repetitive element
3680	8808	13965	1.08	8.0E-06	BE069189.1	EST_HUMAN	EST189205 Thyroid Homo sapiens cDNA 5' end similar to EST containing L1 repeat
4718	8061	13232	1.93	6.0E-06	Q07466	SWISSPROT	QV3-BT0379-010300-105-d11 BT0379 Homo sapiens cDNA
4726	9839	14983	2.52	6.0E-06	AI040099.1	EST_HUMAN	QV3-BT0379-010300-105-d11 BT0379 Homo sapiens cDNA
648	5807	10941	6.07	4.0E-06	R16267.1	EST_HUMAN	OVARIAN ABUNDANT MESSAGE PROTEIN (OAM PROTEIN)
							cd08e02.x1 Soares_fetal_liver_apleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1656738 3' similar to contains MER8.12 MER8 repetitive element ;
							ye48c03.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:53254 5' similar to contains Alu repetitive element; contains L1 repetitive element ;

Page 65 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
847	5998	11169	5.54	4.0E-06	AW103354.1	EST_HUMAN	xc8g12.x1 NCI_CGAP_Eso2 Homo sapiens cDNA clone IMAGE:2589574 3' similar to contains Alu repetitive element; contains element MIER21 repetitive element ;
1339	6407	11647	2.81	4.0E-06	A1334928.1	EST_HUMAN	1b33e09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2055168 3'
1339	6467	11648	2.81	4.0E-06	A1334928.1	EST_HUMAN	1b33e09.x1 NCI_CGAP_HSC2 Homo sapiens cDNA clone IMAGE:2055168 3'
1485	6812	11789	1.88	4.0E-06	BF365612.1	EST_HUMAN	QV2-NT0046-200900-280-H07 NT0046 Homo sapiens cDNA
2245	7356	12613	1.14	4.0E-06	AW015401.1	EST_HUMAN	U1-H-B10-aa1-05-U1.s1 NCI_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2710425 3'
3036	8190	13348	0.74	4.0E-06	AF198349.1	NT	Gallus gallus Dact2 protein (Dact2) mRNA, complete cds
3871	8007	14183	1.07	4.0E-06	AW848295.1	EST_HUMAN	IL3-CT0214-150200-074-B03 CT0214 Homo sapiens cDNA
4776	8889	15034	2.18	4.0E-06	A1886939.1	EST_HUMAN	w194c10.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2432562 3' similar to contains element MIER22 repetitive element ;
2145	7259	12505	0.96	3.0E-06	AA700562.1	EST_HUMAN	z34b08.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:432688 3' similar to contains L1 t1 L1 repetitive element ;
2145	7259	12506	0.96	3.0E-06	AA700562.1	EST_HUMAN	z34b08.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:432688 3' similar to contains L1 t1 L1 repetitive element ;
2247	7357		1.18	3.0E-06	AF202835.1	NT	Homo sapiens PP1200 mRNA, complete cds
2887	8041	13205	0.94	3.0E-06	AA668218.1	EST_HUMAN	ak48g11.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1409252 3' similar to contains LTR1.13 LTR1 repetitive element ;
3248	8398		2.34	3.0E-06	A1857779.1	EST_HUMAN	w122a05.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2425616 3' similar to TR:O60734 O60734 LINE-1 LIKE PROTEIN ; contains L1 t2 L1 repetitive element ;
3762	8899	14050	1.42	3.0E-06	BE047094.1	EST_HUMAN	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
3762	8899	14051	1.42	3.0E-06	BE047094.1	EST_HUMAN	hg64d12.x1 NCI_CGAP_HN13 Homo sapiens cDNA clone IMAGE:3124151 3'
4454	9573	14712	0.86	3.0E-06	T50266.1	EST_HUMAN	y678b10.r1 Stratagene ovary (#937217) Homo sapiens cDNA clone IMAGE:77275 5' similar to contains L1 repetitive element
4535	9653	14798	3.81	3.0E-06	X54816.1	NT	Homo sapiens gene for alpha-1-microglobulin-bikunin, exons 1-5 (encoding alpha-1-microglobulin, N-terminus.)
189	5394		2.1	2.0E-06	P54368	SWISSPROT	HOMEOBOX PROTEIN GOOSECOID
1582	6711		4.44	2.0E-06	P21414	SWISSPROT	POLYPROTEIN[CONTAINS: PROTEASE ; REVERSE TRANSCRIPTASE ; ENDONUCLEASE]
2357	7484	12720	2.70	2.0E-06	A1672138.1	EST_HUMAN	w804a03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2297068 3' similar to contains MIER30.b1 MIER30 repetitive element ;
2443	7547	12800	1.72	2.0E-06	P04929	SWISSPROT	HISTIDINE-RICH GLYCOPROTEIN PRECURSOR
2534	7637	12865	1.17	2.0E-06	P06719	SWISSPROT	KNOB-ASSOCIATED HISTIDINE-RICH PROTEIN PRECURSOR (KAHRP)
3504	8845	13811	1.05	2.0E-06	AV657555.1	EST_HUMAN	AV657555 GLC Homo sapiens cDNA clone GLOFDB05 3'
3742	8880	14031	1.74	2.0E-06	AA173518.1	EST_HUMAN	zp02a05.r1 Stratagene ovarian cancer (#937219) Homo sapiens cDNA clone IMAGE:595232 5'
3753	8890	14041	0.63	2.0E-06	AW450215.1	EST_HUMAN	U1-H-B13-aky-05-U1.s1 NCI_CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2736176 3'

Page 66 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3757	8894	14044	1.44	2.0E-06	AB030896.1	NT	Mus musculus gene for odorant receptor A16, complete cds
32	6243	10369	2.84	1.0E-08	O76082	SWISSPROT	ORGANIC CATION/CARNITINE TRANSPORTER 2 (SOLUTE CARRIER FAMILY 22, MEMBER 5) (HIGH-AFFINITY SODIUM-DEPENDENT CARNITINE CO-TRANSPORTER)
650	5817	10955	1.89	1.0E-08	AF084904.1	NT	Mus musculus D6MM5E protein (D6MM5E) mRNA, complete cds
1464	6591	11779	1.35	1.0E-06	P08125	SWISSPROT	MEROZOITE SURFACE PROTEIN CMZ-8
1585	6714	11904	1.22	1.0E-06	AA034141.1	EST_HUMAN	z06a12.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428982 3' similar to contains Alu repetitive element;
1585	6714	11905	1.22	1.0E-06	AA034141.1	EST_HUMAN	z06a12.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:428982 3' similar to contains Alu repetitive element;
1597	6726		1.1	1.0E-06	P27626	SWISSPROT	DNA-DIRECTED RNA POLYMERASE III LARGEST SUBUNIT
1895	7112	12348	3.88	1.0E-08	AF184614.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
1995	7112	12347	3.88	1.0E-08	AF184614.1	NT	Homo sapiens p47-phox (NCF1) gene, complete cds
4348	9470	14607	12.32	1.0E-06	U07561.1	NT	Human ABL gene, exon 1b and intron 1b, and putative M8604 Met protein (M8604 Met) gene, complete cds
5088	10188	15327	1.04	1.0E-06	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
5088	10188	15328	1.04	1.0E-06	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
358	5539	10680	1.19	9.0E-07	AF003529.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
358	5539	10681	1.19	9.0E-07	AF003529.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
4736	9849	14996	4.46	8.0E-07	A1288596.1	EST_HUMAN	q182g07.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1878876 3'
4736	9849	14996	4.46	8.0E-07	A1288596.1	EST_HUMAN	q182g07.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:1878876 3'
1916	7034	12254	2.17	6.0E-07	AW855558.1	EST_HUMAN	CW9-CT0277-221099-024-011 CT0277 Homo sapiens cDNA
2485	7669	12823	2.3	6.0E-07	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SK12W), RD, complement factor B (B), and complement component C2 (C2) genes;>
3945	8081		1.72	6.0E-07	P41479	SWISSPROT	HYPOTHETICAL 24.1 KD PROTEIN IN LEF4-P33 INTERGENIC REGION
324	5509		1.21	5.0E-07	A1831893.1	EST_HUMAN	W64470.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385547 3'
1059	6200		3.61	5.0E-07	AA380630.1	EST_HUMAN	EST183615 Supt cells Homo sapiens cDNA 5' end
3003	8157		0.81	6.0E-07	A1831893.1	EST_HUMAN	W64470.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385547 3'
4615	9733	14870	0.98	5.0E-07	AF14974.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 4 through 14 and complete cds
3974	9708	14257	1.94	4.0E-07	AW008602.1	EST_HUMAN	we84h05.x1 NCL_CGAP_Co3 Homo sapiens cDNA clone IMAGE:2504697 3'
440	5809	10753	3.66	3.0E-07	U19719.1	NT	Human microfilament-associated glycoprotein (MFAP2) gene, putative promoter region and alternatively spliced untranslated exons
551	5744	10872	3.16	3.0E-07	AJ271795.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
1383	6511	11992	1.46	3.0E-07	M89149.1	NT	Human polymorphic microsatellite DNA

Page 67 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1837	6768		1.48	3.0E-07	M64857.1	NT	Human IgK subgroup 1 germline gene, exons 1 and 2, V-region 018 allele
2446	7549	12802	19.22	3.0E-07	BE005077.1	EST_HUMAN	MFR-BN0115-020300-001411 BN0115 Homo sapiens cDNA
2446	7549	12803	19.22	3.0E-07	BE005077.1	EST_HUMAN	MFR-BN0115-020300-001411 BN0115 Homo sapiens cDNA
3000	8160	13317	0.87	3.0E-07	T84704.1	EST_HUMAN	yc50f12.1 Soares fetal liver spleen 1NFL9 Homo sapiens cDNA clone IMAGE:111695 5'
3138	8289	13448	1.67	3.0E-07	P98739	SWISSPROT	HYPOTHETICAL 63.8 KD PROTEIN IN GLUT1-RIM1 INTERGENIC REGION PRECURSOR
4695	9811	14959	7.36	3.0E-07	AV650201.1	EST_HUMAN	AV650201 GLC Homo sapiens cDNA clone GLCCCD01 3'
4728	9841	14886	0.72	3.0E-07	A1787236.1	EST_HUMAN	we93b12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2347967 3'
5048	10148	15277	1.3	3.0E-07	T57850.1	EST_HUMAN	yc14h09.s1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:80705 3' similar to similar to gb:M62892 ARACHIDONATE 12-LIPOXYGENASE (HUMAN)
5048	10148	15278	1.3	3.0E-07	T57850.1	EST_HUMAN	yc14h09.s1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:80705 3' similar to similar to gb:M62892 ARACHIDONATE 12-LIPOXYGENASE (HUMAN)
27	5238	10363	2.53	2.0E-07	AF282988.1	NT	Homo sapiens TRP2-interacting telomeric RAP1 protein (RAP1) mRNA, complete cds
149	6346	10488	10.59	2.0E-07	L77669.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
149	5346	10489	10.59	2.0E-07	L77669.1	NT	Homo sapiens DiGeorge syndrome critical region, telomeric end
177	5371	10512	133.71	2.0E-07	U38849.1	NT	Fugu rubripes beta-cytoplasmic(vesicular) actin gene, complete cds
747	5803	11057	1.67	2.0E-07	AF003630.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
747	5803	11058	1.67	2.0E-07	AF003630.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
759	5914		1.19	2.0E-07	P11369	SWISSPROT	RETROVIRUS-RELATED POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE];
943	6091	11259	2.03	2.0E-07	AA223280.1	EST_HUMAN	z08b07.s1 Stragene NT2 neuronal precursor 937230 Homo sapiens cDNA clone IMAGE:850869 3' similar to gb:L31860 GLYCOPHORIN A PRECURSOR (HUMAN) contains Alu repetitive element
944	6092	11260	4.36	2.0E-07	T63042.1	EST_HUMAN	yc15g04.s1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:80790 3' similar to contains L1 repetitive element;
1165	6300	11486	0.92	2.0E-07	Q26768	SWISSPROT	V6 AUTOANTIGEN
1614	6742	11837	2.37	2.0E-07	Q09701	SWISSPROT	HYPOTHETICAL 72.5 KD PROTEIN C2F7.10 IN CHROMOSOME 1
3665	8804	13980	17.85	2.0E-07	AF129348.1	NT	Homo sapiens caveolin 1 (CAV1) gene, exon 3 and partial cds
1103	6241		0.99	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
2787	8665	11851	2.67	1.0E-07	P09256	SWISSPROT	GLYCOPROTEIN GPV
3726	6241		0.83	1.0E-07	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
4269	9393	14531	2.63	1.0E-07	AV178662.1	EST_HUMAN	AV178662 GLC Homo sapiens cDNA clone GLCFNFD4 5'
4269	9393	14532	2.63	1.0E-07	AV178662.1	EST_HUMAN	AV178662 GLC Homo sapiens cDNA clone GLCFNFD4 5'
4708	9824		1.46	1.0E-07	O75620	SWISSPROT	ZINC FINGER PROTEIN 189
604	7895		2.32	8.0E-08	A1911362.1	EST_HUMAN	wd16005.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2328273 3'

Page 68 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1052	6163		0.77	8.0E-08	BE795499.1	EST_HUMAN	601590133F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943976 5'
3532	8674		1.6	8.0E-08	BE795499.1	EST_HUMAN	601590133F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943976 5'
77	5286	10428	2.88	7.0E-08	Q02357	SWISSPROT	ANKYRIN 1 (ERYTHROCYTE ANKYRIN)
1370	6498	11681	30.42	7.0E-08	X04809.1	NT	Rat mRNA for ribosomal protein L31
3563	8704	13864	0.7	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
3563	8704	13865	0.7	7.0E-08	P15305	SWISSPROT	DYNEIN HEAVY CHAIN (DYHC)
818	5971	11132	2.76	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21 C048
818	5971	11133	2.76	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21 C048
2343	7450	12705	2.87	6.0E-08	BE144398.1	EST_HUMAN	MR0-HT0168-191189-004-g09 HT0168 Homo sapiens cDNA
3034	8188	13344	0.65	6.0E-08	7662473	NT	Homo sapiens KIAA1074 protein (KIAA1074), mRNA
4226	8351	14484	1.03	6.0E-08	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21 C048
81	5290	10430	2.3	5.0E-08	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21 C103
2217	7329	12582	1.58	5.0E-08	AA493851.1	EST_HUMAN	nt03b09.at NCI_CGAP_Thy1 Homo sapiens cDNA clone IMAGE:943183 similar to contains Alu repetitive element;
1771	6897	12103	1.14	4.0E-08	P25723	SWISSPROT	DORSAL-VENTRAL PATTERNING TOLLOID PROTEIN PRECURSOR
1771	6897	12104	1.14	4.0E-08	P25723	SWISSPROT	DORSAL-VENTRAL PATTERNING TOLLOID PROTEIN PRECURSOR
2852	8007		1	4.0E-08	AL078981.1	EST_HUMAN	DKFZp434J0426_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434J0426 5'
203	5398		11.08	2.0E-08	AW302996.1	EST_HUMAN	x8706.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2767139 3'
226	5420						zw4807.r1 Scarses_tolid_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:773317 5' similar to contains Alu repetitive element; contains element MER15 repetitive element;
486	5963	10799	5.39	2.0E-08	AA425598.1	EST_HUMAN	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
659	5820	10957	8.75	2.0E-08	AF198349.1	NT	MR0-OT0080-240200-001-g08 OT0080 Homo sapiens cDNA
659	5820	10958	9.78	2.0E-08	AW886438.1	EST_HUMAN	MR0-OT0080-240200-001-g08 OT0080 Homo sapiens cDNA
891	6138		32.06	2.0E-08	BE280477.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
1348	6477	11657	2.11	2.0E-08	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21 C047
1752	6878		1.38	2.0E-08	BE734871.1	EST_HUMAN	601570463F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3846199 5'
1866	6886		3.06	2.0E-08	AW270271.1	EST_HUMAN	xp43f1.x1 NCI_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743149 3'
2514	7618		1.57	2.0E-08	K00216.1	NT	Sheep His-tRNA-GUG
3182	8343	13506	5.72	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3182	8343	13507	5.72	2.0E-08	O42280	SWISSPROT	WNT-14 PROTEIN PRECURSOR
3838	8974		1.56	2.0E-08	AW813620.1	EST_HUMAN	RC3-ST0187-161089-012-b03 ST0187 Homo sapiens cDNA
4053	9184	14326	0.65	2.0E-08	U82688.1	NT	Homo sapiens stox gene, alternatively spliced products, complete cds
4384	8505		2.53	2.0E-08	AA459040.1	EST_HUMAN	aa28c07.r1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:814380 5' similar to contains L1.12 L1 repetitive element;

Page 69 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4937	10047		2.73	2.0E-08	AW572881.1	EST_HUMAN	he17H08.x2 NCI_CGAP_CML1 Homo sapiens cDNA clone IMAGE:2818327 3' similar to contains Alu repetitive element;
1653	6781	11973	4.03	1.0E-08	P13002	SWISSPROT	PROTEIN GRAYN-HEAD (DNA-BINDING PROTEIN ELF-1) (ELEMENT 1-BINDING ACTIVITY)
1653	6781	11974	4.03	1.0E-08	P13002	SWISSPROT	PROTEIN GRAYN-HEAD (DNA-BINDING PROTEIN ELF-1) (ELEMENT 1-BINDING ACTIVITY)
1785	6911	12119	1.06	1.0E-08	AF125348.1	NT	Homo sapiens caveolin 1 (CAV1) gene, exon 3 and partial cds
2043	7169		1.82	1.0E-08	BE141869.1	EST_HUMAN	PM2-HT0130-150999-001-f12 HT0130 Homo sapiens cDNA
3176	8326	13488	0.95	1.0E-08	BE246844.1	EST_HUMAN	TCBAP-ID5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP6232
3175	8326	13489	0.95	1.0E-08	BE246844.1	EST_HUMAN	TCBAP-ID5232 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP6232
4221	9346	14478	4.46	9.0E-09	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
4221	9346	14478	4.46	9.0E-09	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
3592	8731		1.83	7.0E-09	D88842.1	NT	Homo sapiens DNA for 3-kelacyl-CoA thiolase beta-subunit of mitochondrial trifunctional protein, exon 2, 3
3983	9117		0.96	7.0E-09	U50871.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds
4965	10073	15211	5.03	6.0E-09	BE169421.1	EST_HUMAN	PM1-HT0527-160200-001-H05 HT0527 Homo sapiens cDNA
1423	9550	11731	2.7	5.0E-09	BE149284.1	EST_HUMAN	RC2-HT0252-120200-014-H10 HT0252 Homo sapiens cDNA
1664	6984	12208	1.01	5.0E-09	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
5103	10261	15399	0.72	6.0E-09	AW605894.1	EST_HUMAN	RC4-HT0251-140100-013-g08 HT0251 Homo sapiens cDNA
5163	10261	15400	0.72	6.0E-09	AW605894.1	EST_HUMAN	RC4-HT0251-140100-013-g08 HT0251 Homo sapiens cDNA
519	5685		1.52	4.0E-09	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
988	8113		2.36	4.0E-09	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1481	6608	11794	3	4.0E-09	9558718	NT	Homo sapiens hypothetical protein (AF038169), mRNA
2407	7813	12763	23.69	4.0E-09	AA350878.1	EST_HUMAN	EST58385 Infant brain Homo sapiens cDNA 5' end similar to similar to heat shock protein, 90 kDa
2331	7438	12891	2.77	3.0E-09	BE222239.1	EST_HUMAN	hu09e09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2730134 3'
3148	8299	13459	3.93	3.0E-09	AW286435.1	EST_HUMAN	ULH-BWG-alq-a-08-QJL1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2730134 3'
3310	8457	13619	0.94	3.0E-09	BE222239.1	EST_HUMAN	hu09e09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2730134 3'
3358	8503		0.61	3.0E-09	AA442272.1	EST_HUMAN	MER18 repetitive element;
4072	9202		0.6	3.0E-09	X16674.1	NT	zfx4a04.1 Soares testis NHT Homo sapiens cDNA clone IMAGE:757422 5'
4404	9524	14985	3.68	3.0E-09	AF175325.1	NT	H. sapiens PADPRP-I gene for NAD(+) ADP-ribosyltransferase
							Homo sapiens eukaryotic initiation factor 4A1 (EIF4A1) gene, partial cds

Page 70 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4486	9805	14743	1.47	3.0E-09	Q9Y3R5	SWISSPROT	258.1 KDA PROTEIN C21DRF5 (KIAA0933)
4754	9867	15016	0.96	3.0E-09	AW473832.1	EST_HUMAN	xy1702.x1 NC1 CGAP_U4 Homo sapiens cDNA clone IMAGE:2853459 3' similar to SW:ELF1_DROME
813	5986		0.64	2.0E-09	X16974.1	NT	P13002 PROTEIN GRAINY-HEAD;
1262	6391	11567	4.89	2.0E-09	AL163284.2	NT	H.sapiens PADPRP-1 gene for NAD(+) ADP-ribosyltransferase
1671	6900		7.76	2.0E-09	AL118573.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C084
2307	7416	12668	8.31	2.0E-09	Q9Y3R5	SWISSPROT	DKFZp761B1710_r1 781 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761B1710 5'
3910	8048	14205	3.18	2.0E-09	O60241	SWISSPROT	258.1 KDA PROTEIN C21DRF5 (KIAA0933)
1110	8248	11411	2.27	1.0E-09	5031624	NT	BRAIN-SPECIFIC ANGIOGENESIS INHIBITOR 2 PRECURSOR
1110	6248	11412	2.27	1.0E-09	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
1644	6772		0.95	1.0E-09	AJ28041.1	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
2866	8011	13173	1.65	1.0E-09	U80017.1	NT	Homo sapiens 989 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
2891	8045	13209	6.75	1.0E-09	M28699.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (nrip) and survival motor neuron protein (smn) genes, complete cds
2891	8045	13210	6.75	1.0E-09	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
3010	8164	13321	0.87	1.0E-09	BE535440.1	EST_HUMAN	Homo sapiens nucleolar phosphoprotein B23 (NPM1) mRNA, complete cds
4767	9880		5.33	1.0E-09	AA719297.1	EST_HUMAN	80105602F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3445177 5'
5162	10202	15341	10.98	1.0E-09	T60218.1	EST_HUMAN	2195b03.s1 Soares_pineal_gland_N3-HPG Homo sapiens cDNA clone IMAGE:414029 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
1313	6443	11620	1.33	9.0E-10	AW867740.1	EST_HUMAN	yc22c09.r1 Stralagene lung (#837210) Homo sapiens cDNA clone IMAGE:81424 5' similar to contains Alu repetitive element; contains MER28 repetitive element;
2786	7952	13118	5.85	9.0E-10	A1870071.1	EST_HUMAN	MRO-SIN0040-050300-002-c07 SIN0040 Homo sapiens cDNA
142	5339	10483	8.8	8.0E-10	U63630.2	NT	we78h03.x1 Soares_Dieckgraebe_colon_NHCD Homo sapiens cDNA clone IMAGE:2347263 3' similar to SW:RL29_HUMAN P47914 60S RIBOSOMAL PROTEIN L29; contains element PTR5 repetitive element;
3324	8471	13633	0.63	8.0E-10	BE080748.1	EST_HUMAN	Homo sapiens MCN4 (MCN4) and DNA-PKcs (PRKDC) genes, partial cds
4173	8289	14434	3.5	8.0E-10	AA376892.1	EST_HUMAN	QV1-BT0693-1-150200-071-101 BT0693 Homo sapiens cDNA
689	6856	11003	33.6	7.0E-10	7706225	NT	EST89564 Small Intestine [Homo sapiens cDNA 5' end
689	5858	11004	33.6	7.0E-10	7706225	NT	Homo sapiens TPA inducible protein (LOC51586), mRNA
1634	6763	11958	1.86	7.0E-10	Q13342	SWISSPROT	Homo sapiens TPA inducible protein (LOC51586), mRNA
2828	7631		5.19	7.0E-10	P08547	SWISSPROT	LYSP-100 PROTEIN (LYMPHOID-RESTRICTED HOMOLOG OF SP100)
3060	8213	13366	2.31	7.0E-10	X00856.1	NT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
914	6064	11230	4.11	6.0E-10	AJ400877.1	NT	H.sapiens DHFR gene, exon 3
							Homo sapiens ASCL3 gene, CEGP1 gene, C11orf14 gene, C11orf15 gene, C11orf16 gene and C11orf17 gene

Page 71 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2639	7737	12980	1.07	6.0E-10	AI424405.1	EST_HUMAN	h02d07.x1 NCI CGAP P28 Homo sapiens cDNA clone IMAGE:2095021 3'
4707	9823		2.83	8.0E-10	AW863719.1	EST_HUMAN	RC3-CT0254-031099-012-g12 CT0254 Homo sapiens cDNA
760	6016		4.22	6.0E-10	AL048804.1	EST_HUMAN	DKFZp434N219_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N219 5'
3457	6599	13703	1.19	5.0E-10	Q01033	SWISSPROT	HYPOTHETICAL GENE 48 PROTEIN
4976	10084	15219	1.16	5.0E-10	AF161897.1	NT	Homo sapiens WRN (WRN) gene, complete cds
107	5311		2.24	4.0E-10	A1221083.1	EST_HUMAN	qg09f09.x1 Soares_placenta_8to9weeks_2Nb-HP8to9W Homo sapiens cDNA clone IMAGE:1768049 3'
579	5742	10870	1.14	4.0E-10	AA516260.1	EST_HUMAN	similar to contains LTR8.b2 LTR8 repetitive element;
1997	7114	12349	1.78	4.0E-10	AW594709.1	EST_HUMAN	h04a01.s1 NCI CGAP Q38 Homo sapiens cDNA clone IMAGE:924648 3'
2538	7641	12890	2.55	4.0E-10	AL163303.2	NT	hg58g03.x1 NCI CGAP_QC8 Homo sapiens cDNA clone IMAGE:2949844 3' similar to contains Alu repetitive element;
916	6085	11232	1.24	3.0E-10	N36113.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21G103
1358	6487		4.99	3.0E-10	AY005160.1	NT	W32006.s1 Soares_melanocyte_2Nb-HM Homo sapiens cDNA clone IMAGE:272863 3' similar to contains L1.1 L1 repetitive element;
34	5245	10361	1.86	2.0E-10	P48988	SWISSPROT	Homo sapiens extracellular glycoprotein lacritin precursor, gene, complete cds
34	5245	10362	1.66	2.0E-10	P48988	SWISSPROT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
1904	7023		2.47	2.0E-10	U80017.1	NT	MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B)
2955	8109		0.93	2.0E-10	BF875047.1	EST_HUMAN	Homo sapiens basal transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (hsp) and survival motor neuron protein (smn) genes, complete cds
1820	6748	11942	2.68	1.0E-10	AV652123.1	EST_HUMAN	602136840F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4273377 5'
2546	7649		2.2	1.0E-10	AW852001.1	EST_HUMAN	AV652123 GLC Homo sapiens cDNA clone GLCXA11 3'
3482	8023	13790	1.95	1.0E-10	AW832912.1	EST_HUMAN	QV0-CT0225-191189-088-e08 CT0225 Homo sapiens cDNA
3527	8669		1.24	1.0E-10	AL041685.1	EST_HUMAN	QV2-TT0003-161189-013-g10 TT0003 Homo sapiens cDNA
3821	8669		1.14	1.0E-10	AL041685.1	EST_HUMAN	DKFZp434N1317_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N1317 5'
3980	9124		4.98	1.0E-10	AF213884.1	NT	DKFZp434N1317_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N1317 5'
4098	9228	14364	6.13	1.0E-10	U52111.2	NT	Homo sapiens nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (NFKB1) gene, complete cds
4098	9228	14365	5.13	1.0E-10	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase 1 (CAMK1), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
4105	9234	14372	1.92	1.0E-10	AB031069.1	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase 1 (CAMK1), creatine transporter (CRTR), CDM protein (CDM), adrenoleukodystrophy protein >
4141	9269		2	1.0E-10	M30629.1	NT	Homo sapiens PGCX1 mRNA for protein containing CXXC domain 1, complete cds
						NT	Human pregnancy-specific glycoprotein beta-1 (SP1) mRNA, last exon

Page 72 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
289	6449	10988	0.92	9.0E-11	BE146600.1	EST_HUMAN	IL2-HT0203-281099-016-c08 HT0203 Homo sapiens cDNA
2095	7210	12456	3.33	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547D225 5'
2095	7210	12457	3.33	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547D225 5'
3384	8509	13877	2.63	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547D225 5'
3384	8509	13878	2.63	9.0E-11	AL134395.1	EST_HUMAN	DKFZp547D225_1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547D225 5'
4948	10058	15196	1.24	9.0E-11	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
3092	8245		7.83	8.0E-11	H19971.1	EST_HUMAN	yn53f11.s1 Soares adult brain N2b5HB65Y Homo sapiens cDNA clone IMAGE:172173 3' similar to contains L1 repetitive element
4017	9150	14262	4.86	8.0E-11	N23712.1	EST_HUMAN	yw46a06.s1 Weizmann Olfactory Epithelium Homo sapiens cDNA clone IMAGE:255288 3'
1460	6597	11775	1.36	7.0E-11	AA330942.1	EST_HUMAN	EST34392 Embryo, 6 week 1 Homo sapiens cDNA 5' end
411	5579	10728	5.87	8.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
411	5579	10729	5.87	8.0E-11	M55270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
11	5222	10334	0.97	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3348	5222	10334	1.36	5.0E-11	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
4208	9331	14484	1.3	5.0E-11	P48034	SWISSPROT	ALDEHYDE OXIDASE
5189	10266	15422	0.95	5.0E-11	D43770.1	NT	Homo sapiens RNA for differentiation or sex determination
1498	6535		1.15	4.0E-11	AA436042.1	EST_HUMAN	zu01b12.r1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:730559 5'
2751	7845	13100	4.75	4.0E-11	BE885900.1	EST_HUMAN	601807531F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909295 5'
2939	8083	13260	0.98	4.0E-11	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4599	9707	14846	0.88	4.0E-11	D44668.1	EST_HUMAN	HUMSUPY069 Human brain cDNA Homo sapiens cDNA clone 069
1502	6829	11816	9.87	3.0E-11	6678077	NT	Mus musculus expressed in non-metastatic cells 2, protein (NM238) (Nm2), mRNA
4230	8375		1.22	3.0E-11	AA309248.1	EST_HUMAN	EST180120 Liver, hepatocellular carcinoma Homo sapiens cDNA 5' end
981	6109	11278	1.33	2.0E-11	A160602.1	EST_HUMAN	qf36c04.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1752102 3' similar to contains MER10.13
1187	6321	11480	3.97	2.0E-11	R24807.1	EST_HUMAN	MER10 repetitive element
1187	6321	11491	3.97	2.0E-11	R24807.1	EST_HUMAN	Y843e12.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
1626	6754	11947	3.35	2.0E-11	L17432.1	NT	Y843e12.r1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:35144 5'
1626	6754	11948	3.35	2.0E-11	L17432.1	NT	Gallus gallus rho-globin, beta-H globin, beta-A globin, epsilon-globin, and olfactory receptor-like protein
2726	7821	13076	1.04	2.0E-11	AF087913.1	NT	COR3'beta (COR3'beta) genes, complete cds
3179	8330	13484	6.54	2.0E-11	P10263	SWISSPROT	Gallus gallus rho-globin, beta-H globin, beta-A globin, epsilon-globin, and olfactory receptor-like protein
3307	8454	13816	0.77	2.0E-11	A1478617.1	EST_HUMAN	RETROVIRUS-RELATED GAG POLYPROTEIN (VERSION 1)
4422	9542		1.16	2.0E-11	BE065537.1	EST_HUMAN	Int54c09.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2181936 3'
							RC3-BT0316-170200-014-605 BT0316 Homo sapiens cDNA

Page 73 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4579	9697		0.85	2.0E-11	AL163227.2	NT	Homo sapiens chromosome 21 segment HS21C027
4912	10022		2.2	2.0E-11	BE062658.1	EST_HUMAN	QV2-BT0258-261099-014-e01 BT0258 Homo sapiens cDNA
4992	10098	16228	0.91	2.0E-11	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
5014	10117	15250	0.62	2.0E-11	AA307331.1	EST_HUMAN	EST178228 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end similar to similar to elpha-2-macroglobulin
675	5833	10973	0.63	1.0E-11	AJ131016.1	NT	Homo sapiens SCL gene locus
784	5839	11097	1.43	1.0E-11	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1220	6352	11521	2.26	1.0E-11	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
1513	6840		1.47	1.0E-11	AF116914.1	NT	Homo sapiens PRG078 mRNA, complete cds
2031	7149	12388	1.31	1.0E-11	P16298	SWISSPROT	OXYSTEROL-BINDING PROTEIN
2118	7233	12479	1.5	1.0E-11	AF00579.1	NT	Homo sapiens homogenitatis 1,2-dioxygenase gene, complete cds
3480	8621	13786	0.71	1.0E-11	BE004315.1	EST_HUMAN	CMO-BN0105-170300-282-d12 BN0105 Homo sapiens cDNA
2918	8072	13242	0.8	9.0E-12	P20742	SWISSPROT	PREGNANCY ZONE PROTEIN PRECURSOR
4631	9749	14896	1.49	7.0E-12	Q05904	SWISSPROT	34 KD SPIGULE MATRIX PROTEIN PRECURSOR (LSM34)
3534	8878		0.83	6.0E-12	AV730554.1	EST_HUMAN	AV730554 HTF Homo sapiens cDNA clone HTFAW F06 5'
4925	9447	14980				EST_HUMAN	n288f11.s1 NCL CGAP_GC81 Homo sapiens cDNA clone IMAGE:1302573 3' similar to contains Alu repetitive element;
1045	6188	11353	2.75	5.0E-12	T06573.1	EST_HUMAN	ESTD4482 Fetal brain, Stratiagene (cat#836208) Homo sapiens cDNA clone HFBDDV33
3371	8516	13883	1.09	5.0E-12	BE047779.1	EST_HUMAN	IZ42B05.Y1 NCL CGAP_Bm52 Homo sapiens cDNA clone IMAGE:2281217 5'
3708	8846	14000	6.31	5.0E-12	AJ271796.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
241	5433	10572	3.41	4.0E-12	AA700328.1	EST_HUMAN	2174g11.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:460676 3'
242	5433	10572	3.58	4.0E-12	AA700328.1	EST_HUMAN	2174g11.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:460676 3'
4580	9708	14848	0.72	4.0E-12	AI689894.1	EST_HUMAN	626h05.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745 3' similar to TR:Q13539 Q13539 MARINER TRANSPOSASE. ;
613	5773	10903	3.9	3.0E-12	AW341883.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2808377 3' similar to TR:O14517
613	5773	10904	3.9	3.0E-12	AW341883.1	EST_HUMAN	hd13d01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2808377 3' similar to TR:O14517
1666	6784	11989	1.46	2.0E-12	AW802131.1	EST_HUMAN	IL5-UM0071-120400-065-ed5 UM0071 Homo sapiens cDNA
3448	8590	13754	0.87	2.0E-12	6754495	NT	Mus musculus keratin-associated protein 6.2 (Krtap6-2), mRNA
4080	9218	14364	2.24	2.0E-12	J01894.1	NT	Rat U3A small nuclear RNA
4080	9218	14355	2.24	2.0E-12	J01894.1	NT	Rat U3A small nuclear RNA
4399	9519		2.08	2.0E-12	BE063509.1	EST_HUMAN	CMO-BT0261-031199-087-e03 BT0261 Homo sapiens cDNA

Page 74 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
118	5319	10462	1.53	1.0E-12	AW627674.1	EST_HUMAN	hh9da09.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2870040 3' similar to contains MER18.11 MER18 repetitive element ;
1988	7105		1.25	1.0E-12	AI871726.1	EST_HUMAN	wn6107.x1 NCL_CGAP_U2 Homo sapiens cDNA clone IMAGE:2439493 3' similar to contains L1.b3 L1 repetitive element ;
3042	8196	13351	0.92	1.0E-12	AF000891.1	NT	Homo sapiens testis-specific Testis Transcript Y2 (TTY2) mRNA, partial cds
3042	8196	13352	0.92	1.0E-12	AF000891.1	NT	Homo sapiens testis-specific Testis Transcript Y2 (TTY2) mRNA, partial cds
3852	8988	14143	27.54	1.0E-12	AU132248.1	EST_HUMAN	AU132248 NT2RP3 Homo sapiens cDNA clone NT2RP3004070 5'
3852	8988	14144	27.54	1.0E-12	AU132248.1	EST_HUMAN	AU132248 NT2RP3 Homo sapiens cDNA clone NT2RP3004070 5'
3918	9054	14215	0.9	9.0E-13	AB028900.1	NT	Homo sapiens CST gene for cerebroside sulfotransferase, exon 1, 2, 3, 4, 5
715	5872	11019	4.71	8.0E-13	U29185.1	NT	Homo sapiens p10n protein (P1P) gene, complete cds
715	5872	11020	4.71	8.0E-13	U29185.1	NT	Homo sapiens p10n protein (P1P) gene, complete cds
1851	8972	12193	2.14	8.0E-13	U80017.1	NT	Homo sapiens basic transcription factor 2 p44 (btf2p44) gene, partial cds, neuronal apoptosis inhibitory protein (naip) and survival motor neuron protein (smn) genes, complete cds
2092	7207	12453	6.92	6.0E-13	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
3303	8450		0.61	6.0E-13	R76336.1	EST_HUMAN	y0204.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:145789 5'
3378	8523		1.24	6.0E-13	AA435773.1	EST_HUMAN	z77a12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:728350 3' similar to contains Alu repetitive element contains element MER22 repetitive element ;
1878	8998		8.68	4.0E-13	AW378614.1	EST_HUMAN	PM2-HT0224-221089-001-e11 H10224 Homo sapiens cDNA
2437	7541		1.18	4.0E-13	AF003520.1	NT	Homo sapiens glypican 3 (GPC3) gene, partial cds and flanking repeat regions
175	5369		3.86	3.0E-13	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
866	6017		4.09	3.0E-13	AA430310.1	EST_HUMAN	zwd5g08.r1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:781406 5'
2350	7457	12712	0.96	3.0E-13	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 2/2
2452	7556		1.57	3.0E-13	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
2825	7724	12977	2.84	3.0E-13	BF372962.1	EST_HUMAN	GM3-FT0100-140700-242 H08 FT0100 Homo sapiens cDNA
3169	8320		2.2	3.0E-13	AA745844.1	EST_HUMAN	db18d02.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1324095 3'
145	5342	10486	2.57	2.0E-13	U52111.2	NT	Homo sapiens X28 region near ALD locus containing dual specificity phosphatase 9 (DUSP9), ribosomal protein L18a (RPL18a), Ca2+/Calmodulin-dependent protein kinase I (CAMKI), creatine transporter (CRT) CDM protein (CDM), adrenoleukodystrophy protein >
236	8429	10669	0.96	2.0E-13	U23830.1	NT	Danio rerio fibroblast growth factor receptor 4 mRNA, complete cds
1274	8403	11577	13.57	2.0E-13	AF239710.1	NT	Homo sapiens DNA polymerase delta small subunit (POLD2) gene, exons 1 through 11 and complete cds
3265	8414	13576	1.13	2.0E-13	BF431899.1	EST_HUMAN	hab76005.x1 Soares_NSF_F8_9W_OT_PA_ST Homo sapiens cDNA clone IMAGE:3'

Page 75 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3491	8632	13789	1.19	2.0E-13	AF109007.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S171 gene, partial cds
4084	9213		1.65	2.0E-13	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
289	5477	10818	1.12	1.0E-13	S74129.1	NT	FGF-1 fibroblast growth factor 1 [human, kidney, Genbank, 342 nt, segment 2 of 2]
889	8039	11210	3.89	1.0E-13	AJ007873.1	NT	Homo sapiens LGMD2B gene
1341	6469	11650	1.23	1.0E-13	X87344.1	NT	H. sapiens DMA, DMB, HLA-Z1, IIP2, LMP2, TAP1, LMP7, TAP2, DOB, DOB2 and RING8, 9, 13 and 14 genes
2017	7134	12372	8.66	1.0E-13	AA720574.1	EST_HUMAN	hw21g02.s1 NCL_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13 THR repetitive element;
4565	9883	14822	1.67	1.0E-13	BF340887.1	EST_HUMAN	602038009F1 NCL_CGAP_Bm84 Homo sapiens cDNA clone IMAGE:4185888 5'
331	5514	10651	3.32	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element;
332	5515	10652	2.67	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element;
2471	7576		1.95	9.0E-14	AW881577.1	EST_HUMAN	RC4-C10322-080100-013-d09 C10322 Homo sapiens cDNA
2553	7556	12907	0.99	9.0E-14	AJ133127.1	NT	Homo sapiens mRNA for sodium-glucose cotransporter (SGLT2 gene)
2553	7558	12908	0.99	9.0E-14	AJ133127.1	NT	Homo sapiens mRNA for sodium-glucose cotransporter (SGLT2 gene)
2717	7512	13067	3.37	9.0E-14	AB038162.1	NT	Homo sapiens TFF gene cluster for trefoil factor, complete cds
3087	8240	13389	4.51	9.0E-14	AW513298.1	EST_HUMAN	xx54h05.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:2707833 3'
3223	5514	10651	0.72	9.0E-14	AA781159.1	EST_HUMAN	aj24c01.s1 Soares_testis_NHT Homo sapiens cDNA clone 1391232 3' similar to contains MER19.11 MER19 repetitive element;
3775	8912	14085	6.58	9.0E-14	D14547.1	NT	Human DNA, SINE repetitive element
4722	9836	14980	1.8	9.0E-14	AJ002153.1	NT	Sagittus oedipus gene for seminal vesicle secreted protein semenogelin I
3478	8819		1.27	8.0E-14	BE468283.1	EST_HUMAN	hz77c09.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3213424 3'
3928	9064		3.4	8.0E-14	R76289.1	EST_HUMAN	y72e03.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:144796 3'
1639	7922		3.39	7.0E-14	AW151673.1	EST_HUMAN	xf67e10.x1 NCL_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2623146 3' similar to contains MER10.12 MER10 repetitive element;
365	5545	10887	11.15	6.0E-14	AF020503.1	NT	Homo sapiens FRA3B common fragile region, diadenosine triphosphate hydrolase (FHT) gene, exon 5
615	5775	10906	4.88	5.0E-14	Q63120	SWISSPROT	CANALICULAR MULTISPECIFIC ORGANIC ANION TRANSPORTER 1 (MULTIDRUG RESISTANCE-ASSOCIATED PROTEIN 2) (CANALICULAR MULTIDRUG RESISTANCE PROTEIN)
5035	10137	15270	1.36	5.0E-14	AW073791.1	EST_HUMAN	xb03b05.x1 NCL_CGAP_GU1 Homo sapiens cDNA clone IMAGE:2575185 3' similar to contains L1.12 L1 repetitive element;
1124	7909		1.65	4.0E-14	P04928	SWISSPROT	S-ANTIGEN PROTEIN PRECURSOR

Page 76 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1898	7008	12228	4.53	4.0E-14	AJ007973.1	NT	Homo sapiens LGMD2B gene
3733	8871		0.65	4.0E-14	AA046902.1	EST_HUMAN	z67a06.t1 Scores_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:487858 5'
4268	9302	14530	0.66	4.0E-14	N48328.1	EST_HUMAN	W73c12.s1 Scores_multiple_sclerosis_2Nb-IMSP Homo sapiens cDNA clone IMAGE:279180 3' similar to contains L1.13 L1 repetitive element;
951	6099	11267	1.16	3.0E-14	X95469.1	NT	R.nervousis mRNA for CPG2 protein
4905	10015	15159	0.65	3.0E-14	AW265354.1	EST_HUMAN	xp45f12.x1 NCI_CGAP_HN11 Homo sapiens cDNA clone IMAGE:2743343 3' similar to contains Alu repetitive element; contains element MER9 repetitive element;
388	5557	10701	2.38	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudocautosomal region; segment 22
388	5557	10702	2.38	2.0E-14	AJ271736.1	NT	Homo sapiens Xq pseudocautosomal region; segment 22
688	7897	10987	9.97	2.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2366	7471	AW372868.1	1.07	2.0E-14	AW372868.1	EST_HUMAN	RC5-BT0377-091299-031-D12 BT0377 Homo sapiens cDNA
2441	7545		0.88	2.0E-14	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
2636	7734		1.07	2.0E-14	P08548	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
1068	6208	11371	2.48	1.0E-14	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1414	6541	11718	5.76	1.0E-14	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
1414	6541	11719	5.76	1.0E-14	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
2002	7119	12355	22.17	1.0E-14	L44140.1	NT	Homo sapiens chromosome X region from filamin (FLN) gene to glucose-6-phosphate dehydrogenase (G6PD) gene, complete cds's
2187	7280	12528	2.46	1.0E-14	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
2386	7492	12745	23.6	1.0E-14	AF001689.1	NT	Homo sapiens ribosomal protein L23A (RPL23A) gene, complete cds
2910	8064	13236	1.11	1.0E-14	P05227	SWISSPROT	HISTIDINE-RICH PROTEIN PRECURSOR (CLONE PFHRP-II)
3146	8297	13458	5.64	1.0E-14	BF335227.1	EST_HUMAN	RC2-CT0432-310700-013-a09_1 CT0432 Homo sapiens cDNA
3146	8297	13457	5.64	1.0E-14	BF335227.1	EST_HUMAN	RC2-CT0432-310700-013-a09_1 CT0432 Homo sapiens cDNA
3883	8899	14158	1.84	1.0E-14	AA682894.1	EST_HUMAN	ae88c12.s1 Striatagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971350 3'
4452	9571	14710	1.81	1.0E-14	AW275852.1	EST_HUMAN	xq39h10.x1 NCI_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2753059 3'
1589	6718	11907	1.49	9.0E-15	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2772	5847		1.52	8.0E-15	BE261482.1	EST_HUMAN	601148632F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3164023 5'
995	6141	11310	7.37	6.0E-15	AJ271736.1	NT	Homo sapiens Xq pseudocautosomal region; segment 22
409	5577	10725	5.25	5.0E-15	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
3450	8592		1.01	5.0E-15	AW286817.1	EST_HUMAN	UI-HBW0-ajb-g-10-U1.s1 NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2731210 3'
426	5213	10325	2	4.0E-15	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
4191	9317		5.22	3.0E-15	N89452.1	EST_HUMAN	LY1142F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone LY1142 5' similar to ANF(CARDIODILATIN)

Page 77 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
247	5438	10578	4.77	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
366	5546	10888	3.66	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
366	5546	10889	3.56	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
2352	7459	12714	1.04	2.0E-15	BE360127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element;
2352	7459	12715	1.04	2.0E-15	BE360127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146256 3' similar to contains MER29.b3 MER29 repetitive element;
3494	8635	13801	0.81	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exon 7-49, and partial cds, alternatively spliced
3494	8635	13802	0.81	2.0E-15	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
4592	9710		2.53	2.0E-15	AI806335.1	EST_HUMAN	w07f06.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2349923 3' similar to TR:Q61043 Q61043 NINEIN;
2736	7830		2.46	1.0E-15	AI888984.1	EST_HUMAN	b26h05.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2270745 3' similar to TR:Q13539 Q13539 MARINER TRANSPOSASE;
2983	8137	13302	1.71	1.0E-15	BE043594.1	EST_HUMAN	h40b02.y1 NCL_CGAP_Ov34 Homo sapiens cDNA clone IMAGE:2699162 5'
3120	8272	13428	1.41	1.0E-15	P08547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
4337	9459	14597	0.6	1.0E-16	BE182698.1	EST_HUMAN	RC3-HT0649-100500-022-b05 HT0649 Homo sapiens cDNA
2644	7742	12995	1.04	9.0E-16	Q39610	SWISSPROT	DYNEIN ALPHA CHAIN, FLAGELLAR OUTER ARM
4481	9800	14739	1.04	9.0E-16	4503168	NT	Homo sapiens cut (Drosophila)-like 1 (CCAAT displacement protein) (CUTL1) mRNA
2126	7240		3.12	6.0E-16	AW972611.1	EST_HUMAN	EST384702 IMAGE resequences, MAGL Homo sapiens cDNA
1503	8630	11817	1.38	5.0E-16	AJ251154.1	NT	Mus musculus olfactory receptor cluster, OR37A, OR37B, OR37C, OR37E genes and OR37D pseudogene
2641	7739	12992	1.28	5.0E-16	AA992178.1	EST_HUMAN	q80c04.s1 Scores_total_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:1623078 3' similar to contains element L1 repetitive element;
2359	7466	12721	1.04	4.0E-16	AW797168.1	EST_HUMAN	QV1-UM0036-200300-115-g02 UM0036 Homo sapiens cDNA
2359	7466	12722	1.04	4.0E-16	AW797168.1	EST_HUMAN	QV1-UM0036-200300-115-g02 UM0036 Homo sapiens cDNA
3439	8581	13741	3.97	4.0E-16	Q16653	SWISSPROT	MYELIN-OLIGODENDROCYTE GLYCOPROTEIN PRECURSOR
4113	9241	14377	5.45	4.0E-16	BE083875.1	EST_HUMAN	PM4-BT0650-010400-002-g09 BT0650 Homo sapiens cDNA
4113	9241	14378	5.45	4.0E-16	BE083875.1	EST_HUMAN	PM4-BT0650-010400-002-g09 BT0650 Homo sapiens cDNA
4926	10036		1.02	4.0E-16	AV730833.1	EST_HUMAN	AV730833 HTF Homo sapiens cDNA clone HTFAXE09 5'

Page 78 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
128	5326	10472	1.01	3.0E-16	AW022862.1	EST_HUMAN	d45c01.y1 Morion Fetal Cochlea Homo sapiens cDNA clone IMAGE:2486378 5'
128	5328	10473	1.01	3.0E-16	AW022862.1	EST_HUMAN	d45c01.y1 Morion Fetal Cochlea Homo sapiens cDNA clone IMAGE:2486378 5'
465	5633		1.3	3.0E-16	AL046445.1	EST_HUMAN	DKFZp434P037_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434P037 5'
475	5642		2.42	3.0E-16	AF135446.1	NT	Homo sapiens TSX (TSX) pseudogene, exon 6
1485	8592	11780	1.85	3.0E-16	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2945	8099	13283	4.39	3.0E-16	P03200	SWISSPROT	ENVELOPE GLYCOPROTEIN GP340 (MEMBRANE ANTIGEN) (MA) [CONTAINS: GLYCOPROTEIN GP220]
3906	8042	14202	0.88	3.0E-16	T08198.1	EST_HUMAN	EST08060 Infant Brain, Bento Soares Homo sapiens cDNA clone HIBBA13 5' end
973	8120		1.52	2.0E-16	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
2650	7748		1.74	2.0E-16	J03081.1	NT	Human SSAV-related endogenous retroviral LTR-like element
4149	9278	14412	1.25	2.0E-16	X98211.1	NT	H.sapiens DNA for endogenous retroviral like element
180	5374	10513	2.74	1.0E-16	AF200719.1	NT	Homo sapiens pituitary tumor transforming gene protein (PTTG) gene, complete cds
360	5589		21.64	1.0E-16	AA828992.1	EST_HUMAN	af89g11.s1 Soares_tet_fetus_Nb21F8_9w Homo sapiens cDNA clone IMAGE:1034084 3' similar to contains OFR12 OFR repetitive element:
1973	7080	12319	2.07	1.0E-16	BF327942.1	EST_HUMAN	QV0-BN0148-070700-293-at0 BN0148 Homo sapiens cDNA
3720	8858	14011	2.64	9.0E-17	AW600048.1	EST_HUMAN	GM1-NN1003-200300-153-e01 NN1003 Homo sapiens cDNA
1019	6160		2.04	8.0E-17	AW880701.1	EST_HUMAN	QV0-OT0032-060300-155-d01 OT0032 Homo sapiens cDNA
3889	9005		0.83	8.0E-17	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
1470	6597		2.64	7.0E-17	6753087	NT	Mus musculus apolipoprotein B editing complex 2 (ApoBec2), mRNA
200	5395	10539	6.48	8.0E-17	AW663880.1	EST_HUMAN	RC1-HN0003-220300-021-b04 HN0003 Homo sapiens cDNA
420	5207	10319	2.67	5.0E-17	T64110.1	EST_HUMAN	yc05h08.r1 Stragene lung (#937210) Homo sapiens cDNA clone IMAGE:79839 5'
1504	6931		1.25	3.0E-17	D14547.1	NT	Human DNA, SINE repetitive element
2089	7204	12449	1.06	3.0E-17	AW119123.1	EST_HUMAN	xd89c09.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2604784 3'
3177	8328		1.26	3.0E-17	P36410	SWISSPROT	MAS-RELATED G PROTEIN-COUPLED RECEPTOR MRG
3620	8759	13915	1.18	3.0E-17	BE326522.1	EST_HUMAN	hw05b04.x1 NCL_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3181999 3'
3620	8759	13916	1.18	3.0E-17	BE326522.1	EST_HUMAN	hw05b04.x1 NCL_CGAP_Eco2 Homo sapiens cDNA clone IMAGE:3181999 3' similar to contains Alu repetitive element:
350	5533	10872	2.53	2.0E-17	A1270080.1	EST_HUMAN	qf63a06.x1 NCL_CGAP_Eco2 Homo sapiens cDNA clone IMAGE:1050022 3' similar to contains Alu repetitive element:
351	5533	10872	2.82	2.0E-17	A1270080.1	EST_HUMAN	qf63a06.x1 NCL_CGAP_Eco2 Homo sapiens cDNA clone IMAGE:1050022 3' similar to contains Alu repetitive element:
889	6136		1.24	2.0E-17	AA128932.1	EST_HUMAN	zq81d04.s1 Soares_fetal_heart_Nb21H10W Homo sapiens cDNA clone IMAGE:339761 3'
2424	7529	12781	1.33	2.0E-17	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2424	7529	12782	1.33	2.0E-17	Q28983	SWISSPROT	ZONADHESIN PRECURSOR

Page 79 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2895	8049	13218	6.11	2.0E-17	P12038	SWISSPROT	NEUROFILAMENT TRIPLET-H PROTEIN (200 KDA NEUROFILAMENT PROTEIN) (NEUROFILAMENT
749	5805	11061	2.99	1.0E-17	P08183	SWISSPROT	HEAVY POLYPEPTIDE (NF-H)
1723	6850		0.98	1.0E-17	AJ271736.1	NT	MULTIDRUG RESISTANCE PROTEIN 1 (P-GLYCOPROTEIN 1)
1778	6804	12112	2.75	1.0E-17	AL163207.2	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
2105	7220	12484	1.28	1.0E-17	P02461	SWISSPROT	Homo sapiens chromosome 21 segment HS21C007
2317	7425	12676	1.44	1.0E-17	U78410.1	NT	COLLAGEN ALPHA 1(III) CHAIN PRECURSOR
3554	8695		0.99	1.0E-17	AF224569.1	NT	Homo sapiens thrombospondin 2 (THBS2) gene, promoter region and exons 1A and 1B
4108	9236		7.66	1.0E-17	R08942.1	EST_HUMAN	(UBE2D3) genes, complete cds
5185	10282		1.15	1.0E-17	AA293037.1	EST_HUMAN	y930607.r1 Soares fetal liver spleen 1NPLS Homo sapiens cDNA clone IMAGE:128388 6'
3765	8902	14054	1.61	8.0E-18	4758977	NT	EST11498 Uterus Homo sapiens cDNA 5' end similar to similar to retrovirus-related pol
346	5529	10668	40.25	7.0E-18	AW316976.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPN1) mRNA
346	5529	10667	40.25	7.0E-18	AW316976.1	EST_HUMAN	xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb.L20868 60S
3277	8426	13587	1.08	6.0E-18	X71791.2	NT	RIBOSOMAL PROTEIN L4 (HUMAN);
4712	9828		3.18	6.0E-18	P52181	SWISSPROT	xx10b04.x1 NCL_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2837071 3' similar to gb.L20868 60S
1149	6285	11450	12.11	5.0E-18	A1280214.1	EST_HUMAN	RIBOSOMAL PROTEIN L4 (HUMAN);
120	5320	10463	1.1	4.0E-18	BE044076.1	EST_HUMAN	Rattus norvegicus partial Gdnfr-1 gene for glia-derived neurotrophin receptor, enhancer region
120	5320	10464	1.1	4.0E-18	BE044076.1	EST_HUMAN	PROTEIN-GLUTAMINE GAMMA-GLUTAMYL TRANSFERASE (TISSUE TRANSGLUTAMINASE)
1731	6858	12062	30.81	4.0E-18	AA621814.1	EST_HUMAN	(TGase C) (TGC)
850	8001	11173	15.02	3.0E-18	AA814195.1	EST_HUMAN	q166g11.x1 Soares_placenta_8to9weeks_2NbpHP8b9W Homo sapiens cDNA clone IMAGE:1893668 3'
931	6079	11247	2.19	3.0E-18	BE088634.1	EST_HUMAN	similar to contains Alu repetitive element
3923	9069	14218	0.98	3.0E-18	AL163247.2	NT	ho36h04.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER28b3
248	5439	10578	3.23	2.0E-18	AW698820.1	EST_HUMAN	MER29 repetitive element;
1154	6290		198.34	2.0E-18	BE259097.1	EST_HUMAN	ho36h04.x1 NCL_CGAP_U11 Homo sapiens cDNA clone IMAGE:3039511 3' similar to contains MER28b3
3100	8263	13403	1	2.0E-18	Q39576	SWISSPROT	MER29 repetitive element;
							hg24f11.s1 NCL_CGAP_Co10 Homo sapiens cDNA clone IMAGE:1144945 3' similar to gb.M26326
							KERATIN, TYPE I CYTOSKELETAL 19 (HUMAN);
							ob23h11.s1 NCL_CGAP_Kd6 Homo sapiens cDNA clone IMAGE:1324581 3' similar to SW:RS5_HUMAN
							P49782 40S RIBOSOMAL PROTEIN S5;
							CM0-BT0690-210300-288-g07 BT0630 Homo sapiens cDNA
							Homo sapiens chromosome 21 segment HS21C047
							QV1-L T0036-150200-070-07 LT0038 Homo sapiens cDNA
							601114352F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3355044 5'
							DYNEIN GAMMA CHAIN, FLAGELLAR OUTER ARM

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4393	9513		0.61	1.0E-18	T95406.1	EST_HUMAN	ye43g05.r1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:120536 5' similar to contains L1 repetitive element ;
544	5710	10848	4.89	9.0E-19	AA281981.1	EST_HUMAN	x11408.r1 NCI_QGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12
545	5710	10848	2.47	9.0E-19	AA281981.1	EST_HUMAN	x11408.r1 NCI_QGAP_GCB1 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains MER19.12
1050	6191		2.5	8.0E-19	AW974902.1	EST_HUMAN	EST1387007 IMAGE resequences, MAGN Homo sapiens cDNA
2226	7338	12592	2.58	7.0E-19	4758139	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 6 (RNA helicase, 54kD) (DDX8) mRNA
3760	8897		1.22	6.0E-19	AW852930.1	EST_HUMAN	PM0-CT0248-131099-001-g01 CT0248 Homo sapiens cDNA
4442	9561	14703	1.35	6.0E-19	P34986	SWISSPROT	OLFACTORY RECEPTOR 6 (M50)
4442	9561	14704	1.35	6.0E-19	P34986	SWISSPROT	OLFACTORY RECEPTOR 6 (M50)
4768	9881		1.48	6.0E-19	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
5009	10112	15243	1.03	6.0E-19	AL120817.1	EST_HUMAN	DKFZp762F192.1 782 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762F192 5'
553	5718	10850	0.84	4.0E-19	AB007070.1	NT	Homo sapiens mRNA, chromosome 1 specific transcript KIA0501
2643	7741	12994	1.16	4.0E-19	BF697362.1	EST_HUMAN	602130810F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:4287674 5'
5108	10206		0.88	4.0E-19	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
3831	8967	14120	1.04	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
3831	8967	14121	1.04	3.0E-19	Q28997	SWISSPROT	BETA-2 ADRENERGIC RECEPTOR
4260	9385	14521	0.83	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4260	9385	14522	0.83	3.0E-19	O43900	SWISSPROT	LIM-ONLY PROTEIN 6 (TRIPLE LIM DOMAIN PROTEIN 6)
4425	9545	14683	1.07	3.0E-19	AV708136.1	EST_HUMAN	AV708136 ADC Homo sapiens cDNA clone ADCAMA11 5'
2529	7632	12880	33.58	2.0E-19	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4424	9544		1.43	2.0E-19	AI311783.1	EST_HUMAN	cd01e02.x1 NCI_QGAP_Ki45 Homo sapiens cDNA clone IMAGE:1915898 3' similar to TR:Q66386 Q66386
481	5649		2.72	1.0E-19	BE408611.1	EST_HUMAN	POL/ENV GENE ;
2146	7280	12507	1.19	1.0E-19	H30795.1	EST_HUMAN	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3688310 5'
2679	7776		1.37	1.0E-19	D38044.1	NT	ye79g07.r1 Scores adult brain N2b4-HB55Y Homo sapiens cDNA clone IMAGE:184188 5' similar to contains
2810	7888		5.49	1.0E-19	4758977	NT	MER10 repetitive element ; Human gene for Ahr-receptor, exon 7-9
3382	8528	13688	1.25	1.0E-19	AA694987.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
3259	8408	13571	0.89	7.0E-20	BF328455.1	EST_HUMAN	el46p12.x1 Scores testis_NHT Homo sapiens cDNA clone IMAGE:1363631 3' similar to contains MER37.12
3542	8683	13846	3.35	6.0E-20	P39188	SWISSPROT	PM4-AN0096-050900-003-a04 AN0096 Homo sapiens cDNA ALU SUBFAMILY J SEQUENCE CONTAMINATION WARNING ENTRY

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4246	9371	14504	2.93	6.0E-20	BE622434.1	EST_HUMAN	601441231F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3916231 5'
4568	9886		1.46	5.0E-20	AV725123.1	EST_HUMAN	AV725123 HTC Homo sapiens cDNA clone H1CBTA01 5'
1632	6761	11967	1.38	4.0E-20	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4182	9308	14445	1.36	3.0E-20	P23279	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN 114
4594	9712	14849	0.93	3.0E-20	AA037616.1	EST_HUMAN	z163b12.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:484895 3' similar to contains L1.13 L1 repetitive element;
831	6983		20.39	2.0E-20	AW303868.1	EST_HUMAN	xr24e10.x1 NCL_CGAP_U4 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS5_MOUSE
1112	6250	11413	2.98	2.0E-20	AA515335.1	EST_HUMAN	ng69h09.s1 NCL_CGAP_Lp2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224068
1112	6250	11414	2.96	2.0E-20	AA515335.1	EST_HUMAN	G1224098 ORF2: FUNCTION UNKNOWN;
2778	5983		12.94	2.0E-20	AW303868.1	EST_HUMAN	ng69h09.s1 NCL_CGAP_Lp2 Homo sapiens cDNA clone IMAGE:940097 similar to TR:G1224068
4923	10033	15174	3.78	2.0E-20	Q26983	SWISSPROT	xr24e10.x1 NCL_CGAP_U4 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS5_MOUSE
4923	10033	15175	3.78	2.0E-20	Q26983	SWISSPROT	G1224098 ORF2: FUNCTION UNKNOWN;
5124	10225		1.15	2.0E-20	5174538	NT	ZONADHESIN PRECURSOR
2010	7874	12364	1.86	1.0E-20	AA281981.1	EST_HUMAN	Homo sapiens malate dehydrogenase 1, NAD (soluble) (MDH1) mRNA
4416	9530	14670	0.94	1.0E-20	BF115158.1	EST_HUMAN	z11d06.r1 NCL_CGAP_G081 Homo sapiens cDNA clone IMAGE:712811 5' similar to contains L1.12 L1 repetitive element;
2878	8032		0.97	9.0E-21	AJ003514.1	EST_HUMAN	hr84b06.x1 NCL_CGAP_Lp2 Homo sapiens cDNA clone IMAGE:3135155 3' similar to contains L1.12 L1 repetitive element;
2061	7177	12415	2.96	7.0E-21	P15800	SWISSPROT	AJ003514 Selected chromosome 21 cDNA library Homo sapiens cDNA clone MIP1212-8J21
2061	7177	12416	2.96	7.0E-21	P15800	SWISSPROT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
3879	8818	13975	0.61	7.0E-21	AL163300.2	NT	LAMININ BETA-2 CHAIN PRECURSOR (S-LAMININ) (LAMININ CHAIN B3)
4231	9356		8.25	7.0E-21	AA046502.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C100
4079	9209	14346	0.61	6.0E-21	BE408811.1	EST_HUMAN	z67a06.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:487858 5'
925	6073	11241	0.69	5.0E-21	5902031	NT	601304125F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3938310 5'
4341	9463	14600	2.97	5.0E-21	BE668839.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, non-receptor type 21 (PTPN21), mRNA
4770	9883	15030	7.42	5.0E-21		NT	60194987F1 NIH_MGC_74 Homo sapiens cDNA clone IMAGE:3933880 5'
1747	6973	12078	1.2	4.0E-21	AA970713.1	EST_HUMAN	Homo sapiens melanoma antigen, family C, 1 (MAGEC1), mRNA
2253	7363	12619	1.05	3.0E-21	AL163201.2	NT	cc85e08.s1 NCL_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1573094 3' similar to TR:Q16630 Q16639
3052	8205	13360	3.39	3.0E-21	AJ007873.1	NT	PMSS MRNA, contains ORF.11 ORF repetitive element;
						NT	Homo sapiens chromosome 21 segment HS21C001
						NT	Homo sapiens LGMD2B gene

Page 82 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
141	5338		19.37	2.0E-21	BE163247.1	EST_HUMAN	QV3-HT0468-170200-090-g12 HT0468 Homo sapiens cDNA
556	6084	11249	0.95	2.0E-21	AB007857.2	NT	Homo sapiens mRNA for KIAA0397 protein, partial cds
658	6084	11250	0.95	2.0E-21	AB007857.2	NT	Homo sapiens mRNA for KIAA0397 protein, partial cds
1217	6349		2.35	2.0E-21	BE084410.1	EST_HUMAN	RC4-BT0311-141189-011-h08 BT0311 Homo sapiens cDNA
2601	7701	12956	1.72	2.0E-21	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
2601	7701	12957	1.72	2.0E-21	Q28983	SWISSPROT	ZONADHESIN PRECURSOR
1259	6388	11565	1.63	1.0E-21	AA557657.1	EST_HUMAN	n46c04.s1 NCI_CGAP_P4 Homo sapiens cDNA clone IMAGE:1043718 similar to contains MER29.b2
1410	6537		2.71	1.0E-21	AI601284.1	EST_HUMAN	af88d12.x1 Bartsed colon HPLRB7 Homo sapiens cDNA clone IMAGE:2162343 3'
4388	9508	14650	2.25	9.0E-22	AI702438.1	EST_HUMAN	tb94a03.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2286204 3' similar to TR:Q15408 Q15408
950	6098		5.92	8.0E-22	BE144748.1	EST_HUMAN	NEUTRAL PROTEASE LARGE SUBUNIT ;
684	5824	10982	4.97	7.0E-22	AL163246.2	NT	CNC-HT0179-281089-076-h05 HT0179 Homo sapiens cDNA
4257	9382	14516	1.94	7.0E-22	Q61838	SWISSPROT	Homo sapiens chromosome 21 segment HS21C046
5020	10122	15254	1.06	7.0E-22	AB008881.1	NT	ALPHA-2-MACROGLOBULIN PRECURSOR (ALPHA2M)
4035	9166	14308	1.01	8.0E-22	AA405040.1	EST_HUMAN	Homo sapiens gene for activin receptor type IIB, complete cds
3614	8753		1.26	4.0E-22	AJ277735.1	NT	zlu65d10.r1 Soares_testis NIH-T Homo sapiens cDNA clone IMAGE:742867 5'
960	6108		0.83	3.0E-22	AI468678.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region; segment 12
2535	7698	12886	2.31	3.0E-22	AI859038.1	EST_HUMAN	hm14h10.x1 NCI_CGAP_Cot14 Homo sapiens cDNA clone IMAGE:2156811 3' similar to gb:L19583 HIGH
3650	8789		1.46	3.0E-22	D14718.1	NT	AFFINITY INTERLEUKIN-8 RECEPTOR B (HUMAN); contains L1.1 L1 repetitive element ;
4769	9882	15029	2.86	3.0E-22	AI090125.1	EST_HUMAN	wf68i04.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2429839 3' similar to SW:RL21_HUMAN
1957	7074		1.38	2.0E-22	N24942.1	EST_HUMAN	Human chromosomal protein HM31 related gene
2495	7589	12847	1.32	2.0E-22	P24916	SWISSPROT	qb28c07.x1 Soares_pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:1697580 3' similar to
3401	8545	13704	3.77	2.0E-22	8394043	NT	contains MER12.12 MER12 repetitive element ;
4203	9328	14460	1.73	2.0E-22	AW817794.1	EST_HUMAN	yy73d05.s1 Soares_melanocyte_2NBHM Homo sapiens cDNA clone IMAGE:267369 3'
1889	7009	12229	1.11	1.0E-22	AW85517.1	EST_HUMAN	IMMEDIATE EARLY GENE 13 PROTEIN PRECURSOR
3392	8536	13687	1.42	1.0E-22	D14547.1	NT	Homo sapiens protein kinase, AMP-activated, gamma 3 non-catalytic subunit (PRKAG3), mRNA
3557	8598	13658	0.6	8.0E-23	AF168349.1	NT	PM1-ST0262-261189-001-d12 ST0262 Homo sapiens cDNA
3292	8439		2.2	7.0E-23	AV847246.1	EST_HUMAN	PMA-SN0020-010400-009-h02 SN0020 Homo sapiens cDNA
3415	8558		1.77	6.0E-23	AF168333.1	NT	Human DNA, SINE repetitive element
4242	9367	14500	1.08	6.0E-23	AL163249.2	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds

Page 83 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
665	5825	10963	3.85	2.0E-23	AJ288880.1	NT	Homo sapiens KIA0851 gene (partial), X13 gene and LZTFL1 gene
1144	7868		3.08	2.0E-23	M58270.1	NT	Human matrix Gla protein (MGP) gene, complete cds
2756	7850	13105	1.39	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
2756	7850	13108	1.39	2.0E-23	P22105	SWISSPROT	TENASCIN-X PRECURSOR (TN-X) (HEXABRACHION-LIKE)
3353	8498		0.91	2.0E-23	AJ201458.1	EST_HUMAN	q873f1.x1 NCL_CGAP_P28 Homo sapiens cDNA clone IMAGE:1943757 3' similar to TR:Q13537 Q13537
3696	8834		3.7	2.0E-23	BE165980.1	EST_HUMAN	MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
3949	8084	14237	2.51	2.0E-23	H59931.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
3949	8084	14238	2.51	2.0E-23	H59931.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA clone IMAGE:205418 5'
4503	9622	14764	1.68	1.0E-23	AL163252.2	NT	y19a02.t1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205418 5'
4731	9844		5.27	1.0E-23	AL163210.2	NT	y19a02.t1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:205418 5'
561	5716		3.98	9.0E-24	AA663213.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C052
4617	9735	14872	1.03	8.0E-24	P23269	SWISSPROT	Homo sapiens chromosome 21 segment HS21C010
4617	9735	14873	1.03	8.0E-24	P23269	SWISSPROT	ab75a08.s1 Stratagene total retina 937202 Homo sapiens cDNA clone IMAGE:862758 3' similar to
3850	8988		1.12	7.0E-24	AW937954.1	EST_HUMAN	TR-E19822 E19822 CA PROTEIN. ;
704	5951		2.18	6.0E-24	AB001421.1	NT	OLFACTORY RECEPTOR-LIKE PROTEIN I3
839	5991	11159	14.22	6.0E-24	AL163249.2	NT	OLFACTORY RECEPTOR-LIKE PROTEIN I3
3943	9079	14232	7.47	5.0E-24	AJ229043.1	NT	QVQ-DT0047-170200-122-a06 DT0047 Homo sapiens cDNA
5075	10176	16310	1.58	3.0E-24	F08337.1	EST_HUMAN	QVQ-DT0047-170200-122-a06 DT0047 Homo sapiens cDNA
2326	7434	12687	1.07	2.0E-24	AA167539.1	EST_HUMAN	Mecasa fuscata mRNA for Testis-Specific Protein Y (TSPY), complete cds
3778	8913		0.88	2.0E-24	AW898189.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C049
1709	6837	12038	3.43	1.0E-24	7706340	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
2634	7732		1	1.0E-24	AW820194.1	EST_HUMAN	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 3/3
2992	8147	13307	0.65	1.0E-24	D86423.1	NT	HSCZRC061 normalized infant brain cDNA Homo sapiens cDNA clone c-zrc06
4244	9369		1.97	1.0E-24	AF143313.1	NT	zp11f09.t1 Stratagene total retina 937202 Homo sapiens cDNA clone IMAGE:609161 5'
5182	10278	15417	1.03	9.0E-25	AW857136.1	EST_HUMAN	RC3-NN0068-060500-021-b03 NN0068 Homo sapiens cDNA
4982	10080	15223	3.25	7.0E-25	AA1483944.1	EST_HUMAN	Homo sapiens CGI-127 protein (LOC51646), mRNA
1684	6762	11988	1.32	5.0E-25	AW850271.1	EST_HUMAN	QVQ-ST0294-100400-185-c10 ST0294 Homo sapiens cDNA
1459	6586	11774	1.45	4.0E-25	T98107.1	EST_HUMAN	QVQ-ST0294-100400-185-c10 ST0294 Homo sapiens cDNA
3383	8527		3.48	4.0E-25	BE170957.1	EST_HUMAN	Mus musculus mRNA for HGT keratin, partial cds
4294	9418		3.86	4.0E-25	BE170957.1	EST_HUMAN	Homo sapiens PTEN (PTEN) gene, exon 2
3301	8448	13610	2.96	3.0E-25	8923321	NT	RC1-CT0302-040400-017-c02 CT0302 Homo sapiens cDNA
							RC1-CT0302-040400-017-c02 CT0302 Homo sapiens cDNA clone IMAGE:911754 similar to contains MER1.b2
							mer2e10.a1 NCL_CGAP_Kid1 Homo sapiens cDNA clone IMAGE:911754 similar to contains MER1.b2
							MER1 repetitive element ;
							IL3-CT0219-181199-031-D04 CT0219 Homo sapiens cDNA
							IL3-CT0219-181199-031-D04 CT0219 Homo sapiens cDNA clone IMAGE:121763 5'
							y65h04.t1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA
							PM3-OT0093-280200-001-g07 OT0093 Homo sapiens cDNA
							QV3-HT0543-140400-149-e11 HT0543 Homo sapiens cDNA
							Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3301	8448	13611	2.96	3.0E-25	8923321	NT	Homo sapiens hypothetical protein FLJ20344 (FLJ20344), mRNA
1354	8483	11603	3.09	2.0E-25	5032159	NT	Homo sapiens transducin (beta)-like 1 (TBL1) mRNA
2286	7364	12845	4.17	2.0E-25	BE68016.1	EST_HUMAN	601511330F1 NIH MGC 71 Homo sapiens cDNA clone IMAGE:3913087 5'
2792	7617	12866	8.6	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
4161	9287	14423	1.6	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
4161	9287	14423	1.6	2.0E-25	P17008	SWISSPROT	40S RIBOSOMAL PROTEIN S16
362	5542	10684	0.96	1.0E-25	AL040229.1	EST_HUMAN	DKFZp434h0313_1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434h0313 5'
1252	6382		1.98	1.0E-25	9635487	NT	Human endogenous retrovirus, complete genome
2412	7518	12768	2.79	1.0E-25	Q06055	SWISSPROT	ATP SYNTHASE LIPID-BINDING PROTEIN P2 PRECURSOR (ATPASE PROTEIN 9) (SUBUNIT C)
4828	9940	15082	2.58	1.0E-25	BE162737.1	EST_HUMAN	PM1-HT0454-080100-002-H08 HT0454 Homo sapiens cDNA
2456	7580	12812	1.08	9.0E-26	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
							Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
1590	6719	11908	1.3	7.0E-26	AF003528.1	NT	H.sapiens DNA for endogenous retroviral like element
3953	9088	14242	1.18	7.0E-26	X89211.1	NT	H.sapiens DNA for endogenous retroviral like element
4131	8259	14386	1.87	7.0E-26	AW340153.1	EST_HUMAN	h302e12.x1 Soares_NFL_T_OBC_S1 Homo sapiens cDNA clone IMAGE:2908366 3'
							Homo sapiens chromosome 9 duplication of the T cell receptor beta locus and tyrosinogen gene families
2207	7319	12570	2.86	8.0E-26	AF029308.1	NT	z302104.1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:845271 5'
3328	8474	13637	1	6.0E-26	AA206131.1	EST_HUMAN	as38h08.x1 Barstead aorta HPLR86 Homo sapiens cDNA clone IMAGE:2319519 3' similar to
							WP:F49C12.11 CE03371 ;
1179	6314	11482	1.72	5.0E-26	AI708235.1	EST_HUMAN	as38h08.x1 Barstead aorta HPLR86 Homo sapiens cDNA clone IMAGE:2319519 3' similar to
							WP:F49C12.11 CE03371 ;
1179	6314	11483	1.72	6.0E-26	AI708235.1	EST_HUMAN	WP:F49C12.11 CE03371 ;
1558	6687		1.21	4.0E-26	AA325548.1	EST_HUMAN	EST33448 Embryo, 12 week II Homo sapiens cDNA 5' end
1770	8896	12102	0.96	3.0E-26	D14647.1	NT	Human DNA, SINE repetitive element
2004	7121	12357	1.15	3.0E-26	AL045855.2	EST_HUMAN	DKFZp434i066_1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434i066 5'
							z3030d08.1 Stratagene neuroepithelium NT2RAMI 937234 Homo sapiens cDNA clone IMAGE:548943 5'
							similar to gb:MI4338 VITAMIN K-DEPENDENT PROTEIN S PRECURSOR (HUMAN);
2026	7143		2.18	3.0E-26	AA115695.1	EST_HUMAN	z303f10.1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:588427 5' similar to TR:G695374
							G695374 THYROID RECEPTOR INTERACTOR ;
3759	8896	14040	1.25	3.0E-26	AA152464.1	EST_HUMAN	z303f10.1 Stratagene colon (#937204) Homo sapiens cDNA clone IMAGE:588427 5' similar to TR:G695374
3759	8896	14047	1.25	3.0E-26	AA152464.1	EST_HUMAN	G695374 THYROID RECEPTOR INTERACTOR ;
690	5338	10978	5.51	2.0E-26	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
1879	6999		1.73	2.0E-26	AL038069.2	EST_HUMAN	DKFZp568L171_s1 568 (synonym: htkd2) Homo sapiens cDNA clone DKFZp568L171 3'
3216	8367	13531	6.31	2.0E-26	X86694.1	NT	M.musculus mRNA for astrocytic phosphoprotein, PEA-15

Page 85 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Database Source	Top Hit Descriptor
132	5330	10475	40.28	1.0E-26	EST_HUMAN	QV4HT0538-020300-123-a02 HT0538 Homo sapiens cDNA
2532	7635	12883	0.95	1.0E-26	EST_HUMAN	MR2-BN0114-240500-030-g07 BN0114 Homo sapiens cDNA
2648	7746		25.15	1.0E-20	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GADPH) mRNA, complete cds
10	5221	10333	3.06	8.0E-27	EST_HUMAN	wf49-c04.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2408150 3' similar to contains THR.b2
558	5721		4.14	8.0E-27	NT	THR repetitive element;
1424	6351	11792	72.92	8.0E-27	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C027
1424	6551	11733	72.92	8.0E-27	EST_HUMAN	au87h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783285 3' similar to gb:K00559
2149	7282	12510	1.86	8.0E-27	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN);
3168	8317	13479	2.34	8.0E-27	SWISSPROT	au87h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783285 3' similar to gb:K00558
682	6840		2.02	7.0E-27	NT	TUBULIN ALPHA-1 CHAIN (HUMAN);
5074	10175		2.28	7.0E-27	EST_HUMAN	PM2-SN0018-220300-002-a07 SN0018 Homo sapiens cDNA
2362	7469	12724	2.17	4.0E-27	NT	ADP ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ADENINE
2035	7163	12393	2.58	3.0E-27	NT	NUCLEOTIDE TRANSLOCATOR 3) (ANT 3)
4245	8370	14503	1.31	3.0E-27	EST_HUMAN	Human endogenous retroviral element HC2
40	5251	10360	28.98	2.0E-27	NT	Human endogenous retroviral element HC2
1902	7021		45.43	2.0E-27	EST_HUMAN	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
3085	8238		10.92	2.0E-27	EST_HUMAN	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
3209	8360	13521	2.17	2.0E-27	NT	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
3209	8360	13522	2.17	2.0E-27	NT	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
435	5604		1.48	1.0E-27	NT	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
997	6143	11311	1.58	1.0E-27	NT	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
1711	6839	12040	0.97	1.0E-27	NT	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040
4058	9188		0.93	1.0E-27	EST_HUMAN	h51h12.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2975879 3' similar to TR:O76040

Page 86 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
137	5333		1.86	9.0E-28	BE348399.1	EST_HUMAN	hw17c11.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3183188 3' similar to TR:Q07314 Q07314
309	5495	10635	2.48	9.0E-28	AU126280.1	EST_HUMAN	SECRETED NEUREXIN III-ALPHA-C PRECURSOR [3] TR:Q07280 TR:Q07313 ;
5144	10244	15381	1.58	9.0E-28	AI590115.1	EST_HUMAN	bt12b09.x1 NCI_CGAP_U02 Homo sapiens cDNA clone IMAGE:2178809 3' similar to contains OFR.t1 OFR repetitive element ;
5144	10244	15382	1.68	9.0E-28	AI590115.1	EST_HUMAN	bt12b09.x1 NCI_CGAP_U02 Homo sapiens cDNA clone IMAGE:2178809 3' similar to contains OFR.t1 OFR repetitive element ;
1183	6318	11488	12.92	7.0E-28	AU142750.1	EST_HUMAN	AU142750 Y79AA1 Homo sapiens cDNA clone Y79AA1000824 5'
316	5502		2.47	5.0E-28	AI921003.1	EST_HUMAN	wo18c07.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2455692 3' similar to contains THR.b1 THR repetitive element ;
3084	9118	14285	1.27	5.0E-28	R79762.1	EST_HUMAN	y88f10.r1 Soares placenta Nkx2-IP Homo sapiens cDNA clone IMAGE:146443 6'
2590	7691	12946	1.79	4.0E-28	AW195066.1	EST_HUMAN	Q08379 GOLGIN-95 ;
2946	8100	13264	1.43	4.0E-28	4505318	NT	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
3084	8237	13387	2.63	4.0E-28	BE409100.1	EST_HUMAN	601300703F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635305 5'
1287	6416		1.61	3.0E-28	AF155382.1	NT	Homo sapiens metalloproteinase-like, disintegrin-like, cysteine-rich protein 2 epsilon (ADAM22) mRNA, complete cds
5100	10200		0.92	3.0E-28	AF009660.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
84	5293	10433	9.51	2.0E-28	BE082187.1	EST_HUMAN	RC1-BT0254-220300-019-c05 BT0254 Homo sapiens cDNA
1167	6302	11468	7.61	2.0E-28	Y11107.3	NT	Homo sapiens ITGB4 gene for integrin beta 4 subunit, exons 3-41
2450	7554	12808	2.09	2.0E-28	AI348934.1	EST_HUMAN	qc35b06.x1 NCI_CGAP_Lu6 Homo sapiens cDNA clone IMAGE:1910483 3' similar to contains L1.b2 L1 repetitive element ;
3343	8489	13655	0.62	2.0E-28	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1488	6615	11803	2.07	1.0E-28	D38044.1	NT	Human gene for Ahr-receptor, exon 7-9
2202	7314	12568	1.03	1.0E-28	BF333236.1	EST_HUMAN	QV1-BT0821-120900-380-503 BT0821 Homo sapiens cDNA
4541	9659		0.88	1.0E-28	U09410.1	NT	Human zinc finger protein ZNF131 mRNA, partial cds
1616	6744	11839	1.25	7.0E-29	AW968447.1	EST_HUMAN	EST378521 IMAGE resequences, MAGI Homo sapiens cDNA
593	5755	10883	8.3	6.0E-29	AI938748.1	EST_HUMAN	wp68b01.x1 NCI_CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2466885 3' similar to TR:O15475 O15475 UNNAMED HERV-H PROTEIN ; contains LTR7.b1 LTR7 repetitive element ;
4984	10092		1.32	5.0E-29	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
3217	8368		2.16	4.0E-29	AI752367.1	EST_HUMAN	cn15c02.x1 Normal Human Trabecular Bone Cells Homo sapiens cDNA clone NHTBC_cn15c02 random
4392	8512	14654	1.32	3.0E-29	AB042297.1	NT	Homo sapiens PTS gene for 6-pyruvoyltetrahydropterin synthase, complete cds
4701	9817	14985	1.06	3.0E-29	BF333236.1	EST_HUMAN	QV1-BT0821-120900-380-503 BT0821 Homo sapiens cDNA

Page 87 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
492	5659	10794	2.02	2.0E-29	AF084869.1	NT	Homo sapiens envelope protein R(C-8 (env) gene, complete cds
492	5659	10795	2.02	2.0E-29	AF084869.1	NT	Homo sapiens envelope protein R(C-8 (env) gene, complete cds
1547	6675	11860	5.63	2.0E-29	AI063604.1	EST_HUMAN	wr65d10.x1 NCI_CGAP_LH1 Homo sapiens cDNA IMAGE:2492563 3' similar to TR:O15546 O15548
1547	6675	11861	5.63	2.0E-29	AI063604.1	EST_HUMAN	HERV-E ENVELOPE GLYCOPROTEIN;
4253	6378	14508	2.04	2.0E-29	AL163268.2	NT	wr65d10.x1 NCI_CGAP_LH1 Homo sapiens cDNA clone IMAGE:2492563 3' similar to TR:O15546 O15548
1530	6657		2.08	7.0E-30	BE091133.1	EST_HUMAN	HERV-E ENVELOPE GLYCOPROTEIN;
1783	6909	12117	1.11	6.0E-30	D25303.1	NT	Homo sapiens chromosome 21 segment HS21C068
3173	8324	13485	3.1	6.0E-30	BE008026.1	EST_HUMAN	PM4-BT0724-160400-004-d11 BT0724 Homo sapiens cDNA
4724	8324	13486	0.94	6.0E-30	BE008026.1	EST_HUMAN	Human mRNA for integrin alpha subunit, complete cds
3988	9122	14269	30.82	5.0E-30	AI398992.1	EST_HUMAN	QVQ-BND147-290400-214-f12 BND147 Homo sapiens cDNA
2128	7242	12484	1.88	4.0E-30	AW637471.1	EST_HUMAN	QVQ-BND147-290400-214-f12 BND147 Homo sapiens cDNA
2128	7242	12485	1.88	4.0E-30	AW637471.1	EST_HUMAN	ig92g03.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:2116276 3' similar to contains Alu repetitive element;
1153	6289		2.88	3.0E-30	AI336551.1	EST_HUMAN	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
3738	8376	14027	0.83	3.0E-30	AF128893.1	NT	QV3-DT0043-090200-080-c06 DT0043 Homo sapiens cDNA
874	5832	10972	1.27	2.0E-30	AW657315.1	EST_HUMAN	q983c05.x1 Soares_tctal_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:1938920 3' similar to contains MER29 b2 MER29 repetitive element;
1085	6224		1.82	2.0E-30	F08688.1	EST_HUMAN	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-8
1489	6616	11804	3.7	2.0E-30	BE176977.1	EST_HUMAN	CM0-CT0307-310100-188-h03 CT0307 Homo sapiens cDNA
2676	7773	13024	4.7	2.0E-30	BE765232.1	EST_HUMAN	HSC23F057 normalized infant brain cDNA Homo sapiens cDNA clone c-23105
2885	8039	13204	7	2.0E-30	AF114156.1	NT	RC5-HT0582-110400-013-H08 HT0582 Homo sapiens cDNA
3788	8006	14058	2.23	2.0E-30	AW206581.1	EST_HUMAN	IL2-NT0101-280700-116-E04 NT0101 Homo sapiens cDNA
4745	9858	15008	3.09	2.0E-30	BE298945.1	EST_HUMAN	Homo sapiens Y-linked zinc finger protein (ZFY) gene, complete cds
4745	9858	15007	3.09	2.0E-30	BE298945.1	EST_HUMAN	UI-H-B1-afp-c-12-q-JLs1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722558 3'
284	5473	10816	14.45	1.0E-30	C18839.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
536	5702	10835	7.24	1.0E-30	AW468897.1	EST_HUMAN	601119860F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3029438 5'
714	5871	11018	3.43	1.0E-30	AL163203.2	NT	C18939 Human placenta cDNA (TF-ujivara) Homo sapiens cDNA clone GEN-570001 5'
2194	7306	12566	2.77	1.0E-30	AA664377.1	EST_HUMAN	h330b04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2910991 3' similar to contains MER1.83 MER1 repetitive element;
2438	7542	12785	1.44	1.0E-30	BF347728.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C003
2974	8128	13291	1.24	1.0E-30	5803081	NT	ac77608.s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:868598 3'
3026	8180	13336	0.87	1.0E-30	AA315045.1	EST_HUMAN	602022660F1 NCI_CGAP_Bim87 Homo sapiens cDNA clone IMAGE:4167991 5'
							Homo sapiens methionine aminopeptidase, eIF-2-associated p67 (MANPEP), mRNA
							EST186868 HCC cell line (metastasis to liver in mouse) Homo sapiens cDNA 5' end

Page 88 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3746	8884	14034	0.6	9.0E-31	T73025.1	EST_HUMAN	y65a08.r1 Stratagene liver (#937224) Homo sapiens cDNA clone IMAGE:85570 5'
3746	8884	14036	0.6	9.0E-31	T73025.1	EST_HUMAN	y65a08.r1 Stratagene liver (#937224) Homo sapiens cDNA clone IMAGE:85570 5'
1078	6218	11383	6.69	8.0E-31	89233389	NT	Homo sapiens hypothetical protein FLJ20420 (FLJ20420), mRNA
2390	7486		8.16	8.0E-31	AL163208.2	NT	Homo sapiens chromosome 21 segment HS21C008
4895	10006	15150	0.98	8.0E-31	P23275	SWISSPROT	OLFACTORY RECEPTOR 15 (OR3)
4895	10006	15151	0.98	8.0E-31	P23275	SWISSPROT	OLFACTORY RECEPTOR 15 (OR3)
709	5868		1.37	7.0E-31	AA378937.1	EST_HUMAN	EST84555 Colon adenocarcinoma IV Homo sapiens cDNA 5' and
2629	7727	12982	2.1	7.0E-31	BE326517.1	EST_HUMAN	hw05a11.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
2629	7727	12983	2.1	7.0E-31	BE326517.1	EST_HUMAN	hw05a11.x1 NCI CGAP Lu24 Homo sapiens cDNA clone IMAGE:3182012 3'
3858	8785		2.31	8.0E-31	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
189	5384	10526	2.84	5.0E-31	M60694.1	NT	Homo sapiens type I DNA topoisomerase gene, exon 8
189	5384	10527	2.84	6.0E-31	M60694.1	NT	Homo sapiens type I DNA topoisomerase gene, exon 8
594	5756		3.28	4.0E-31	AJ271735.1	NT	Homo sapiens Xq pseudocentromeric region; segment 1/2
1624	8752	11945	1.08	4.0E-31	Q10473	SWISSPROT	POLYPEPTIDE N-ACETYL GALACTOSAMINYLTRANSFERASE (PROTEIN-UDP ACETYL GALACTOSAMINYLTRANSFERASE) (UDP-GALNAc:POLYPEPTIDE, N- ACETYL GALACTOSAMINYLTRANSFERASE) (GALNAc-T1)
1829	8952		1.27	4.0E-31	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
2750	7844		1.87	4.0E-31	5730038	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
2558	7660	12913	2.37	3.0E-31	600587.1	NT	Homo sapiens SE03, endoplasmic reticulum translocan component (S. cerevisiae) like (SEC63L), mRNA
1920	7039	12260	1.98	2.0E-31	AW838171.1	EST_HUMAN	QV2L.T0051-280300-111-03 L.T0051 Homo sapiens cDNA
2186	7308	12558	1.54	2.0E-31	AI393388.1	EST_HUMAN	IG44g05.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2111672 3'
2321	7429	12882	0.98	2.0E-31	AL119245.1	EST_HUMAN	DKFZp781G1613_r1 781 (synonym: hery2) Homo sapiens cDNA clone DKFZp781G1613 5'
2418	7523	12775	3.48	2.0E-31	AA488824.1	EST_HUMAN	sa88f11.s1 Stratagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:838413 3' similar to contains THR.L2 THR repetitive element ;
15	5226	10339	5.7	1.0E-31	U93163.1	NT	Homo sapiens IMAGE-B2 (IMAGE-B2), IMAGE-B3 (IMAGE-B3), IMAGE-B4 (IMAGE-B4), and IMAGE-B1 (IMAGE-B1) genes, complete cds
1676	6805	12000	7.67	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1676	6805	12001	7.67	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
1078	6805	12002	7.67	1.0E-31	O95371	SWISSPROT	OLFACTORY RECEPTOR 2C1
4605	9723	14857	1.1	1.0E-31	AL134376.1	EST_HUMAN	DKFZp547B235_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
4605	9723	14858	1.1	1.0E-31	AL134376.1	EST_HUMAN	DKFZp547B235_r1 547 (synonym: hibr1) Homo sapiens cDNA clone DKFZp547B235 5'
2828	7983		1.08	9.0E-32	U50871.1	NT	Human familial Alzheimer's disease (STM2) gene, complete cds

Page 89 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hlt BLAST E Value	Top Hlt Accession No.	Top Hlt Database Source	Top Hlt Descriptor
2089	7185	12426	6.64	8.0E-32	AI056770.1	EST_HUMAN	oz15a09.x1 Soares_fetal_liver_spleen_INFUS_S1 Homo sapiens cDNA clone IMAGE:1675394 3'
4829	9941	15083	0.94	7.0E-32	P62591	SWISSPROT	NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 (PORE MEMBRANE PROTEIN OF 121 KD) (P146)
1038	8177	11342	48.23	5.0E-32	AF110827.1	NT	Homo sapiens PRO1181 mRNA, complete cds
832	6080		1.85	4.0E-32	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
466	5623	10766	3.06	3.0E-32	Y17293.1	NT	Homo sapiens FLI-1 gene, partial
1487	6594	11783	16.89	3.0E-32	AV731500.1	EST_HUMAN	AV731500 HTF Homo sapiens cDNA clone HTFAKC07 5'
2873	8027	13194	0.64	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog), translocated to, 4 (MLLT4) mRNA
2873	8027	13195	0.64	3.0E-32	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog), translocated to, 4 (MLLT4) mRNA
2638	7738		1.98	1.0E-32	D84430.1	NT	Homo sapiens mRNA for phenylalanine synthetase, complete cds
3067	8220		1.47	1.0E-32	BE743299.1	EST_HUMAN	601573207 F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834433 5'
3462	8804		5.35	9.0E-33	BE327112.1	EST_HUMAN	hw07c05.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182216 3' similar to TR:088539 O88539
60	5271	10403	5.57	7.0E-33	5031738	NT	WW DOMAIN BINDING PROTEIN 11.;
60	5271	10404	5.57	7.0E-33	5031738	NT	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
2143	7257	12503	1.13	7.0E-33	AI590115.1	EST_HUMAN	Homo sapiens short-chain alcohol dehydrogenase family member (HEP27) mRNA
2610	7709		5.84	7.0E-33	AV730056.1	EST_HUMAN	to12b09.x1 NCI_CGAP_UJ2 Homo sapiens cDNA clone IMAGE:2178809 3' similar to contains OFR.H1 ORR repetitive element;
3226	8376		13.21	7.0E-33	AW971307.1	EST_HUMAN	AV730056 HTF Homo sapiens cDNA clone HTFAVE06 5'
3718	8856		1.06	6.0E-33	AL163285.2	NT	EST3833396 MAGC resequences, MAGL Homo sapiens cDNA
1787	6913		1.49	5.0E-33	BF373515.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C085
1905	7024	12243	2.06	5.0E-33	4507208	NT	QV1-FT0189-100700-271-a02 FT0189 Homo sapiens cDNA
1905	7024	12244	2.06	5.0E-33	4507208	NT	Homo sapiens spermidine synthase (SRM) mRNA
2251	7361		1.73	6.0E-33	AL163285.2	NT	Homo sapiens spermidine synthase (SRM) mRNA
4032	9163	14305	0.86	5.0E-33	AB014598.1	NT	Homo sapiens chromosome 21 segment HS21C085
1129	6266		1.69	4.0E-33	AL163207.2	NT	Homo sapiens spermidine synthase (SRM), partial cds
2117	7232	12474	3.01	4.0E-33	4768987	NT	Homo sapiens chromosome 21 segment HS21C007
2397	7503		2.47	4.0E-33	AA626621.1	EST_HUMAN	Homo sapiens RAB1, member RAS oncogene family (RAB1) mRNA
2516	7620	12868	1.28	4.0E-33	AL163210.2	NT	ab51b11.r1 Strategene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:844317 5' similar to contains Alu repetitive element; contains MER28.b2 MER28 repetitive element;
4462	9881	14719	1.67	4.0E-33	AW263349.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
							U-H-B12-ah-c-03-Q-J1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2727149 3'

Page 90 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1080	6229		4.74	3.0E-33	BE350127.1	EST_HUMAN	h08g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146266 3' similar to contains MER29.b3 MER29 repetitive element;
1091	6229		4.22	3.0E-33	BE350127.1	EST_HUMAN	h08g01.x1 NCI_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3146266 3' similar to contains MER29.b3 MER29 repetitive element;
2426	7940		1.24	3.0E-33	AV647851.1	EST_HUMAN	AV647851 GLG Homo sapiens cDNA clone GLCBOF09 3'
16	5227		1.23	2.0E-33	AI160189.1	EST_HUMAN	qb57g03.x1 Soares_fetal_heart_Nb-H19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.11 OFR repetitive element;
101	5227		1.89	2.0E-33	AI160189.1	EST_HUMAN	qb57g03.x1 Soares_fetal_heart_Nb-H19W Homo sapiens cDNA clone IMAGE:1705204 3' similar to contains OFR.11 OFR repetitive element;
4397	9517		3.87	2.0E-33	BE159039.1	EST_HUMAN	MRO-HT0405-160300-202-008 HT0405 Homo sapiens cDNA
4970	10078	15215	15.38	2.0E-33	AA626683.1	EST_HUMAN	ab51g11.1 Stratagene lung carcinoma 607218 Homo sapiens cDNA clone IMAGE:844388 5' similar to gb:X00734_cds1 TUBULIN BETA-5 CHAIN (HUMAN);
5078	10179	15314	1.37	2.0E-33	11421332	NT	Homo sapiens hypothetical protein S1RP-b2 (S1RP-b2), mRNA
5078	10179	15315	1.37	2.0E-33	11421332	NT	Homo sapiens hypothetical protein S1RP-b2 (S1RP-b2), mRNA
8	5219		1.37	1.0E-33	AF003528.1	NT	Homo sapiens X-linked arylidic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2151	7284	12512	1.17	8.0E-34	8922781	NT	Homo sapiens hypothetical protein FLJ10900 (FLJ10900), mRNA
4475	9594	14733	0.91	8.0E-34	BE062570.1	EST_HUMAN	QV2-BT0258-071299-019-g07 BT0258 Homo sapiens cDNA
1458	6583	11771	1.63	7.0E-34	T70845.1	EST_HUMAN	ycf5e05.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:108320 5'
470	5637	10778	1.44	8.0E-34	U10691.1	NT	Human G2 protein mRNA, partial cds
470	5637	10779	1.44	8.0E-34	U10691.1	NT	Human G2 protein mRNA, partial cds
1890	7010		2.67	5.0E-34	7706500	NT	Homo sapiens Npw38-binding protein Npw38P (LOC51729), mRNA
5044	10148	15275	4.3	5.0E-34	U30883.1	NT	Human splicing factor SRP55-1 (SRP55), complete cds
5127	10227		1.06	6.0E-34	N98282.1	EST_HUMAN	zz27g11.1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:283828 5'
1989	7116	12352	1.33	4.0E-34	AI804667.1	EST_HUMAN	h94406.x1 NCI_CGAP_P128 Homo sapiens cDNA clone IMAGE:2249194 3'
2881	7778	13028	1.69	4.0E-34	8922807	NT	Homo sapiens hypothetical protein FLJ10989 (FLJ10989), mRNA
3152	8303	13463	1.02	4.0E-34	5803168	NT	Homo sapiens splicing factor 3a, subunit 3, 60kD (SF3A3), mRNA
1520	6647	11834	18.47	1.0E-34	P12236	SWISSPROT	ADP-ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLOCASE 3) (ADENINE NUCLEOTIDE TRANSLOCATOR 3) (ANT 3)
3651	8790	13944	1.42	1.0E-34	AF003528.1	NT	Homo sapiens X-linked arylidic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4045	9178	14317	0.75	1.0E-34	AY009397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4045	9178	14318	0.75	1.0E-34	AY009397.1	NT	Homo sapiens WNT3 precursor (WNT3) mRNA, complete cds
4469	9578		2.13	1.0E-34	BE071414.1	EST_HUMAN	RC2-BT0506-240400-018-h08 BT0506 Homo sapiens cDNA

Page 91 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4908	10019	15163	1.45	1.0E-34	BF509718.1	EST_HUMAN	U1-H-B14-apb-h-04-0-U1.s1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086839 3'
4909	10019	15164	1.45	1.0E-34	BF509718.1	EST_HUMAN	U1-H-B14-apb-h-04-0-U1.s1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3086839 3'
3623	8762	13918	1.31	9.0E-35	AW663302.1	EST_HUMAN	hh77b06.y1 NCL CGAP_GJ1 Homo sapiens cDNA clone IMAGE:2868787 5'
223	5416		39.92	8.0E-35	6031180	NT	Homo sapiens profilin (PHB) mRNA
1749	6875	12080	2.13	8.0E-35	BF589937.1	EST_HUMAN	nes33a08.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
1749	6875	12081	2.13	8.0E-35	BF589937.1	EST_HUMAN	nes33a08.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:3258134 3' similar to TR:O75912
4836	8948	16092	2.74	8.0E-35	BF183106.1	EST_HUMAN	O75912 DIACYLGLYCEROL KINASE IOTA. ;
1420	6547	11728	0.98	6.0E-35	AA757115.1	EST_HUMAN	nes33a08.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:4040324 5'
1970	7087	12314	5.54	6.0E-35	6005975	NT	ahf53h03.s1 Soares_testis NHT Homo sapiens cDNA clone 1308397 3'
4027	9158	14301	0.66	6.0E-35	AW297191.1	EST_HUMAN	Homo sapiens zinc finger protein 208 (ZNF208), mRNA
1724	6851	12055	1.36	6.0E-35	X63392.1	NT	U1-H-BW0-ajd-09-0-U1.s1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2731433 3'
2745	7839	13094	1.34	6.0E-35	AB007866.2	NT	H sapiens immunoglobulin kappa light chain variable region L14
2860	8135	13288	1.38	6.0E-35	6912639	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
							Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
							Homo sapiens cdk2 kinase (CLK2), protein1, cctc1, glucocorticoidase (GBA), and metaxin genes, complete cds; metaxin pseudogene and glucocorticoidase pseudogene; and thrombospondin3 (THBS3) gene, partial cds
4367	8507	14649	1.91	5.0E-35	AF023268.1	NT	
1444	6572	11759	28.26	4.0E-35	BE257607.1	EST_HUMAN	601109719F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350405 5'
1830	6953	12174	8.39	4.0E-35	H91193.1	EST_HUMAN	yu89a07.r1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:241236 5' similar to centlnhs
1592	6721	11911	40.56	3.0E-35	BE268182.1	EST_HUMAN	PTR5 repetitive element;
2312	7421		1.77	3.0E-35	AF224492.1	NT	601125260F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345063 5'
							Homo sapiens phospholipid scramblase 1 gene, complete cds
104	7983	10450	1.29	2.0E-35	N88935.1	EST_HUMAN	K6932F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K6932 5' similar to
1190	6324	11492	1.28	2.0E-35	T11909.1	EST_HUMAN	REPETITIVE ELEMENT
2200	7312	12564	2.32	2.0E-35	AB019413.1	NT	A971F Heart Homo sapiens cDNA clone A971
							Homo sapiens mRNA for Gab2, complete cds
2645	7743	12986	1.9	2.0E-35	AW665005.1	EST_HUMAN	h86a12.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2979166 3' similar to
3293	8440	13601	0.62	2.0E-35	6912459	NT	SW:TR12_HUMAN Q14069 THYROID RECEPTOR INTERACTING PROTEIN 12.;
3293	8440	13602	0.62	2.0E-35	6912459	NT	Homo sapiens Grib2-associated binder 2 (KIAA0571), mRNA
3543	8684		1.04	2.0E-35	AB020702.1	NT	Homo sapiens Grib2-associated binder 2 (KIAA0571), mRNA
							Homo sapiens mRNA for KIAA0895 protein, partial cds
3887	8023	14180	0.77	2.0E-35	BE247676.1	EST_HUMAN	TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4328

Page 92 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3887	9023	14181	0.77	2.0E-35	BE247575.1	EST_HUMAN	TCBAP2E4328 Pediatric pre-B cell acute lymphoblastic leukemia Baylor-HGSC project=TCBA Homo sapiens cDNA clone TCBAP4328
4840	9758		2.94	2.0E-35	H49239.1	EST_HUMAN	yq19a12.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:274070 5'
45	5257	10378	4.39	1.0E-36	AA631949.1	EST_HUMAN	Inf1c18 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
45	5257	10379	4.38	1.0E-35	AA631949.1	EST_HUMAN	Inf1c18 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
751	6907	11062	16.82	1.0E-35	AW389473.1	EST_HUMAN	IL2-ST0162-131039-008-d12 ST0162 Homo sapiens cDNA
751	5907	11063	16.82	1.0E-36	AW389473.1	EST_HUMAN	IL2-ST0162-131039-008-d12 ST0162 Homo sapiens cDNA
910	6060		1.46	1.0E-35	T87947.1	EST_HUMAN	y493a01.r1 Soares fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:115752 5' similar to SP-A44282 A44282 RETROVIRUS-RELATED POL POLYPROTEIN - HUMAN ;
2513	7616	12865	3.29	1.0E-35	7705994	NT	Homo sapiens hypothetical protein (LOC51233), mRNA
2729	7824	13079	1.24	1.0E-35	BE350127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3148256 3' similar to contains MER29.b3 MER29 repetitive element ;
2729	7824	13080	1.24	1.0E-35	BE350127.1	EST_HUMAN	h09g01.x1 NCL_CGAP_Kid13 Homo sapiens cDNA clone IMAGE:3148256 3' similar to contains MER29.b3 MER29 repetitive element ;
3121	8273	13429	1.25	1.0E-35	6006030	NT	Homo sapiens transcription elongation factor B (SIII), polypeptide 1-like (TOEB1L), mRNA
3142	8293	13450	3.15	1.0E-35	AV650422.1	EST_HUMAN	AV650422 GLC Homo sapiens cDNA clone GLOCCE06 3'
3142	8293	13451	3.15	1.0E-35	AV650422.1	EST_HUMAN	AV650422 GLC Homo sapiens cDNA clone GLOCCE06 3'
4400	9520	14680	3.82	1.0E-35	7656905	NT	Mus musculus actin receptor interacting protein 1 (Arip1-pending), mRNA
4400	9520	14681	3.82	1.0E-35	7656905	NT	Mus musculus actin receptor interacting protein 1 (Arip1-pending), mRNA
3960	9095	14247	0.98	9.0E-36	AW821707.1	EST_HUMAN	RC3-ST0315-180200-013-f12 ST0315 Homo sapiens cDNA
2898	8050	13217	1.52	7.0E-36	AW857679.1	EST_HUMAN	CM1-C70315-091299-058-d07 C70315 Homo sapiens cDNA
3094	8247		4.75	7.0E-36	4557498	NT	Homo sapiens C-terminal binding protein 2 (CTBP2), mRNA
2005	7122	12358	1.46	6.0E-36	7706822	NT	Homo sapiens hnjurin 2 (NINJ2), mRNA
2395	7501		4	6.0E-36	AB038346.1	NT	Homo sapiens TCE1 gene, exon 12
3617	8756	13912	0.81	6.0E-36	BF515101.1	EST_HUMAN	UIH-BW1-amy-c-12-0-UI.e1 NCL_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083542 3'
4843	10053	15191	1.28	6.0E-36	AB030601.1	NT	Rattus norvegicus mRNA for DLG6 gamma, complete cds
133	5331	10478	11.17	5.0E-36	AJ271735.1	EST_HUMAN	Homo sapiens Xq pseudautosomal region, segment 1/2
2714	7809	13063	52.37	5.0E-36	BE3989439.1	EST_HUMAN	601285567F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607289 5'
3596	8735	13987	1.8	5.0E-36	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
4755	9668	15017	1.95	6.0E-36	5726729	NT	Homo sapiens API6-like 1 (API6L1), mRNA
4755	9668	15018	1.95	6.0E-36	5726729	NT	Homo sapiens API6-like 1 (API6L1), mRNA
1227	6369	11529	2.69	4.0E-36	BE10038.1	EST_HUMAN	PM3-BN0176-100400-001-g04 BN0176 Homo sapiens cDNA
1453	6580	11769	1.93	4.0E-36	P10266	SWISSPROT	RETROVIRUS-RELATED POL POLYPROTEIN [CONTAINS: REVERSE TRANSCRIPTASE ; ENDONUCLEASE]

Page 93 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1657	6785	11979	1.72	4.0E-36	BE382574.1	EST_HUMAN	601288574F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628388 5'
2204	7316		5.27	4.0E-36	AW247772.1	EST_HUMAN	2820020.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2820020 5'
3335	8481	13647	1.86	4.0E-36	BE389298.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
3335	8481	13648	1.88	4.0E-36	BE389299.1	EST_HUMAN	601282266F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604168 5'
4719	9833	14977	0.63	4.0E-36	AL163204.2	NT	Homo sapiens chromosome 21 segment HS210004
5110	10211	15348	0.74	4.0E-36	AA805361.1	EST_HUMAN	ok05b11.e1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1508909 3' similar to
694	5851	10988	2.64	3.0E-36	AF098810.1	NT	SW:D3HL_RAT_P28268 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ; Homo sapiens neurodin III-alpha gene, partial cds
1512	6639	11828	1.43	3.0E-36	AF110239.1	NT	Homo sapiens calcium/calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
1512	6639	11827	1.43	3.0E-36	AF110239.1	NT	Homo sapiens calcium/calmodulin-stimulated cyclic nucleotide phosphodiesterase (PDE1A) gene, partial cds
2273	7383	12631	1.23	3.0E-36	7682401	NT	Homo sapiens KIAA0962 protein (KIAA0962), mRNA
4479	8599	14738	7.19	3.0E-36	10181139	NT	Mus musculus junctionin 1 (Jp1-pending), mRNA
3149	8300	13460	5.87	2.0E-36	BE259287.1	EST_HUMAN	601106343F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3342708 5'
4939	10049	15187	8.66	2.0E-36	AW880376.1	EST_HUMAN	QV6-OT0030-240300-174-H04 OT0030 Homo sapiens cDNA
886	6036	11207	1.97	1.0E-36	BE409310.1	EST_HUMAN	601300838F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3635480 5'
2129	7243	12486	1.08	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-131189-021-H07 HT0217 Homo sapiens cDNA
2129	7243	12487	1.08	1.0E-36	BE146523.1	EST_HUMAN	RC1-HT0217-131189-021-H07 HT0217 Homo sapiens cDNA
2185	7288	12546	1.32	1.0E-36	BF673761.1	EST_HUMAN	602136493F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4272868 5'
3326	8473		1.34	1.0E-36	AF159862.1	NT	Homo sapiens human endogenous retrovirus W provC6-19 protease (pro) gene, partial cds
1288	6417		3.18	7.0E-37	AL042800.1	EST_HUMAN	DKFZp434E0422_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434E0422 5'
1756	6882	12088	0.95	7.0E-37	AF111167.2	NT	Homo sapiens Jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
1756	6882	12089	0.95	7.0E-37	AF111167.2	NT	Homo sapiens Jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
2401	7507	12758	2.6	4.0E-37	AA702794.1	EST_HUMAN	zib0b04.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
2012	7128	12368	1.96	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434L2418
2012	7129	12367	1.96	3.0E-37	AL048956.1	EST_HUMAN	DKFZp434L2418_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434L2418
2493	7567		4.6	3.0E-37	AW991150.1	EST_HUMAN	EST373222 MAGC resequences, MAGF Homo sapiens cDNA
2834	8088		3.51	3.0E-37	AW991150.1	EST_HUMAN	EST373222 MAGC resequences, MAGF Homo sapiens cDNA
379	5588	10733	1.65	2.0E-37	D89790.1	NT	Homo sapiens mRNA for AML1, complete cds
379	5588	10734	1.65	2.0E-37	D89790.1	NT	Homo sapiens mRNA for AML1, complete cds
1082	6221	11387	2.12	2.0E-37	AU131202.1	EST_HUMAN	AU131202 NT2RP3 Homo sapiens cDNA clone NT2RP3002168 5'

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1082	8221	11388	2.12	2.0E-37	AU131202.1	EST_HUMAN	AU131202.NT2RP3 Homo sapiens cDNA clone NT2RP3002166 5'
3870	9006	14162	6.62	2.0E-37	4503210	NT	Homo sapiens cytochrome P450, subfamily XXVIIA (steroid 27-hydroxylase, cerebrotendinous xanthomabiosis), polypeptide 1 (CYP27A1b) mRNA
4224	9349	14482	0.08	2.0E-37	4826885	NT	Homo sapiens DEAD/1 (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
2081	7197	12442	3.65	1.0E-37	AL163281.2	NT	Homo sapiens chromosome 21 segment HS21C081
3180	8331		1.18	1.0E-37	AW892082.1	EST_HUMAN	RC3-CT0347-210400-018-h03 CT0347 Homo sapiens cDNA
3934	9070	14226	0.78	1.0E-37	AF189011.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4918	10028	15170	2.24	1.0E-37	BF371719.1	EST_HUMAN	QV0-FN0180-280700-318-ct10 FN0180 Homo sapiens cDNA
1224	8358	11528	1.79	8.0E-38	11436855	NT	Homo sapiens Gb2-associated binder 2 (KIAA0571), mRNA
2469	7573	12826	1.23	8.0E-38	BF346221.1	EST_HUMAN	602018401F1 NC1 CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4153992 5'
2165	7278	12825	3.81	7.0E-38	AW972825.1	EST_HUMAN	EST384920 MAGI resequences, MAGL Homo sapiens cDNA
3073	8226	13377	1.1	7.0E-38	AW894259.1	EST_HUMAN	QV3-OT0064-060400-144-709 OT0064 Homo sapiens cDNA
4200	9326	14466	0.82	7.0E-38	H19092.1	EST_HUMAN	yn5167.r1 Soares adult brain N255HB55Y Homo sapiens cDNA clone IMAGE:171073 5'
3014	8168	13328	1.99	6.0E-38	BF033033.1	EST_HUMAN	601455722F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3859348 5'
725	5881	11029	1.5	5.0E-38	AW971819.1	EST_HUMAN	EST383908 MAGI resequences, MAGL Homo sapiens cDNA
2430	7534	12787	3.2	5.0E-38	AJ237740.1	NT	Homo sapiens RUBIR gene (partial), exon 8
115	5317	10458	3.02	4.0E-38	Z25466.1	NT	B.taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
1159	6285	11460	0.08	3.0E-38	11435947	NT	B.taurus mitochondrial aspartate aminotransferase mRNA, complete CDS
2091	7208		2.18	3.0E-38	AF003530.1	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
3673	8812		1.76	3.0E-38	7549807	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
3834	8970	14125	1.48	3.0E-38	P53538	SWISSPROT	Homo sapiens HIRA interacting protein 4 (dnaj-like) (HIRP4), mRNA
3834	8970	14126	1.48	3.0E-38	P53538	SWISSPROT	SSU72 PROTEIN
49	5281	10386	1.51	2.0E-38	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
1390	6518	11888	6.25	2.0E-38	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
1658	6786	11980	1.88	2.0E-38	AA437353.1	EST_HUMAN	zw30d01.r1 Soares ovary tumor NbhOT Homo sapiens cDNA clone IMAGE:770785 5' similar to SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
1658	6786	11981	1.88	2.0E-38	AA437353.1	EST_HUMAN	zw30d01.r1 Soares ovary tumor NbhOT MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
3520	8661		1.04	2.0E-38	AF070670.1	NT	SW:MA12_RABIT P45701 MANNOSYL-OLIGOSACCHARIDE ALPHA-1,2-MANNOSIDASE ;
4554	9072	14814	14.59	2.0E-38	4557857	NT	Homo sapiens protein phosphatase 2C alpha 2 mRNA, complete cds
							Homo sapiens keratin 18 (KRT18) mRNA
1094	6232		1.83	1.0E-38	AA401570.1	EST_HUMAN	zu62b02.r1 Soares testis NHT Homo sapiens cDNA clone IMAGE:742539 5' similar to contains element MER19 repetitive element ;
2000	7117	12353	1.95	1.0E-38	4885288	NT	Homo sapiens guanine nucleotide binding protein-like 1 (GNL1), mRNA

Page 95 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2015	7132	12369	1.02	1.0E-38	7861989	NT	Homo sapiens KIAA0173 gene product (KIAA0173), mRNA
2468	7570	12824	3.73	1.0E-38	AF270831.1	NT	Homo sapiens cyclin K (CCNK) gene, exon 7
4127	9255	14394	1.03	1.0E-38	AB037863.1	NT	Homo sapiens mRNA for KIAA1442 protein, partial cds
4301	9423	14550	1.44	1.0E-38	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4301	9423	14557	1.44	1.0E-38	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4670	9688	14826	1.07	1.0E-38	8822543	NT	Homo sapiens hypothetical protein FLJ10500 (FLJ10500), mRNA
53	5285	10392	3.67	8.0E-39	4502312	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar protein pump) 16kD (ATP6C) mRNA
1401	6529	11708	1.7	8.0E-39	4758229	NT	Homo sapiens estrogen receptor-binding fragment-associated gene 9 (EBAG9) mRNA
1843	6964		1.88	8.0E-39	AI823404.1	EST_HUMAN	wh53110.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2384491 3' similar to TR:P87890 P87890
2085	7201	12445	3.54	7.0E-39	AL163227.2	NT	POL PROTEIN ;
1008	6152	11319	2.47	5.0E-39	AF003528.1	NT	Homo sapiens chromosome 21 segment HS21C027
2854	8108	13272	6.8	5.0E-39	AI750154.1	EST_HUMAN	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
549	5714	10848	29.6	4.0E-39	AB015810.1	NT	ek36b04.x1 Barstead colon HPLR57 Homo sapiens cDNA clone IMAGE:2374083 3' similar to TR:Q15408
3559	8700	13860	0.71	4.0E-39	AL163210.2	NT	Q15408 NEUTRAL PROTEINASE LARGE SUBUNIT ; contains LTR7.1 LTR7 repetitive element ;
48	6258	10380	12.67	3.0E-39	AA631949.1	EST_HUMAN	Chlorocebus aethiops mRNA for ribosomal protein S4X, complete cds
48	5258	10381	12.67	3.0E-39	AA631949.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C010
46	5258	10382	12.67	3.0E-39	AA631949.1	EST_HUMAN	frf1c16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
808	6048		7.83	2.0E-39	BE409203.1	EST_HUMAN	frf1c16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
913	6063		11.41	2.0E-39	AI525119.1	EST_HUMAN	frf1c16 Regional genomic DNA specific cDNA library Homo sapiens cDNA clone CR12-1
1033	6174		3.5	2.0E-39	AF000573.1	NT	601301607F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636289 5'
1544	6672		60.74	2.0E-39	AW372318.1	EST_HUMAN	prom1a-7.D01.r bvtumor Homo sapiens cDNA 5'
1975	7092	12322	1.67	2.0E-39	AA720574.1	EST_HUMAN	Homo sapiens homogenisate 1,2-dioxygenase gene, complete cds
2594	7695	12949	1.06	2.0E-39	AL163248.2	NT	PMO-BT0340-211268-003-d02 BT0340 Homo sapiens cDNA
4382	8503	14646	1.98	2.0E-39	BF370207.1	EST_HUMAN	nw21g02.s1 NCI_CGAP_GCB0 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13
1528	8955	11842	2.69	1.0E-39	AJ006345.1	NT	THR repetitive element ;
1528	8955	11843	2.69	1.0E-39	AJ006345.1	NT	Homo sapiens chromosome 21 segment HS21C048
1545	8973	11857	3.43	1.0E-39	7657020	NT	RC4-FN0037-280700-01-a10 FN0037 Homo sapiens cDNA
4630	9748	14893	12.37	1.0E-39	AW951895.1	EST_HUMAN	Homo sapiens KVLQ11 gene
4630	9748	14894	12.37	1.0E-39	AW951895.1	EST_HUMAN	Homo sapiens KVLQ11 gene

Page 86 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4871	9787	14832	7.78	1.0E-39	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
554	5719	10851	1.73	9.0E-40	5803270	NT	Homo sapiens UDP-glucose pyrophosphorylase 2 (UGP2), mRNA
1238	6368	11640	8.31	9.0E-40	4765146	NT	Homo sapiens AE-binding protein 1 (AEBP1) mRNA
1238	6368	11641	8.31	9.0E-40	4755145	NT	Homo sapiens AE-binding protein 1 (AEBP1) mRNA
1462	6589	11778	1.72	9.0E-40	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3) mRNA
3764	8901	14053	0.78	9.0E-40	4503764	NT	Homo sapiens fragile X mental retardation 1 (FMR1) mRNA
3946	10307	14233	3.8	9.0E-40	AE033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
3013	8167	13325	0.97	8.0E-40	AA078165.1	EST_HUMAN	7H15A04 Chromosome 7 Hela cDNA Library Homo sapiens cDNA clone 7H15A04
3897	8033		4.43	8.0E-40	BE396541.1	EST_HUMAN	601288958F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3619168 5'
2689	7786	13035	7.39	6.0E-40	AA361275.1	EST_HUMAN	EST70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to similar to zinc finger protein family
2689	7786	13036	7.39	6.0E-40	AA361275.1	EST_HUMAN	EST70527 T-cell lymphoma Homo sapiens cDNA 5' end similar to similar to zinc finger protein family
2669	7670	12925	1.21	5.0E-40	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1887	7007	12227	1.7	4.0E-40	AI688006.1	EST_HUMAN	1891501.x1 NCI CGAP_P728 Homo sapiens cDNA clone IMAGE:2248873 3' similar to TR:O73505 O73505 POL PROTEIN ;
2099	7214		2.31	4.0E-40	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
4367	9488	14632	8.7	4.0E-40	7682117	NT	Homo sapiens KIAA0433 protein (KIAA0433), mRNA
4103	8232	14368	0.8	3.0E-40	AI825949.1	EST_HUMAN	wh1207.x1 NCI CGAP_Kdt11 Homo sapiens cDNA clone IMAGE:2360549 3'
323	5508		5.15	2.0E-40	AI223036.1	EST_HUMAN	gg52h08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1838847 3'
795	5949		20.8	2.0E-40	AW303868.1	EST_HUMAN	jr24e10.x1 NCI CGAP_Uk4 Homo sapiens cDNA clone IMAGE:2761098 3' similar to SW:RS5_MOUSE
1838	6569		1.06	2.0E-40	AV731601.1	EST_HUMAN	P67461 40S RIBOSOMAL PROTEIN S5 ;
1938	7057	12278	4.87	2.0E-40	4606188	NT	AV731601 HTF Homo sapiens cDNA clone HTFAZE05 5'
1938	7057	12279	4.87	2.0E-40	4606188	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2150	7263	12511	1.99	2.0E-40	5453592	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 7 (PSMA7) mRNA, and translated products
2651	7749		1.89	2.0E-40	BE275932.1	EST_HUMAN	Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA
3103	8258	13407	4.43	2.0E-40	5453592	NT	801121587F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3345784 5'
4874	9985	15132	1.41	2.0E-40	AL163280.2	NT	Homo sapiens adenyl cyclase-associated protein 2 (CAP2) mRNA
4874	9985	15133	1.41	2.0E-40	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4874	9985	15133	1.41	2.0E-40	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080

Page 97 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
884	6034		26.04	1.0E-40	AA225889.1	EST_HUMAN	nc09a09.s1 NCL CGAP_P1 Homo sapiens cDNA clone IMAGE:1007608
2586	7687	12042	5.11	1.0E-40	BF036881.1	EST_HUMAN	6014603/5/1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3863803 5'
2647	7745		1.35	1.0E-40	BE018348.1	EST_HUMAN	b578a10.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3048570 5' similar to TR:Q9Z168 Q9Z168
2699	7795	13045	1.07	1.0E-40	BF541030.1	EST_HUMAN	SYNTAXIN 17.1
2699	7795	13046	1.07	1.0E-40	BF541030.1	EST_HUMAN	602068604.F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4067736 5'
3280	8429		1.29	1.0E-40	4507142	NT	602068604.F1 NIH_MGC_58 Homo sapiens cDNA clone IMAGE:4067736 5'
4582	9700	14838	6.49	1.0E-40	4508012	NT	Homo sapiens sorting nexin 3 (SNX3) mRNA
3782	8919	14070	0.8	9.0E-41	W01598.1	EST_HUMAN	Homo sapiens zinc finger protein 200 (ZNF200) mRNA, and translated products
829	7902	11148	1.72	7.0E-41	AI834384.1	EST_HUMAN	zsf8a02.r1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:294602 5'
829	7902	11149	1.72	7.0E-41	AI834384.1	EST_HUMAN	wp04h04.x1 NCL CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2463895 3'
4827	9745	14889	1.16	7.0E-41	BE398592.1	EST_HUMAN	wp04h04.x1 NCL CGAP_Kd11 Homo sapiens cDNA clone IMAGE:2463895 3'
4827	9745	14890	1.16	7.0E-41	BE398592.1	EST_HUMAN	601282077.F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603955 5'
278	8467	10610	2.24	6.0E-41	AB037163.1	NT	601282077.F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3603955 5'
2101	7216	12463	1.5	6.0E-41	7867042	NT	Homo sapiens DSCR5b mRNA, complete cds
1814	6837	12153	1.12	5.0E-41	T82828.1	EST_HUMAN	Homo sapiens Down syndrome candidate region 1 (DSCR1), mRNA
4083	8212		1.07	5.0E-41	4886636	NT	yc03e10.s1 Strategene lung (4937210) Homo sapiens cDNA clone IMAGE:78626 3'
389	6568		1.74	4.0E-41	BE158318.1	EST_HUMAN	Homo sapiens target of myb1 (chicken) homolog (TOM1), mRNA
1099	6237	11400	1.26	4.0E-41	AU118344.1	EST_HUMAN	QV0-HT0387-150200-114-g09 HT0387 Homo sapiens cDNA
							AU118344 HEMBA1 Homo sapiens cDNA clone HEMBA1005983 5'
1417	6544	11723	8.1	4.0E-41	AI027117.1	EST_HUMAN	qw45e06.s1 Soares parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1649794 3' similar to TR:O00597 O00597 CYTOCHROME C-LIKE POLYPEPTIDE; contains LTR5.b1 LTR5 repetitive element;
1417	6544	11724	8.1	4.0E-41	AI027117.1	EST_HUMAN	qw45e06.s1 Soares parathyroid_tumor_NbHPA Homo sapiens cDNA clone IMAGE:1649794 3' similar to TR:O00597 O00597 CYTOCHROME C-LIKE POLYPEPTIDE; contains LTR5.b1 LTR5 repetitive element;
1432	6559	11742	1.48	4.0E-41	AB008881.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
1646	6774	11966	4.24	4.0E-41	AI500406.1	EST_HUMAN	Im86c04.x1 NCL CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2165958 3' similar to contains OFR.b1 OFR repetitive element;
2856	8010	13171	3.4	4.0E-41	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
2855	8010	13172	3.4	4.0E-41	AJ228041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4115	8243	14379	1.67	4.0E-41	X92685.1	NT	H. sapiens DNase I hypersensitive site (HSS-3) enhancer element
948	6096	11264	1.63	3.0E-41	AB030176.1	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine diaminase type II, complete cds
4311	9433	14568	2.53	3.0E-41	AB026898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe Seq ID NO:	Exon Seq ID NO:	ORF Seq ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5090	10190		1.14	3.0E-41	AB037748.1	NT	Homo sapiens mRNA for KIAA1327 protein, partial cds
1837	6704	11894	30.23	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
1862	7079	12303	1.48	2.0E-41	A4331940.1	EST_HUMAN	EST35818 Embryo, 8 week Homo sapiens cDNA 5' end
2201	7313	12565	2.66	2.0E-41	D86942.1	NT	Human mRNA for KIAA0207 gene, complete cds
2248	7358	12515	6.13	2.0E-41	X89631.1	NT	Gorilla DNA for ZNF80 gene homolog
2788	6704	11894	12.66	2.0E-41	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
3815	8952	14100	0.81	2.0E-41	5032108	NT	Homo sapiens son of sevenless (Drosophila) homolog 1 (SOS1) mRNA
4591	9709	14847	1.07	2.0E-41	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
4591	9709	14848	1.07	2.0E-41	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C087
3190	8341	13503	1.06	1.0E-41	BE869735.1	EST_HUMAN	601445647F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
3190	8341	13504	1.08	1.0E-41	BE869735.1	EST_HUMAN	601445647F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
4539	9657	14801	12.01	1.0E-41	6878468	NT	Mus musculus tubulin alpha 6 (Tuba6), mRNA
462	5630	10769	4.87	8.0E-42	AF003530.1	NT	Homo sapiens homeobox protein CDX4 (CDX4) gene, complete cds and flanking repeat regions
5131	10231	15368	0.67	8.0E-42	5678031	NT	Mus musculus neural precursor cell expressed, developmentally down-regulated gene 1 (Nedd1), mRNA
833	6081		2.25	7.0E-42	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1867	6987	12209	2.26	6.0E-42	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
1867	6987	12210	2.26	6.0E-42	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
2260	7378		1.02	6.0E-42	AW238656.1	EST_HUMAN	xp29f08.x1 NCI CGAP_HN10 Homo sapiens cDNA clone IMAGE:2741799 3' similar to contains L1.11 L1 repetitive element;
4991	10097		1.61	6.0E-42	A1284770.1	EST_HUMAN	qu24h09.x1 NCI CGAP_Br12 Homo sapiens cDNA clone IMAGE:1065761 similar to contains Alu repetitive element;
131	5329		5.3	5.0E-42	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
437	6608	10760	1.3	5.0E-42	BE217813.1	EST_HUMAN	hV31e11.x1 NCI CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3175052 3'
486	5654		4.28	5.0E-42	57300338	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
487	5655		2.43	6.0E-42	57300338	NT	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
752	5908	11064	2.41	4.0E-42	AF055086.1	NT	Homo sapiens MHC class I region
752	5908	11065	2.41	4.0E-42	AF055086.1	NT	Homo sapiens MHC class I region
1067	6207	11370	2.48	4.0E-42	AF180011.1	NT	Homo sapiens ribonuclease III (RN3) mRNA, complete cds
4166	9292	14430	1.58	4.0E-42	X59417.1	NT	H. sapiens PROS-27 mRNA
4205	8330	14463	0.97	4.0E-42	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
4227	9352	14485	4.48	4.0E-42	4506496	NT	Homo sapiens regulatory factor X, 4 (influences HLA class II expression) (RFX4) mRNA
4557	9675	14815	11.81	4.0E-42	4508008	NT	Homo sapiens zinc finger protein 177 (ZNF177) mRNA
1493	6820	11810	1.94	2.0E-42	BF376834.1	EST_HUMAN	RC0-TN0078-11080C-024-g07 TN0078 Homo sapiens cDNA

Page 99 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2389	7495		2.18	2.0E-42	AW898344.1	EST_HUMAN	RC3-NN0070-270400-011-110 NN0070 Homo sapiens cDNA
2402	7508	12767	13.69	2.0E-42	AW260059.1	EST_HUMAN	2819293.3prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2819293 3'
732	5887	11039	2.53	1.0E-42	X57147.1	NT	Human endogenous retrovirus pHE-1 (ERV6)
1044	6185	11352	0.99	1.0E-42	AW28809.1	EST_HUMAN	U1-H-B11-aff-e-04-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2721871 3'
1102	6240	11403	1.05	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1102	6240	11404	1.05	1.0E-42	AJ251818.1	NT	Homo sapiens partial C9 gene for complement component C9, exon 1
1246	7912	11684	10.38	1.0E-42	AF087166.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1246	7912	11555	10.38	1.0E-42	AF087166.1	NT	Homo sapiens NADH-ubiquinone oxidoreductase AGGG subunit precursor homolog mRNA, nuclear gene encoding mitochondrial protein, complete cds
1715	6842	12045	0.95	1.0E-42	11423219	NT	Homo sapiens rec (LOC51201), mRNA
2025	7142	12382	1.17	1.0E-42	AF110286.1	NT	Homo sapiens PDNPT1 gene, exon 17
2515	7619	12867	1.01	1.0E-42	5174468	NT	Homo sapiens major histocompatibility complex, class II, DM alpha (HLA-DMA) mRNA
2933	8087	13254	5.88	1.0E-42	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORC5L) mRNA, and translated products
3686	8825	13980	2.3	1.0E-42	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
3772	8909	14082	0.93	1.0E-42	5031610	NT	Homo sapiens Golgi vesicular membrane trafficking protein p18 (BET1) mRNA
3900	8036	14185	1.09	1.0E-42	AL163267.2	NT	Homo sapiens chromosome 21 segment HS21C067
4225	9350	14483	1.87	1.0E-42	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4566	9684	14823	0.99	1.0E-42	AW813617.1	EST_HUMAN	RC3-ST0197-161099-012-a03 ST0197 Homo sapiens cDNA
4711	9827	14970	2.01	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (PI31), mRNA
4711	9827	14971	2.01	1.0E-42	5803122	NT	Homo sapiens proteasome inhibitor (PI31), mRNA
4746	9859	15008	4.99	1.0E-42	4506758	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
4842	9854	15089	1.01	1.0E-42	AB033114.1	NT	Homo sapiens mRNA for KIAA1288 protein, partial cds
651	5812	10947	18.09	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
651	5812	10948	18.09	8.0E-43	AV736824.1	EST_HUMAN	AV736824 CB Homo sapiens cDNA clone CBLAKH08 5'
698	5855	11000	5.14	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
698	5855	11001	5.14	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
698	5855	11002	5.14	8.0E-43	8923276	NT	Homo sapiens hypothetical protein FLJ20297 (FLJ20297), mRNA
3019	8798	13914	6.42	7.0E-43	AW240442.1	EST_HUMAN	2822251.5prime NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2822251 5'
1349	6478		32.87	6.0E-43	AA491890.1	EST_HUMAN	ncf2406.s1 NCI_CGAP_Ew1 Homo sapiens cDNA clone IMAGE:808603 similar to gb:L05085 60S
2554	7657		2.04	6.0E-43	AV708201.1	EST_HUMAN	RIBOSOMAL PROTEIN L30 (HUMAN);
138	5335		1.73	6.0E-43	AL163213.2	NT	AV708201 ADC Homo sapiens cDNA clone ADCACC10 5'
							Homo sapiens chromosome 21 segment HS21C013

Page 100 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
502	5669	10803	2.55	5.0E-43	AA382780.1	EST_HUMAN	EST180033 Testis 1 Homo sapiens cDNA 5' end
2809	7965	13128	1.91	5.0E-43	AV732578.1	EST_HUMAN	AV732578 HTF Homo sapiens cDNA clone HTFANC06 5'
874	7867	11290	12.94	4.0E-43	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
1216	6348		3.61	3.0E-43	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
1708	6836	12037	4.39	3.0E-43	X67889.1	NT	H. sapiens gene encoding La autoantigen
3558	8999	13859	1.14	3.0E-43	S69002.1	NT	AML1-EVI-1=AML1-EVI-1 fusion protein (rearranged translocation) [human, leukemic cell line SK-H1, mRNA Mutant, 5938 nt]
4266	8391	14529	0.77	3.0E-43	AA548154.1	EST_HUMAN	nk65d06.s1 NCI CGAP_P77 Homo sapiens cDNA clone IMAGE:1017419
179	5373		0.84	2.0E-43	AI190764.1	EST_HUMAN	q061c09.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1733968 3' similar to contains PTR7.13 PTR7 PTR7 repetitive element:
1662	6790	11885	2.83	1.0E-43	AF154938.1	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
1662	6790	11886	2.83	1.0E-43	AF154938.1	NT	Homo sapiens Ras-like GTP-binding protein (RAB27A) gene, exons 1b and 2
1720	6947	12051	1.05	1.0E-43	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2686	7783	13031	5.01	1.0E-43	BF348283.1	EST_HUMAN	602022313F1 NCI CGAP_Brm67 Homo sapiens cDNA clone IMAGE:4157666 5'
891	6041	11212	4.32	8.0E-44	AI222985.1	EST_HUMAN	q123g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
4843	9956	15100	1.08	8.0E-44	AW373186.1	EST_HUMAN	q123g01.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1845552 3'
4843	9955	15101	1.08	8.0E-44	AW373185.1	EST_HUMAN	RC5-BT0503-081289-011-g12 BT0503 Homo sapiens cDNA
658	5819		1.87	7.0E-44	R06035.1	EST_HUMAN	ye89e01.LT Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:124920 5'
2215	7327	12579	1.12	7.0E-44	5031886	NT	Homo sapiens LIM domain-containing preferred translocation partner in lipoma (LPP) mRNA
2635	8089	13255	2.28	7.0E-44	AF048728.1	NT	Homo sapiens minisatellite ms32 repeat region
2935	8089	13256	2.28	7.0E-44	AF048728.1	NT	Homo sapiens minisatellite ms32 repeat region
3841	8977	14132	2.47	7.0E-44	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4220	8345	14476	0.99	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
4220	8345	14477	0.99	7.0E-44	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
5107	10208	15345	0.91	7.0E-44	AF111168.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds, and unknown genes
301	5489		3.01	6.0E-44	AJ280880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
330	5513		2.52	6.0E-44	AJ280880.1	NT	Homo sapiens KIAA0851 gene (partial), X13 gene and LZTFL1 gene
3368	8540	13689	3.05	4.0E-44	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
5002	10107		1.11	4.0E-44	AI435225.1	EST_HUMAN	BT1402.x1 NCI CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2130147 3'
1786	6921		1.25	3.0E-44	5912477	NT	Homo sapiens keratohyalin alpha 6 (keratin alpha 7) (KPA6), mRNA
2503	7606	12856	2.91	3.0E-44	BE880628.1	EST_HUMAN	801491529F1 NIH_MGC_89 Homo sapiens cDNA clone IMAGE:3893839 5'

Page 101 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3071	8224	13375	5.79	3.0E-44	AA169851.1	EST_HUMAN	zr18b05.r1 Stratagene fetal retina 837202 Homo sapiens cDNA clone IMAGE:809777 5'
3887	9003	14161	1.29	3.0E-44	AA337234.1	EST_HUMAN	EST42269 Endometrial tumor Homo sapiens cDNA 5' end similar to similar to alpha-1-antitrypsin F
1051	6192	11358	2.96	2.0E-44	4826685	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1051	6192	11357	2.96	2.0E-44	4826685	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 1 (DDX1) mRNA
1210	6342	11512	5.87	2.0E-44	5803200	NT	Homo sapiens transmembrane trafficking protein (TMP21), mRNA
1210	6342	11513	5.87	2.0E-44	5803200	NT	Homo sapiens transmembrane trafficking protein (TMP21), mRNA
1316	6445	11624	4.06	2.0E-44	AF133688.1	NT	Homo sapiens RAB36 (RAB36) mRNA, complete cds
1378	6508	11687	1.42	2.0E-44	BE465325.1	EST_HUMAN	hw14g06.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3182338 3' similar to SW:OXYB_HUMAN
2138	7250	12498	4.42	2.0E-44	AF070851.1	NT	P22059 OXYSTEROL-BINDING PROTEIN.;
2574	7674		5.92	2.0E-44	5901933	NT	Homo sapiens tissue-type bone marrow zinc finger protein 4 mRNA, complete cds
3452	8594	13768	1.58	2.0E-44	D87675.1	NT	Homo sapiens adaptor-related protein complex 4, sigma 1 subunit (GLAPS4), mRNA
4542	8660	14803	1.43	2.0E-44	AW864379.1	EST_HUMAN	Homo sapiens DNA for amyloid precursor protein, complete cds
51	5263	10389	8.45	1.0E-44	7657334	NT	PIV4-SN0016-120500-003-c04 SN0016 Homo sapiens cDNA
51	5263	10390	8.45	1.0E-44	7657334	NT	Homo sapiens Missheper/NIK-related kinase (MINK), mRNA
578	5741	10869	2.95	1.0E-44	AW853132.1	EST_HUMAN	Homo sapiens Missheper/NIK-related kinase (MINK), mRNA
1200	6333		1.5	1.0E-44	AW894803.1	EST_HUMAN	RC1-CT0249-030300-028-h12 CT0249 Homo sapiens cDNA
1686	6715		5.07	1.0E-44	AL163303.2	NT	RC1-BN0039-110300-012-b01 BN0039 Homo sapiens cDNA
2206	7318	12568	2.63	1.0E-44	AA434554.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C103
2206	7318	12569	2.63	1.0E-44	AA434554.1	EST_HUMAN	zxf53d02.r1 Scores: total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773763 5' similar to contains THR.3 THR repetitive element;
2722	7817	13073	1.32	1.0E-44	AF196779.1	NT	zxf53d02.r1 Scores: total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773763 5' similar to contains THR.3 THR repetitive element;
3706	8844		4.58	1.0E-44	AA465869.1	EST_HUMAN	Homo sapiens transcription factor IGHM enhancer 3, JM11 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
5095	10195	15333	0.9	1.0E-44	AJ130755.1	NT	ae07c09.s1 Scores: NIHMPV_S1 Homo sapiens cDNA clone IMAGE:811984 3'
5095	10195	15334	0.9	1.0E-44	AJ130755.1	NT	Homo sapiens alpha satellite DNA, M1 monomer type
4551	9669	14811	1.98	9.0E-45	8922391	NT	Homo sapiens alpha satellite DNA, M1 monomer type
4551	9669	14812	1.96	9.0E-45	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
2486	7600	12848	6.36	8.0E-45	5174718	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
5066	10168	15302	7.57	8.0E-45	5174718	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA
2925	8079		1.04	7.0E-45	AL160131.1	NT	Homo sapiens TRK-fused gene (NOTE: non-standard symbol and name) (TFG) mRNA

Page 102 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3951	9088		6.84	6.0E-45	AW157570.1	EST_HUMAN	au83h07.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782809 3' similar to SW:R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A ;
893	6043		2.58	5.0E-45	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
2003	7120	12856	2.29	6.0E-46	BF333627.1	EST_HUMAN	CMA-CN0044-180200-515-001 CN0044 Homo sapiens cDNA
3194	8345	13509	2.36	5.0E-45	AI523786.1	EST_HUMAN	tg94f07.x1 NCL CGAP_CLI1 Homo sapiens cDNA clone IMAGE:2116453 3' similar to SW:PAX1_MOUSE
1145	6281	11445	8.31	4.0E-45	X96826.1	NT	H. sapiens ART14 gene
2298	7378	12627	3.55	4.0E-45	BE265622.1	EST_HUMAN	601194440F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3638426 5'
3312	8459		1.03	3.0E-45	T71480.1	EST_HUMAN	y435f07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:110245 5'
4084	8459		1.3	3.0E-45	T71480.1	EST_HUMAN	y435f07.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:110245 5'
2472	7570		1.46	2.0E-45	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
3004	8158	13315	1.99	2.0E-45	AJ243213.1	NT	Homo sapiens partial 5-HT4 receptor gene, exons 2 to 5
119	5576		1.71	1.0E-45	BE388855.1	EST_HUMAN	601284360F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3606183 5'
408	5576		2.76	1.0E-46	BE388855.1	EST_HUMAN	601284360F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3606183 5'
472	5639	10761	1.14	1.0E-45	4506412	NT	Homo sapiens RAP1A, member of RAS oncogene family (RAP1A), mRNA
1176	6311	11479	1.44	1.0E-45	7657290	NT	Homo sapiens Langerhans cell specific c-type lectin (LANGERIN), mRNA
3079	8232	13383	6.31	1.0E-45	U32169.1	NT	Human pro- $\alpha 2$ chain of collagen type XI (COL11A2) gene, complete cds
3473	8615	13782	0.87	1.0E-45	8659558	NT	Homo sapiens chromosome 21 open reading frame 1 (C21orf4), mRNA
3580	8701	13861	0.72	1.0E-45	AB046811.1	NT	Homo sapiens mRNA for KIAA1591 protein, partial cds
4456	9575	14714	4.73	1.0E-46	BE306633.1	EST_HUMAN	601289116F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3619803 5'
2419	7524	12770	25.33	8.0E-49	AI433261.1	EST_HUMAN	832708.x1 NCL CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2132109 3' similar to gb:J00314_mae2
2419	7524	12777	25.33	8.0E-46	AI433261.1	EST_HUMAN	TUBULIN BETA-1 CHAIN (HUMAN);
2220	7332	12585	1.91	7.0E-46	U46007.1	NT	TUBULIN BETA-1 CHAIN (HUMAN);
4553	9871		6.61	7.0E-46	BE388165.1	EST_HUMAN	Rattus norvegicus espin mRNA, complete cds
4775	9888		1.48	7.0E-46	BE064389.1	EST_HUMAN	60127292F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618119 5'
2718	7813	13068	3.3	6.0E-46	AI884381.1	EST_HUMAN	RC4-BT0310-110300-016410 BT0310 Homo sapiens cDNA
2718	7813	13069	3.3	6.0E-46	AI884381.1	EST_HUMAN	wm31108.x1 NCL CGAP_U14 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.12
201	5398		5.07	5.0E-46	AL163210.2	NT	MER19 repetitive element ;
3515	8556	13822	1.28	5.0E-46	BE677194.1	EST_HUMAN	wm31108.x1 NCL CGAP_U14 Homo sapiens cDNA clone IMAGE:2437575 3' similar to contains MER19.12
3516	8556	13823	1.28	6.0E-46	BE677194.1	EST_HUMAN	MER19 repetitive element ;
							Homo sapiens chromosome 21 segment HS21C010
							7081g01.x1 Lupski_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'
							7081g01.x1 Lupski_dorsal_root_ganglion Homo sapiens cDNA clone IMAGE:3279408 3'

Page 103 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
640	5801		1.91	4.0E-46	AA601143.1	EST_HUMAN	nc54e08.s1 NCI_CGAP_SS1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X53741_mai FIBULIN-1, ISOFORM A PRECURSOR (HUMAN);
1719	6846	12049	8.22	4.0E-46	AW770544.1	EST_HUMAN	h86c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008839 3' similar to gb:X14008_mai LYSOZYME C PRECURSOR (HUMAN); contains element MER37 repetitive element;
1719	6846	12050	8.22	4.0E-46	AW770544.1	EST_HUMAN	h86c03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3008839 3' similar to gb:X14008_mai LYSOZYME C PRECURSOR (HUMAN); contains element MER37 repetitive element;
2702	7798	13049	1.41	4.0E-46	M18048.1	NT	Human endogenous retrovirus RTV-LH2
5125	10226	16361	0.95	4.0E-46	BE044260.1	EST_HUMAN	h042a07.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:3040020 3'
5125	10226	15362	0.95	4.0E-46	BE044260.1	EST_HUMAN	h042a07.x1 Soares_NFL_T_GBC S1 Homo sapiens cDNA clone IMAGE:3040020 3'
2141	7255	12501	2.26	3.0E-46	5453620	NT	Homo sapiens solute carrier family 35 (CNP-stilic acid transporter), member 1 (SLC35A1), mRNA
2282	7372	12626	1.87	3.0E-46	7657203	NT	Homo sapiens acidic 82 kDa protein mRNA (HSU15552), mRNA
2406	7512	12762	7.52	3.0E-46	AF160212.1	NT	Homo sapiens VAMP-associated 33 kDa protein mRNA, complete cds
4371	8492	14636	0.81	3.0E-46	4506376	NT	Homo sapiens mitogen-activated protein kinase kinase kinase 3 (MAP4K3), mRNA
4742	9855	15002	1.38	3.0E-46	Z73660.1	NT	H. sapiens Ig lambda light chain variable region gene (7c.11.2) germ-line; Ig-Light-Lambda; VLambda
4742	9855	15003	1.38	3.0E-46	Z73660.1	NT	H. sapiens Ig lambda light chain variable region gene (7c.11.2) germ-line; Ig-Light-Lambda; VLambda
838	5990	11158	8.59	2.0E-46	AA468643.1	EST_HUMAN	nc08a09.e1 NCI_CGAP_Co3 Homo sapiens cDNA clone IMAGE:880403 3' similar to contains THR.b2 THR repetitive element;
1577	5708		1.15	2.0E-46	AA678246.1	EST_HUMAN	z127a11.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:431896 3'
1652	8780	11972	2.88	2.0E-46	U76027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
4959	10067	15204	1.07	2.0E-46	AA399288.1	EST_HUMAN	z159e02.r1 Soares_Jessie_NHT Homo sapiens cDNA clone IMAGE:726650 5' similar to SW:RSP1_MOUSE
1236	8368	11639	4.96	1.0E-46	4502694	NT	Q01730 RSP-1 PROTEIN. ;
2258	7368	12624	2.78	1.0E-46	AW978516.1	EST_HUMAN	Homo sapiens cell division cycle 10 (homologous to CDC10 of S. cerevisiae) (CDC10) mRNA
2377	7483	12737	2.35	1.0E-46	H97330.1	EST_HUMAN	EST380625 MAGe resequences, MAGP Homo sapiens cDNA
3232	8382	13542	1.72	1.0E-46	AA631912.1	EST_HUMAN	EST48b096.WAT.M1 Homo sapiens cDNA clone 48b096
4844	9956		3.11	1.0E-46	AB023197.1	NT	np78b02.e1 NCI_CGAP_P12 Homo sapiens cDNA clone IMAGE:1132386 similar to gb:X76717 H.sapiens MT-11 mRNA (HUMAN);
766	5920		3.32	9.0E-47	AJ271795.1	NT	Homo sapiens mRNA for KIAA0980 protein, partial cds Homo sapiens Xq pseudautosomal region; segment 1/2

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4910	10020	15165	3.19	9.0E-47	AW770928.1	EST_HUMAN	h195d04.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3009534 3' similar to TR:075703 075703
1820	6943	12161	11.91	8.0E-47	Y18536.1	NT	HYPOTHETICAL 12.4 KD PROTEIN. ;
1820	6943	12162	11.91	8.0E-47	Y18536.1	NT	Homo sapiens HLA-C gene, exon 6, individual 19323
2878	7775	13026	1.41	8.0E-47	6453965	NT	Homo sapiens HLA-C gene, exon 5, individual 19323
2985	8151	13312	1.6	8.0E-47	AJ228043.1	NT	Homo sapiens protein phosphatase 2, regulatory subunit B (B56), epsilon isoform (PPP2R5E) mRNA
3608	8745	13900	0.75	8.0E-47	AB041928.1	NT	Homo sapiens 959 kb config between AML1 and CBR1 on chromosome 21q22, segment 3/3
3608	8745	13901	0.75	8.0E-47	AB041928.1	NT	Homo sapiens mRNA for GCK family kinase MINK-2, complete cds
2619	7623	12869	1.27	6.0E-47	AL163246.2	NT	Homo sapiens mRNA for GCK family kinase MINK-2, complete cds
1407	8334	11713	3.52	4.0E-47	4857686	NT	Homo sapiens chromosome 21 segment HS21C046
543	5709	10844	8.99	3.0E-47	BE907634.1	EST_HUMAN	Homo sapiens E1A binding protein p300 (EP300) mRNA
643	5709	10846	8.99	3.0E-47	BE907634.1	EST_HUMAN	601497639F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3896721 5'
819	5972	11134	3.04	3.0E-47	N57483.1	EST_HUMAN	601497639F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3896721 6'
945	6093	11261	7.87	3.0E-47	AL163284.2	NT	Y64604.s1 Soares multiple sclerosis_2NblHMSF Homo sapiens cDNA clone IMAGE:277327 3'
2023	7140	12380	4.73	3.0E-47	AB007899.1	NT	Homo sapiens chromosome 21 segment HS21C084
3285	8434	13596	0.76	3.0E-47	4504116	NT	Homo sapiens KIAA0439 mRNA, partial cds
3839	9075		4.78	3.0E-47	U93181.1	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4340	8462	14569	1.32	3.0E-47	M12859.1	NT	Homo sapiens nuclear dual-specificity phosphatase (SBF1) mRNA, partial cds
143	5340	10484	1.27	2.0E-47	4505318	NT	Human T-cell receptor active alpha-chain mRNA from JM cell line, complete cds
969	6116	11284	2.44	2.0E-47	AL163209.2	NT	Homo sapiens myosin phosphatase, target subunit 2 (MYPT2), mRNA
989	6118	11285	2.44	2.0E-47	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
1606	6734	11927	3.51	2.0E-47	7662109	NT	Homo sapiens chromosome 21 segment HS21C009
1691	6820	12019	3.36	2.0E-47	AA324514.1	EST_HUMAN	Homo sapiens KIAA0426 gene product (KIAA0426), mRNA
4324	9446	14579	1.79	2.0E-47	4504866	NT	ng49h12.s1 NCI_CGAP_Os3 Homo sapiens cDNA clone IMAGE:937607 3'
4363	9485	14626	1.64	2.0E-47	AA569592.1	EST_HUMAN	Homo sapiens ring finger protein (C3HC4 type) 8 (RNF8), mRNA
4383	9485	14627	1.64	2.0E-47	AA569592.1	EST_HUMAN	nt23g07.s1 NCI_CGAP_Pt1 Homo sapiens cDNA clone IMAGE:914652
4483	9602	14741	1.72	2.0E-47	5174848	NT	nt23g07.s1 NCI_CGAP_Pt1 Homo sapiens cDNA clone IMAGE:914652
4781	9894	15040	1.14	2.0E-47	AW065168.1	EST_HUMAN	Homo sapiens Rev/Rex activation domain binding protein-related (RAB-R) mRNA
5181	10278	15416	1.01	2.0E-47	9055298	NT	EST377239 IMAGE resequencing, MAGI Homo sapiens cDNA
1413	6540	11717	4.29	1.0E-47	A333429.1	EST_HUMAN	Homo sapiens low density lipoprotein receptor related protein-deleted in tumor (LRPDI7), mRNA
3800	8937	14083	0.98	1.0E-47	BE280477.1	EST_HUMAN	q98h03.x1 Soares fetal_lung_NbHL19W Homo sapiens cDNA clone IMAGE:1931189 3'
3800	8937	14084	0.98	1.0E-47	BE280477.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
5059	10161	15294	2.53	1.0E-47	AW813806.1	EST_HUMAN	601155321F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3138893 5'
							RCS-ST0197-130400-017-f02 ST0197 Homo sapiens cDNA

Page 105 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1025	8753	11948	2.38	8.0E-48	AF22381.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
1254	6384		1.3	8.0E-48	4501900	NT	Homo sapiens aminoacylase 1 (ACY1), mRNA
1255	6384		1.17	8.0E-48	4501900	NT	Homo sapiens aminoacylase 1 (ACY1), mRNA
3113	8266	13421	3.72	8.0E-48	AW768477.1	EST_HUMAN	hklb03.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:3001133 3' similar to gb:X64707
3113	8266	13422	3.72	8.0E-48	AW768477.1	EST_HUMAN	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
490	5658		1.47	7.0E-48	AB033035.1	NT	hklb03.x1 NCL CGAP_Lym12 Homo sapiens cDNA clone IMAGE:3001133 3' similar to gb:X64707
491	5658		12.54	7.0E-48	AB033035.1	NT	BREAST BASIC CONSERVED PROTEIN 1 (HUMAN);
1511	6638	11825	1.42	7.0E-48	6912719	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
1948	6776	11968	5.89	7.0E-48	5730038	NT	Homo sapiens tousel-like kinase 1 (TLK1), mRNA
3584	8725	13883	0.93	6.0E-48	A176111.1	EST_HUMAN	Homo sapiens SET domain and mariner transposase fusion gene (SETMAR) mRNA
3291	10305	13600	1.62	6.0E-48	4826801	NT	wf09h03.x1 NCL CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2388613 3'
1978	7095	12325	35.4	3.0E-48	4885170	NT	Homo sapiens phosphodiesterase 1A, calmodulin-dependent (PDE1A) mRNA
1978	7095	12326	35.4	3.0E-48	4885170	NT	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
3611	8750	13907	0.7	3.0E-48	AW664531.1	EST_HUMAN	Homo sapiens chromosome X open reading frame 6 (CXORF6) mRNA
44	5258	10377	2.62	2.0E-48	AA631940.1	EST_HUMAN	hklb03.x1 NCL CGAP_GU1 Homo sapiens cDNA clone IMAGE:2972255 3' similar to SW:DCRB_HUMAN
4508	9826	14768	1.11	2.0E-48	BE246055.1	EST_HUMAN	P56955 DOWN SYNDROME CRITICAL REGION PROTEIN B. ;
5189	10286	15433	0.97	2.0E-48	X57147.1	NT	hklb03.x1 NCL CGAP_Pediatric pre-B cell acute lymphoblastic leukemia Bay/er-HGSC project=TCBA Homo
55	5266	10394	11.65	1.0E-48	7706534	NT	sapiens cDNA clone TCBAP-3842
874	6025	11196	8.27	1.0E-48	4502166	NT	Human endogenous retrovirus pHE.1 (ERV9)
1077	6217	11381	2.48	1.0E-48	7657430	NT	Homo sapiens cisplatin resistance-associated overexpressed protein (LOC51747), mRNA
1077	6217	11382	2.48	1.0E-48	7657430	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1300	8430	11604	4.11	1.0E-48	5032032	NT	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
1921	7040	12261	39.39	1.0E-48	AL163302.2	NT	Homo sapiens EBNA-2 co-activator (100kD) (p100), mRNA
3469	8611	13777	0.91	1.0E-48	AL163246.2	NT	Homo sapiens RNA binding motif protein 6 (RBM6) mRNA
5113	10214	16361	1.22	1.0E-48	M10976.1	NT	Homo sapiens chromosome 21 segment HS21C102
2007	7124	12360	1.23	8.0E-49	AB026497.1	NT	Homo sapiens chromosome 21 segment HS21C048
135	5561	10704	2.55	7.0E-49	5729960	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
135	5561	10705	2.55	7.0E-49	5729960	NT	Mus musculus MyoPDZ mRNA for myosin containing PDZ domain, complete cds
							Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
							Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA

Page 106 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
392	5561	10704	1.56	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
392	5561	10705	1.56	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
393	5561	10704	2.3	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
393	5561	10705	2.3	7.0E-49	5729990	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, ATPase, 4 (PSMC4) mRNA
1223	8355	11525	4.13	7.0E-49	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
194	5389	10532	71.58	6.0E-49	AW731740.1	EST_HUMAN	ba55g06.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2800504 3' similar to gb:U17206 40S RIBOSOMAL PROTEIN S4 (HUMAN); gb:M20532 Mouse LLRep3 protein mRNA from a repetitive element, complete (MOUSE);
1365	6494	11675	1.28	6.0E-49	BF038289.1	EST_HUMAN	601457738F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3861272 5'
1365	6494	11678	1.28	6.0E-49	BF038289.1	EST_HUMAN	601457738F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3861272 5'
710	5867	11013	7.34	5.0E-49	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
710	5867	11014	7.34	5.0E-49	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1808	6930	12145	2.24	5.0E-49	AA172121.1	EST_HUMAN	zp28c07.r1 Stratagene neuroepithelium (#937231) Homo sapiens cDNA clone IMAGE:610860 5' similar to TR:Q233228 G233228 RTVL-H PROTEIN, contains LTR7.3 LTR7 LTR7 repetitive element;
2713	7808	13062	7.74	5.0E-49	U17714.1	NT	Homo sapiens putative tumor suppressor ST13 (ST13) mRNA, complete cds
3256	8406	13567	8.38	5.0E-49	11436355	NT	Homo sapiens similar to ribosomal protein S27 (metalloproteinin 1) (H. sapiens) (LOC63362), mRNA
623	5589	10820	23.9	4.0E-49	AW189533.1	EST_HUMAN	x08b01.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2675593 3' similar to WP-B0350.2B CE06703;
559	5724	10855	3.83	3.0E-49	X68968.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
2809	7708		1.11	3.0E-49	AA016131.1	EST_HUMAN	z651c05.r1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:360584 5' similar to contains L1.13 L1 repetitive element;
4968	10076	16214	2.28	3.0E-49	U46699.1	NT	Human type IV collagen (COL4A6) gene, exon 40
660	5821		1.55	2.0E-49	BE165980.1	EST_HUMAN	MR3-HT0487-150200-113-g01 HT0487 Homo sapiens cDNA
3207	8358	13619	1.73	2.0E-49	N28448.1	EST_HUMAN	yc23406.r1 Soares melanocyte 2NbhM Homo sapiens cDNA clone IMAGE:262671 5'
3556	8697	13857	0.65	2.0E-49	AF026594.1	NT	Homo sapiens RNA binding protein II (RBMII) gene, complete cds
900	6050		9.92	1.0E-49	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862086 5'
1568	6696	11883	30.86	1.0E-49	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1813	6038	12152	3.89	1.0E-49	BE255216.1	EST_HUMAN	601115769F1 NIH_MGC_18 Homo sapiens cDNA clone IMAGE:3556273 5'
4880	10088		1.67	6.0E-50	AF101475.1	NT	Homo sapiens glycine N-methyltransferase (GNMT) gene, complete cds
165	5361	10501	3.43	8.0E-50	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
717	5874	11021	1.6	8.0E-50	X65097.2	NT	Homo sapiens mRNA for VIP receptor 2
717	5874	11022	1.6	8.0E-50	X65097.2	NT	Homo sapiens mRNA for VIP receptor 2

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1034	6175		1.55	8.0E-50	AF000573.1	NT	Homo sapiens homogenisate 1,2-dioxygenase gene, complete cds
1774	6900	12108	3.81	8.0E-50	4501890	NT	Homo sapiens actinin, alpha 1 (ACTN1) mRNA
2455	7559	12810	1.91	8.0E-50	7708394	NT	Homo sapiens p47 (LOC51674), mRNA
2455	7559	12811	1.91	8.0E-50	7708394	NT	Homo sapiens p47 (LOC51674), mRNA
2650	7795	13007	3.04	8.0E-50	4828658	NT	Homo sapiens capping protein (actin filament) muscle Z-line, beta (CAPZB), mRNA
616	5776	10907	2.59	7.0E-50	BE089591.1	EST_HUMAN	QV6-BT0703-280400-211-e08 BT0703 Homo sapiens cDNA
5191	10288	15424	0.92	7.0E-50	BE087807.1	EST_HUMAN	QV1-BT0681-280400-181-g02 BT0681 Homo sapiens cDNA
5191	10288	15425	0.92	7.0E-50	BE087807.1	EST_HUMAN	QV1-BT0681-290400-181-g02 BT0681 Homo sapiens cDNA
4320	9442	12848	0.73	6.0E-50	BE794381.1	EST_HUMAN	6016898591 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943577 5'
1805	6929	12143	1.36	5.0E-50	BF332938.1	EST_HUMAN	CM6-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
1805	6929	12144	1.39	5.0E-50	BF332938.1	EST_HUMAN	CM6-BT0792-300500-398-b05 BT0792 Homo sapiens cDNA
617	6066		2.42	4.0E-50	AA601143.1	EST_HUMAN	nc54809.s1 NCL_CGAP_SST1 Homo sapiens cDNA clone IMAGE:1104520 3' similar to gb:X63741_mn1 FIBUJ.IN-1, ISOFORM A PRECURSOR (HUMAN);
3430	8572	13792	0.96	4.0E-50	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
1942	7061		2.01	3.0E-50	M18048.1	NT	Human endogenous retrovirus RTVL-H2
2489	7593	12841	1.4	3.0E-50	BE259198.1	EST_HUMAN	M01109717F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350309 5'
3281	8430	13592	0.53	3.0E-50	AA746142.1	EST_HUMAN	db03f08.s1 NCL_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1322627 3'
778	5932		5.43	2.0E-50	AF055068.1	NT	Homo sapiens MHC class 1 region
1081	6220	11386	5.34	2.0E-50	4557762	NT	Homo sapiens midline 1 (Optiz/BBB syndrome) (MID1) mRNA
1454	6591	11770	1.39	2.0E-50	AF138803.1	NT	Homo sapiens decorin D mRNA, complete cds, alternatively spliced
3271	8420	13581	1.06	2.0E-50	AF111108.2	NT	Homo sapiens serine palmitoyl transferase, subunit I gene, complete cds; and unknown genes
4274	9359	14491	0.95	2.0E-50	D86424.2	NT	Mus musculus mRNA for high-sulfur keratin protein, partial cds
4849	9961	15105	1.18	2.0E-50	AW869159.1	EST_HUMAN	MR3-SN0066-040500-008-401 SN0066 Homo sapiens cDNA
4849	9961	15106	1.16	2.0E-50	AW899159.1	EST_HUMAN	MR3-SN0066-040500-008-401 SN0066 Homo sapiens cDNA
461	5629	10768	1.82	1.0E-50	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C008
2345	7452		4.65	1.0E-50	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
4540	9638	14802	6.31	8.0E-51	AA610842.1	EST_HUMAN	np98e09.s1 NCL_CGAP_Lut1 Homo sapiens cDNA clone IMAGE:1142440 3' similar to gb:X12871_mn1 HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A1 (HUMAN);
2988	8143	13305	0.7	7.0E-51	AW274720.1	EST_HUMAN	xn34403.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695564 3' similar to TR:Q9Z340
3266	8415	13577	1.42	7.0E-51	AW899219.1	EST_HUMAN	Q9Z340 ATYPICAL PKC SPECIFIC BINDING PROTEIN. ;
3344	8490	13656	0.7	7.0E-51	AW274720.1	EST_HUMAN	QV4-NT0028-200400-180-405 NT0028 Homo sapiens cDNA
4196	9296	14405	1.04	7.0E-51	AI 079628.1	EST_HUMAN	xn34403.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2695564 3' similar to TR:Q9Z340 DKFZdp34B2229 t1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZdp34B2229 5'

Page 108 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4138	9266	14408	1.01	7.0E-51	AL079628.1	EST_HUMAN	DKFZp434B2229_r1 494 (synonym: htes3) Homo sapiens cDNA clone DKFZp434B2229 5'
4928	9450	14683	1.33	7.0E-51	AW285803.1	EST_HUMAN	U1H-BW0-ai-p-b-05-0-U1.s1 NCI_CGAP_Sub08 Homo sapiens cDNA clone IMAGE:2729817 3'
1542	6670	11856	1.02	6.0E-51	6678763	NT	Homo sapiens putative DNA binding protein (M86), mRNA
1981	7098	12329	3.03	8.0E-51	7657266	NT	Homo sapiens KIAA0929 protein Mss2 Interacting nuclear target (MINT) homolog (KIAA0929), mRNA
3455	8597	13761	13.38	8.0E-51	7657266	NT	Homo sapiens KIAA0929 protein Mss2 Interacting nuclear target (MINT) homolog (KIAA0929), mRNA
792	5946	11106	6.93	5.0E-51	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21G003
804	5957	11120	1.73	5.0E-51	4507600	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
992	7806	11307	1.05	5.0E-51	AL133204.1	NT	Novel human gene mapping to chromosome X
1621	6749	11943	2.16	5.0E-51	5031980	NT	Homo sapiens 28S proteasome-associated pad1 homolog (POH1) mRNA
2555	7658	12009	5	5.0E-51	AJ007658.1	NT	Homo sapiens mRNA for nucleoporin 155
3916	9052	14211	1.63	6.0E-51	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
3916	9052	14212	1.63	5.0E-51	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
5054	10158	15287	1.44	5.0E-51	AB037892.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
130	5328	10474	57.38	3.0E-51	AI587348.1	EST_HUMAN	trf1c09.x1 NCI_CGAP_Pen1 Homo sapiens cDNA clone IMAGE:2224720 3' similar to gb:M26326
1178	6313	11481	185.78	3.0E-51	AI587348.1	EST_HUMAN	KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
4303	9425	14560	1.99	3.0E-51	AL159142.1	NT	KERATIN, TYPE I CYTOSKELETAL 18 (HUMAN);
364	5544	10686	5.18	2.0E-51	4507798	NT	Novel human gene mapping to chromosome 22
686	5844	10983	2.35	2.0E-51	BE391063.1	EST_HUMAN	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
686	5844	10984	2.35	2.0E-51	BE391063.1	EST_HUMAN	syndrome) (UBE3A) mRNA
1702	8830	12032	4.18	2.0E-51	AA233352.1	EST_HUMAN	601285694F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3607463 5'
3714	8852	14006	2.49	2.0E-51	AA492415.1	EST_HUMAN	z30a05.r1 Stralagene NT2 neuronal precursor B37230 Homo sapiens cDNA clone IMAGE:3607463 5'
4489	9688	14727	0.67	2.0E-51	AW137826.1	EST_HUMAN	to TR:G233226 G233226 RTVL-H PROTEIN, contains LTR7.3 LTR7 repetitive element;
110	5314	10453	27.83	1.0E-51	4503528	NT	tr27603.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2131732 3'
1506	6633		49.98	1.0E-51	AV742248.1	EST_HUMAN	U1H-B11-adj-d-02-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2718851 3'
3168	8319	13481	1.41	1.0E-51	AF000894.1	NT	Homo sapiens eukaryotic translation initiation factor 4A, isoform 1 (EIF4A1) mRNA
147	5344	10487	8.69	8.0E-52	AA720574.1	EST_HUMAN	AV742248 CB Homo sapiens cDNA clone CBFBC012 6'
1510	6637	11824	1.7	8.0E-52	X84900.1	NT	Homo sapiens ubiquitins TPR motif, Y isoform (UTY) mRNA, alternative transcript 3, complete cds
							THR repetitive element;
							mw21g02.s1 NCI_CGAP_GC80 Homo sapiens cDNA clone IMAGE:1241138 3' similar to contains THR.13
							H.sapiens mRNA for laminin-6, alpha3b chain

Page 109 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1667	6795	11990	1.87	8.0E-52	11988028	NT	Homo sapiens hypothetical protein FLJ135556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
1687	6795	11991	1.87	8.0E-52	11988028	NT	Homo sapiens hypothetical protein FLJ135556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
3969	6795	11990	6.18	8.0E-52	11988028	NT	Homo sapiens hypothetical protein FLJ135556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
3969	6795	11991	6.18	8.0E-52	11988028	NT	Homo sapiens hypothetical protein FLJ135556 similar to N-myc downstream regulated 3 (FLJ13556), mRNA
1189	6323		1.38	6.0E-52	BE072409.1	EST_HUMAN	Q13-BT0537-271289-049-d07 BT0537 Homo sapiens cDNA
1707	6835	12036	2.13	6.0E-52	AF109907.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypothetical protein genes, complete cds; and S174 gene, partial cds
4418	9538	14679	1.7	5.0E-52	Z78888.1	NT	H. sapiens flow-sorted chromosome 9 HindIII fragment, SC6pA18H7
1675	6804	11999	1.24	4.0E-52	AF257318.1	NT	Homo sapiens SH3-containing protein SH3GLB1 mRNA, complete cds
1798	6923	12133	1.17	4.0E-52	4758843	NT	Homo sapiens nucleoprotein 165kD (NUP156) mRNA
3901	9037	14198	0.77	4.0E-52	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4068	9198		10.26	3.0E-52	11437042	NT	Homo sapiens hypothetical protein FLJ10675 (FLJ10675), mRNA
561	5726	10856	3.35	2.0E-52	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
561	5726	10857	3.35	2.0E-52	M10978.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
1768	6894	12101	1.78	2.0E-52	AB007899.1	NT	Homo sapiens KIAA0439 mRNA, partial cds
2470	7574	12827	4.79	2.0E-52	BE207575.1	EST_HUMAN	b66b07.y1 NIH_MGC_b Homo sapiens cDNA clone IMAGE:3030421 5' similar to gb-X16483 M.musculus mRNA for Zpr-1 zho finger protein (MOUSE);
2698	7794		13.92	2.0E-52	BF077892.1	EST_HUMAN	602094710F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248891 5'
4962	10070	15206	4.19	2.0E-52	AL137188.3	NT	Novel human gene mapping to chromosome 20, similar to membrane transporters
5000	10105	15235	1.13	2.0E-52	AI141802.1	EST_HUMAN	qa66e05.s1 Scores_NhlHMPu_S1 Homo sapiens cDNA clone IMAGE:1680784 3'
5000	10105	15236	1.13	2.0E-52	AI141802.1	EST_HUMAN	qa66e05.s1 Scores_NhlHMPu_S1 Homo sapiens cDNA clone IMAGE:1680784 3'
531	5697	10850	1.3	1.0E-52	AA634445.1	EST_HUMAN	zu75h12.s1 Scores_testes_NHT Homo sapiens cDNA clone IMAGE:743879 3'
1380	6608	11699	12.29	1.0E-52	4504028	NT	Homo sapiens glutamate-aminotransferase (GLUT) mRNA
2508	7611		1.76	1.0E-52	4502238	NT	Homo sapiens erythroid-specific D (ARSD), transcript variant 1, mRNA
3031	8185	13340	1.58	1.0E-52	S61070.1	NT	pol=reverse transcriptase homolog (retroviral element) [human, endogenous retroviral element RTVL-Hp1, Genomic, 680 nt]
4370	9491	14636	0.63	9.0E-53	AF001446.1	NT	Homo sapiens core binding factor alpha1 subunit (CBFA1) gene, exon 3
5178	10275	15413	1.59	9.0E-53	AB040937.1	NT	Homo sapiens mRNA for KIAA1604 protein, partial cds
4074	9204	14340	7.43	5.0E-53	4758543	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein C (C1/C2) (HNRPC) mRNA
48	5280	10384	1.49	4.0E-53	AL163286.2	NT	Homo sapiens chromosome 21 segment HS21C085

Page 110 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
48	5260	10386	1.49	4.0E-53	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
4789	9902	15043	1.29	4.0E-53	7705414	NT	Homo sapiens hock1 protein (HOCK1), mRNA
2821	7720	12974	1.42	3.0E-53	AB026808.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
3712	8950	14004	0.89	3.0E-53	AW050836.1	EST_HUMAN	wz22c07.x1 Soares_Diolkgraeft colon NHCD Homo sapiens cDNA clone IMAGE:2668786 3'
4563	9081	14820	1.22	3.0E-53	AW803863.1	EST_HUMAN	IL2-UM0081-240300-055-D03 UM0081 Homo sapiens cDNA
457	5625		3.25	2.0E-53	AA366536.1	EST_HUMAN	EST17525 Pancreas tumor III Homo sapiens cDNA 5' end
2308	7417	12687	16.62	2.0E-53	U78027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L), and FTP3 (FTP3) genes, complete cds
2509	7612		4.96	2.0E-53	4502316	NT	Homo sapiens ATPase, H+ transporting, lysosomal (vacuolar proton pump) 31kD; Vacuolar proton-ATPase, subunit E; V-ATPase, subunit E (ATP6E), mRNA
2688	7785	13033	1.12	2.0E-53	4757915	NT	Homo sapiens core-binding factor, runt domain, alpha subunit 2; translocated to, 1; cyclin D-related (CBFA2T1) mRNA
2688	7785	13034	1.12	2.0E-53	4757915	NT	Homo sapiens core-binding factor, runt domain, alpha subunit 2; translocated to, 1; cyclin D-related (CBFA2T1) mRNA
4033	9184	14306	3.37	2.0E-53	M81873.1	NT	Human Krueppel-related DNA-binding protein (TF34) gene, partial cds
5193	10290	15427	1.4	2.0E-53	7662083	NT	Homo sapiens KIAA0377 gene product (KIAA0377), mRNA
1458	6585	11773	2.62	1.0E-53	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region; segment 2/2
3391	8535	13698	1.24	1.0E-53	AB026808.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4946	10054	16192	1.07	1.0E-53	BE296386.1	EST_HUMAN	601176725F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531919 5'
204	5399	10541	4.55	8.0E-54	BE396795.1	EST_HUMAN	601272863F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3814031 5'
1849	6970	12191	1.84	8.0E-54	4504610	NT	Homo sapiens insulin-like growth factor 2 receptor (IGF2R) mRNA
382	5591	10738	1.12	7.0E-54	AA812537.1	EST_HUMAN	ai79c12.s1 Soares_testis_NHT Homo sapiens cDNA clone 1377046 3' similar to contains MER30.13 MER30 repetitive element;
1844	6965	12186	1.14	7.0E-54	Y16845.1	NT	Homo sapiens mRNA for monocyte chemotactic protein-2
2188	7300	12549	2.51	7.0E-54	N27177.1	EST_HUMAN	YW68d12.s1 Soares_placenta_8d9weeks_2NHHP8t09W Homo sapiens cDNA clone IMAGE:2673939 3' similar to contains LTR7.k3 LTR7 repetitive element;
23	5234	10348	1.12	6.0E-54	AB003618.1	NT	Homo sapiens DNA for MICB, exon 4, 5 and partial cde
383	5592	10737	1.03	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
383	5592	10738	1.03	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3267	8416	13578	0.9	6.0E-54	8922148	NT	Homo sapiens hypothetical protein DKFZp434M035 (DKFZp434M035), mRNA
3979	8113	14261	1.15	6.0E-54	4502872	NT	Homo sapiens chloride channel 8 (CLCN8) mRNA
4441	9560	14702	1.05	6.0E-54	AV754746.1	EST_HUMAN	AV754746 TP Homo sapiens cDNA clone TPGAAC10 5'

Page 111 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4812	9824	15085	2.14	6.0E-54	4505806	NT	Homo sapiens phosphotylinositol 4-kinase, catalytic, alpha polypeptide (PIK4CA) mRNA
4845	9857		1.47	6.0E-54	Y08846.1	NT	H. sapiens shc pseudogene, p68 isoform
4886	9857		2.77	6.0E-54	Y08846.1	NT	H. sapiens shc pseudogene, p68 isoform
2135	7249	12485	7.98	5.0E-54	P51523	SWISSPROT	ZINC FINGER PROTEIN 84 (ZINC FINGER PROTEIN HPF2)
178	5372		261.14	4.0E-54	AF110103.1	NT	Tupala belangeri beta-actin mRNA, partial cds
957	6105	11274	223.4	4.0E-54	AA305784.1	EST_HUMAN	EST1177886 Jurkat T-cells VI Homo sapiens cDNA 5' end similar to glyceraldehyde-3-phosphate dehydrogenase
1817	6940	12167	2.26	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
1817	6940	12158	2.25	4.0E-54	D38521.1	NT	Human mRNA for KIAA0077 gene, partial cds
3187	8338		1.52	4.0E-54	A1935088.1	EST_HUMAN	w28d11.x1 Soares NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2328269 3' similar to TR:002711
89	5298	10437	11.81	3.0E-54	AA313487.1	EST_HUMAN	Q02711 PRO-POL-DUTPASE POLYPROTEIN ;
2589	7680		1.02	3.0E-54	A1908767.1	EST_HUMAN	EST185371 Colon carcinoma (HCC) cell line Homo sapiens cDNA 5' end
641	5802	10835	4.73	2.0E-54	5031800	NT	IL-BT189-190399-007 BT189 Homo sapiens cDNA
1374	6502	11684	1.16	2.0E-54	4507164	NT	Homo sapiens killer cell lectin-like receptor subfamily G, member 1 (KLRG1), mRNA
1562	6691	11877	1.14	2.0E-54	AA655008.1	EST_HUMAN	Homo sapiens nuclear antigen Sp100 (SP100) mRNA
2511	7614	12864	2.48	2.0E-54	AW163175.1	EST_HUMAN	m78a09.s1 NCI_CGAP_P3 Homo sapiens cDNA clone IMAGE:1204600 similar to contains element L1 repetitive element ;
2564	7665	12920	1.03	2.0E-54	AL163210.2	NT	au82g03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2783764 5' similar to SW:CUL1_HUMAN Q13616 CULLIN HOMOLOG 1 ;
2861	8016	13182	1.15	2.0E-54	AW057524.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21G010
3335	8677		8.84	2.0E-54	AA532925.1	EST_HUMAN	wy60b12.x1 Soares NSF_F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2552927 3' similar to TR:Q62084 Q62084 PHOSPHOLIPASE C NEIGHBORING ;
3327	8663	14113	0.72	2.0E-54	4506376	NT	η45g09.s1 NCI_CGAP_P9 Homo sapiens cDNA clone IMAGE:995488 similar to gb:Y63777 60S
3827	8663	14114	0.72	2.0E-54	4506376	NT	RIBOSOMAL PROTEIN L23 (HUMAN);
4177	8803		3.15	2.0E-54	4502842	NT	Homo sapiens mitogen-activated protein kinase kinase kinase 3 (MAP4K3), mRNA
4419	9539		0.95	2.0E-54	AF208161.1	NT	Homo sapiens mitogen-activated protein kinase kinase kinase 3 (MAP4K3), mRNA
4850	9862	15107	1.18	2.0E-54	7706448	NT	Homo sapiens chaperonin containing T-complex subunit 6 (CCT6) mRNA
4444	9663		1.41	1.0E-54	BF316418.1	EST_HUMAN	Homo sapiens synovial precursor, mRNA, complete cds
1320	8449		0.72	8.0E-55	Y07829.2	NT	Homo sapiens peptidylarginine deaminase type III (LOC51702), mRNA
1323	8452		2.12	8.0E-55	Y07829.2	NT	Homo sapiens RFB30 gene for RING finger protein
1780	6808	12113	1.39	5.0E-55	AA704971.1	EST_HUMAN	601889230F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4128635 6'
1780	6808	12114	1.39	5.0E-55	AA704971.1	EST_HUMAN	z95b09.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:462617 3'
1780	6808	12114	1.39	5.0E-55	AA704971.1	EST_HUMAN	z95b09.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:462617 3'

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4737	9850	14967	1.57	5.0E-55	AW206021.1	EST_HUMAN	UI-H-B11-af-p-09-09-U1.s1 NCI_QGAP_Sub3 Homo sapiens cDNA clone IMAGE:2723536 3'
54	7882	10393	3.01	4.0E-55	AW957894.1	EST_HUMAN	EST370064 MAGE resequences, MAGE Homo sapiens cDNA
671	5830	10970	31.27	4.0E-55	4826973	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1461	6579	11766	1.54	4.0E-55	7661713	NT	Homo sapiens predicted osteoblast protein (GS3786), mRNA
1461	6579	11707	1.54	4.0E-55	7661713	NT	Homo sapiens predicted osteoblast protein (GS3786), mRNA
1529	6656		1.63	4.0E-55	BF061411.1	EST_HUMAN	7152b10.x1 Soares_NSF_F8_gw_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:3390043 3' similar to contains L1.13 L1 repetitive element;
2018	7135	12373	4.48	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
2018	7135	12374	4.48	4.0E-55	4506180	NT	Homo sapiens proteasome (prosome, macropain) subunit, alpha type, 2 (PSMA2) mRNA
2078	7184	12437	3.73	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (60kD) (DGKG) mRNA
2078	7184	12438	3.73	4.0E-55	4503314	NT	Homo sapiens diacylglycerol kinase, gamma (60kD) (DGKG) mRNA
2287	7396	12648	7.71	4.0E-55	4507794	NT	Homo sapiens ubiquitin-conjugating enzyme E2 variant 1 (UBE2V1) mRNA
3263	8412	13574	1.07	4.0E-55	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
375	5553	10667	2.83	2.0E-55	X67147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
550	5715		1.74	2.0E-55	M10978.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
648	5809	10944	3.88	2.0E-55	4507298	NT	Homo sapiens syntaxin-binding protein 1 (STXB1) mRNA, and translated products
2926	8080	13248	2.08	2.0E-55	4507798	NT	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
4741	9854	15001	2.82	2.0E-55	BE719986.1	EST_HUMAN	CM1-HT0878-150800-357-g03 HT0878 Homo sapiens cDNA
92	5301	10440	1.55	1.0E-55	4506060	NT	Homo sapiens mannose-6-phosphate receptor (cation dependent) (M6PR) mRNA
186	5381	10922	78.12	1.0E-55	U09823.1	NT	Oryzologus cuniculus New Zealand white elongation factor 1 alpha (Rabefla2) mRNA, complete cds
1151	6287	11452	3.98	1.0E-55	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1955	7072	12296	47.44	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2967027 5'
1955	7072	12267	47.44	1.0E-55	BE277861.1	EST_HUMAN	601120116F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2967027 5'
2305	7414		4.47	1.0E-55	6803174	NT	Homo sapiens SMA3 (SMA3), mRNA
2488	7562	12840	9.54	1.0E-55	X13111.1	NT	Human mRNA for HLA-A11E, a MHC class I molecule (major histocompatibility complex)
2524	7627	12873	2.04	1.0E-55	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
2524	7627	12874	2.04	1.0E-55	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
2575	7675	12939	3.13	1.0E-55	LS4057.1	NT	Homo sapiens CLP mRNA, partial cds
3390	8594	13895	0.97	1.0E-55	W28180.1	EST_HUMAN	43c5 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
3964	9059	14246	3.6	1.0E-55	AL163287.2	NT	Homo sapiens chromosome 21 segment HS21C067
4270	9394	14533	1.19	1.0E-55	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4696	9815		1.15	1.0E-55	N77261.1	EST_HUMAN	yw44g03.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:245620 5'

Page 113 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4786	9809	15049	4.45	1.0E-55	AB037103.1	NT	Homo sapiens DSCR5b mRNA, complete cds
4796	9809	15050	4.45	1.0E-55	AB037103.1	NT	Homo sapiens DSCR5b mRNA, complete cds
5112	10213	16360	1.07	1.0E-65	8923126	NT	Homo sapiens hypothetical protein FLJ20128 (FLJ20128), mRNA
2695	7782	13042	3.22	7.0E-56	H19934.1	EST_HUMAN	Yn02g03.r1 Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:173044 5' similar to contains THR repetitive element:
1708	6834	12035	1.43	5.0E-58	AW997712.1	EST_HUMAN	RC3-BN0053-170200-011-H01 BN0053 Homo sapiens cDNA
26	5237	10351	28.3	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
26	5237	10362	28.3	4.0E-56	AF141349.1	NT	Homo sapiens beta-tubulin mRNA, complete cds
2155	7288	13017	1.1	4.0E-56	BF207586.1	EST_HUMAN	601862059F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4081551 5'
2870	7768	13017	6.1	4.0E-56	4507728	NT	Homo sapiens tubulin, beta polypeptide (TUBB) mRNA
2870	7768	13018	6.1	4.0E-56	4507728	NT	Homo sapiens tubulin, beta polypeptide (TUBB) mRNA
2773	5890	10822	5.49	4.0E-58	AF003528.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2793	7679	12833	1.15	4.0E-56	A1632488.1	EST_HUMAN	wb09f08.x1 NC1 CGAP GC6 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA P27119 ORNITHINE DECARBOXYLASE;
2793	7679	12834	1.16	4.0E-56	A1632488.1	EST_HUMAN	wb09f08.x1 NC1 CGAP GC6 Homo sapiens cDNA clone IMAGE:2305191 3' similar to SW:DCOR_MUSPA P27119 ORNITHINE DECARBOXYLASE;
1347	6476	11656	4.09	3.0E-58	8924028	NT	Homo sapiens hypothetical protein PRO1304 (PRO1304), mRNA
1775	6801	12109	4.35	3.0E-56	6912743	NT	Homo sapiens 5'-3' exonuclease 2 (XRN2), mRNA
2134	7248	12494	1.14	3.0E-58	6912687	NT	Homo sapiens oncogene TC21 (TC21), mRNA
3102	8255	13405	1.85	3.0E-56	AA325826.1	EST_HUMAN	EST28889 Cerebellum II Homo sapiens cDNA 5' end
3102	8255	13406	1.85	3.0E-56	AA325826.1	EST_HUMAN	EST28889 Cerebellum II Homo sapiens cDNA 5' end
3812	8949		2.77	3.0E-56	AF059086.1	NT	Homo sapiens MHC class 1 region
3892	8028	14187	0.76	3.0E-56	BE339512.1	EST_HUMAN	601310203F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631848 5'
4402	9522	14663	4	3.0E-56	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
4545	9663	14806	2.31	3.0E-56	5902085	NT	Homo sapiens superkiller viral-like activity 2 (S. cerevisiae homolog)-like (SKIV2L), mRNA
522	5688		2.42	2.0E-56	AA159818.1	EST_HUMAN	zq52a08.t1 Stragene neuroepithelium (#637231) Homo sapiens cDNA clone IMAGE:946206 3'
731	7699	11037	2.24	2.0E-56	BE084386.1	EST_HUMAN	RC4-BT0310-110300-015-F10 BT0310 Homo sapiens cDNA
731	7699	11038	2.24	2.0E-56	BE084386.1	EST_HUMAN	RC4-BT0310-110300-015-F10 BT0310 Homo sapiens cDNA
2067	8111	13274	1.4	2.0E-56	AB037836.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
3297	8444		1.86	2.0E-56	AB003681.1	NT	Homo sapiens gene for activin receptor type IIB, complete cds
3521	8662	13829	1.11	2.0E-56	AV703184.1	EST_HUMAN	AV703184 ADB Homo sapiens cDNA clone ADBCFG10 5'
981	6127		3.5	1.0E-56	AF190930.1	NT	Macaca fascicularis protein tyrosine phosphatase (PRL-1) mRNA, complete cds

Page 114 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1536	6863	11849	5.72	1.0E-58	AA293036.1	EST_HUMAN	265408.r1 Scores ovary tumor NB-HOT Homo sapiens cDNA clone IMAGE:728137 5' similar to gb:M94854 INTERLEUKIN ENHANCER-BINDING FACTOR (HUMAN);
3662	8791	13945	1.81	1.0E-56	AW589833.1	EST_HUMAN	Ihg23c11.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
3662	8791	13946	1.81	1.0E-56	AW589833.1	EST_HUMAN	Ihg23c11.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2946452 3'
5015	10118	15251	1.04	1.0E-56	A1905162.1	EST_HUMAN	QV-BT077-130199-078 BT077 Homo sapiens cDNA
624	5784		1.74	9.0E-57	AW880885.1	EST_HUMAN	QV-D-OT0033-070300-152-H03 OT0033 Homo sapiens cDNA
295	5483	10825	2.62	8.0E-57	AW818405.1	EST_HUMAN	QV4-ST0234-181199-037-H05 ST0234 Homo sapiens cDNA
885	6035	11206	7.79	8.0E-57	AW264599.1	EST_HUMAN	xt06d10.x1 NCI_CGAP_Bm53 Homo sapiens cDNA clone IMAGE:2759251 3' similar to gb:U06875
1828	6951	12173	1.46	8.0E-57	AA498109.1	EST_HUMAN	INTERFERON-GAMMA RECEPTOR BETA CHAIN PRECURSOR (HUMAN);
2598	7098	12952	6.47	7.0E-57	7857592	NT	zv61b12.r1 Scores testis NHT Homo sapiens cDNA clone IMAGE:757151 5'
2598	7098	12953	6.47	7.0E-57	7857592	NT	Homo sapiens smg GDS-ASSOCIATED PROTEIN (SMAP), mRNA
3233	8383	13543	1.28	7.0E-57	7242158	NT	Homo sapiens NME7 (NME7), mRNA
3233	8383	13544	1.28	7.0E-57	7242158	NT	Homo sapiens NME7 (NME7), mRNA
3254	8404	13568	0.78	7.0E-57	8006979	NT	Homo sapiens Kruppel-like factor 8 (KLF8), mRNA
3855	8991	14147	1.61	7.0E-57	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p44K230) mRNA, complete cds
3855	8991	14148	1.61	7.0E-57	AF012872.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
3734	8872	14024	2.03	4.0E-57	AB026898.1	NT	601471228F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3874135 5'
4890	10096	15227	1.05	4.0E-57	BE783649.1	EST_HUMAN	Homo sapiens ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome) (UBE3A) mRNA
805	5958	11121	2.34	3.0E-57	4507798	NT	nc13f07.s1 NCI_CGAP_P1 Homo sapiens cDNA clone IMAGE:1008037 similar to SW:RS10_HUMAN
1338	8464		51.82	3.0E-57	AA230279.1	EST_HUMAN	P46783 40S RIBOSOMAL PROTEIN S10. ;
2368	7474	12728	1.39	3.0E-57	AA348335.1	EST_HUMAN	EST64770 Hippocampus II Homo sapiens cDNA 5' and
2664	7760	13011	1.49	3.0E-57	BE676622.1	EST_HUMAN	7835b10.x1 NCI_CGAP_GLL1 Homo sapiens cDNA clone IMAGE:3288443 3' similar to WP:Y47H9C.2 CE20263 ;
2664	7760	13012	1.49	3.0E-57	BE676622.1	EST_HUMAN	7835b10.x1 NCI_CGAP_GLL1 Homo sapiens cDNA clone IMAGE:3288443 3' similar to WP:Y47H9C.2 CE20263 ;
3674	8913		80.77	3.0E-57	AW853964.1	EST_HUMAN	RC3-CT0254-119300-027-d10 CT0254 Homo sapiens cDNA
4037	9168	14309	5.42	3.0E-57	P06547	SWISSPROT	LINE-1 REVERSE TRANSCRIPTASE HOMOLOG
1443	6871	11758	1.17	2.0E-57	A1478804.1	EST_HUMAN	fm25c10.x1 Scores NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2157618 3' similar to contains Alu repetitive element;
1515	6942	11828	1.6	2.0E-57	AF246218.1	NT	Homo sapiens SNARE protein kinase SNARK mRNA, complete cds

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1515	6842	11829	1.6	2.0E-57	AF248219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
2378	7484	12738	0.97	2.0E-57	BE175228.1	EST_HUMAN	MF0-HIT0559-010400-009-H10 HT0559 Homo sapiens cDNA
2691	7788	13038	2.49	2.0E-57	AA845419.1	EST_HUMAN	af02b02.s1 Soares parathyroid tumor NbhPA Homo sapiens cDNA clone IMAGE:1404747 3' similar to contains Alu repetitive element; contains element MER22 repetitive element;
3420	8562		1.38	2.0E-57	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
3538	8680	13842	0.7	2.0E-57	R07702.1	EST_HUMAN	ye8h01.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:126809 5'
3538	8680	13843	0.7	2.0E-57	R07702.1	EST_HUMAN	ye8h01.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:126809 5'
3904	9040	14200	1.15	2.0E-57	BE073264.1	EST_HUMAN	MF0-BT0551-060300-103-B03 BT0551 Homo sapiens cDNA
4485	9804	14742	6.05	2.0E-57	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
2213	7325	12575	1.07	1.0E-57	AW503208.1	EST_HUMAN	U1HF-BN0-ekt-g-07-0-U1.r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
567	5749		15.12	8.0E-58	BE868715.1	EST_HUMAN	601445948F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3850211 5'
653	5814	10960	4.07	8.0E-58	A1798376.1	EST_HUMAN	t34h07.x1 NCL_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475 UNNAMED HERV-H PROTEIN;
653	5814	10951	4.07	8.0E-58	A1798376.1	EST_HUMAN	t34h07.x1 NCL_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2220181 3' similar to TR:O15475 O15475 UNNAMED HERV-H PROTEIN;
1868	6888	12211	1.51	8.0E-58	11434621	NT	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
1868	6888	12212	1.51	8.0E-58	11434621	NT	Homo sapiens putative protein O-mannosyltransferase (POMT2), mRNA
2844	8098		2.52	8.0E-58	7706132	NT	Homo sapiens DHHC1 protein (LOC51304), mRNA
4800	10011	15158	1.53	7.0E-58	BE206903.1	EST_HUMAN	ba05g04.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823510 5' similar to TR:Q61489 Q61489 DHM1 PROTEIN;
2234	7346	12601	1.02	6.0E-58	BE395061.1	EST_HUMAN	601309465F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3631000 5'
2355	7462	12718	8	6.0E-58	AU130689.1	EST_HUMAN	AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001263 5'
2868	8020	13188	0.98	6.0E-58	BE242150.1	EST_HUMAN	TCAAAP1E1219 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAAP1219
2868	8020	13187	0.98	6.0E-58	BE242150.1	EST_HUMAN	TCAAAP1E1219 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project=TCAA Homo sapiens cDNA clone TCAAAP1219
288	5486	10827	3.03	5.0E-58	4507334	NT	Homo sapiens synaptotagmin 1 (SYN1), mRNA
708	5965	11012	5.2	5.0E-58	BE763984.1	EST_HUMAN	RC4-NT0057-180600-019-B05 NT0057 Homo sapiens cDNA
1197	8331	11499	3.29	5.0E-58	AW797948.1	EST_HUMAN	CN3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1197	8331	11500	3.29	5.0E-58	AW797948.1	EST_HUMAN	CN3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1198	8331	11499	2.28	5.0E-58	AW797948.1	EST_HUMAN	CN3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
1198	8331	11500	2.28	5.0E-58	AW797948.1	EST_HUMAN	CN3-UM0043-240300-127-e07 UM0043 Homo sapiens cDNA
3304	8451	13613	3.86	6.0E-58	AA988183.1	EST_HUMAN	oa89607.s1 NCL_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1603908 3'

Page 116 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4232	9357	14489	0.67	5.0E-58	A1636745.1	EST_HUMAN	ts89e07.x1 NCI CGAP_G06 Homo sapiens cDNA clone IMAGE:2238468 3' similar to SW:PRO2_ACACA P19984 PROFILIN II;
371	5551	10694	5.7	4.0E-58	4502302	NT	Homo sapiens ATP synthase, H+ transporting, mitochondrial F1 complex, O subunit (oligomycin sensitivity conferring protein) (ATP5O) mRNA
797	5851	11111	1.23	4.0E-58	4504634	NT	Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
1480	6607	11793	0.99	4.0E-58	4503648	NT	Homo sapiens coagulation factor IX (plasma thromboplastin component, Christmas disease, hemophilia B) (F9) mRNA
2541	7644	12894	1.03	4.0E-58	AF265555.1	NT	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds
2596	7697	12950	2.03	4.0E-58	U36251.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 3
3306	8453	13615	1	4.0E-58	D16470.1	NT	Human mRNA, Xq terminal portion
3721	8859	14012	1.02	4.0E-58	5031660	NT	Homo sapiens EGF-like repeats and discoidin-like domains 3 (EDIL3), mRNA
333	5516		2.93	3.0E-58	R17879.1	EST_HUMAN	y010e02.1 Soares Infant brain T1N1B Homo sapiens cDNA clone IMAGE:31693 5'
1398	6524	11703	1.81	3.0E-58	4758981	NT	Homo sapiens peptide YY (PYY) mRNA
3158	8309	13468	3.32	3.0E-58	BF569848.1	EST_HUMAN	602185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4308943 5'
3158	8309	13469	3.32	3.0E-58	BF569848.1	EST_HUMAN	602185789F1 NIH_MGC_45 Homo sapiens cDNA clone IMAGE:4308943 5'
940	6088	11256	8.84	2.0E-58	AF069624.1	NT	Homo sapiens 5-aminolevulinic acid synthase 2 (ALAS2) gene, complete cds
1294	6423		39.27	2.0E-58	BE208532.1	EST_HUMAN	ba08b07.y1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:2823733 5' similar to gb:X69391 60S RIBOSOMAL PROTEIN L6 (HUMAN); gb:X81997 M.musculus mRNA for TAX responsive element binding protein (MOUSE);
720	5877	11024	0.65	1.0E-58	M85134.1	NT	Human complement component C5 mRNA, 3' end
1069	9209	11372	5.86	1.0E-58	6274549	NT	Homo sapiens NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9 (22kD, B22) (NDUFB9), mRNA
1332	6461	11640	3.63	1.0E-58	AW957182.1	EST_HUMAN	EST369252 IMAGE resequences, MAGD Homo sapiens cDNA
1332	6461	11641	3.63	1.0E-58	AW957182.1	EST_HUMAN	EST369252 IMAGE resequences, MAGD Homo sapiens cDNA
1877	6806	12003	1.29	1.0E-58	BE466132.1	EST_HUMAN	hy10f08.x1 NCI CGAP_G06 Homo sapiens cDNA clone IMAGE:3196835 3'
2763	7857	13113	2.83	1.0E-58	4759169	NT	Homo sapiens sterol regulatory element binding transcription factor 2 (SREBF2) mRNA
2781	7126	12361	1.49	1.0E-58	5174444	NT	Homo sapiens G protein-coupled receptor 69A (GPR69A) mRNA
3700	8838	13992	0.77	1.0E-58	4507628	NT	Homo sapiens transition protein 1 (during histone to pyridine replacement) (TNP1) mRNA
4955	10063	16202	4.97	1.0E-58	A1141063.1	EST_HUMAN	oz43h01.x1 Soares_NhiHMPu_S1 Homo sapiens cDNA clone IMAGE:1878128 3'
2211	7323	12573	46.86	8.0E-59	4507378	NT	Homo sapiens TATA box binding protein (TBP) mRNA
173	7884		2.08	6.0E-59	BF036327.1	EST_HUMAN	601458531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862086 5'
1765	6891	12097	0.98	5.0E-59	AW157281.1	EST_HUMAN	au53h05.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2763865 3' similar to TR:075786 075786 GANGLIOSIDE-INDUCED DIFFERENTIATION ASSOCIATED PROTEIN 1.;

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1765	6891	12088	0.96	5.0E-59	AW157281.1	EST_HUMAN	au93h05.x1 Schreider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2763865 3' similar to
3104	8257	13408	6.48	5.0E-59	AB07484.1	EST_HUMAN	TR:075788 075788 GANGLIOSIDE-INDUCED DIFFERENTIATION ASSOCIATED PROTEIN 1.;
4628	9746	14891	7.69	5.0E-60	X83497.1	NT	wf48c11.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2358836 3'
794	5948	11109	2.42	4.0E-59	D80006.1	NT	H.sapiens DNA for ZNF80-linked ERV9 long terminal repeat
1241	6371	11545	5.89	4.0E-59	4505818	NT	Human mRNA for KIAA0184 gene, partial cds
1241	6371	11545	5.89	4.0E-59	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
5164	10262	16401	1.74	4.0E-59	AB980847.1	EST_HUMAN	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
9	5220		4.88	3.0E-59	AW66524.1	EST_HUMAN	wa32a12.x1 NC1 CGAP_G08 Homo sapiens cDNA clone IMAGE:2498926 3'
224	5417	10554	3.58	3.0E-59	7692247	NT	EST377582 MAGE resequences, MAGI Homo sapiens cDNA
1725	6852	12056	6.78	3.0E-59	4505860	NT	Homo sapiens KIAA0680 gene product (KIAA0680), mRNA
1725	6852	12057	6.78	3.0E-59	4505860	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
2120	7235	12477	4.6	3.0E-59	AB029035.1	NT	Homo sapiens plasminogen activator, tissue (PLATa) mRNA
2120	7235	12478	4.6	3.0E-59	AB029035.1	NT	Homo sapiens mRNA for KIAA1112 protein, partial cds
2732	7950	13082	1.01	3.0E-59	AF232299.1	NT	Homo sapiens NF1-2 pseudogene, exon 17
3106	8259	13412	3.82	3.0E-59	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3106	8259	13413	3.82	3.0E-59	4502014	NT	Homo sapiens A kinase (PRKA) anchor protein 1 (AKAP1), mRNA
3804	8941	14089	1.71	3.0E-59	4508044	NT	Homo sapiens zona pellucida glycoprotein 2 (spem receptor) (ZP2) mRNA
4869	9776	14921	1.36	3.0E-59	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4809	8921	15063	1.62	3.0E-59	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, I (PTPRT), mRNA
158	5355		15.3	1.0E-59	BE296411.1	EST_HUMAN	001170757F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531927 6'
2582	7683		1.63	1.0E-59	AA748488.1	EST_HUMAN	001170757F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531927 6'
763	5918	11075	2.32	8.0E-60	AW977846.1	EST_HUMAN	Q13637 MER37 TRANSPOSABLE ELEMENT, COMPLETE CONSENSUS SEQUENCE. ;
1483	6610	11796	3.19	8.0E-60	4759159	NT	EST389849 MAGE resequences, MAGO Homo sapiens cDNA
2162	7265	12513	5.25	8.0E-60	5174856	NT	Homo sapiens small nuclear ribonucleoprotein D3 polypeptide (18kD) (SNRPD3) mRNA
2152	7265	12514	5.25	8.0E-60	5174856	NT	Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
753	5908	11065	4.23	7.0E-60	AF055066.1	NT	Homo sapiens differentiation-related gene 1 (nickel-specific induction protein) (RTP) mRNA
754	5909	11066	13.42	7.0E-60	AF055066.1	NT	Homo sapiens MHC class 1 region
816	5969	11130	1.08	7.0E-60	4504634	NT	Homo sapiens MHC class 1 region
2119	7234	12476	2.96	7.0E-60	AF077168.1	NT	Homo sapiens interleukin 10 receptor, beta (IL10RB), mRNA
2748	7840	13095	1.02	7.0E-60	AB011153.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
							Homo sapiens mRNA for KIAA0581 protein, partial cds

Page 118 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4150	9278	14413	2.53	7.0E-60	4505488	NT	Homo sapiens ornithine decarboxylase 1 (ODC1) mRNA
4548	9666	14808	0.84	7.0E-60	AF26750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
2169	7272	12620	1.47	6.0E-60	BE964674.2	EST_HUMAN	601668761R1 NIH_MGC_99 Homo sapiens cDNA clone IMAGE:3886069 3'
80	5289	10428	1.9	5.0E-60	AB07917.1	EST_HUMAN	wf52c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
80	5289	10429	1.9	5.0E-60	AB07917.1	EST_HUMAN	wf52c07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2359212 3'
2216	7328	12581	1.14	4.0E-60	AW503208.1	EST_HUMAN	UI-HF-BNO-akt-g-07-Q-UI-1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
2216	7328	12581	1.14	4.0E-60	AW503208.1	EST_HUMAN	UI-HF-BNO-akt-g-07-Q-UI-1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
2942	8096		1.68	4.0E-60	AA299037.1	EST_HUMAN	EST111498 Uterus Homo sapiens cDNA 5' end similar to retrovirus-related pol
1870	6990	12214	3.4	3.0E-60	BE562611.1	EST_HUMAN	601336446F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1870	6990	12215	3.4	3.0E-60	BE562611.1	EST_HUMAN	601336446F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3690395 5'
1880	7000		22.16	3.0E-60	6031190	NT	Homo sapiens prohibitin (PHB) mRNA
4436	9555	14697	1.9	3.0E-60	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
29	5240	10956	1.44	2.0E-60	AY008295.1	NT	Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
1433	6560	11743	6.02	2.0E-60	Z11694.1	NT	H. sapiens 41kDa protein kinase related to rat ERK2
1736	8862	12064	1.24	2.0E-60	M24603.1	NT	Human bcr protein mRNA, 5' end
1743	6870	12074	1.14	2.0E-60	AY008295.1	NT	Homo sapiens solute carrier (SLC25A18) mRNA, complete cds; nuclear gene for mitochondrial product
2671	7767	13018	1.01	2.0E-60	AW978006.1	EST_HUMAN	EST380114 MAGE resequences, MAGE Homo sapiens cDNA
3568	8707	13668	0.68	2.0E-60	4757857	NT	Homo sapiens v-rat murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
3689	9025	14183	0.86	2.0E-60	AF231918.1	NT	Homo sapiens chromosome 21 unknown mRNA
520	5886	10818	2.73	1.0E-60	BE178598.1	EST_HUMAN	PM3-H110605-270200-001-c06 H10605 Homo sapiens cDNA
3879	9015	14172	0.92	1.0E-60	AJ143389.1	EST_HUMAN	AJ143389 Y79AA1 Homo sapiens cDNA clone Y79AA1001854 5'
4836	10045	15185	1.21	1.0E-60	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
1100	6238	11401	1.27	9.0E-61	AJ119344.1	EST_HUMAN	AJ119344 HEMBA1 Homo sapiens cDNA clone HEMBA1005593 5'
2831	7729	12985	1.01	8.0E-61	AW006478.1	EST_HUMAN	w05b10.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2506555 3'
2831	7729	12986	1.01	8.0E-61	AW006478.1	EST_HUMAN	w05b10.x1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:2506555 3'
2917	8071		2.67	8.0E-61	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
123	5322	10468	0.66	7.0E-61	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
123	5322	10467	0.68	7.0E-61	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
263	5453	10691	2.73	6.0E-61	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3335480 5'
812	5965	11127	1.88	6.0E-61	BE409310.1	EST_HUMAN	601300938F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3335480 5'
1326	8455	11633	11.99	6.0E-61	AF119880.1	NT	Homo sapiens PRO2014 mRNA, complete cds
1840	8768	11862	1.17	6.0E-61	BE267400.1	EST_HUMAN	601109238F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350145 5'

Page 119 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1680	8788	11983	3.34	6.0E-61	AA59633.1	EST_HUMAN	nm65109.s1 NCI_CGAP_Lar1 Homo sapiens cDNA clone IMAGE:108897 3'
3288	8437	13598	8.59	6.0E-61	AU130689.1	EST_HUMAN	AU130689 NT2RP3 Homo sapiens cDNA clone NT2RP3001 263 5'
357	5538	10678	0.65	6.0E-61	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
1892	8821	12020	3.02	5.0E-61	4506008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
3008	8162	13319	2.26	5.0E-61	AL163279.2	NT	Homo sapiens chromosome 21 segment HS21C079
3181	8332	13495	1.46	5.0E-61	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
3954	9089		1.68	5.0E-61	AJ229041.1	NT	Homo sapiens 859 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4988	5538	10678	0.65	5.0E-61	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4186	8312	14447	1.29	3.0E-61	BE396279.1	EST_HUMAN	601309785F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3831220 5'
498	5665	10800	1.57	2.0E-61	8922829	NT	Homo sapiens hypothetical protein FLJ11028 (FLJ11028), mRNA
1215	6347	11517	3.89	2.0E-61	BE188410.1	EST_HUMAN	QV3-HT0513-060400-147-d01 HT0513 Homo sapiens cDNA
1216	6347	11518	3.89	2.0E-61	BE188410.1	EST_HUMAN	QV3-HT0513-060400-147-d01 HT0513 Homo sapiens cDNA
1678	6808	12006	1.52	2.0E-61	N53039.1	EST_HUMAN	y63411.s1 Scars fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:246453 3' similar to
2804	7703		1.41	2.0E-61	N35397.1	EST_HUMAN	gb:125444 60S RIBOSOMAL PROTEIN L35A (HUMAN);
434	5603		0.68	1.0E-61	AL163203.2	NT	Y03111.r1 Scars melanocyte 2N5HM Homo sapiens cDNA clone IMAGE:270189 5'
773	5927	11088	1.22	1.0E-61	5453529	NT	Homo sapiens chromosome 21 segment HS21C003
1405	5533	11711	1.13	1.0E-61	AL163203.2	NT	Homo sapiens origin recognition complex, subunit 2 (yeast homolog)-like (ORC2L) mRNA
1869	6988	12213	3.34	1.0E-61	6005983	NT	Homo sapiens zona pellucida glycoprotein 3A (sperm receptor) (ZP3A), mRNA
2180	7293	12540	2.28	1.0E-61	AW827281.1	EST_HUMAN	xm11509.y1 NCI_CGAP_LJ5 Homo sapiens cDNA clone IMAGE:2693369 5' similar to contains element
2786	7853	13118	1.57	1.0E-61	BE386363.1	EST_HUMAN	MSR1 repetitive element;
3357	8502	13670	0.88	1.0E-61	7662318	NT	601273513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3614667 5'
3713	8851	14005	1.52	1.0E-61	BE174455.1	EST_HUMAN	Homo sapiens KIAA0808 gene product (KIAA0808), mRNA
4417	9537	14677	0.88	1.0E-61	4759249	NT	QV2-HT0577-140300-077-g08 HT0577 Homo sapiens cDNA
4417	9537	14678	0.88	1.0E-61	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
4826	9938	15079	9.22	1.0E-61	AW298181.1	EST_HUMAN	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
4826	9938	15080	9.22	1.0E-61	AW298181.1	EST_HUMAN	UI-H-BW0-q1b-08-0-U1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
							UI-H-BW0-q1b-08-0-U1.s1 NCI_CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2732871 3'
4524	9642	14790	1.64	8.0E-62	A4830420.1	EST_HUMAN	oc68h11.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:1954725 3' similar to SW:POL_MLVK
1108	6246	11409	1.12	7.0E-62	AV714334.1	EST_HUMAN	P31795 POL POLYPROTEIN;
							AV714334 DGB Homo sapiens cDNA clone DCBAMA08 5'
3490	8631	13798	0.7	7.0E-62	P17480	SWISSPROT	NUCLEAR TRANSCRIPTION FACTOR 1 (UPSTREAM BINDING FACTOR 1) (UBF-1)

Page 120 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2968	8122		1.44	6.0E-62	U09410.1	NT	Human zinc finger protein ZNF131 mRNA, partial cds
3365	8310		4.59	6.0E-62	11418285	NT	Homo sapiens CGI-58 protein (CGI-58), mRNA
415	5563	10731	5.02	5.0E-62	A1950528.1	EST_HUMAN	wk51a07.x1 NC1_CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2547204.3' similar to SW:GG96_HUMAN
2383	7489	12742	2.82	5.0E-62	AJ271735.1	NT	Q08379 GOLGIN 95, contains element MER22 repetitive element ;
2383	7489	12743	2.82	5.0E-62	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2552	7555	12905	1.11	5.0E-62	U39487.1	NT	Homo sapiens Xq pseudautosomal region; segment 1/2
2552	7555	12906	1.11	5.0E-62	U39487.1	NT	Human xanthine dehydrogenase/oxidase mRNA, complete cds
3400	8544	13703	2.69	5.0E-62	4506758	NT	Human xanthine dehydrogenase/oxidase mRNA, complete cds
4304	9426	14561	1.75	5.0E-62	AA431093.1	EST_HUMAN	Homo sapiens pyrenidine receptor 3 (RYR3) mRNA
4532	9550		0.96	5.0E-62	AW905887.1	EST_HUMAN	zw78e09.e1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:782344.3' similar to SW:NRDC_RAT
841	5993	11161	2.12	4.0E-62	AW161479.1	EST_HUMAN	P47245 NARDILYSIN ;
841	5993	11162	2.12	4.0E-62	AW161479.1	EST_HUMAN	RC5-NN1089-100500-021-H03 NN1089 Homo sapiens cDNA
842	5993	11161	2.44	4.0E-62	AW161479.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701.5' similar to gb:M37104
842	5993	11162	2.44	4.0E-62	AW161479.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
2435	7539	12782	4.32	4.0E-62	A1827900.1	EST_HUMAN	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701.5' similar to gb:M37104
2435	7539	12783	4.32	4.0E-62	A1827900.1	EST_HUMAN	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
3380	8525		8.06	4.0E-62	4557887	NT	au71d03.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2781701.5' similar to gb:M37104
73	5282	10420	0.7	3.0E-62	4557764	NT	ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
3018	8172	13328	1.13	3.0E-62	AB040909.1	NT	wt12b08.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2350359.3' similar to gb:M37104
3018	8172	13329	1.13	3.0E-62	AB040909.1	NT	gb:X57138_ma1 HISTONE H2B.2 (HUMAN);
3675	8614	13970	14.65	3.0E-62	X52858.1	NT	Homo sapiens keratin 18 (KRT18) mRNA
4948	10057	15195	228.4	3.0E-62	AF292180.1	NT	Homo sapiens neurofibromin 2 (bilateral acoustic neuroma) (NF2) mRNA
1234	8365	11538	2.82	2.0E-62	AL163284.2	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
1046	6187	11354	1.22	1.0E-62	AF249540.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
1559	6688	11875	10.74	1.0E-62	L76810.1	NT	Human cyclophilin-related processed pseudogene

Page 121 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1811	8834	12149	1.99	1.0E-62	AA68207.1	EST_HUMAN	sf70e1.1.r1 Soares_Nhi-MP_u_S1 Homo sapiens cDNA clone IMAGE:1047404 5' similar to WP:K01H12.1
2880	8034	13201	0.98	1.0E-62	AL039044.1	EST_HUMAN	CE03453 ; DKFZp566F104.1 566 (synonym: htkd2) Homo sapiens cDNA clone DKFZp566F104 5'
3406	8548		0.97	1.0E-62	AB040911.1	NT	Homo sapiens mRNA for KIAA1478 protein, partial cds
4501	9820	14762	1.67	1.0E-62	8923201	NT	Homo sapiens hypothetical protein FLJ20212 (FLJ20212), mRNA
336	5519	10655	2.1	9.0E-63	AW816405.1	EST_HUMAN	QV4-ST0234-181199-037-095 ST0234 Homo sapiens cDNA
4015	9148	14289	7.57	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
4015	9148	14289	7.57	9.0E-63	AB002348.2	NT	Homo sapiens mRNA for KIAA0350 protein, partial cds
2354	7461	12717	18.96	8.0E-63	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
3443	8585	13748	3.27	8.0E-63	AF188349.1	NT	Gallus gallus Dach2 protein (Dach2), mRNA, complete cds
3443	8585	13747	3.27	8.0E-63	AF188349.1	NT	Gallus gallus Dach2 protein (Dach2), mRNA, complete cds
4239	8364	14497	4.21	8.0E-63	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C068
930	6078		3.87	7.0E-63	AB72137.1	EST_HUMAN	wn55g11.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:2439908 3'
3302	8449	13612	0.76	4.0E-63	AL163278.2	NT	Homo sapiens chromosome 21 segment HS21C078
3788	8923	14072	1.16	4.0E-63	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
3788	8923	14073	1.16	4.0E-63	AB014607.1	NT	Homo sapiens mRNA for KIAA0707 protein, partial cds
1939	7068	12280	2.85	3.0E-63	AB018280.1	NT	Homo sapiens mRNA for KIAA0717 protein, partial cds
2740	7834	13087	2.12	3.0E-63	U00310.1	NT	Human Met-rRNA-1 gene 1
2781	6373	11549	10.06	3.0E-63	5005963	NT	Homo sapiens zinc finger protein 144 (ZNF144), mRNA
188	5383	10525	1.65	2.0E-63	U07804.1	NT	Human DNA topoisomerase I mRNA, partial cds
195	5380	10533	1.26	2.0E-63	4865226	NT	Homo sapiens eyes absent (Drosophila) homolog 2 (EYA2), mRNA
497	5664		1.72	2.0E-63	4557624	NT	Homo sapiens glutamate-cysteine ligase (gamma-glutamylcysteine synthetase), catalytic (72.8kD) (GLCLC) mRNA
827	5980	11146	2.95	2.0E-63	7657042	NT	Homo sapiens Down syndrome candidate region 1 (DSOR1), mRNA
1581	6710	11901	1.46	2.0E-63	AB030398.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1581	6710	11902	1.46	2.0E-63	AB030398.1	NT	Homo sapiens RHCE mRNA for Rh blood CE group antigen polypeptide, complete cds
1777	8803	12111	2.88	2.0E-63	BE410739.1	EST_HUMAN	601301627F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3636103 5'
3135	8286	13443	1.74	2.0E-63	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
3269	8418	13580	2.28	2.0E-63	AF106718.1	NT	Homo sapiens chromosome 3 subtelomeric region
3882	9018	14176	3	2.0E-63	L39891.1	NT	Homo sapiens polycystic kidney disease-associated protein (PKD1) gene, complete cds
4835	9947	15091	1.36	2.0E-63	AF111187.2	NT	Homo sapiens Jun dimerization protein gene, partial cds; cfos gene, complete cds; and unknown gene
1527	6654	11840	1.29	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone alpha-ztd11

Page 122 of 144
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1827	9664	11841	1.29	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
4319	9441	14574	2.76	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
4319	9441	14575	2.76	1.0E-63	F08485.1	EST_HUMAN	HSCZVD111 normalized infant brain cDNA Homo sapiens cDNA clone c-zvd11
1048	6189		13.86	8.0E-64	BE280796.1	EST_HUMAN	601155232F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3139038 5'
3516	8657		0.66	7.0E-64	BE394321.1	EST_HUMAN	601311455F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3633204 5'
4700	9816	14963	2.21	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
4700	9816	14964	2.21	7.0E-64	4507490	NT	Homo sapiens thimet oligopeptidase 1 (THOP1) mRNA
1736	8863	12065	2.71	6.0E-64	A1651992.1	EST_HUMAN	wb51e07.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
1736	8863	12066	2.71	6.0E-64	A1651992.1	EST_HUMAN	wb51e07.x1 NCL_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2309220 3' similar to gb:M15182 BETA-GLUCURONIDASE PRECURSOR (HUMAN);
3099	8252	13401	4.4	6.0E-64	AW028445.1	EST_HUMAN	wt13e03.x1 NCL_CGAP_Brn23 Homo sapiens cDNA clone IMAGE:2528436 3'
3099	8252	13402	4.4	6.0E-64	AW028445.1	EST_HUMAN	wt13e03.x1 NCL_CGAP_Brn23 Homo sapiens cDNA clone IMAGE:2528436 3'
821	5974	11137	3.78	6.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
821	5974	11138	3.78	6.0E-64	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
1343	6472	11652	1.14	5.0E-64	AB020710.1	NT	Homo sapiens mRNA for KIAA0803 protein, partial cds
1726	8653	12058	1.38	5.0E-64	U89398.1	NT	Human I(3)mb1 protein homolog mRNA, complete cds
2786	6617	11805	5.44	5.0E-64		NT	Homo sapiens KIAA0618 gene product (KIAA0618), mRNA
2786	6617	11806	5.44	5.0E-64		NT	Homo sapiens KIAA0618 gene product (KIAA0618), mRNA
3830	9068	14222	7.67	6.0E-64	AF017433.1	NT	Homo sapiens putative transcription factor CR53 (CR53) mRNA, partial cds
4211	9336	14468	0.65	5.0E-64	AF016898.1	NT	Homo sapiens B-ATF gene, complete cds
4211	9336	14469	0.65	5.0E-64	AF016898.1	NT	Homo sapiens B-ATF gene, complete cds
5161	9336	14468	0.67	5.0E-64	AF016898.1	NT	Homo sapiens B-ATF gene, complete cds
5161	9336	14469	0.67	5.0E-64	AF016898.1	NT	Homo sapiens B-ATF gene, complete cds
2182	7285	12642	2.85	3.0E-64	C18895.1	EST_HUMAN	C18895 Human placenta cDNA (TFujwara) Homo sapiens cDNA clone GEN-568E02 5'
3237	9387	13549	0.71	3.0E-64	BE794381.1	EST_HUMAN	601589565F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943577 5'
3424	8566	13724	1.31	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'
3424	8566	13725	1.31	3.0E-64	AV711714.1	EST_HUMAN	AV711714 DCA Homo sapiens cDNA clone DCAAMC01 5'
1089	6228	11393	1.18	2.0E-64	AA605940.1	EST_HUMAN	af09d08.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1031151 3'
1404	8632	11710	1.92	2.0E-64	4767701	NT	Homo sapiens eIF4E-like cap-binding protein (4EHP) mRNA
2497	7601		1.3	2.0E-64	A1927030.1	EST_HUMAN	wb87f01.x1 NCL_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2462281 3' similar to contains element L1 repetitive element;
2502	7605	12854	4.87	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2502	7605	12855	4.87	2.0E-64	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046

Page 123 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3118	8270	13428	1.08	2.0E-64	4504088	NT	Homo sapiens glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2) (GOT2), nuclear gene encoding mitochondrial protein, mRNA
3768	8903	14055	0.65	2.0E-64	AW958145.1	EST_HUMAN	EST370215 MAGE resequences, MAGE Homo sapiens cDNA
3766	8903	14056	0.65	2.0E-64	AW958145.1	EST_HUMAN	EST370219 MAGE resequences, MAGE Homo sapiens cDNA
255	5446	10584	1.7	1.0E-64	AF231819.1	NT	Homo sapiens chromosome 21 unknown mRNA
1789	8915	12122	68.19	1.0E-64	AI929419.1	EST_HUMAN	au60c01.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2519136 3' similar to gb:U21898_cds1 PROTHYMOSIN ALPHA (HUMAN); contains element MSR1 repetitive element ; Homo sapiens transcription factor (GHM enhancer 3, JM11 protein, JM4 protein, JM5 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel α
3498	8637	13804	4.48	1.0E-64	AF198779.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3572	8713	13873	1.18	1.0E-64	AF228527.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3572	8713	13874	1.18	1.0E-64	AF228527.1	NT	Homo sapiens TRIAD3 mRNA, partial cds
3877	9013	14170	0.86	1.0E-64	8922829	NT	Homo sapiens hypothetical protein FLJ11028 (FLJ11028), mRNA
1058	6199	11364	6.24	6.0E-65	AV721898.1	EST_HUMAN	AV721898 HTB Homo sapiens cDNA clone HTBBZC08 5'
1927	7046		40.59	6.0E-65	AA550929.1	EST_HUMAN	nt86d10.s1 NCI CGAP_P111 Homo sapiens cDNA clone IMAGE:998379 similar to gb:K03002 60S RIBOSOMAL PROTEIN L32 (HUMAN);
630	5790	10923	1.77	5.0E-65	AF064604.1	NT	Homo sapiens KE03 protein mRNA, partial cds
1360	6489	11669	1.51	5.0E-65	7661951	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
1360	6489	11670	1.51	5.0E-65	7661951	NT	Homo sapiens KIAA0156 gene product (KIAA0156), mRNA
2138	7252	12498	0.99	5.0E-65	AB033768.1	NT	Homo sapiens hPAD-cadony10 mRNA for peptidylarginine deaminase type I, complete cds
3238	8388	13550	1.89	5.0E-65	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
3238	8388	13551	1.89	5.0E-65	4507848	NT	Homo sapiens ubiquitin specific protease 13 (isopeptidase T-3) (USP13) mRNA
190	5385	10528	2.69	4.0E-65	AL120419.1	EST_HUMAN	DKFZp761G108_r1 761 (synonym: hamy2) Homo sapiens cDNA clone DKFZp761G108 5'
744	5900	11053	1.12	4.0E-65	AI286468.1	EST_HUMAN	qm46e01.x1 Soares_placenta_8tc9weeks_2NbHP8tc9W Homo sapiens cDNA clone IMAGE:1891800 3'
744	5900	11054	1.12	4.0E-65	AI286468.1	EST_HUMAN	qm46e01.x1 Soares_placenta_8tc9weeks_2NbHP8tc9W Homo sapiens cDNA clone IMAGE:1891800 3'
1080	6219	11385	1.97	4.0E-65	4828735	NT	Homo sapiens fragile X mental retardation, autosomal homolog 1 (FXR1), mRNA
1406	6623	11811	21.04	4.0E-65	4506638	NT	Homo sapiens ribosomal protein L34 (RPL34) mRNA
2318	7426	12677	2.41	4.0E-65	BE221499.1	EST_HUMAN	hu26e04.x1 NCI CGAP_Mel16 Homo sapiens cDNA clone IMAGE:3171102 3'
2318	7426	12678	2.41	4.0E-65	BE221499.1	EST_HUMAN	hu26e04.x1 NCI CGAP_Mel15 Homo sapiens cDNA clone IMAGE:3171102 3'
3922	9058	14217	0.98	4.0E-65	AW993185.1	EST_HUMAN	RC2-BN0033-160200-073-e03 BN0033 Homo sapiens cDNA
5167	10265	15405	0.92	4.0E-65	9055289	NT	Homo sapiens low density lipoprotein receptor related protein-deleted in tumor (LRPDI1), mRNA
5167	10265	15406	0.92	4.0E-65	9055289	NT	Homo sapiens low density lipoprotein receptor related protein-deleted in tumor (LRPDI1), mRNA

Page 124 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
83	5303	10443	1.88	3.0E-65	5031978	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
84	5303	10443	1.37	3.0E-65	5031978	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1235	7870		27.41	3.0E-65	X78932.1	NT	H.sapiens HZF9 mRNA for zinc finger protein
1573	5701	11889	3.1	3.0E-65	4504626	NT	Homo sapiens immunoglobulin superfamily, member 3 (IGSF3) mRNA, and translated products
1834	6957	12179	1.46	3.0E-65	A1000892.1	EST_HUMAN	012303.31 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1638173 3' similar to contains element
2959	8113	13275	1.49	3.0E-65	D87078.2	NT	MSR1 repetitive element;
3260	8409	13572	0.8	3.0E-65	4504950	NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
3701	8839	13993	1.47	3.0E-65	A1000692.1	EST_HUMAN	Homo sapiens lam11h, beta 1 (LAMB1), mRNA
4618	9736	14874	1.39	3.0E-65	6912385	NT	MSR1 repetitive element;
3385	8520	13697	5.17	2.0E-65	BF680294.1	EST_HUMAN	Homo sapiens rab6 GTPase activating protein (GAP and centrosome-associated) (GAPCENA), mRNA
86	5295		2.03	1.0E-65	BF125544.1	EST_HUMAN	602155092F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4286968 5'
537	5703	10836	2.58	1.0E-65	7657495	NT	601763488F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:4028501 5'
2034	7152	12392	1.65	1.0E-65	AB040946.1	NT	Homo sapiens putative Rab5 GTP/GTP exchange factor homologue (RABEX5), mRNA
3354	8499	13687	1.15	1.0E-65	BE466891.1	EST_HUMAN	Homo sapiens mRNA for KIAA1513 protein, partial cds
3973	9107	14255	2.13	1.0E-65	4504082	EST_HUMAN	h224609.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:3208888 3'
4179	9305	14440	2.1	1.0E-65	AW028340.1	EST_HUMAN	Homo sapiens glycican 4 (GPC4) mRNA
4179	9305	14441	2.1	1.0E-65	AW028340.1	EST_HUMAN	Homo sapiens glycican 4 (GPC4) mRNA
70	5280	10416	1.38	9.0E-66	AL160311.1	NT	w209c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
70	5280	10417	1.38	9.0E-66	AL160311.1	NT	w209c09.x1 NCI_CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2543152 3'
1361	6490	11671	2.88	9.0E-66	5031980	NT	Novel human gene mapping to chromosome 22
1361	6490	11672	2.88	9.0E-66	5031980	NT	Novel human gene mapping to chromosome 22
1494	6821		5.38	9.0E-66	M87289.1	NT	Homo sapiens 26S proteasome-associated pad1 homologue (POH1) mRNA
4344	9466	14602	1.18	6.0E-66	A1924653.1	EST_HUMAN	Homo sapiens 26S proteasome-associated pad1 homologue (POH1) mRNA
4344	9466	14603	1.18	6.0E-66	A1924653.1	EST_HUMAN	Human transposon-like element, partial
4344	9466	14604	1.18	6.0E-66	A1924653.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2449597 3' similar to WP:F15G9.4A
1376	6504	11686	1.84	5.0E-66	BE064410.1	EST_HUMAN	CE18595;
5091	10191	15330	2.25	5.0E-66	BE898844.1	EST_HUMAN	wn57h07.x1 NCI_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2449597 3' similar to WP:F15G9.4A

Page 125 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5091	10191	15331	2.25	5.0E-66	BE898844.1	EST_HUMAN	801681592F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3951791 5'
791	5945	11105	0.87	4.0E-66	6679816	NT	Mus musculus fragile X mental retardation syndrome 1 homolog (Fmr1), mRNA
2257	7357	12623	1.81	4.0E-66	X89211.1	NT	H. sapiens DNA for endogenous retroviral like element
2449	7553		2.76	4.0E-66	AJ223364.1	NT	Homo sapiens germ-line DNA upstream of Jikepa locus
4751	9894		4.83	4.0E-66	9935487	NT	Human endogenous retrovirus, complete genome
1436	6563	11747	26.39	3.0E-66	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1436	6563	11748	26.39	3.0E-66	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
1984	7101	12332	1.1	3.0E-66	N65323.1	EST_HUMAN	yz27g12.r1 Scores_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B66812;
1984	7101	12333	1.1	3.0E-66	N65323.1	EST_HUMAN	yz27g12.r1 Scores_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B66812;
1984	7101	12334	1.1	3.0E-66	N65323.1	EST_HUMAN	yz27g12.r1 Scores_multiple_sclerosis_2NBHMSP Homo sapiens cDNA clone IMAGE:284326 5' similar to SW:H2B1_TIGCA P35068 HISTONE H2B.1/H2B.2 [2] PIR:B66812;
2689	7765	13018	4.38	3.0E-66	11141880	NT	Homo sapiens TGF(beta)-induced transcription factor 2 (TGIF2), mRNA
3093	8248	13396	6.5	3.0E-66	7662223	NT	Homo sapiens KIAA0649 gene product (KIAA0649), mRNA
50	5252	10387	2	2.0E-66	7657334	NT	Homo sapiens Mischapen/NIK-related kinase (MINK), mRNA
50	5262	10388	2	2.0E-66	7657334	NT	Homo sapiens Mischapen/NIK-related kinase (MINK), mRNA
421	5208	10320	0.99	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORCL) mRNA, and translated products
421	5208	10321	0.99	2.0E-66	4505524	NT	Homo sapiens origin recognition complex, subunit 5 (yeast homolog)-like (ORCL) mRNA, and translated products
1839	6960	12183	2.4	2.0E-66	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
3306	8547	13813	1.15	2.0E-66	8923290	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA
3745	8883	14033	1.02	2.0E-66	AL117233.1	NT	Novel human gene mapping to chromosome 1
4625	9743	14886	5.12	2.0E-66	AJ133267.2	NT	Homo sapiens HLA-B gene for human leukocyte antigen B
4625	9743	14887	5.12	2.0E-66	AJ133267.2	NT	Homo sapiens HLA-B gene for human leukocyte antigen B
1697	6925		1.77	1.0E-66	BE887173.1	EST_HUMAN	801508376F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909631 5'
2860	8015	13180	1.52	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
2860	8015	13181	1.52	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4964	8015	13180	2.97	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'
4964	8015	13181	2.97	1.0E-66	AV717817.1	EST_HUMAN	AV717817 DCB Homo sapiens cDNA clone DCBADC07 5'

Page 126 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4891	10002		0.61	8.0E-67	M78158.1	EST_HUMAN	EST01750 Subtracted Hippocampus, Striatum (cat. #336205) Homo sapiens cDNA clone HHCPN31 similar to L1 repetitive element
378	5587	10732	1.89	7.0E-67	AW162232.1	EST_HUMAN	au75d02.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gb:M37104 ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
1392	6320	11700	2.26	7.0E-67	AA383416.1	EST_HUMAN	EST19812 Testis 1 Homo sapiens cDNA 5' and similar to C. elegans hypothetical protein, cosmid ZK353
1569	6697	11884	4.25	7.0E-67	W85947.1	EST_HUMAN	zh56b05.r1 Soares_fetal_liver_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
1569	6697	11885	4.25	7.0E-67	W85947.1	EST_HUMAN	zh56b05.r1 Soares_fetal_liver_1NFLS_S1 Homo sapiens cDNA clone IMAGE:416049 5'
2027	7144	12383	2.29	7.0E-67	7657243	NT	Homo sapiens inositol 1,3,4-trisphosphate 5/6 kinase (ITPK1), mRNA
2027	7144	12384	2.29	7.0E-67	7657243	NT	Homo sapiens inositol 1,3,4-trisphosphate 5/6 kinase (ITPK1), mRNA
2771	5587	10732	2.33	7.0E-67	AW162232.1	EST_HUMAN	au75d02.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782083 3' similar to gb:M37104 ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (HUMAN);
558	5723	10854	8.35	6.0E-67	X68698.1	NT	H. sapiens mRNA for acetyl-CoA carboxylase
796	5950	11110	1.66	6.0E-67	Z17227.1	NT	Homo sapiens mRNA for transmembrane receptor protein
1277	8408	11880	0.99	6.0E-67	Y14320.1	NT	Homo sapiens PMP69 gene, exons 3, 4, 5, 6 & 7
3147	8298	13458	1.28	6.0E-67	4506434	NT	Homo sapiens retinoblastoma 1 (including osteosarcoma) (RB1) mRNA
3419	8561	13718	1.21	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products
3419	8561	13718	1.21	6.0E-67	4507332	NT	Homo sapiens Synapsin III (SYN3) mRNA, and translated products
4097	9226	14361	0.88	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4097	9226	14362	0.88	6.0E-67	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
4073	9789	14934	2.84	6.0E-67	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
4673	9789	14935	2.84	6.0E-67	7657020	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
5157	10257	15395	0.99	6.0E-67	AF018898.1	NT	Homo sapiens B-ATF gene, complete cds
5157	10257	15396	0.99	6.0E-67	AF018898.1	NT	Homo sapiens B-ATF gene, complete cds
3206	8357	13518	2.93	5.0E-67	AF009680.1	NT	Homo sapiens T cell receptor beta locus, TCRBV7S3A2 to TCRBV12S2 region
1333	8482	11842	3.95	4.0E-67	R90819.1	EST_HUMAN	yn02d11.r1 Soares adult brain N2b-HB55Y Homo sapiens cDNA clone IMAGE:167253 5'
2774	5792	10326	1.33	3.0E-67	AA333768.1	EST_HUMAN	EST137603 Embryo, 9 week Homo sapiens cDNA 5' end
3435	8577	13737	1.12	3.0E-67	BE064410.1	EST_HUMAN	RC4-BT0311-141199-011-H06 BT0311 Homo sapiens cDNA
4663	9779	14923	2.26	3.0E-67	AW859159.1	EST_HUMAN	MR3-SN0066-040500-008-r01 SN0066 Homo sapiens cDNA
4690	9808		0.92	3.0E-67	AL163276.2	NT	Homo sapiens chromosome 21 segment HS21C079
184	5379	10520	1.33	2.0E-67	BE348354.1	EST_HUMAN	hw16g09.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3163136 3' similar to WP:F23111.9 CE09817
848	5997	11168	3.92	2.0E-67	AW816405.1	EST_HUMAN	QV4-ST0234-181199-037-05 ST0234 Homo sapiens cDNA
1106	6244		1.98	2.0E-67	AF167460.1	NT	Homo sapiens double stranded RNA activated protein kinase (PKR) gene, exons 2a, 2, 3, and 4

Page 127 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1892	7011	12232	1.51	2.0E-67	BE303037.1	EST_HUMAN	ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892 KIAA0798 PROTEIN ;
1892	7011	12233	1.51	2.0E-67	BE303037.1	EST_HUMAN	ba72g05.y1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2905976 5' similar to TR:O94892 O94892 KIAA0798 PROTEIN ;
2221	7333	12588	1.11	2.0E-67	11422846	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
2221	7333	12587	1.11	2.0E-67	11422846	NT	Homo sapiens hypothetical protein dJ462023.2 (DJ462023.2), mRNA
2384	7470	12728	2.48	2.0E-67	AF305681.1	NT	Homo sapiens KRAB zinc finger protein ZFOR mRNA, complete cds
2409	7515	12765	2.21	2.0E-67	4758795	NT	Homo sapiens developmentally regulated GTP-binding protein 1 (DRG1), mRNA
3449	8591	13765	3.92	2.0E-67	AA626765.1	EST_HUMAN	z091g01.s1 Soares_basils_NHT Homo sapiens cDNA clone IMAGE:745392 3'
3977	9111	14259	2.44	2.0E-67	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
250	5441	10581	4.73	1.0E-67	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (prolasee nextin-II, Alzheimer disease) (APP), mRNA
706	5863	11010	1.9	1.0E-67	AA702794.1	EST_HUMAN	280004.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4879	9795	14940	0.6	1.0E-67	BF43247.1	EST_HUMAN	nab61f08.x1 Soares_NSF_P8_OW_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE: 3'
2158	7289	12517	4.77	8.0E-68	BE870732.1	EST_HUMAN	601448558F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852254 5'
3848	8884	14139	5.22	8.0E-68	AA209456.1	EST_HUMAN	zq82h10.r1 Striatagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:548163 5' similar to SW_SAV_SULAC Q07590 SAV PROTEIN ;
3848	8884	14140	5.22	8.0E-68	AA209456.1	EST_HUMAN	zq82h10.r1 Striatagene hNT neuron (#837233) Homo sapiens cDNA clone IMAGE:548163 5' similar to SW_SAV_SULAC Q07590 SAV PROTEIN ;
1899	7018		1.22	6.0E-68	AW503842.1	EST_HUMAN	U1-HF-BNO-abb-c-07-0-U1r1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078924 5'
803	7966	11118	0.72	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
803	7966	11119	0.72	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
820	5973	11135	3.62	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
820	5973	11136	3.62	5.0E-68	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
2741	7835	13088	36.25	5.0E-68	AF231918.1	NT	Homo sapiens chromosome 21 unknown mRNA
3125	8277	13433	2.97	5.0E-68	AB037852.1	NT	Homo sapiens mRNA for KIAA1431 protein, partial cds
4162	9278		0.76	5.0E-68	4828967	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
2498	7602	12849	1.27	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
2498	7602	12850	1.27	4.0E-68	11421388	NT	Homo sapiens transcription factor NRF (NRF), mRNA
3084	8217		1.12	4.0E-68	AW207003.1	EST_HUMAN	U1-HB11-af-c-08-0-U1.s1 NCI CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2721399 3'
4960	10968		19.6	4.0E-68	P04406	SWISSPROT	GLYCYERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER
3638	8777	13832	5.78	3.0E-68	AF236082.1	NT	Mus musculus G-protein coupled receptor GPR73 (Gpr73) mRNA, complete cds
2825	10313		32.61	2.0E-68	D00522.1	NT	Chricetus longicaudatus mRNA for EF-1 alpha, complete cds

Page 128 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3998	9132	14278	0.7	2.0E-68	BE975766.1	EST_HUMAN	7f1562.x1 NCL CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3294747 3' similar to TR:O80828 O80828
4653	9770	14916	2.05	2.0E-68	AB008881.1	NT	HYPOTHETICAL 88.8 KD PROTEIN ;
284	5482	10924	11.03	1.0E-68	AW816405.1	EST_HUMAN	Homo sapiens gene for activin receptor type IIB, complete cds
2232	7344	12598	1.34	1.0E-68	AB011149.1	NT	QV4-ST0234-181189-037-405 ST0234 Homo sapiens cDNA
2232	7344	12599	1.34	1.0E-68	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
2720	7815	13071	1.15	1.0E-68	AW451832.1	EST_HUMAN	Homo sapiens mRNA for KIAA0577 protein, complete cds
3985	9119	14266	1.54	1.0E-68	BE286032.1	EST_HUMAN	UHL-B18-alk-f-01-0-UI-1 NCL CGAP_Sub8 Homo sapiens cDNA clone IMAGE:2737272 3'
5055	10157	15288	1.38	1.0E-68	BE286032.1	EST_HUMAN	601177002F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532344 5'
20	5231	10343	8.71	9.0E-69	5031876	NT	601177002F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532344 5'
20	5231	10344	8.71	9.0E-69	5031876	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1029	6170	11335	1.68	9.0E-69	5031080	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
1029	6170	11338	1.68	9.0E-69	5031980	NT	Homo sapiens 26S proteasome-associated peptidyl homology (POH1) mRNA
4100	8229	14366	0.86	9.0E-69	4757887	NT	Homo sapiens v-rat murine sarcoma viral oncogene homolog B1 (BRAF) mRNA
3357	8512		1.14	8.0E-69	AJ237744.1	NT	Homo sapiens RIBL1R gene (partial), exon 12
518	5684		0.98	4.0E-69	AJ873630.1	EST_HUMAN	hm26h11.x1 NCL CGAP_Lk4 Homo sapiens cDNA clone IMAGE:2437125 3'
394	5593	10739	5.27	3.0E-69	BE258012.1	EST_HUMAN	601110371F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3351352 5'
609	5769	10898	1.96	3.0E-69	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
1570	6698		1.54	3.0E-69	T80514.1	EST_HUMAN	yd08a02.r1 Soares Infant brain 1NIB Homo sapiens cDNA clone IMAGE:24880 5' similar to SP:A48838
4940	10050	15188	0.97	3.0E-69	AB037732.1	NT	A48836 SPEGF III=EGF REPEAT-CONTAINING FIBROPELIN-LIKE PROTEIN - SEA URCHIN ;
5126	9189	14330	0.95	3.0E-69	AJ765888.1	EST_HUMAN	hm68g08.x1 NCL CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2385738 3'
124	5571	10718	2.22	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
124	5571	10718	2.22	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
404	5571	10718	4.66	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
404	5571	10718	4.66	2.0E-69	AF160252.1	NT	Homo sapiens KIAA0553 protein gene, complete cds; and alpha1b protein gene, partial cds
1893	7012	12234	2.34	2.0E-69	BE257857.1	EST_HUMAN	601109444F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3350074 5'
2806	7062		3.36	2.0E-69	AA431167.1	EST_HUMAN	zw71g02.r1 Soares testis NHT Homo sapiens cDNA clone IMAGE:781682 5'
1718	6945	12048	1.61	1.0E-69	AF053708.1	NT	Rattus norvegicus brain specific cortactin-binding protein CBP80 mRNA, partial cds
2313	7937	12672	2.34	8.0E-70	AA230303.1	EST_HUMAN	hcl3d12.r1 NCL CGAP_P11 Homo sapiens cDNA clone IMAGE:1008023
4352	9474	14612	1.7	8.0E-70	L77568.1	NT	Homo sapiens DGS-1 mRNA, 3' end
1825	6948	12169	3.57	7.0E-70	AJ497807.1	EST_HUMAN	hm89f01.x1 NCL CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2165305 3'
1825	6948	12170	3.67	7.0E-70	AJ497807.1	EST_HUMAN	hm89f01.x1 NCL CGAP_Bn25 Homo sapiens cDNA clone IMAGE:2165305 3'

Page 129 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1935	7054	12276	1.85	7.0E-70	AA282955.1	EST_HUMAN	z16h04.t1 NCL CGAP_GCBT Homo sapiens cDNA clone IMAGE:713239 5'
2056	7172		6.1	7.0E-70	5031668	NT	Homo sapiens tumor suppressor deleted in oral cancer-related 1 (DOC-IR) mRNA
4202	8327	14459	3.42	7.0E-70	4757723	NT	Homo sapiens adenylate cyclase 3 (ADCY3) mRNA
872	6023	11194	3.49	6.0E-70	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
2125	7239	12482	5.6	6.0E-70	M30538.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
2479	7594	12834	2.07	6.0E-70	8923899	NT	Homo sapiens CMP-N-ecysteineuraminic acid synthase (LOC55907), mRNA
2523	7942	12871	3.38	5.0E-70	7662307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
2523	7942	12872	3.38	5.0E-70	7662307	NT	Homo sapiens KIAA0792 gene product (KIAA0792), mRNA
1802	6730	11921	5.33	3.0E-70	BE071796.1	EST_HUMAN	RCO-BT0522-071289-011-a12 BT0522 Homo sapiens cDNA
1602	6730	11922	5.33	3.0E-70	BE071796.1	EST_HUMAN	RCO-BT0522-071289-011-a12 BT0522 Homo sapiens cDNA
5137	10237	16373	0.94	3.0E-70	AJ271736.1	NT	Homo sapiens Xq pseudobulbosomal region; segment 2/2
37	5248	10366	1.24	2.0E-70	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
687	5845	10885	13.85	2.0E-70	N42161.1	EST_HUMAN	Y07a10.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HL_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
687	5845	10886	13.85	2.0E-70	N42161.1	EST_HUMAN	Y07a10.r1 Soares melanocyte 2NBHM Homo sapiens cDNA clone IMAGE:270522 5' similar to SW:D3HL_RAT P29266 3-HYDROXYISOBUTYRATE DEHYDROGENASE PRECURSOR ;
703	5980	11009	2.51	2.0E-70	AI246693.1	EST_HUMAN	q551h01.x1 NCL CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2004913 3'
1022	6163	11329	1.75	2.0E-70	8923669	NT	Homo sapiens hypothetical protein FLJ20758 (FLJ20758), mRNA
1186	6320	11488	4.33	2.0E-70	7661983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1186	6320	11489	4.33	2.0E-70	7661983	NT	Homo sapiens KIAA0193 gene product (KIAA0193), mRNA
1754	6880	12086	1.41	2.0E-70	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
2298	7407		4.84	2.0E-70	AA054010.1	EST_HUMAN	z48g04.t1 Soares retina N2b4HR Homo sapiens cDNA clone IMAGE:380214 5' similar to SW:GAG_HTL1A P03345 GAG POLYPROTEIN ;
2460	7594	12817	1.35	2.0E-70	AB011173.1	NT	Homo sapiens mRNA for KIAA0601 protein, partial cds
3787	8934	14081	2	2.0E-70	AL133207.2	NT	Novel human gene mapping to chromosome X
4023	9155	14289	4.56	2.0E-70	M69181.1	NT	Human nonmuscle myosin heavy chain-B (MYH10) mRNA, partial cds
4164	9280	14426	0.9	2.0E-70	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4164	9280	14427	0.9	2.0E-70	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
3374	8519		3.07	1.0E-70	4507476	NT	Homo sapiens transglutaminase 3 (E polypeptide, protein-glutamine-gamma-glutamyltransferase) (TGM3) mRNA
2192	7304	12554	31.81	5.0E-71	AF056922.1	NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
4092	9221	14358	1.07	5.0E-71	AW816405.1	EST_HUMAN	QV4-ST0234-181189-037-f05 ST0234 Homo sapiens cDNA
100	5308	10449	0.9	4.0E-71	4507592	NT	Homo sapiens tumor necrosis factor (ligand) superfamily, member 10 (TNFSF10) mRNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
347	5530	10668	331.53	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
347	5530	10669	331.53	4.0E-71	AF157626.1	NT	Equus caballus glyceraldehyde-3-phosphate dehydrogenase mRNA, partial cds
2846	8000	13160	1.01	4.0E-71	7706414	NT	Homo sapiens hook1 protein (HOOK1), mRNA
2846	8000	13160	1.01	4.0E-71	7706414	NT	Homo sapiens hook1 protein (HOOK1), mRNA
2853	8008	13168	2.01	4.0E-71	4505880	NT	Homo sapiens plasminogen (PLG) mRNA
4406	9528	14666	5.16	4.0E-71	AF056322.1	NT	Homo sapiens SP100-HMG nuclear autoantigen (SP100) mRNA, complete cds
4971	10079	15216	5.78	4.0E-71	7657602	NT	Homo sapiens putative heme-binding protein (SOL), mRNA
1233	6364	11537	6.91	2.0E-71	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
637	5798	10932	1.78	1.0E-71	AI077927.1	EST_HUMAN	cy15c03.s1 Soares_senescent_fibroblasts_NHHSF Homo sapiens cDNA clone IMAGE:1665916 3' similar to contains LOR1.b2 LOR1 repetitive element
941	6089	11257	3.28	1.0E-71	7706281	NT	Homo sapiens neuronal cell death-related protein (LOC51616), mRNA
1101	8239	11402	3.42	1.0E-71	AF205890.1	NT	Homo sapiens disabled-2 gene, exons 2 through 15 and complete cds
1346	6474	11654	8.13	1.0E-71	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
2076	7181	12434	3.22	1.0E-71	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2076	7181	12435	3.22	1.0E-71	AB017007.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2654	7762	13001	2.34	1.0E-71	7657153	NT	Homo sapiens hairyenhancer-of-split related with YRPW motif-like (HEYL), mRNA
3484	8625	13782	2	1.0E-71	AF119695.1	NT	Homo sapiens inorganic pyrophosphatase mRNA, complete cds
3582	8723	13880	5.81	1.0E-71	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
3582	8723	13881	5.81	1.0E-71	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
3626	8765	13920	0.83	1.0E-71	BE122850.1	EST_HUMAN	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
3626	8765	13921	0.83	1.0E-71	BE122850.1	EST_HUMAN	02_15 Human Epidermal Keratinocyte Subtraction Library- Upregulated Transcripts Homo sapiens cDNA clone 02_15 5' similar to Homo sapiens chromosome 19
3722	8880	14013	2.47	1.0E-71	AF216804.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 19
4449	8568	14709	1.62	1.0E-71	D28476.1	NT	Human mRNA for KIAA0045 gene, complete cds
407	5574	10721	0.89	9.0E-72	AB857635.1	EST_HUMAN	wk85g03.x1 NCI_CGAP Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN ; contains Alu repetitive element
407	5574	10722	0.89	9.0E-72	AB857635.1	EST_HUMAN	wk85g03.x1 NCI_CGAP Lu19 Homo sapiens cDNA clone IMAGE:2423188 3' similar to TR:O86705 O86705 HYPOTHETICAL 38.6 KD PROTEIN ; contains Alu repetitive element
4088	9210	14350	1.61	7.0E-72	4501866	NT	Homo sapiens acnitate 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
4088	9210	14351	1.61	7.0E-72	4501866	NT	Homo sapiens acnitate 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA

Page 131 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4088	8216	14352	1.81	7.0E-72	4501868	NT	Homo sapiens aconitase 2, mitochondrial (ACO2), nuclear gene encoding mitochondrial protein, mRNA
62	5273	10407	2.15	5.0E-72	BF333707.1	EST_HUMAN	QVO-CS0010-150900-388-e11 CS0010 Homo sapiens cDNA
62	5273	10408	2.15	5.0E-72	BF333707.1	EST_HUMAN	QVO-CS0010-150900-388-e11 CS0010 Homo sapiens cDNA
63	5273	10407	8.82	5.0E-72	BF333707.1	EST_HUMAN	QVO-CS0010-150900-388-e11 CS0010 Homo sapiens cDNA
63	5273	10408	8.82	5.0E-72	BF333707.1	EST_HUMAN	QVO-CS0010-150900-388-e11 CS0010 Homo sapiens cDNA
1140	6277		1.83	5.0E-72	L11645.1	NT	Homo sapiens alpha-tubulin mRNA, complete cds
4790	6903		1.2	4.0E-72	11034844	NT	Homo sapiens hypothetical protein dJ1057B20.2 (Dj1057B20.2), mRNA
19	5230	10342	2.05	3.0E-72	5031976	NT	Homo sapiens pre-B-cell colony-enhancing factor (PBEF) mRNA
804	6054		0.93	3.0E-72	AA723823.1	EST_HUMAN	ah63a08.e1 Soares testis_NHT Homo sapiens cDNA clone 1310280 3'
1156	6292	11455	7.41	3.0E-72	U16306.1	NT	Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds
1156	6292	11456	7.41	3.0E-72	U16306.1	NT	Human chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide mRNA, complete cds
1188	6330	11497	1.48	3.0E-72	U80226.1	NT	Human gemme-aminobutyric acid transaminase mRNA, partial cds
1196	6330	11498	1.48	3.0E-72	U80226.1	NT	Human gemme-aminobutyric acid transaminase mRNA, partial cds
1534	6661	11847	1.1	3.0E-72	BE242161.1	EST_HUMAN	TCAAP1E1252 Pediatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project-TCAA Homo sapiens cDNA clone TCAAP1252
3046	8200	13356	10.6	3.0E-72	AJ228043.1	NT	Homo sapiens 959 kb config between AML1 and CBR1 on chromosome 21q22, segment 3/3
3282	8411	13573	2.73	3.0E-72	8823548	NT	Homo sapiens hypothetical protein FLJ20585 (FLJ20585), mRNA
3801	8938	14085	2.78	3.0E-72	S77689.1	NT	TOR V delta 2-C alpha =T-cell receptor delta and C alpha fusion gene (alternatively spliced, splice junction) [human, precursor B-cell line REH, mRNA Partial, 211 nt]
4395	9515	14656	1.1	3.0E-72	AF143892.1	NT	Homo sapiens thioredoxin-like protein (TXNL) gene, exon 3
4395	9515	14657	1.1	3.0E-72	AF143892.1	NT	Homo sapiens thioredoxin-like protein (TXNL) gene, exon 3
4518	9638	14781	2.83	3.0E-72	11416196	NT	Homo sapiens hypothetical protein (FLJ11127), mRNA
4732	9845	14990	1.34	3.0E-72	AF167572.1	NT	Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds
4732	9845	14991	1.34	3.0E-72	AF167572.1	NT	Homo sapiens protein methyltransferase (JBP1) mRNA, complete cds
4899	10010	15155	1.08	3.0E-72	A1654937.1	EST_HUMAN	ws31a08.x1 NCL_OGAP_G06 Homo sapiens cDNA clone IMAGE:2307254 3'
2057	7183	12423	1.08	1.0E-72	AA846225.1	EST_HUMAN	ab33d02.s1 Soares_parathyroid_tumor_NBHPA Homo sapiens cDNA clone IMAGE:1387395 3'
1472	6569	11785	1.63	9.0E-73	AW374988.1	EST_HUMAN	MRO-CT0063-071099-002.h11 CT0063 Homo sapiens cDNA
							ws55c08.x1 NCL_OGAP_Bm25 Homo sapiens cDNA clone IMAGE:2501098 3' similar to TR:Q59050
1040	6180	11345	1.57	8.0E-73	AW071755.1	EST_HUMAN	Q59050 HYPOTHETICAL PROTEIN MJ1658. ;
1428	6555	11737	2.38	8.0E-73	A024877.1	EST_HUMAN	ov39f08.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1639743 3'
1135	6272	11436	1.92	7.0E-73	8823280	NT	Homo sapiens hypothetical protein FLJ20309 (FLJ20309), mRNA

Page 132 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3283	8432	13594	0.89	7.0E-73	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
4921	10031		1.81	7.0E-73	AL163282.2	NT	Homo sapiens chromosome 21 segment HS21C082
153	5350		2.16	6.0E-73	AL163218.2	NT	Homo sapiens chromosome 21 segment HS21C018
1348	6475	11855	2.17	3.0E-73	AW843789.1	EST_HUMAN	CMO-CN0044-260100-164-08 CN0044 Homo sapiens cDNA
1873	6893	12218	1.47	3.0E-73	11435913	NT	Homo sapiens home-binding protein (HEBP), mRNA
1873	6893	12219	1.47	3.0E-73	11435913	NT	Homo sapiens home-binding protein (HEBP), mRNA
852	6003	11174	2.63	2.0E-73	AF135897.1	NT	Homo sapiens BASS1 (BASS1) mRNA, partial cds
1950	7088		3.26	2.0E-73	AW898081.1	EST_HUMAN	RC3-NN0066-270400-011-c04 NN0066 Homo sapiens cDNA
2271	7381		1.06	2.0E-73	U01317.1	NT	Human beta globin region on chromosome 11
3161	8312	13473	3.98	2.0E-73	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3537	8578	13840	0.63	2.0E-73	7689539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA
3537	8579	13841	0.63	2.0E-73	7689539	NT	Homo sapiens Parkinson disease (autosomal recessive, juvenile) 2, parkin (PARK2), transcript variant 3, mRNA
4411	9531		1.08	2.0E-73	AL163293.2	NT	Homo sapiens chromosome 21 segment HS21C083
1793	6919	12129	2.37	1.0E-73	AU121585.1	EST_HUMAN	AU121585 MAMMA1 Homo sapiens cDNA clone MAMMA1000490 5'
2458	7362	12814	1.05	1.0E-73	AF198349.1	NT	Gallus gallus Dach2 protein (Dach2) mRNA, complete cds
739	5995	11047	2.05	8.0E-74	4557426	NT	Homo sapiens CD39-like 4 (CD39L4) mRNA
1953	7070	12294	2.18	7.0E-74	AJ001889.1	NT	Homo sapiens NKG2D gene, exon 10
3309	8456	13618	1.22	7.0E-74	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C048
1123	8261	11426	3.46	0.0E-74	AF109807.1	NT	Homo sapiens S164 gene, partial cds; PS1 and hypohidrotic protein genes, complete cds; and S171 gene, partial cds
2294	7403	12654	89.23	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2294	7403	12655	89.23	6.0E-74	BE388260.1	EST_HUMAN	601283521F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605453 5'
2827	7982	13144	1.2	6.0E-74	AW014039.1	EST_HUMAN	U1H-B10-eah-h-03-0-J1.s1 NCL_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
2827	7982	13145	1.2	6.0E-74	AW014039.1	EST_HUMAN	U1H-B10-eah-h-03-0-J1.s1 NCL_CGAP_Sub1 Homo sapiens cDNA clone IMAGE:2709365 3'
3692	8930	13984	1.39	6.0E-74	BE048948.1	EST_HUMAN	h54e11.x1 NCL_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:3132332 3'
3692	8930	13985	1.39	6.0E-74	BE048948.1	EST_HUMAN	h54e11.x1 NCL_CGAP_Kd11 Homo sapiens cDNA clone IMAGE:3132332 3'
5011	10114	15244	1	6.0E-74	4758135	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
5011	10114	15245	1	6.0E-74	4758135	NT	Homo sapiens DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 11 (S.cerevisiae CHL1-like helicase) (DDX11) mRNA
806	8058	11225	2.51	5.0E-74	AW020986.1	EST_HUMAN	df17c08.y1 Morten Fetal Cochlea Homo sapiens cDNA clone IMAGE:2483704 5'
2663	7759		5.84	5.0E-74	AW382766.1	EST_HUMAN	PMO-CT0289-271099-001-h07 CT0289 Homo sapiens cDNA

Page 133 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
277	5468	10609	5.66	4.0E-74	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
853	6004	11175	11.32	4.0E-74	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
1968	7083	12307	1.19	4.0E-74	AB028998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1968	7083	12308	1.19	4.0E-74	AB028998.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
2064	7180	12419	11.24	4.0E-74	4506192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2064	7180	12420	11.24	4.0E-74	4506192	NT	Homo sapiens proteasome (prosome, macropain) subunit, beta type, 1 (PSMB1) mRNA
2123	7238	12481	1.98	4.0E-74	AB032984.1	NT	Homo sapiens mRNA for KIAA1168 protein, partial cds
2404	7510	12760	7.16	4.0E-74	AJ006976.1	NT	Homo sapiens PLP gene
3053	8216	13370	6.64	4.0E-74	AJ006976.1	NT	Homo sapiens PLP gene
3514	8655	13921	0.83	4.0E-74	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C047
4038	9169	14310	1	4.0E-74	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
4530	9648	14794	1.71	4.0E-74	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
4586	9704	14842	0.87	4.0E-74	Z1727.1	NT	Homo sapiens mRNA for transmembrane receptor protein
5057	10169	16280	1.18	4.0E-74	4504326	NT	Homo sapiens hydroxycy-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
5057	10169	15291	1.18	4.0E-74	4504326	NT	Homo sapiens hydroxycy-Coenzyme A dehydrogenase/3-ketoacyl-Coenzyme A thiolase/Coenzyme A hydratase (trifunctional protein), beta subunit (HADHB) mRNA
950	8107	11276	397.42	2.0E-74	7669491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
959	8107	11277	397.42	2.0E-74	7669491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
1177	6312	11480	1.04	2.0E-74	AF020092.1	NT	Human endogenous retrovirus HERV-K-T47D
1248	6378	11557	3.01	2.0E-74	AI950528.1	EST_HUMAN	wx51607.x1 NC1 CGAP_Lu28 Homo sapiens cDNA clone IMAGE:2847204 3' similar to SW:GG95_HUMAN
1608	6736	11929	3.81	2.0E-74	4885198	NT	Q08379 GOLGIN-95, contains element MER22 repetitive element;
1608	6736	11930	3.81	2.0E-74	4885198	NT	Homo sapiens epidermal growth factor receptor (avian erythroblast leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
1608	6736	11930	3.81	2.0E-74	4885198	NT	Homo sapiens epidermal growth factor receptor (avian erythroblast leukemia viral (v-erb-b) oncogene homolog) (EGFR) mRNA
2568	7667	12922	7.73	2.0E-74	AI557280.1	EST_HUMAN	PT2.1_15_G11.r tumor2 Homo sapiens cDNA 3'
4993	10089	15229	2.72	2.0E-74	AL355082.1	NT	Novel human gene mapping to chromosome 22
4993	10089	15230	2.72	2.0E-74	AL355092.1	NT	Novel human gene mapping to chromosome 22
52	5264	10391	2.55	1.0E-74	7697334	NT	Homo sapiens Mieshaer/NIK-related kinase (MINK), mRNA
335	5518	10654	3.25	1.0E-74	AW161605.1	EST_HUMAN	QV4-ST0234-187199-037-605 S10234 Homo sapiens cDNA
499	5666	10801	1.38	1.0E-74	8922829	NT	Homo sapiens hypothetical protein FLJ11026 (FLJ11026), mRNA

Page 134 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
506	5672	10806	13.77	1.0E-74	X02344.1	NT	Homo sapiens beta 2 gene
509	5761	10889	1.72	1.0E-74	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259) mRNA
1000	6146	11313	2.39	1.0E-74	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2208	7320	12571	3.57	1.0E-74	AB002058.1	NT	Homo sapiens DNA for Human P2XM, complete cds
3117	8269	13425	3.47	1.0E-74	4758697	NT	Homo sapiens mannosidase, alpha, class 2A, member 1 (MAN2A1), mRNA
3885	9031	14180	0.87	1.0E-74	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
3895	9031	14181	0.87	1.0E-74	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
3941	9077	14231	5.54	1.0E-74	AL163238.2	NT	Homo sapiens chromosome 21 segment HS21C068
4039	9170	14311	0.9	1.0E-74	BE083080.1	EST_HUMAN	RC2-BT0642-270300-019-008 BT0642 Homo sapiens cDNA
							h273h08.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3213663 3' similar to WP:B0511.12
4241	9388	14499	0.72	1.0E-74	BE467769.1	EST_HUMAN	CE17351;
2807	7706		2.28	8.0E-75	AF176228.1	NT	Homo sapiens DNA cytosine-5 methyltransferase 3B (DNMT3B) mRNA, complete cds
2299	7408	12659	1.55	6.0E-75	AB17415.1	EST_HUMAN	wk38a08.x1 NCI_CGAP_P22 Homo sapiens cDNA clone IMAGE:2417654 3' similar to gbM14123_cds4
108	5312	10451	1.9	4.0E-75	BE081333.1	EST_HUMAN	RETROVIRUS-RELATED POLYPROTEIN (HUMAN);
458	5626		1.35	4.0E-75	N36757.1	EST_HUMAN	QV1-BT0632-210200-079-002 BT0632 Homo sapiens cDNA
1776	5902	12110	1.14	4.0E-75	AW697230.1	EST_HUMAN	yx80h08.r1 Scars melanocyte 2NblHM Homo sapiens cDNA clone IMAGE:269055 5'
2811	7967	13127	5.46	4.0E-75	BE405464.1	EST_HUMAN	CMD-NN0057-150400-335-at11 NN0057 Homo sapiens cDNA
3483	8924	13761	1.18	4.0E-75	8922637	NT	801303966F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3638344 5'
1003	8149	11316	3.28	3.0E-75	AF157623.1	NT	Homo sapiens hypodermal protein FLJ10747 (FLJ10747), mRNA
1004	8149	11316	2.31	3.0E-75	AF157623.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1850	6971	12192	1.97	3.0E-75	AB011153.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
2400	7503	12755	2.07	3.0E-75	4759153	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
2993	8148	13308	0.81	3.0E-75	AL163201.2	NT	Homo sapiens synaptonemal-associated protein, 29kD (SNAP29) mRNA
3172	8323	13484	1.18	3.0E-75	AB011153.1	NT	Homo sapiens chromosome 21 segment HS21C001
3332	8478	13642	0.66	3.0E-75	MT2383.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
3332	8478	13643	0.65	3.0E-75	MT2383.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4139	9267	14407	1.34	3.0E-75	D87675.1	NT	Human calcium-dependent phospholipid-binding protein (PLA2) mRNA, complete cds
4414	9534	14673	1.22	3.0E-75	7662421	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
2278	7388	12638	15.13	1.0E-75	AW168135.1	EST_HUMAN	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
2912	8066	13239	3.84	1.0E-75	X52221.1	NT	xg90002.x1 NCI_CGAP_U14 Homo sapiens cDNA clone IMAGE:2632707 3' similar to contains PTR7.t1
							PTR7 repetitive element;
							H. sapiens ERCC2 gene, exons 1 & 2 (partial)
43	5255	10375	7.63	9.0E-76	AI652848.1	EST_HUMAN	wb30b10.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2307163 3' similar to TR:O75235 O75235
							TRAP1;

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
43	5255	10376	7.93	9.0E-76	A1652648.1	EST_HUMAN	w630b10.x1 NCI_CGAP_G08 Homo sapiens cDNA clone IMAGE:2307163 3' similar to TR:O75235 O75235
838	6086	11263	0.77	8.0E-76	4804374	NT	TRAP1 ;
838	6086	11264	0.77	8.0E-76	4504374	NT	Homo sapiens H factor 1 (complement) (HF1) mRNA
							Homo sapiens H factor 1 (complement) (HF1) mRNA
776	5930	11089	2.91	7.0E-76	5016092	NT	Homo sapiens dihydropyrimidinase dehydrogenase (E3 component of pyruvate dehydrogenase complex, 2-oxo- glutarate complex, branched chain keto acid dehydrogenase complex) (DLD) mRNA
3276	8426	13586	2.55	7.0E-76	AF058490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
3282	8431	13583	6.25	7.0E-76	4505052	NT	Homo sapiens lymphocyte antigen 75 (LY75) mRNA, end translated products
4350	9472	14609	4.75	7.0E-76	4507184	NT	Homo sapiens septaplatin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
4350	9472	14610	4.75	7.0E-76	4507184	NT	Homo sapiens septaplatin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase) (SPR) mRNA
1237	6367		72.97	6.0E-76	BE396253.1	EST_HUMAN	601312019F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3658757 5'
1947	7065	12288	28.9	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
1947	7065	12289	28.9	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
1947	7065	12290	28.9	5.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
628	5788	10920	1.66	3.0E-76	BF516262.1	EST_HUMAN	U1-H-BW1-anz-b-04-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
628	5788	10921	1.66	3.0E-76	BF516262.1	EST_HUMAN	U1-H-BW1-anz-b-04-U1.s1 NCI_CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3083862 3'
1612	6740	11934	11.26	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
1612	6740	11935	11.26	3.0E-76	4503476	NT	Homo sapiens eukaryotic translation elongation factor 1 beta 2 (EEF1B2) mRNA
3410	8553	13711	5.9	3.0E-76	BF375689.1	EST_HUMAN	RC6-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
3410	8553	13712	5.9	3.0E-76	BF375689.1	EST_HUMAN	RC5-ST0300-180100-033-A03 ST0300 Homo sapiens cDNA
4055	9185	14327	1.33	3.0E-76	BE348893.1	EST_HUMAN	h87112.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3151823 3' similar to TR:O94886 O94886
279	5468	10611	1.59	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
340	5523	10658	2.51	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
340	5523	10659	2.51	2.0E-76	D84295.1	NT	Human mRNA for possible protein TPRDII, complete cds
480	5828		1.09	2.0E-76	4557662	NT	Homo sapiens immunoglobulin (IGJ79A) binding protein 1 (IGBP1) mRNA
588	5780	10878	2.7	2.0E-76	4503944	NT	Homo sapiens glucagon (GCG) mRNA
1032	6173	11341	1.89	2.0E-76	4758053	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
1560	6878	11866	1.86	2.0E-76	4804028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA
1560	6878	11866	1.85	2.0E-76	4504028	NT	Homo sapiens GM2 ganglioside activator protein (GM2A) mRNA
2804	7960	13123	1.86	2.0E-76	P23266	SWISSPROT	OLFACTORY RECEPTOR-LIKE PROTEIN F5
3279	8428	13590	2.04	2.0E-76	AA445992.1	EST_HUMAN	z664602.s1 Scarsa_testis_NHT Homo sapiens cDNA clone IMAGE:780986 3' similar to SW:ITB5_HUMAN P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR. ;

Page 136 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3279	8428	13591	2.04	2.0E-76	AA445992.1	EST_HUMAN	zmv6402.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:780986 3' similar to SW:ITB5_HUMAN
3749	8888	14037	0.6	2.0E-76	AA400700.1	EST_HUMAN	P18084 INTEGRIN BETA-5 SUBUNIT PRECURSOR. ;
4100	5488	10611	1.33	2.0E-76	DB4285.1	NT	zu70g11.1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:743396 5' similar to WP:R05D3.2
4925	10035	15176	5.95	2.0E-76	AW879818.1	EST_HUMAN	CE00281 ;
4273	9397	14536	4.94	1.0E-76	D63874.1	NT	Human mRNA for possible protein TPIRDII, complete cds
4273	9397	14537	4.94	1.0E-76	D63874.1	NT	Human mRNA for HMG-1, complete cds
183	5377	10518	4.2	8.0E-77	R83144.1	EST_HUMAN	yp11h02.1 Scores_breast3NbrHBst Homo sapiens cDNA clone IMAGE:187155 5' similar to
4498	9615	14766	1.32	8.0E-77	BF205181.1	EST_HUMAN	SP:ANKB_HUMAN Q01484 ANKYRIN, BRAIN VARIANT 1 ;
1934	7053	12275	1.51	7.0E-77	AA625755.1	EST_HUMAN	601866026F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4109503 5'
2388	7494	12747	8.1	7.0E-77	4505944	NT	zu91g01.s1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:745392 3'
2388	7494	12748	8.1	7.0E-77	4505944	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA
260	5450	10589	3.18	6.0E-77	4504600	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide E (25kD) (POLR2E) mRNA
1143	6280	11444	1.27	6.0E-77	AW95753.1	EST_HUMAN	Homo sapiens interferon (alpha, beta and omega) receptor 2 (IFNAR2) mRNA
1557	6888	11874	2.81	6.0E-77	A1204066.1	EST_HUMAN	EST389823 IMAGE resequenced, IMAGE Homo sapiens cDNA
1239	6369	11542	1.61	5.0E-77	AF041015.1	NT	qz77h12.x1 Scores_fetal_lung_NbrHL19W Homo sapiens cDNA clone IMAGE:1745063 3'
1369	6497	11680	2.47	5.0E-77	4557260	NT	7 Homo sapiens glucokinase (GCK) gene, exon 2
2646	7744	12997	2.86	5.0E-77	AF162666.1	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
2725	7820	13075	2.76	5.0E-77	4503160	NT	Homo sapiens tau-like kinase 1 (TLK1) mRNA, complete cds
3508	8049	13810	1.22	5.0E-77	8394518	NT	Homo sapiens cullin 1 (CUL1) mRNA
4913	10023	15167	2.57	5.0E-77	AL043953.1	EST_HUMAN	Homo sapiens ubiquitin specific protease 18 (USP18) mRNA
3678	8817	13974	1.05	4.0E-77	AL449758.1	EST_HUMAN	DKFZp334G1728.J1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp334G1728 5'
1974	7091	12320	1.58	3.0E-77	5730038	NT	AL449758 Homo sapiens fetal brain (Stavrides GS) Homo sapiens cDNA
1974	7091	12321	1.58	3.0E-77	5730038	NT	Homo sapiens SET domain and methyltransferase fusion gene (SETMAR) mRNA
1359	8488	11688	2.56	2.0E-77	AV764817.1	EST_HUMAN	Homo sapiens SET domain and methyltransferase fusion gene (SETMAR) mRNA
1442	6570	11757	9.94	2.0E-77	AW997712.1	EST_HUMAN	AV764817 MDS Homo sapiens cDNA clone MDSBTF-10 5'
2094	7209	12455	2.55	2.0E-77	7708315	NT	RC3-BN0053-170200-011-h01 BN0053 Homo sapiens cDNA
2556	7943	12910	3.86	2.0E-77	AB037836.1	NT	Homo sapiens CGI-79 protein (LOC51634), mRNA
2556	7943	12911	3.86	2.0E-77	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
4006	9139	14280	2.05	2.0E-77	BE044316.1	EST_HUMAN	Homo sapiens mRNA for KIAA1415 protein, partial cds
							ho43b05.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:3040113 3' similar to
							SW:GAG2_HUMAN P10264 RETROVIRUS-RELATED GAG POLYPROTEIN ;

Page 137 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4300	9510	14852	0.8	2.0E-77	AI613518.1	EST_HUMAN	hw22g02.x1 NCL CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2280466 3' similar to TR:O65245
4300	9510	14853	0.8	2.0E-77	AI613519.1	EST_HUMAN	O65245 F21E10.7 PROTEIN. ; hw22g02.x1 NCL CGAP_Brn52 Homo sapiens cDNA clone IMAGE:2280466 3' similar to TR:O65245
4589	9887		1.28	2.0E-77	4504088	NT	O65245 F21E10.7 PROTEIN. ; Homo sapiens glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2) (GOT2), nuclear gene encoding mitochondrial protein, mRNA
4734	9847	14993	3.28	2.0E-77	AA853025.1	EST_HUMAN	ns8g12.s1 NCL CGAP_Py2 Homo sapiens cDNA clone IMAGE:1188938 similar to SW:RL29_HUMAN
42	5253	10371	0.91	1.0E-77	AB033102.1	NT	P47914 60S RIBOSOMAL PROTEIN L29, [1] contains element MSR1 repetitive element ; Homo sapiens mRNA for KIAA1276 protein, partial cds
42	5253	10372	0.91	1.0E-77	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
270	5460	10600	3.44	1.0E-77	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
270	5460	10601	3.44	1.0E-77	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
876	7903	11199	5.89	1.0E-77	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
876	7903	11200	5.89	1.0E-77	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1922	7041	12262	2.1	1.0E-77	AW058119.1	EST_HUMAN	hw83e05.x1 Soares, thymus, NHF1h Homo sapiens cDNA clone IMAGE:2536160 3'
2421	7628	12779	1.28	1.0E-77	AB020024.1	NT	Homo sapiens mRNA for KIAA1101 protein, complete cds
3017	8171	13927	2.24	1.0E-77	4503300	NT	Homo sapiens 2,4-dienoyl CoA reductase 1, mitochondrial (DEOR1), mRNA
4330	8452	14386	3.21	1.0E-77	7706289	NT	Homo sapiens CGI-80 protein (LOC51626), mRNA
4498	9617	14758	17.67	1.0E-77	AJ220041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22, segment 1/3
4819	9737	14875	1.92	1.0E-77	6552322	NT	Homo sapiens breast cancer 1, early onset (BRCA1), transcript variant BRCA1-exon4, mRNA
4862	9778	14922	1.6	1.0E-77	AJ273014.1	EST_HUMAN	q108g04.x1 NCL CGAP_Kdb8 Homo sapiens cDNA clone IMAGE:1981110 3'
4851	9953	15108	1.07	1.0E-77	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
4944	9995	14734	0.87	1.0E-77	4768063	NT	Homo sapiens cAMP responsive element binding protein 1 (CREB1) mRNA
5051	10153	15284	1.49	1.0E-77	7661849	NT	Homo sapiens KIAA0005 gene product (KIAA0005), mRNA
5051	10153	15285	1.49	1.0E-77	7661849	NT	Homo sapiens KIAA0005 gene product (KIAA0005), mRNA
82	5291	10431	1.88	6.0E-78	AU118789.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
82	5291	10432	1.88	6.0E-78	AU118789.1	EST_HUMAN	AU118789 HEMBA1 Homo sapiens cDNA clone HEMBA1004354 5'
215	5409	10549	1.15	5.0E-78	11422466	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2631	7634	12882	4.52	5.0E-78	AW673424.1	EST_HUMAN	bs54h03.y3 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900405 5' similar to WP:Y48B6A.6 CE22121;
3366	8511	13679	3.9	5.0E-78	M55586.1	NT	Human collagenase type IV (CLGA) gene, exon 6
1138	6275	11439	1.7	4.0E-78	AL043314.2	EST_HUMAN	DKFZp434N0323.J1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434N0323 5'
1533	8660	11846	1.38	4.0E-78	AL355841.1	NT	Novel human gene mapping to chromosome 22
1861	8789	11984	1.52	4.0E-78	AI085094.1	EST_HUMAN	wr07b12.x1 NCI_QCAP_Kid11 Homo sapiens cDNA clone IMAGE:2495615 3' similar to SW:WAP_PIG O46555 WHEY ACIDIC PROTEIN PRECURSOR;
2296	7405	12657	22.41	4.0E-78	AF107405.1	NT	Homo sapiens pre-mRNA splicing factor (SFRS3) mRNA, complete cds
4296	9421	14583	1.52	4.0E-78	7659876	NT	Homo sapiens synecylin (LOC30816), mRNA
4740	9853	14899	1.57	4.0E-78	4503808	NT	Homo sapiens phosphatidylinositol 4-kinase, catalytic, alpha polypeptide (PIK4CA) mRNA
4740	9853	15000	1.57	4.0E-78	4503808	NT	Homo sapiens phosphatidylinositol 4-kinase, catalytic, alpha polypeptide (PIK4CA) mRNA
166	5353	10492	2.72	3.0E-78	AF066001.1	NT	Homo sapiens eRF1 gene, complete cds
166	5353	10493	2.72	3.0E-78	AF065901.1	NT	Homo sapiens eRF1 gene, complete cds
2279	7389	12639	1.84	3.0E-78	4502142	NT	Homo sapiens apoptosis inhibitor 3 (API3) mRNA
2393	7499	12750	1.36	3.0E-78	7705705	NT	Homo sapiens SH3 and PX domain-containing protein SH3PX1 (SH3PX1), mRNA
3189	8350	13513	0.95	3.0E-78	4507164	NT	Homo sapiens nuclear antigen Sp100 (SP100) mRNA
3744	8982		1.65	3.0E-78	AU140604.1	EST_HUMAN	AU140604 PLACE3 Homo sapiens cDNA clone PLACE3003373 5'
3793	8930	14078	0.74	3.0E-78	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
4080	8930	14078	0.82	3.0E-78	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
3098	8281		2.33	2.0E-78	U04489.1	NT	Homo sapiens type IV collagen alpha 5 chain (COL4A5) gene, exon 20
3989	9123		1.51	2.0E-78	AA311872.1	EST_HUMAN	EST182583 Jurkat T-cells VI Homo sapiens cDNA 5' end
4667	9783	14927	3.72	9.0E-79	11626891	NT	Homo sapiens peptide YY (PYY), mRNA
4833	8945	15088	3.54	8.0E-79	BE000837.1	EST_HUMAN	RC2-BN0074-090300-014-e12 BN0074 Homo sapiens cDNA
3723	8881	14014	1.12	8.0E-79	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4468	9587	14725	1.44	8.0E-79	D28476.1	NT	Human mRNA for KIAA0045 gene, complete cds
4468	9587	14726	1.44	8.0E-79	D28476.1	NT	Human mRNA for KIAA0045 gene, complete cds
5128	10228	15363	0.87	8.0E-79	8567387	NT	Homo sapiens perlecan (Drosophila) homolog 3 (PER3), mRNA
3235	8385	13647	11.83	7.0E-79	BE619848.1	EST_HUMAN	601472768T1 NIH_MGC_88 Homo sapiens cDNA clone IMAGE:3876657 3'
3166	8307		1.45	4.0E-79	8922325	NT	Homo sapiens hypothetical protein FLJ10283 (FLJ10283), mRNA
311	5497	10637	1.08	3.0E-79	AF114488.1	NT	Homo sapiens interseclin short isoform (ITSN), complete cds
979	6125	11295	3.13	3.0E-79	AF232708.1	NT	Homo sapiens cellinase 1A201a chloride ion current inducer protein (Cln) gene, complete cds
3072	8225	13376	1.84	3.0E-79	U09410.1	NT	Human zinc finger protein ZNF131 mRNA, partial cds
285	5474		0.82	2.0E-79	H63126.1	EST_HUMAN	yr48f03.s1 Scores fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:208541 3'
633	5794	10928	1.36	2.0E-79	BE379826.1	EST_HUMAN	601159415F2 NIH_MGC_63 Homo sapiens cDNA clone IMAGE:3511107 5'

Page 139 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
929	6077	11246	2.08	2.0E-79	4757841	NT	Homo sapiens BCL2-like 2 (BCL2L2) mRNA
1037	6178		0.89	2.0E-79	AI523747.1	EST_HUMAN	U18H07.X1 NCI CGAP Pr28 Homo sapiens cDNA clone IMAGE:2118885 3'
1769	6924	12134	0.87	2.0E-79	7667024	NT	Homo sapiens Dickkopf gene 4 (DKK-4) mRNA
1789	6924	12135	0.87	2.0E-79	7667024	NT	Homo sapiens Dickkopf gene 4 (DKK-4) mRNA
1886	7008	12226	2	2.0E-79	7662255	NT	Homo sapiens KIAA0703 gene product (KIAA0703) mRNA
2132	7248	12490	5.6	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2132	7248	12491	5.8	2.0E-79	4585863	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
2176	7289	12536	2.64	2.0E-79	AJ271408.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
2281	7400	12653	6.4	2.0E-79	AF244138.1	NT	Homo sapiens hepatocellular carcinoma-associated antigen 88 (HCA88) mRNA, complete cds
2545	7648	12897	2.34	2.0E-79	8923248	NT	Homo sapiens hypothetical protein FLJ20276 (FLJ20276), mRNA
2645	7648	12898	2.34	2.0E-79	8923248	NT	Homo sapiens hypothetical protein FLJ20276 (FLJ20276), mRNA
2677	7774	13025	1.18	2.0E-79	AB023154.1	NT	Homo sapiens mRNA for Fas-associated factor, FAF1 (Faf1 gene)
4138	9284	14403	1.27	2.0E-79	AJ271408.1	NT	Homo sapiens sodium calcium exchanger (NCKX3), mRNA
5197	10294	15431	1.23	2.0E-79	11421885	NT	Homo sapiens sodium calcium exchanger (NCKX3), mRNA
3124	8276	13431	7.58	9.0E-80	AA725848.1	EST_HUMAN	al23e05.s1 Soares testis NHT Homo sapiens cDNA clone 1343648 3'
3124	8276	13432	7.66	9.0E-80	AA725848.1	EST_HUMAN	al23e05.s1 Soares testis NHT Homo sapiens cDNA clone 1343648 3'
3587	8727		1.21	8.0E-80	U94387.1	NT	Homo sapiens Y chromosome spermatogenesis candidate protein (RBM) pseudogene mRNA, partial cds
4934	10044	15184	1.07	7.0E-80	H04619.1	EST_HUMAN	y49d02.r1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:152067 5'
901	6051	11221	2.38	6.0E-80	AI422197.1	EST_HUMAN	tf58d02.x1 NCI CGAP Brn23 Homo sapiens cDNA clone IMAGE:2103459 3' similar to SW-NUEM_HUMAN
1655	6783	11976	2.63	6.0E-80	U64898.1	NT	Q16785 NADH-JUBIQUINONE OXIDOREDUCTASE 39 KD SUBUNIT PRECURSOR ;
2272	7382	12628	3.33	6.0E-80	8831094	NT	Homo sapiens NRD convertase mRNA, complete cds
2272	7382	12630	3.33	6.0E-80	6631094	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
4259	9384	14519	1.05	6.0E-80	AB032981.1	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
4259	9384	14520	1.05	6.0E-80	AB032981.1	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
588	5748	10877	34.63	5.0E-80	4508228	NT	Homo sapiens mRNA for KIAA1155 protein, partial cds
836	5988	11156	2.08	5.0E-80	AF108830.1	NT	Homo sapiens proteasome (prosome, macropain) 26S subunit, non-ATPase, 3 (PSMD3) mRNA
836	5988	11157	2.08	5.0E-80	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
1191	6325		0.97	5.0E-80	X91847.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
1468	6595		1.14	5.0E-80	AL163283.2	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
2341	7448	12702	1.26	5.0E-80	U86058.1	NT	H. sapiens nck1 gene (exon 12)
2408	7514	12764	1.88	5.0E-80	AB037855.1	NT	Homo sapiens chromosome 21 segment HS21C083
						NT	Human [3]mbt protein homolog mRNA, complete cds
						NT	Homo sapiens mRNA for KIAA1434 protein, partial cds

Page 140 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2755	7849	13104	8.85	5.0E-80	4504292	NT	Homo sapiens H3 histone family, member J (H3FJ) mRNA
4013	9146	14287	0.97	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4013	9146	14288	0.97	5.0E-80	AB019038.1	NT	Homo sapiens HMT-1 mRNA for beta-1,4 mannosyltransferase, complete cds
4933	10043	15183	1.32	5.0E-80	AL163268.2	NT	Homo sapiens chromosome 21 segment HS21C068
214	5408		10.59	3.0E-80	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
4676	9792	14938	1.3	3.0E-80	BF085009.1	EST_HUMAN	PMO-GN0018-040900-002-E03 GN0018 Homo sapiens cDNA
4883	8994		3.82	3.0E-80	BE817465.1	EST_HUMAN	QV4-BN0263-040600-241-g10 BN0263 Homo sapiens cDNA
1810	6933	12148	3.83	2.0E-80	R35321.1	EST_HUMAN	Y96ga08.r1 Scores infant brain 1NIB Homo sapiens cDNA IMAGE:38060 5'
1871	6991	12216	3.99	2.0E-80	AI444821.1	EST_HUMAN	RET4B7 subcloned retina cDNA library Homo sapiens cDNA clone RET4B7
2047	7163	12402	15.22	2.0E-80	AL043116.2	EST_HUMAN	DKFZp434D1323_r1 434 (synonym: hhes3) Homo sapiens cDNA clone DKFZp434D1323 5'
338	5521		1.4	1.0E-80	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
800	5954	11114	1.98	1.0E-80	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
1959	7076		1.44	1.0E-80	AI732656.1	EST_HUMAN	nm011f12x6 NCI_CGAP_C68 Homo sapiens cDNA clone IMAGE:1076495 3' similar to contains OFR.H1 OFR repetitive element:
4440	9559	14701	1.01	1.0E-80	AF077188.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
5111	10212	15349	1.01	1.0E-80	4557610	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, gamma 2 (GABRG2) mRNA
4366	9487	14630	5.13	6.0E-81	BE256829.1	EST_HUMAN	801111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3362840 5'
4366	9487	14631	5.13	6.0E-81	BE256829.1	EST_HUMAN	801111970F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3362840 5'
2199	7311	12563	7.48	5.0E-81	BE268042.1	EST_HUMAN	801125505F1 NIH_MGC_8 Homo sapiens cDNA clone IMAGE:3345480 5'
218	5412	10551	0.61	4.0E-81	AF252257.1	NT	Homo sapiens CRP2 binding protein mRNA, partial cds
700	5857	11005	1.37	4.0E-81	AI521435.1	EST_HUMAN	th60e12.x1 NCI_CGAP_Ov23 Homo sapiens cDNA clone IMAGE:2122702 3' similar to TR:Q85560 Q85560
1833	6956	12178	1.73	4.0E-81	AW779612.1	EST_HUMAN	hn88602.x1 NCI_CGAP_Co14 Homo sapiens cDNA clone IMAGE:3035907 3' similar to SW:COPG_BOVIN
3150	8301	13461	3.42	4.0E-81	AB037766.1	NT	P63820 COATOMER GAMMA SUBUNIT ; Homo sapiens mRNA for KIAA1345 protein, partial cds
3608	8747	13903	0.99	4.0E-81	AW004608.1	EST_HUMAN	ws90h03.x1 NCI_CGAP_Oc3 Homo sapiens cDNA clone IMAGE:2505269 3' similar to TR:O43815 O43815 STRIATIN.1
4132	9260	14397	2.2	4.0E-81	AF263308.1	NT	Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
4132	9260	14398	2.2	4.0E-81	AF263308.1	NT	Homo sapiens rab3 interacting protein variant 2 mRNA, partial cds
1271	6400	11572	10.35	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
1271	6400	11573	10.35	3.0E-81	Y18000.1	NT	Homo sapiens NF2 gene
2351	7458	12713	4.34	3.0E-81	AF077188.1	NT	Homo sapiens cullin 4A (CUL4A) mRNA, complete cds
2950	8114	13276	5.89	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2960	8114	13277	5.69	3.0E-81	4506280	NT	Homo sapiens pleiotrophin (heparin binding growth factor 8, neurite growth-promoting factor 1) (PTN) mRNA
2764	7651	13116	2.9	2.0E-81	BE784636.1	EST_HUMAN	601474072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
2764	7651	13117	2.9	2.0E-81	BE784636.1	EST_HUMAN	601474072F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3877121 5'
3764	8931	14042	0.8	2.0E-81	AW611542.1	EST_HUMAN	hg55001.x1 NCI_CGAP_Kid11 Homo sapiens cDNA clone IMAGE:2852384 3'
1431	6558	11741	1.19	1.0E-81	W26539.1	EST_HUMAN	3393 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4489	9608	14746	3.07	1.0E-81	AA040370.1	EST_HUMAN	z445h09.r1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:485825 5' similar to PIR:S62437 S62437 CDP-diacylglycerol synthase - fruit fly
4614	9732	14869	6.95	1.0E-81	BE047898.1	EST_HUMAN	iz45c04.y1 NCI_CGAP_Bin52 Homo sapiens cDNA clone IMAGE:2291628 5'
12	5223	10335	6.98	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
103	5223	10335	3.99	8.0E-82	AF161406.1	NT	Homo sapiens HSPC288 mRNA, partial cds
261	5451	10590	3.03	8.0E-82	U09988.1	NT	Human CRFB4 gene, partial cds
815	5988	11129	2.26	8.0E-82	U09988.1	NT	Human CRFB4 gene, partial cds
888	6038	11209	1.2	8.0E-82	U09988.1	NT	Human CRFB4 gene, partial cds
1501	6628	11815	1.33	8.0E-82	AB037748.1	NT	Homo sapiens mRNA for KIAA1327 protein, partial cds
1670	6789	11995	1.21	8.0E-82	6715601	NT	Homo sapiens glutathione peroxidase 5 (epididymal androgen-related protein) (GPX5), transcript variant 2, mRNA
4222	9347	14480	0.71	8.0E-82	8923432	NT	Homo sapiens hypothetical protein FLJ20461 (FLJ20461), mRNA
1463	6590		1.1	7.0E-82	BF036327.1	EST_HUMAN	601458531F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3882086 5'
2728	7823	13078	1.5	7.0E-82	AU144050.1	EST_HUMAN	AU144050 HEMBA1 Homo sapiens cDNA clone HEMBA1000752 3'
1685	6814	12012	61.3	4.0E-82	AF081484.1	NT	Homo sapiens alpha-tubulin isoform 1 mRNA, complete cds
275	5465	10607	14.66	3.0E-82	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (precursor nexin-II, Alzheimer disease) (APP), mRNA
701	5958	11006	2.26	3.0E-82	BE06705.1	EST_HUMAN	RC2-BN0120-010400-013-02 BN0120 Homo sapiens cDNA
788	6942	11102	8.05	3.0E-82	5174702	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
871	6022	11183	8.74	3.0E-82	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (precursor nexin-II, Alzheimer disease) (APP), mRNA
1092	8203		63.03	3.0E-82	AA728948.1	EST_HUMAN	al23605.s1 Soares_tests_NHT Homo sapiens cDNA clone 1343648 3'
1362	6491	11873	1.14	3.0E-82	AW875073.1	EST_HUMAN	RC6-PT0001-190100-021-B02 PT0001 Homo sapiens cDNA
1478	6906	11791	2.32	3.0E-82	AL163295.2	NT	Homo sapiens chromosome 21 segment H921C065
1907	7028	12246	1.31	3.0E-82	BE13323.1	EST_HUMAN	RC1-BN0005-260700-018-g04 BN0005 Homo sapiens cDNA
3255	8405		1.94	3.0E-82	5453811	NT	Homo sapiens neurotrophic tyrosine kinase, receptor, type 2 (NTRK2) mRNA
595	5767	10884	1.4	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0969 protein, partial cds
596	5757	10885	1.4	2.0E-82	AB023216.1	NT	Homo sapiens mRNA for KIAA0969 protein, partial cds

Page 142 of 214
Table 4

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Description
1700	6828	12029	2.13	2.0E-82	AL046390.1	EST_HUMAN	DKFZp434M117.1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434M117.6
2948	8102	13287	0.7	2.0E-82	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
3823	8959	14107	1	2.0E-82	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4212	9337	14470	0.88	2.0E-82	4504118	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4531	9849	14795	1.11	2.0E-82	AB029019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
4531	9849	14796	1.11	2.0E-82	AB029019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
4841	9953	15098	2.94	2.0E-82	AF045555.1	NT	Homo sapiens wbscr1 (WBSOR1) and wbscr5 (WBSOR5) genes, complete cds, alternatively spliced and replication factor C subunit 2 (RFC2) gene, complete cds
5084	10166	15299	1.42	2.0E-82	4507580	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
5084	10166	15300	1.42	2.0E-82	4507580	NT	Homo sapiens tumor necrosis factor receptor superfamily, member 5 (TNFRSF5) mRNA
590	5752	10879	1.35	1.0E-82	11545921	NT	Homo sapiens melanoma differentiation associated protein-5 (MDA5), mRNA
1211	6343		1.96	1.0E-82	BE885106.1	EST_HUMAN	601610859F1 NIH_MGC.71 Homo sapiens cDNA clone IMAGE:3912207.5
1280	6418	11592	4.73	1.0E-82	BE064388.1	EST_HUMAN	RC4-BT0310-110300-015-f10 BT0310 Homo sapiens cDNA
1280	6418	11593	1.7	1.0E-82	AB011110.2	NT	Homo sapiens mRNA for KIAA0538 protein, partial cds
1421	6548	11729	3.25	8.0E-83	BE363973.1	EST_HUMAN	601273346F1 NIH_MGC.20 Homo sapiens cDNA clone IMAGE:3614382.5
1695	7871	12023	2.23	8.0E-83	N66951.1	EST_HUMAN	za48f12.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:295823.3
1364	6493	11674	1.55	7.0E-83	AW386529.1	EST_HUMAN	QV4.LT0016-271289-088-h11 LT0016 Homo sapiens cDNA
2829	7984		1.62	7.0E-83	AA584655.1	EST_HUMAN	no12h01.s1 NCL_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100497.3 similar to contains Alu repetitive element
4784	9897		8.62	7.0E-83	BF221813.1	EST_HUMAN	7p37a07.x1 NCL_CGAP_P128 Homo sapiens cDNA clone IMAGE:3647853.3 similar to TR:Q9Y316 Q9Y316
403	5570	10717	1.49	6.0E-83	M33320.1	NT	DJ207H1.1 ; Human platelet Glycoprotein IIb (GPIIb) gene, exons 2-29
1797	6922	12132	2.43	6.0E-83	AW573088.1	EST_HUMAN	fr31h03.x1 Soares_NFL_T_GBC.S1 Homo sapiens cDNA clone IMAGE:2833525.3 similar to
3023	8177		0.93	6.0E-83	AF231919.1	NT	SW:Y8EB_HAEIN P4471 HYPOTHETICAL PROTEIN H10034. ;
3548	8689	13851	0.75	6.0E-83	11430241	NT	Homo sapiens chromosome 21 unknown mRNA
846	6094		1.81	6.0E-83	U17883.1	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
2042	7875		8.24	5.0E-83	AF008305.1	NT	Human succinate dehydrogenase iron-protein subunit (sdhB) gene, exon 6
3616	8755	13911	2.15	5.0E-83	AL133207.2	NT	Homo sapiens 28S proteasome regulatory subunit (SUG2) mRNA, complete cds
3883	9019	14176	1.77	5.0E-83	4885180	NT	Novel human gene mapping to chromosome X
5062	10164	15297	11.94	5.0E-83	4557013	NT	Homo sapiens deoxyribonuclease I (DNASE1), mRNA
5062	10164	15298	11.94	5.0E-83	4557013	NT	Homo sapiens catalase (CAT) mRNA
639	5800	10834	1.69	4.0E-83	AF224669.1	NT	Homo sapiens mannosidase, beta A, lysosomal (MANBA) gene, and ubiquitin-conjugating enzyme E2D.3 (UBE2D3) genes, complete cds

Page 143 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
988	6144		3.25	3.0E-83	AA368311.1	EST_HUMAN	EST79542 Placenta 1 Homo sapiens cDNA similar to similar to endogenous retrovirus ERV9
2738	7832		1.09	3.0E-83	AA632854.1	EST_HUMAN	np87c07.s1 NCL CGAP_Thy1 Homo sapiens cDNA clone IMAGE:1133292 similar to contains THR12 THR
1812	6835	12150	2.11	2.0E-83	AA993492.1	EST_HUMAN	o64g05.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1621592 3' similar to TR:Q92614
1812	6835	12151	2.11	2.0E-83	AA993492.1	EST_HUMAN	Q92614 MYELOBLAST KIA0216 ;
1830	7049	12270	2.01	2.0E-83	NG9951.1	EST_HUMAN	o64g05.s1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1621592 3' similar to TR:Q92614
2162	7275	12522	0.97	2.0E-83	AB033098.1	NT	Q92614 MYELOBLAST KIA0216 ;
2814	7870	13129	1.26	2.0E-83	BE928694.1	EST_HUMAN	z44812.s1 Soares fetal liver spleen 1NFSL Homo sapiens cDNA clone IMAGE:295823 3'
3232	8402		1.97	2.0E-83	11430834	NT	Homo sapiens mRNA for KIAA1272 protein, partial cds
3755	8932		0.7	2.0E-83	AL163202.2	NT	RC9-ET0046-280900-013-H12 ET0046 Homo sapiens cDNA
4313	9435	14570	4.13	2.0E-83	AF202879.1	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
4620	9738	14876	0.02	2.0E-83	7703398	NT	Homo sapiens hematopoietic progenitor cell antigen CD34 precursor (CD34) mRNA, partial cds
4820	9738	14877	9.02	2.0E-83	7703398	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51676), mRNA
1419	6546	11728	3.86	1.0E-83	4504326	NT	Homo sapiens ankyrin repeat-containing protein ASB-2 (LOC51676), mRNA
1419	6546	11727	3.86	1.0E-83	4504326	NT	Homo sapiens hydroxyacyl-Coenzyme A dehydrogenase/3-ketacyl-Coenzyme A thiolase/enoyl-Coenzyme A
2617	7716	12970	4.89	1.0E-83	BE883690.1	EST_HUMAN	hydrolase (trifunctional protein), beta subunit (HADHB) mRNA
3163	8314	13476	0.93	1.0E-83	7662349	NT	hydrolase (trifunctional protein), beta subunit (HADHB) mRNA
3847	8883	14138	7.16	1.0E-83	AF053768.1	NT	601507375F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3908754 5'
4223	9348	14481	2.31	1.0E-83	Z25822.1	NT	Homo sapiens cell recognition molecule Caspr2 (KIAA0888), mRNA
4857	9939	15114	1.59	1.0E-83	4502160	NT	Rattus norvegicus brain specific cortactin-binding protein CBP90, partial cds
3774	8911	14064	3.43	7.0E-84	BE901209.1	EST_HUMAN	H. sapiens gene for mitochondrial dodecanoyl-CoA delta-isomerase, exon 3
1299	6428	11800	4.09	6.0E-84	BE838864.1	EST_HUMAN	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1299	6428	11801	4.09	6.0E-84	BE838864.1	EST_HUMAN	601676023F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3968863 5'
2374	7480	12734	3.37	8.0E-84	AA776574.1	EST_HUMAN	RC2-FN0119-200800-011-g05 FN0119 Homo sapiens cDNA
712	5969	11017	0.8	5.0E-84	AA382811.1	EST_HUMAN	RC2-FN0119-200800-011-g05 FN0119 Homo sapiens cDNA
2985	8139		1.7	5.0E-84	AF109718.1	NT	ae8ga03.s1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:971020 3'
1385	6513	11694	0.97	4.0E-84	AB037735.1	NT	EST96094 Testis 1 Homo sapiens cDNA 5' end
1418	6545	11725	3.03	4.0E-84	AB65321.1	EST_HUMAN	Homo sapiens chromosome 3 subtelomeric region
							Homo sapiens mRNA for KIAA1314 protein, partial cds
							wa76a04.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:2302086 3' similar to
							SW:NRDC_HUMAN 043847 NARDILYSIN PRECURSOR :

Page 144 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4928	10038	15178	0.96	4.0E-84	4505928	NT	Homo sapiens polymerase (DNA-directed), alpha (70kD) (POLA2), mRNA
4929	10039	15179	1.84	4.0E-84	AF068601.2	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
5129	10228	15904	1.04	4.0E-84	AA401549.1	EST_HUMAN	zuc2a07.r1 Soares, testis_NHT Homo sapiens cDNA clone IMAGE:742548 5' similar to WP:F2286.1
314	5500	10640	1.87	3.0E-84	AF026200.1	NT	CE02195 GTP-BINDING ADP-RIBOSYLATION FACTOR;
1964	7081	12305	2.9	3.0E-84	5453855	NT	Homo sapiens Bad1 protein homolog mRNA, partial cds
2008	7123	12359	7.05	3.0E-84	AL068880.1	NT	Homo sapiens pericentriolar material 1 (PCM1) mRNA
3730	8867	14021	6.04	3.0E-84	AF014459.1	NT	Novel human mRNA containing Zinc finger C2H2 type domains
2096	7211	12458	3.39	2.0E-84	BE695397.1	EST_HUMAN	Homo sapiens X-linked juvenile retinoschisis precursor protein (XLR5) mRNA, complete cds
2096	7211	12459	3.39	2.0E-84	BE695397.1	EST_HUMAN	CM1-BT0785-180600-272-b08 BT0785 Homo sapiens cDNA
2909	8063	13235	9.32	2.0E-84	AF036943.1	NT	CM1-BT0785-180600-272-b08 BT0785 Homo sapiens cDNA
2931	8085	13252	1.4	2.0E-84	X89211.1	NT	Homo sapiens myelin transcription factor 1-like (MYT1L) mRNA, complete cds
4760	9873	15024	1.01	2.0E-84	BF308518.1	EST_HUMAN	H. sapiens DNA for endogenous retroviral like element
4760	9873	15025	1.01	2.0E-84	BF308518.1	EST_HUMAN	601887684F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4121727 5'
310	5498	10638	1.31	1.0E-84	AF114488.1	NT	601887684F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:4121727 5'
548	5713	10847	54.29	1.0E-84	4507952	NT	Homo sapiens Interactin short isoform (ITSN) mRNA, complete cds
718	5875		1.02	1.0E-84	11427631	NT	Homo sapiens tyrosine 3-monooxygenase/tyrosophan 5-monooxygenase activation protein, zeta polypeptide (YWHAZ) mRNA
1297	8428	11598	5.12	1.0E-84	AA984379.1	EST_HUMAN	Homo sapiens complement component 5 (C5), mRNA
2046	7162	12401	1.84	1.0E-84	BE382137.1	EST_HUMAN	am85b11.s1 Strategene echizo brain S11 Homo sapiens cDNA clone IMAGE:1629885 3'
2205	7317	12567	2.18	1.0E-84	11427197	NT	601308006F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3626257 5'
3732	8870	14023	2.48	1.0E-84	AA720851.1	EST_HUMAN	Homo sapiens pericentriolar material 1 (PCM1), mRNA
4394	9514	14665	4.46	1.0E-84	AJ229041.1	NT	hw12a06.s1 NCI_CGAP_S51 Homo sapiens cDNA clone IMAGE:1239106 3'
4868	9784	14928	3.07	1.0E-84	AL043314.2	EST_HUMAN	Homo sapiens 659 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
4868	9784	14929	3.07	1.0E-84	AL043314.2	EST_HUMAN	DKFZp434N0323_r1 434 (synonym: hss3) Homo sapiens cDNA clone DKFZp434N0323 5'
4887	9814	14656	2.2	1.0E-84	AJ229041.1	NT	DKFZp434N0323_r1 434 (synonym: hss3) Homo sapiens cDNA clone DKFZp434N0323 5'
868	6115		1.88	9.0E-85	AL163209.2	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
1074	6214	11377	7.67	9.0E-85	U51432.1	NT	Homo sapiens chromosome 21 segment HS21C009
1074	6214	11378	7.67	9.0E-85	U51432.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1591	6720	11909	0.96	9.0E-85	M33282.1	NT	Homo sapiens nuclear protein Skip mRNA, complete cds
1591	6720	11910	0.96	9.0E-85	M33282.1	NT	Human plasminogen gene, exon 7
1888	6817	12016	2.58	9.0E-85	7657020	NT	Human plasminogen gene, exon 7
4888	9999	15145	0.91	9.0E-85	AL163288.2	NT	Homo sapiens DKFZp434P211 protein (DKFZP434P211), mRNA
1137	6274	11438	8.3	7.0E-85	LO5084.1	NT	Homo sapiens chromosome 21 segment HS21C068
							Homo sapiens ribosomal protein L27 mRNA, complete cds

Page 145 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2314	7422	12673	1.51	5.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1303	8433	11607	1.63	3.0E-85	AF088157.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 6
1790	6016	12123	6.48	3.0E-86	T97465.1	EST_HUMAN	ye53g09.r1 Soares fetal liver spleen 1NfLS Homo sapiens cDNA clone IMAGE:121504 5'
4292	8414	14549	1.03	3.0E-85	BE207189.1	EST_HUMAN	601169704F2 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3533616 5'
4872	8983	15129	1.55	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
4872	8983	15130	1.55	3.0E-85	11024695	NT	Homo sapiens F-box only protein 24 (FBXO24), mRNA
864	6111	11281	0.86	2.0E-85	7657286	NT	Homo sapiens KIAA0920 protein Mx2 interacting nuclear target (MINT) homolog (KIAA0920), mRNA
1042	6183	11349	3.03	2.0E-85	AF248540.1	NT	Homo sapiens intersectin 2 (SH3D1B) mRNA, complete cds
1412	6539	11716	1.82	2.0E-85	7706205	NT	Homo sapiens CGI-201 protein (LOC61340), mRNA
1429	6558	11738	5.67	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
1429	6558	11739	5.67	2.0E-85	5174775	NT	Homo sapiens apolipoprotein C-II (APOC2) mRNA
2212	7324	12674	1.76	2.0E-85	U10626.1	NT	Human DNA polymerase beta gene, exons 12 and 13
2783	6471	13309	6.15	2.0E-85	7657488	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
2894	8149	13309	1.39	2.0E-85	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4310	8432	14567	4.58	2.0E-85	4505880	NT	Homo sapiens plasminogen (PLG) mRNA
4866	9387	15143	0.99	2.0E-85	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2263	7373	12730	2.12	1.0E-85	BE794308.1	EST_HUMAN	6011691416F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945818 5'
2370	7476	12730	4.1	1.0E-85	BE618392.1	EST_HUMAN	6011462817F1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:3866021 5'
2370	7476	12731	4.1	1.0E-85	BE618392.1	EST_HUMAN	6011462817F1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:3866021 5'
1438	6565		20.94	9.0E-86	BE274217.1	EST_HUMAN	601120778F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2967090 5'
937	6085	11251	0.94	7.0E-86	AA860801.1	EST_HUMAN	aj88108.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone IMAGE:1403559 3'
837	6085	11252	0.94	7.0E-86	AA860801.1	EST_HUMAN	aj88108.s1 Soares parathyroid tumor_NbHPA Homo sapiens cDNA clone IMAGE:1403559 3'
1288	6427	11599	4.58	6.0E-86	4505492	NT	Homo sapiens oxoglutarate dehydrogenase (lipoamide) (OGDH) mRNA
208	5402	10546	3.94	4.0E-86	BE547173.1	EST_HUMAN	601072594F1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3458830 5'
4265	5390	14528	0.98	3.0E-86	BE867703.1	EST_HUMAN	6011443262F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3847455 5'
264	5454	10592	1.31	2.0E-86	AA308284.1	EST_HUMAN	EST1177232 Jurkat T-cells VI Homo sapiens cDNA 5' end
413	5581		2.4	2.0E-86	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
1192	6326	11493	1.66	2.0E-86	N58977.1	EST_HUMAN	yz16a08.r1 Soares multiple sclerosis_2NbHMSP Homo sapiens cDNA clone IMAGE:283478 5'
1505	6332	11818	1.43	2.0E-86	4759827	NT	Homo sapiens neuridin III (NRXN3) mRNA
1505	6332	11819	1.43	2.0E-86	4759827	NT	Homo sapiens neuridin III (NRXN3) mRNA
2174	7287	12535	1.95	2.0E-86	9635487	NT	Human endogenous retrovirus, complete genome
2249	7359	12618	3.27	2.0E-86	AB033103.1	NT	Homo sapiens mRNA for KIAA1277 protein, partial cds
3397	8541	13700	1.44	2.0E-86	AW980142.1	EST_HUMAN	EST178215 IMAGE sequences, MAGI Homo sapiens cDNA

Page 146 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3727	8864	14017	2.82	2.0E-86	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3727	8864	14018	2.82	2.0E-86	AF156776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
4014	9147		2.64	2.0E-86	AW516742.1	EST_HUMAN	h87g88.x1 NCI CGAP_G08 Homo sapiens cDNA clone IMAGE:2918642 3'
4756	9809	15019	2.51	2.0E-80	AF059490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
5043	10145	15274	1.35	2.0E-86	4505778	NT	Homo sapiens phosphotyrosine kinase, alpha 1 (muscle) (PHKA1), mRNA
1610	6736	11932	2.76	1.0E-86	4826855	NT	Homo sapiens NADH dehydrogenase (ubiquinone) Fe-S protein 1 (75kD) (NADH-coenzyme Q reductase) (NDUFS1) mRNA
3141	8292	13449	1.36	1.0E-86	5453649	NT	Homo sapiens fibulin 5 (FBLN5) mRNA
3220	8371	13534	2.99	1.0E-86	L20492.1	NT	Human gamma-glutamyl transpeptidase mRNA, complete cds
3278	8427	13588	1.25	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3278	8427	13588	1.25	1.0E-86	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
3917	9053	14213	0.99	1.0E-86	7708161	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
3917	9053	14214	0.89	1.0E-86	7708161	NT	Homo sapiens hypothetical protein (LOC51318), mRNA
4238	9363	14496	4.73	1.0E-86	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
4898	10007	15152	1.27	1.0E-86	AF100751.1	NT	Homo sapiens FK506-binding protein FKBP23 isoform mRNA, complete cds
478	5846	10787	81.05	8.0E-87	X62245.1	NT	O. canaliculus mRNA for elongation factor 1 alpha
3513	8654	13820	1.06	6.0E-87	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
5173	10270	15411	0.63	6.0E-87	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
1160	6296	11461	2.39	5.0E-87	AA382811.1	EST_HUMAN	EST196094 Testis 1 Homo sapiens cDNA 5' end
987	6114	11283	0.86	4.0E-87	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1174	6309	11476	18.49	4.0E-87	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1439	6586	11751	0.69	4.0E-87	R78133.1	EST_HUMAN	y80f10.1 Scores placenta Nb24P Homo sapiens cDNA clone IMAGE:145579 5' similar to contains Alu repetitive element
2024	7141	12381	1	4.0E-87	AB007925.1	NT	Homo sapiens mRNA for KIAA0458 protein, partial cds
2399	7505	12753	1.48	4.0E-87	7706299	NT	Homo sapiens CGI-50 protein (LOC51626), mRNA
2399	7605	12764	1.48	4.0E-87	7706299	NT	Homo sapiens CGI-50 protein (LOC51626), mRNA
3446	8588	13751	1.75	4.0E-87	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
2737	7831	13085	5.83	2.0E-87	4885420	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 4 (HMG4) mRNA
2914	8066		0.68	2.0E-87	BF327920.1	EST_HUMAN	QV0-BN0148-050600-254-a03 BN0148 Homo sapiens cDNA
3763	8800	14052	0.78	2.0E-87	AU116935.1	EST_HUMAN	AU116935 HEMBA1 Homo sapiens cDNA clone HEMBA1000307 5'
4889	10000	15146	0.5	2.0E-87	BF376311.1	EST_HUMAN	CMD-TN0038-150900-352-H08 TN0038 Homo sapiens cDNA
4941	10051	15189	1.37	2.0E-87	BE175478.1	EST_HUMAN	RC5-HT0580-200300-031-G04 HT0580 Homo sapiens cDNA
1184	7869		1.7	1.0E-87	7705983	NT	Homo sapiens putative glycolipid transfer protein (LOC51054), mRNA

Page 147 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1441	6568	11753	1.93	1.0E-87	AW361977.1	EST_HUMAN	PM2-CT0266-141089-001-g04 CT0266 Homo sapiens cDNA
1441	6568	11754	1.93	1.0E-87	AW361977.1	EST_HUMAN	PM2-CT0266-141089-001-g04 CT0266 Homo sapiens cDNA
3688	8827	13982	12.69	1.0E-87	Y00052.1	NT	Human mRNA for T-cell cyclophilin
3715	8853	14007	2.88	1.0E-87	4758827	NT	Homo sapiens neuroxin III (NRXN3) mRNA
1107	8245	11408	6	9.0E-88	AF167495.1	NT	Homo sapiens double stranded RNA activated protein kinase (PKR) gene, exon 12
1356	8485	11665	2.83	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
1356	8485	11666	2.83	9.0E-88	AB037820.1	NT	Homo sapiens mRNA for KIAA1399 protein, partial cds
2111	7228	12468	1.12	9.0E-88	7661701	NT	Homo sapiens DKFZP586P1522 protein (DKFZP586P1522), mRNA
3607	8746	13902	1.03	9.0E-88	AL163309.2	NT	Homo sapiens chromosome 21 segment HS21C009
4243	8368	14501	3.03	9.0E-88	X91829.1	NT	H. sapiens ECE-1 gene (exon 9)
4243	8368	14502	3.03	9.0E-88	X91929.1	NT	H. sapiens ECE-1 gene (exon 9)
4989	10095	15226	1.01	9.0E-88	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
1842	6963		2.34	5.0E-88	7681887	NT	Homo sapiens KIAA0063 gene product (KIAA0063), mRNA
2603	7702	12959	9.44	5.0E-88	N89399.1	EST_HUMAN	K9719F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone K9719 5' similar to ZINC FINGER PROTEIN HZF1
2870	8124	13287	0.68	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2982	8136	13300	0.63	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
2982	8136	13301	0.63	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3370	8515		2.52	5.0E-88	AI693217.1	EST_HUMAN	wd68h08.x1 NCL CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2336790 3' similar to contains Alu repetitive element; contains element MER22 MER22 repetitive element
3523	8504	13831	0.87	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
4705	9821	14968	0.62	5.0E-88	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
1334	8463	11843	1.8	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050800-004-f10 TN0028 Homo sapiens cDNA
1334	8463	11844	1.8	4.0E-88	BF091229.1	EST_HUMAN	PM1-TN0028-050800-004-f10 TN0028 Homo sapiens cDNA
730	5886	11036	2.2	3.0E-88	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
1824	6947		1.79	3.0E-88	4508020	NT	Homo sapiens zinc finger protein 259 (ZNF259) mRNA
2913	8067	13240	4.81	3.0E-88	N66951.1	EST_HUMAN	za48f12.e1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:295823 3'
4219	9344	14474	0.66	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23) mRNA
4219	9344	14475	0.66	3.0E-88	4501912	NT	Homo sapiens a disintegrin and metalloproteinase domain 23 (ADAM23) mRNA
4457	9676		3.97	3.0E-88	11426300	NT	Homo sapiens hypothetical protein FLJ20220 (FLJ20220), mRNA
1038	6179	11343	1.32	2.0E-88	7305188	NT	Homo sapiens Calenilin, presenilin-binding protein, EF hand transcription factor (CSEN), mRNA
1636	6765	11959	1.88	2.0E-88	AF246218.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds
1762	6888	12094	4.8	2.0E-88	AF246219.1	NT	Homo sapiens SNARE protein kinase SNAK mRNA, complete cds

Page 148 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4403	9823	14864	1.99	2.0E-88	5031666	NT	Homo sapiens dyx1c1, axonemal, light polypeptide 4 (DNAL4), mRNA
2697	7793	13044	1.51	8.0E-89	BE311557.1	EST_HUMAN	601142409F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:3506188 5'
432	5601	10747	1.21	7.0E-89	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
432	5601	10748	1.21	7.0E-89	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
4853	9865	15110	3.03	7.0E-89	4557390	NT	Homo sapiens complement component 8, beta polypeptide (C8B), mRNA
4808	10018	15162	3.96	7.0E-89	AL045748.1	EST_HUMAN	DKFZp434E246_1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434E246 5'
1024	6165	11331	1.26	6.0E-89	6803114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
2195	7307	12557	4.18	6.0E-89	4506124	NT	Homo sapiens serine/threonine-protein kinase PRP4 homolog (PRP4), mRNA
2411	7517	12768	3.33	6.0E-89	4507788	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3), mRNA
2411	7517	12767	3.33	6.0E-89	4507788	NT	Homo sapiens ubiquitin-conjugating enzyme E2L 3 (UBE2L3), mRNA
3511	8652	13818	1.12	6.0E-89	7657187	NT	Homo sapiens HSPC169 protein (HSPC169), mRNA
4807	9725	14860	3.88	6.0E-89	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
4807	9725	14861	3.88	6.0E-89	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
5148	10248	15388	0.89	6.0E-89	6803918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
5148	10248	15387	0.89	6.0E-89	6803918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
5058	10160	15292	3	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia Bayfer-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
5058	10160	15293	3	5.0E-89	BE244323.1	EST_HUMAN	TCBAP2E0383 Pediatric pre-B cell acute lymphoblastic leukemia Bayfer-HGSC project=TCBA Homo sapiens cDNA clone TCBAP0383
2842	7997	13156	1.88	3.0E-89	AW976181.1	EST_HUMAN	EST388280 MAGE resequences, MAGN Homo sapiens cDNA
122	5575	10723	0.78	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
122	5575	10724	0.76	2.0E-89	7706670	NT	Homo sapiens PXR2b protein (PXR2b), mRNA
528	5694	10826	0.97	2.0E-89	AB037763.1	NT	Homo sapiens mRNA for KIAA1342 protein, partial cds
2847	8002	13162	1.46	2.0E-89	AI222095.1	EST_HUMAN	q98c08.x1 Soares_NFL_I_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131
4116	8244	14380	1.49	2.0E-89	AF088897.1	NT	GAMMA-GLUTAMYL TRANSPEPTIDASE 1 PRECURSOR (HUMAN) contains Alu repetitive element;
4125	9253	14391	5.06	2.0E-89	X58742.1	NT	H. sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4125	9253	14392	5.06	2.0E-89	X58742.1	NT	H. sapiens HCK gene for tyrosine kinase (PTK), exons 10-11
4326	9448	14581	1.08	2.0E-89	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
4474	9593	14732	1.18	2.0E-89	AJ007378.1	NT	Homo sapiens GGT gene, exon 5
1064	6205	11367	3.39	8.0E-90	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1065	6205	11367	3.2	8.0E-90	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
1335	7914	11845	6.99	8.0E-90	BE070561.1	EST_HUMAN	7636f08.x1 NCJ_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3284583 3'

Page 149 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1335	7914	11946	6.98	8.0E-90	BE670561.1	EST_HUMAN	7639108.x1 NC1 CGAP Lu24 Homo sapiens cDNA clone IMAGE:3284683 3'
837	5989		7	7.0E-90	AF223391.1	NT	Homo sapiens calcium channel alpha1E subunit (CACNA1E) gene, exons 7-49, and partial cds, alternatively spliced
3040	8194	13349	1.25	6.0E-90	X91926.1	NT	H. sapiens ECE-1 gene (exon 6)
3040	8194	13349	1.25	6.0E-90	X91926.1	NT	H. sapiens ECE-1 gene (exon 6)
4204	8329	14461	7.5	6.0E-90	8922398	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
4204	8329	14462	7.5	6.0E-90	8922398	NT	Homo sapiens hypothetical protein FLJ10388 (FLJ10388), mRNA
150	6347		33.35	5.0E-90	AB035344.1	NT	Homo sapiens TCE16 gene, exon 1-10b
1195	6329	11498	3.1	5.0E-90	U80228.1	NT	Human gamma-aminobutyric acid transaminase mRNA, partial cds
1831	6954	12175	1.41	6.0E-90	A1222095.1	EST_HUMAN	q99608.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131 GAMMA-GLUTAMYL TRANSPEPTIDASE 1 PRECURSOR (HUMAN); contains Alu repetitive element
1831	6954	12176	1.41	5.0E-90	A1222095.1	EST_HUMAN	q99608.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1843022 3' similar to gb:J04131 GAMMA-GLUTAMYL TRANSPEPTIDASE 1 PRECURSOR (HUMAN); contains Alu repetitive element
2525	7828	12875	1.38	5.0E-90	AF114487.1	NT	Homo sapiens Intersectin long isoform (ITSN) mRNA, complete cds
4513	9631	14776	0.96	5.0E-90	4506354	NT	Homo sapiens pregnancy-zone protein (PZP) mRNA
4841	9759	14906	0.86	5.0E-90	AL135549.1	EST_HUMAN	DKFZp762P1616.1 762 (synonym: hmel2) Homo sapiens cDNA clone DKFZp762P1616 5'
300	5488	10929	2.48	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
300	5488	10930	2.48	4.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
1087	6228	11391	3.88	4.0E-90	4505316	NT	Homo sapiens myosin phosphatase, target subunit 1 (MYPT1), mRNA
1703	6831	12033	8.69	4.0E-90	X98033.1	NT	H. sapiens gene encoding diacylglycerol receptor tyrosine kinase, exon 16
2824	7980	13140	0.83	4.0E-90	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2824	7980	13141	0.83	4.0E-90	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2995	8150	13310	1.03	4.0E-90	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2995	8150	13311	1.03	4.0E-90	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4826	8744	14888	5.2	4.0E-90	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4766	9879	15028	2.32	4.0E-90	AB033070.1	NT	Homo sapiens mRNA for KIAA1244 protein, partial cds
4787	8900	15041	1.98	4.0E-90	M95967.1	NT	Human prothormone converting enzyme (NEC2) gene, exon 8
211	5405	10548	3	2.0E-90	BE637913.1	EST_HUMAN	601067378F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3463834 5'
1175	6310	11477	23.99	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1175	6310	11478	23.99	2.0E-90	5031748	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
3822	8958	14108	1.81	2.0E-90	A1138213.1	EST_HUMAN	qc54c02.x1 Soares_placenta_8to9weeks_2NbpHP8to9W Homo sapiens cDNA clone IMAGE:1713410 3' similar to SW:OLF3_MOUSE P23275 OLFACTORY RECEPTOR OR3.;

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4885	8986	15142	7.01	2.0E-90	5728855	NT	Homo sapiens GRB2-related adaptor protein (GRAP) mRNA
274	5484	10806	4.5	1.0E-90	4502180	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
372	7863	10805	3.01	1.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
373	7863	10895	2.12	1.0E-90	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
693	5850	10894	1.7	1.0E-90	AJ237588.1	NT	Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial
693	5850	10895	1.7	1.0E-90	AJ237588.1	NT	Homo sapiens mRNA for T-box transcription factor (TBX20 gene), partial
728	5884	11033	12.93	1.0E-90	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
728	5884	11034	12.93	1.0E-90	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1111	6248	11034	4.98	1.0E-90	4507828	NT	Homo sapiens Kruppel-like factor 7 (ubiquitous) (KLF7), mRNA
1310	6440	11616	2.9	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1310	6440	11617	2.9	1.0E-90	AF098154.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 3
1681	6810	11617	5.61	1.0E-90	BE376884.1	EST_HUMAN	001159563F2 NIH_MGC 53 Homo sapiens cDNA clone IMAGE:3611118 5'
1908	7027	12247	2.4	1.0E-90	11420514	NT	Homo sapiens similar to SALL1 (sal (Drosophila)-like (LOC57167), mRNA
2816	7972	13132	6.74	1.0E-90	6005720	NT	Homo sapiens chromosome 8 open reading frame 2 (C8ORF2), mRNA
3830	8966	14118	0.95	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
3830	8966	14119	0.95	1.0E-90	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
4401	9521	14662	1.31	1.0E-90	AF167340.1	NT	Homo sapiens soluble interlucan 1 receptor accessory protein (IL1RAP) gene, exon 8, alternative exons 9 and complete cds, alternatively spliced
4168	9294	14492	5.3	8.0E-91	D12234.1	EST_HUMAN	HUM0003381 Liver HepG2 cell line. Homo sapiens cDNA clone s381 3'
1457	8584	11772	1.01	7.0E-91	AF063768.1	NT	Rattus norvegicus brain specific contactin-binding protein CBP90 mRNA, partial cds
3456	8598	13762	2.08	5.0E-91	AA702794.1	EST_HUMAN	260604.s1 Soares_fetal_liver_spleen_INFLS_S1 Homo sapiens cDNA clone IMAGE:448015 3'
4480	9609	14747	1.1	5.0E-91	AU143539.1	EST_HUMAN	AU143539 Y79AA1 Homo sapiens cDNA clone Y79AA1002087 5'
4480	9609	14748	1.1	5.0E-91	AU143539.1	EST_HUMAN	AU143539 Y79AA1 Homo sapiens cDNA clone Y79AA1002087 5'
4777	9890	15035	1.24	5.0E-91	7110634	NT	Homo sapiens chromosome 22 open reading frame 5 (C22ORF5), mRNA
4777	9890	15036	1.24	5.0E-91	7110634	NT	Homo sapiens chromosome 22 open reading frame 5 (C22ORF5), mRNA
3185	8336	13498	11.3	4.0E-91	AF166776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
3185	8336	13499	11.3	4.0E-91	AF166776.1	NT	Homo sapiens lysophosphatidic acid acyltransferase-delta (LPAAT-delta) mRNA, complete cds
1629	6758	11952	2.26	3.0E-91	11430183	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
1629	6758	11953	2.26	3.0E-91	11430183	NT	Homo sapiens solute carrier family 4, anion exchanger, member 3 (SLC4A3), mRNA
1802	7872	12140	1.35	3.0E-91	AF265555.1	NT	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds
3321	8468	13631	1.48	3.0E-91	AL163283.2	NT	Homo sapiens chromosome 21 segment HS21C083
3444	8586	13748	2.88	3.0E-91	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3444	8586	13749	2.96	3.0E-91	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Description
3767	8904	14057	2.23	3.0E-91	AF084530.1	NT	Homo sapiens cyclin-D binding Myb-like protein mRNA, complete cds
4564	9892	14821	3.8	3.0E-91	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
4864	10072	15209	1.05	3.0E-91	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
4864	10072	15210	1.05	3.0E-91	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
47	5259	10383	3.17	1.0E-91	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
1249	6379	11558	9.58	1.0E-91	AW449746.1	EST_HUMAN	U1-H313-ake-d-01-0-U1.1 NC1 CGAP_Sub5 Homo sapiens cDNA clone IMAGE:2735280 3'
1245	6376	11552	10.34	9.0E-92	AJ001689.1	NT	Homo sapiens NKX2D gene, exon 10
1245	6376	11553	10.34	9.0E-92	AJ001688.1	NT	Homo sapiens NKX2D gene, exon 10
88	5297	10436	5.9	8.0E-92	W26367.1	EST_HUMAN	283 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
283	5472	10814	6.46	8.0E-92	BE366363.1	EST_HUMAN	601273513F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3814687 5'
5085	10185	16323	1.06	8.0E-92	AW157571.1	EST_HUMAN	au83h08.x1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2782911 3' similar to
234	7886	10566	1.01	7.0E-92	AB018301.1	NT	TR:O60302 O60302 KIAA0555 PROTEIN ; contains element MER22 repetitive element ;
234	7886	10567	1.01	7.0E-92	AB018301.1	NT	Homo sapiens mRNA for KIAA0758 protein, partial cds
589	5751	1	1	7.0E-92	AF007822.1	NT	Homo sapiens cytoplasmic Septase truncated isoform mRNA, complete cds
1284	6413	11589	2.66	7.0E-92	4502384	NT	Homo sapiens B-cell CLL lymphoma 7b (BCL7B) mRNA
2169	7282	12528	10.41	7.0E-92	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2169	7282	12528	10.41	7.0E-92	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2533	7636	12884	1.27	7.0E-92	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
2687	7784	13032	10.39	7.0E-92	8005738	NT	Homo sapiens NPAS-related gene (D1S1565), mRNA
2716	7811	13066	1.19	7.0E-92	AB031007.1	NT	Homo sapiens DNA, MHC class I region, 7.1 ancestral haplotype
3327	10306	13635	0.75	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
3327	10306	13636	0.75	7.0E-92	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
4581	9679	14818	1.17	7.0E-92	S71824.1	NT	N-CAM=145 kDa neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2860 nt]
4581	9679	14819	1.17	7.0E-92	S71824.1	NT	N-CAM=145 kDa neural cell adhesion molecule [human, small cell lung cancer cell line OS2-R, mRNA, 2860 nt]
1600	6728		1.37	5.0E-92	BE350882.1	EST_HUMAN	601283012F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3605018 5'
2727	7822	13077	3.88	3.0E-92	BE90974.1	EST_HUMAN	601501242F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3802839 5'
24	5235	10349	1.34	2.0E-92	4501888	NT	Homo sapiens activin A receptor, type IIB (ACVR2B) mRNA
174	5368	10508	3.34	2.0E-92	11422946	NT	Homo sapiens hypothetical protein dJ482O23.2 (DJ482O23.2), mRNA
174	5368	10509	3.34	2.0E-92	11422946	NT	Homo sapiens hypothetical protein dJ482O23.2 (DJ482O23.2), mRNA
748	5804	11059	4.61	2.0E-92	BE289190.1	EST_HUMAN	60118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'
748	5804	11060	4.61	2.0E-92	BE289190.1	EST_HUMAN	60118337F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3028304 5'

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1728	6559		1.9	2.0E-02	S78653.1	NT	mtg=mas-related [human, Genomic, 2416 nt]
1940	7059	12281	2.6	2.0E-02	A1818119.1	EST_HUMAN	wk27d07.x1 NCI CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413549 3' similar to TR:Q12844 Q12844 BREAKPOINT CLUSTER REGION PROTEIN ;
1940	7059	12282	2.6	2.0E-02	A1818119.1	EST_HUMAN	wk27d07.x1 NCI CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2413549 3' similar to TR:Q12844 Q12844 BREAKPOINT CLUSTER REGION PROTEIN ;
1987	7084	12309	1.97	2.0E-02	4507484	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1987	7084	12310	1.97	2.0E-02	4507484	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
2040	7157	12397	7.63	2.0E-02	4508860	NT	Homo sapiens syndecan 4 (emphiglycan, ryudocan) (SDC4), mRNA
2620	7719	12973	14	2.0E-02	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
2780	6795	11992	1.09	2.0E-02	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
2790	6795	11993	1.09	2.0E-02	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
3597	8738	13888	1.18	2.0E-02	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3597	8738	13889	1.18	2.0E-02	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3663	8802	13958	5.99	2.0E-02	5803180	NT	Homo sapiens stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein) (STIP1), mRNA
4263	9368	14525	1.72	2.0E-02	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
4979	10087		2.29	2.0E-02	AL040437.1	EST_HUMAN	DKFZp434C0414.1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434C0414 5'
1861	6981	12204	1.77	1.0E-02	R78078.1	EST_HUMAN	y80e08.r1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:146574 5'
1861	6981	12205	1.77	1.0E-02	R78078.1	EST_HUMAN	y80e08.r1 Soares placenta Nb2-IP Homo sapiens cDNA clone IMAGE:146574 5'
2065	7181	12421	63.38	1.0E-02	4508688	NT	Homo sapiens ribosomal protein, large, P1 (RPLP1), mRNA
2022	7139	12379	2.17	0.0E-03	AU121881.1	EST_HUMAN	AU121681 MAMMA1 Homo sapiens cDNA clone MAMMA1000738 5'
2036	7154		26.89	9.0E-03	AA316723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
4312	9434	14569	1.42	9.0E-03	AU121881.1	EST_HUMAN	AU121681 MAMMA1 Homo sapiens cDNA clone MAMMA1000738 5'
243	6434	10573	6.55	7.0E-03	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
3047	8201	13357	0.67	6.0E-03	11528178	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
1391	6519	11899	4.35	5.0E-03	AB014511.1	NT	Homo sapiens mRNA for KIAA0811 protein, partial cds
1415	6542	11720	13.82	5.0E-03	A1674184.1	EST_HUMAN	wc08c08.x1 NCI CGAP_P128 Homo sapiens cDNA clone IMAGE:2314670 3'
1415	6542	11721	13.82	5.0E-03	A1674184.1	EST_HUMAN	wc08c08.x1 NCI CGAP_P128 Homo sapiens cDNA clone IMAGE:2314670 3'
1835	7927	12180	1.01	5.0E-03	A1297710.1	NT	Homo sapiens mRNA for CDC2L5 protein kinase, (CDC2L5 gene), isoform 2
3218	8369	13532	4.95	5.0E-03	X04201.1	NT	Human skeletal muscle 1.3 kb mRNA for tropomyosin
83	5292		4.53	4.0E-03	AA459933.1	EST_HUMAN	zc6e08.r1 Soares testis NHT Homo sapiens cDNA clone IMAGE:795888 3' similar to SW:CLPA_RAT
444	5812	10767	1.44	4.0E-03	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1), mRNA

Page 153 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
444	5812	10768	1.44	4.0E-03	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
772	5926	11084	2.86	4.0E-03	7657454	NT	Homo sapiens pascadillo (zbrf1fish) homolog 1, containing BRCT domain (PES1), mRNA
772	5926	11085	2.86	4.0E-03	7657454	NT	Homo sapiens pascadillo (zbrf1fish) homolog 1, containing BRCT domain (PES1), mRNA
1185	6319	11487	1.64	4.0E-03	8923658	NT	Homo sapiens hypothetical protein FLJ20731 (FLJ20731), mRNA
1979	7099	12327	2.52	4.0E-03	AF047677.1	NT	Homo sapiens dystrophin (DMD) gene, deletion breakpoints 1-3 in Intron 5
2225	7337	12581	1.18	4.0E-03	AF157476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
2376	7481	12735	1.31	4.0E-03	AL163301.2	NT	Homo sapiens chromosome 21 segment HS21C101
3553	8894	13856	0.85	4.0E-03	7705396	NT	Homo sapiens tumor antigen SLP-8p (HCC8), mRNA
4022	9164	14298	1.47	4.0E-03	4504654	NT	Homo sapiens interleukin 18 receptor 1 (IL18R1) mRNA
5008	8894	13856	0.85	4.0E-03	7705396	NT	Homo sapiens tumor antigen SLP-8p (HCC8), mRNA
3629	8768	13924	9.7	3.0E-03	BF690330.1	EST_HUMAN	602246554F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4332036 5'
			9.7	3.0E-03	BF690330.1	EST_HUMAN	602246554F1 NIH_MGC_62 Homo sapiens cDNA clone IMAGE:4332036 5'
5052	10154		0.94	3.0E-03	AF231081.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
187	5382	10523	28.53	2.0E-03	AB015810.1	NT	Chlorococcus eethlops mRNA for ribosomal protein S4X, complete cds
187	5382	10524	28.53	2.0E-03	AB015810.1	NT	Chlorococcus eethlops mRNA for ribosomal protein S4X, complete cds
321	5507	10646	13.27	2.0E-03	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
322	5507	10646	5.79	2.0E-03	AL163285.2	NT	Homo sapiens chromosome 21 segment HS21C085
2121	7236	12479	2.73	2.0E-03	U40783.1	NT	Human Cdk-associated RS cyclophilin CARS-Cyo mRNA, complete cds
2461	7555	12818	1.71	2.0E-03	BE252982.1	EST_HUMAN	60117556F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3359220 5'
89	5308	10447	2.58	1.0E-03	AF238697.1	NT	Homo sapiens CTR1 pseudogene
89	5308	10448	2.56	1.0E-03	AF238697.1	NT	Homo sapiens CTR1 pseudogene
516	5682	10816	18.66	1.0E-03	7657016	NT	Homo sapiens hypothetical protein (D1328E18.C1.1), mRNA
							cy64508.X1 NCI_CGAP_CL11 Homo sapiens cDNA clone IMAGE:1672503 3' similar to TR-Q62384 Q62384
698	5760	10888	3.83	1.0E-03	AF146755.1	EST_HUMAN	ZINC FINGER PROTEIN.1
873	6024	11195	7.53	1.0E-03	D67676.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
1240	6370	11543	8.84	1.0E-03	8923270	NT	Homo sapiens hypothetical protein FLJ20291 (FLJ20291), mRNA
1240	6370	11544	8.84	1.0E-03	8923270	NT	Homo sapiens hypothetical protein FLJ20291 (FLJ20291), mRNA
1350	6479	11658	1.17	1.0E-03	AB046783.1	NT	Homo sapiens mRNA for KIAA1563 protein, partial cds
1352	6481	11660	1.18	1.0E-03	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
2319	7427	12679	5.52	1.0E-03	AF231881.1	NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
2440	7544	12788	1.52	1.0E-03	AF055066.1	NT	Homo sapiens MHC class 1 region
2477	7582		1.11	1.0E-03	AL137200.1	NT	Novel human gene mapping to chromosome 1

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2782	8428	11802	2.88	1.0E-93	BE297369.1	EST_HUMAN	60117788F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532965 5'
2782	8429	11803	2.88	1.0E-93	BE297369.1	EST_HUMAN	60117788F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532965 5'
2889	8053	13222	3.87	1.0E-93	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
3201	8352					NT	Homo sapiens long chain polyunsaturated fatty acid elongation enzyme (HELO1) mRNA, complete cds
4407	9527	14867	1.95	1.0E-93	AF231981.1	NT	Homo sapiens chromosome 21 segment HS21C084
3935	9071	14227	1.85	8.0E-94	AF142482.1	NT	Homo sapiens transcription enhancer factor-5 mRNA, complete cds
1854	8975		21.16	4.0E-94	L05094.1	NT	Homo sapiens ribosomal protein L27 mRNA, complete cds
2618	7717	12971	1.76	4.0E-94	4506008	NT	Homo sapiens protein phosphatase 1, regulatory subunit 10 (PPP1R10) mRNA
3649	8788	13942	1.02	4.0E-94	AW197851.1	EST_HUMAN	xn89f12.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701679 3'
3649	8788	13943	1.02	4.0E-94	AW197851.1	EST_HUMAN	xn89f12.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2701679 3'
4685	9801	14947	2.97	4.0E-94	AI591312.1	EST_HUMAN	tw11f10.x1 NCJ CGAP Bm52 Homo sapiens cDNA clone IMAGE:2289403 3' similar to TR:Q16266 Q15285
608	5768	10897	3.14	3.0E-94	AB022785.1	NT	Homo sapiens TYROSINE PHOSPHATASE ;
719	5876	11023	1.3	3.0E-94	4502506	NT	Homo sapiens ASH2L gene, complete cds, similar to Drosophila ash2 gene
1751	6877	12082	1.29	3.0E-94	AF167706.1	NT	Homo sapiens complement component 5 (C5) mRNA
1751	6877	12083	1.29	3.0E-94	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S52 precursor, mRNA, complete cds
1782	8908	12116	2.04	3.0E-94	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
4180	9288	14421	0.7	3.0E-94	AA464805.1	EST_HUMAN	zw63g08.r1 Scores_Total_fetus_Nb2HF8_gw Homo sapiens cDNA clone IMAGE:774782 5'
144	5341	10485	3.43	1.0E-94	BE295714.1	EST_HUMAN	601175762F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3531038 5'
3081	8214	13387	2.13	1.0E-94	BE253433.1	EST_HUMAN	601111698F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352559 5'
3081	8214	13388	2.13	1.0E-94	BE253433.1	EST_HUMAN	601111698F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352559 5'
4336	9458	14596	0.99	1.0E-94	8506692	NT	Homo sapiens hypothetical protein (FLJ20746), mRNA
4757	9870	15020	4.78	1.0E-94	AI804151.1	EST_HUMAN	CM-BT043-080289-075 BT043 Homo sapiens cDNA
1487	6614	11802	2.81	9.0E-95	AF027302.1	NT	Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA, complete cds
3134	8285	13441	1.02	9.0E-95	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
3134	8285	13442	1.02	9.0E-95	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
4509	9828	14771	1.81	8.0E-95	AI700908.1	EST_HUMAN	we09e04.x1 NCJ CGAP_Lu24 Homo sapiens cDNA clone IMAGE:2340606 3' similar to gb:K00558
4509	9828	14772	1.81	8.0E-95	AI700908.1	EST_HUMAN	TUBULIN ALPHA-1 CHAIN (HUMAN);
273	5463	10604	12.32	7.0E-95	D87875.1	NT	TUBULIN ALPHA-1 CHAIN (HUMAN);
273	5463	10605	12.32	7.0E-95	D87875.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
4345	9487	14605	4.82	7.0E-95	M95708.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
						NT	Homo sapiens Ly6-like protein (CD69) mRNA, complete cds

Page 155 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4391	6511		1.35	7.0E-05	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C046
1658	6784	11977	4.12	2.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1656	6784	11978	4.12	2.0E-05	7662027	NT	Homo sapiens KIAA0255 gene product (KIAA0255), mRNA
1945	7093	12287	1.73	2.0E-05	4507512	NT	Homo sapiens tissue inhibitor of metalloproteinase 3 (Sorsby fundus dystrophy, pseudoinflammatory) (TIMP3) mRNA
1948	7096	12291	2.79	2.0E-05	BE393873.1	EST_HUMAN	801312161F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3658662 5'
2403	7509	12758	1.47	2.0E-05	5453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA
2403	7509	12759	1.47	2.0E-05	5453665	NT	Homo sapiens G protein-coupled receptor 19 (GPR19) mRNA
2442	7546	12789	1.77	2.0E-05	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2484	7588	12837	2.67	2.0E-05	4758423	NT	Homo sapiens glycine cleavage system protein H (anthinomethyl carrier) (GCSH) mRNA
3136	8287	13444	2.59	2.0E-05	AF015482.1	NT	Homo sapiens Usurpin-gamma mRNA, complete cds
3350	8691	13852	2.81	2.0E-05	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51188), mRNA
3550	8691	13853	2.81	2.0E-05	7705900	NT	Homo sapiens unconventional myosin-15 (LOC51188), mRNA
3600	8739	13892	2.18	2.0E-05	AB037807.1	NT	Homo sapiens mRNA for KIAA1386 protein, partial cds
3731	8869	14022	3.84	2.0E-05	AI280264.1	EST_HUMAN	qin01c02.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1880546 3' similar to WP:12337.4
4339	9461	14598	1.62	2.0E-05	7657185	NT	CE03705 ;
5021	10123	15255	2.79	2.0E-05	7661978	NT	Homo sapiens hypothetical protein (HS322B1A), mRNA
441	7890	10754	1.39	8.0E-05	BE907607.1	EST_HUMAN	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
3886	9022	14179	1.23	8.0E-05	BE907607.1	EST_HUMAN	501497608F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3889781 5'
2240	7351	12608	3.03	6.0E-05	BE171884.1	EST_HUMAN	501497608F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3889781 5'
3289	8446	13608	0.92	6.0E-05	AL163201.2	NT	Homo sapiens chromosome 21 unknown mRNA
3484	8908	13770	38.5	6.0E-05	M26873.1	NT	MRO-HIT0559-250200-002-407 HT0559 Homo sapiens cDNA
6180	10287	15423	1.28	6.0E-05	AI423283.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C001
318	5504	10842	2.15	5.0E-05	AB032998.1	NT	Human glyceraldehyde-3-phosphate dehydrogenase pseudogene 3'end
843	5894	11163	3.36	5.0E-05	AB032998.1	NT	t641d03.x1 NCL_CGAP_Bim23 Homo sapiens cDNA clone IMAGE:2098767 3'
843	5894	11164	3.36	5.0E-05	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
2583	7684		2.01	5.0E-05	11416707	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
4877	9888		1.83	5.0E-05	X60812.1	NT	Homo sapiens phosphodiesterase 6A, cGMP-specific, rod, alpha (PDE6A), mRNA
6160	10250	15389	0.66	5.0E-05	AF264750.1	NT	H.sapiens DNA for monomine oxidase type A (7) (partial)
4162	9288		8.24	3.0E-05	H86668.1	EST_HUMAN	H.sapiens ALR-like protein mRNA, partial cds
414	5582		3.71	2.0E-05	4503098	NT	H.sapiens DNA for monomine oxidase type A (7) (partial)
							Homo sapiens fetal liver spleen INFLS Homo sapiens cDNA clone IMAGE:212327 5'
							Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
746	5902	11056	1.52	2.0E-96	AL163248.2	NT	Homo sapiens chromosome 21 segment HS21C048
1804	6928	12142	1.43	2.0E-96	7706205	NT	Homo sapiens CGI-201 protein (LOC51340), mRNA
4723	9837	14981	1.05	2.0E-96	BE148074.1	EST_HUMAN	RC3-H10230-040500-110-g02.H10230 Homo sapiens cDNA
620	5780	10609	2.02	1.0E-96	4828863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
620	5780	10910	2.02	1.0E-96	4828863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
670	5828	10989	5.56	1.0E-96	Y18990.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
1791	6917	12124	6.41	1.0E-96	AW955054.1	EST_HUMAN	EST387124 MAGC resequences, MAGC Homo sapiens cDNA
2246	7876	12614	6.41	1.0E-96	AW955054.1	EST_HUMAN	EST387124 MAGC resequences, MAGC Homo sapiens cDNA
3308	8455	13617	0.98	6.0E-97	U51472.2	NT	Felis catus superfast myosin heavy chain (sMyHC) mRNA, complete cds
939	6087	11255	3.71	4.0E-97	BE004436.1	EST_HUMAN	801863712F1 NIH_MGC_57 Homo sapiens cDNA clone IMAGE:4081202.6'
949	6097	11265	1.34	4.0E-97	AB030178.1	NT	CMO-BN0106-170300-293-a08 BN0108 Homo sapiens cDNA
949	6097	11266	1.34	4.0E-97	AB030178.1	NT	Homo sapiens PAD-H18 mRNA for peptidylarginine deiminase type II, complete cds
1914	7093	12253	4.55	4.0E-97	AB030178.1	NT	Homo sapiens PAD-H19 mRNA for peptidylarginine deiminase type II, complete cds
240	5432	10571	2.11	3.0E-97	AB032988.1	NT	Homo sapiens brefeldin A-inhibited guanine nucleotide-exchange protein 2 (BIG2), mRNA
876	6026	11197	14.13	3.0E-97	4502168	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
875	6026	11198	14.13	3.0E-97	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
1452	7918	11768	1.45	3.0E-97	4758813	NT	Homo sapiens amyloid beta (A4) precursor protein (protease nexin-II, Alzheimer disease) (APP), mRNA
2416	7877	12772	2.12	3.0E-97	U36255.1	NT	Homo sapiens N-myc (and STAT) interactor (NMI), mRNA
3243	8393	13556	0.99	3.0E-97	5174478	NT	Human beta-prime-adaptin (BAM22) gene, exon 7
4747	9860	15009	26	1.0E-97	4503470	NT	Homo sapiens pericentriolar (PCNT) mRNA
602	6052	11222	6.13	8.0E-98	BE090973.1	EST_HUMAN	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
1280	6409	11584	1.08	9.0E-98	8393092	NT	PM4-BT0724-010400-008-a12 BT0724 Homo sapiens cDNA
4645	9763	11690	1.26	9.0E-98	8400716	NT	Homo sapiens cat eye syndrome critical region gene 1 (CECR1), mRNA
1391	6609	11690	1.06	8.0E-98	AB033788.1	NT	Homo sapiens nebulin (NEB), mRNA
1575	6703	11892	1.32	8.0E-98	5031810	NT	Homo sapiens hPAD-colony10 mRNA for peptidylarginine deiminase type I, complete cds
1575	6703	11893	1.32	8.0E-98	5031810	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
1739	6868	12070	5.86	8.0E-98	AB017007.1	NT	Homo sapiens IL2-inducible T-cell kinase (ITK), mRNA
1739	6868	12071	5.86	8.0E-98	AB017007.1	NT	Homo sapiens PMS2L10 mRNA, partial cds
3773	8910	14063	6.26	8.0E-98	U04469.1	NT	Homo sapiens PMS2L16 mRNA, partial cds
2158	7271	12519	1.29	3.0E-98	AJ403124.1	EST_HUMAN	Human mitochondrial creatine kinase (CKMT) gene, complete cds
2572	7672	12827	2.89	3.0E-98	AB014607.1	NT	AJ403124 3.4 (downregulated in larynx carcinoma) Homo sapiens cDNA clone IB
							Homo sapiens mRNA for KIAA0707 protein, partial cds

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2712	7807		3.52	3.0E-08	AA077498.1	EST_HUMAN	7B18H01 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B18H01
734	5890	11042	1.37	2.0E-08	BE281694.1	EST_HUMAN	601149486F1 NIH MGC_19 Homo sapiens cDNA clone IMAGE:3602245 5'
2071	7187	12428	2.46	2.0E-08	BE294281.1	EST_HUMAN	601172658F1 NIH MGC_17 Homo sapiens cDNA clone IMAGE:3628134 5'
2219	7331	12584	3.31	2.0E-08	AL163202.2	NT	Homo sapiens chromosome 21 segment HS21C002
3109	8262	13416	1	2.0E-08	AB032377.1	NT	Homo sapiens hCHK1 gene for checkpoint kinase, exon 2
3109	8262	13417	1	2.0E-08	AB032377.1	NT	Homo sapiens hCHK1 gene for checkpoint kinase, exon 2
4081	9210	14347	1.2	2.0E-08	8923308	NT	Homo sapiens hypothetical protein FLJ20393 (FLJ20393), mRNA
4272	8398	14535	0.69	2.0E-08	AF032887.1	NT	Homo sapiens poliovirus channel subunit (HERG-3) mRNA, complete cds
4317	9439	14572	3.11	2.0E-08	4758331	NT	Homo sapiens fatty-acid-Coenzyme A ligase, long-chain 4 (FACL4) mRNA
4795	8908	16047	1.63	2.0E-08	AF218902.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 16
4795	8908	15049	1.63	2.0E-08	AF218902.1	NT	Homo sapiens attractin precursor (ATRIN) gene, exon 16
5122	10223	15357	0.86	2.0E-08	AL200857.1	EST_HUMAN	q62209.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1764633 3' similar to SW:CYT_COTJA PB1061 CYSTATIN ;
5122	10223	15358	0.96	2.0E-08	AL200857.1	EST_HUMAN	q62209.x1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1764633 3' similar to SW:CYT_COTJA PB1061 CYSTATIN ;
405	5572	10720	80.3	1.0E-08	AB82007.1	EST_HUMAN	hw36b04.x1 NCI CGAP_UH1 Homo sapiens cDNA clone IMAGE:2261743 3' similar to SW:FL2B_HUMAN
454	5622	10765	3.16	1.0E-08	AW698611.1	EST_HUMAN	P29316 60S RIBOSOMAL PROTEIN L23A ;
1809	8932	12147	55.14	1.0E-08	N49818.1	EST_HUMAN	PMO-BN0065-100300-001-c08 BN0065 Homo sapiens cDNA
471	5638	10780	0.64	6.0E-09	U10991.1	NT	W23705.1 Soares fetal liver spliced 1NFLS Homo sapiens cDNA clone IMAGE:243565 5' similar to
3865	8001	14159	1.57	6.0E-09	AW976364.1	EST_HUMAN	PIR-S54204 S54204 ribosomal protein L29 - human ;
4713	8829	14972	1.06	6.0E-09	4602860	NT	Human G2 protein mRNA, partial cds
920	6069	11234	0.63	6.0E-09	U35464.1	NT	EST388473 MAGE resequencas, MAGN Homo sapiens cDNA
920	6069	11235	0.63	6.0E-09	U35464.1	NT	Homo sapiens CD34 antigen (CD34) mRNA
1968	7085	12311	1.27	5.0E-09	Y11365.1	NT	Human protein C inhibitor (PCI-B) mRNA, complete cds
4537	6855	14800	2.03	5.0E-09	AF008660.1	NT	Human protein C inhibitor (PCI-B) mRNA, complete cds
4894	8910	14957	1.06	5.0E-09	AF265555.1	NT	Human IMPA gene, exon 8
4894	8910	14958	1.06	5.0E-09	AF265555.1	NT	Homo sapiens T cell receptor beta locus, TORBV7S3A2 to TORBV12S2 region
1243	8374		26.56	2.0E-09	AW274792.1	EST_HUMAN	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds
3242	8392	13554	1.48	2.0E-09	M300938.1	NT	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds
4516	8834	14779	1.05	2.0E-09	AF095703.1	NT	Homo sapiens ubiquitin-conjugating BIR-domain enzyme APOLLON mRNA, complete cds LIGHT CHAIN ALKALI NON-MUSCLE ISOFORM (HUMAN); Human Ku (p70/p80) subunit mRNA, complete cds
							Homo sapiens short chain L-3-hydroxyacyl-CoA dehydrogenase precursor (HADHSC) gene, nuclear gene encoding mitochondrial protein, complete cds

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
313	5499	10639	1.14	1.0E-99	AF114487.1	NT	Homo sapiens Intersectin long isoform (ITSN) mRNA, complete cds
377	5555	10639	1.28	1.0E-99	11528150	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (GBPA) mRNA
1430	6557	11740	5.38	1.0E-99	M30938.1	NT	Human Ku (p70/p80) subunit mRNA, complete cds
1571	6899	11886	2.04	1.0E-99	AF102523.1	NT	Homo sapiens truncated Nleam-Pick C3 protein (NPC3) mRNA, complete cds
1571	6899	11887	2.04	1.0E-99	AF102523.1	NT	Homo sapiens truncated Nleam-Pick C3 protein (NPC3) mRNA, complete cds
1932	7051	12272	1.04	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
1932	7051	12273	1.04	1.0E-99	4503730	NT	Homo sapiens FK506-binding protein 6 (36kD) (FKBP6) mRNA, and translated products
3057	8210	13364	0.94	1.0E-99	J03171.1	NT	Human interferon-alpha receptor (HuIFN-alpha-Rec) mRNA, complete cds
4359	9481	14619	2.23	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
4359	9481	14620	2.23	1.0E-99	AF098018.1	NT	Homo sapiens fatty acid amide hydrolase (FAAH) gene, exon 14
1	5214	10326	1.7	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
2	5214	10326	2.2	1.0E-100	AL163247.2	NT	Homo sapiens chromosome 21 segment HS21C047
67	5277	10411	1.08	1.0E-100	11418230	NT	Homo sapiens chromosome 21 segment HS21C048
67	5277	10412	1.08	1.0E-100	11418230	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
164	5390	10500	0.86	1.0E-100	AL163206.2	NT	Homo sapiens Testis-specific XK-related protein on Y (XKRY), mRNA
315	5501	10841	1.29	1.0E-100	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C008
341	5524	10660	2.31	1.0E-100	T05087.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C049
436	5605		1.62	1.0E-100	AF003528.1	NT	EST02975 Fetal brain, Stragene (cat#936206) Homo sapiens cDNA clone HFBOR32
489	5657		10.45	1.0E-100	X69831.1	NT	Homo sapiens X-linked anhidrotic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
509	5875	10809	1.98	1.0E-100	BE180809.1	EST_HUMAN	G.gallia DNA for ZNF80 gene homolog
1020	6161	11329	2.65	1.0E-100		NT	RC3-HT0825-040500-022-009 HT0825 Homo sapiens cDNA
1020	6161	11327	2.55	1.0E-100	7661685	NT	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1446	6574	11760	1.25	1.0E-100	BF630735.1	EST_HUMAN	Homo sapiens DKFZP586M0122 protein (DKFZP586M0122), mRNA
1561	6890		1.33	1.0E-100	AW207555.1	EST_HUMAN	602072064F1 NC1 CGAP_Bri67 Homo sapiens cDNA clone IMAGE:4215039 5'
1698	6894	11891	1.14	1.0E-100	AL200857.1	EST_HUMAN	U1H-B1-alk-c-07-Q-J1 st NC1 CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722184 3'
1875	6895	12220	1.36	1.0E-100	AB032894.1	NT	q16209.x1 Scores, testis, NHT Homo sapiens cDNA clone IMAGE:1784693 3' similar to SW:CYT_COTJA
2415	7521	12771	1.03	1.0E-100	X02468.1	NT	P81061 CYSTATIN ;
2668	7764	13015	1.78	1.0E-100	11418976	NT	Homo sapiens mRNA for KIAA1168 protein, partial cds
2890	8145		3.49	1.0E-100	D11078.1	NT	H. sapiens mRNA for IFN-gamma (pKC-C)
4183	8309	14446	1.83	1.0E-100	AF057354.1	NT	Homo sapiens KIAA0957 protein (KIAA0957), mRNA
4214	8339	14471	2.03	1.0E-100	4503792	NT	Homo sapiens RGH2 gene, retrovirus-like element
5076	10177	16311	3.28	1.0E-100	5032104	NT	Homo sapiens myokubath-related protein 1a mRNA, partial cds
							Homo sapiens follicle stimulating hormone receptor (FSHR) mRNA
							Homo sapiens small optic lobes (Drosophila) homolog (SOLH) mRNA

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5076	10177	15312	3.28	1.0E-100	6032104	NT	Homo sapiens small optic lobes (<i>Drosophila</i>) homolog (SOLH) mRNA
76	5285	10424	1.2	1.0E-101	7110714	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
76	5285	10425	1.2	1.0E-101	7110714	NT	Homo sapiens SEC14 (S. cerevisiae)-like 2 (SEC14L2), mRNA
684	5942	10981	2.66	1.0E-101	A8007915.2	NT	Homo sapiens mRNA for KIAA0448 protein, partial cds
702	5959	11007	5.55	1.0E-101	7110734	NT	Homo sapiens ventral anterior homedbox 2 (VAX2), mRNA
702	5959	11008	5.55	1.0E-101	7110734	NT	Homo sapiens ventral anterior homedbox 2 (VAX2), mRNA
771	5925	11083	3.3	1.0E-101	7657484	NT	Homo sapiens pascadillo (zebrafish) homolog 1, containing BRCT domain (PES1), mRNA
854	6005	11178	1.67	1.0E-101	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminimidazole synthetase (GART) mRNA
926	6074	11242	0.74	1.0E-101	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
968	6132	11303	17.11	1.0E-101	BF681218.1	EST_HUMAN	602158474F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4267291 5'
1054	6195	11359	2.32	1.0E-101	A1221878.1	EST_HUMAN	qg99e09.x1 Soares_NFL_T CBCC_S1 Homo sapiens cDNA clone IMAGE:1843338 3'
1596	6725	11917	1.18	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1596	6725	11918	1.18	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1758	6884	12091	1.22	1.0E-101	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1758	6884	12092	1.22	1.0E-101	7662183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1949	7067	12292	1.42	1.0E-101	4502896	NT	Homo sapiens carboxypeptidase A1 (pancreatic) (CPA1) mRNA
2048	7164	12403	3.43	1.0E-101	BE843070.1	EST_HUMAN	RC3-ST0281-160500-018-h08 ST0281 Homo sapiens cDNA
2329	7938	12889	1.77	1.0E-101	5729892	NT	Homo sapiens A kinase (PRKA) anchor protein 6 (AKAP6), mRNA
2578	7880	12935	5.25	1.0E-101	X72993.1	NT	H. sapiens EWS gene, exon 6
2706	7801	13053	3	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
2706	7801	13054	3	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
2922	8076	13500	12.48	1.0E-101	AJ252312.1	NT	Homo sapiens genomic downstream Rhesus box
3166	8337	13500	2.75	1.0E-101	486270	NT	Homo sapiens gamma-glutamyltransferase 1 (GGT1) mRNA
3225	8375	13674	2.36	1.0E-101	BF035327.1	EST_HUMAN	601458531F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3862086 5'
3362	8507	13674	1.86	1.0E-101	AW965596.1	EST_HUMAN	EST377629 MAGI resequences, MAGI Homo sapiens cDNA
3381	7801	13053	1.65	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
3381	7801	13054	1.65	1.0E-101	AJ237744.1	NT	Homo sapiens RIBLIR gene (partial), exon 12
3653	8822	13978	0.74	1.0E-101	AF073295.1	NT	Homo sapiens Na+/H+ exchanger isoform 2 (NHE2) mRNA, complete cds
3854	8960	14146	4.59	1.0E-101	AB022783.1	NT	Homo sapiens ASH2L gene, complete cds, similar to <i>Drosophila ash2</i> gene
5017	10119	15252	1.61	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
5017	10119	15253	1.61	1.0E-101	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
38	5249	10367	1.36	1.0E-102	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 280 (p4K280) mRNA, complete cds
339	5622	10657	5.21	1.0E-102	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
617	5777	10908	1.27	1.0E-102	BE262470.1	EST_HUMAN	601108292F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3344326 5'
775	5929	11088	0.98	1.0E-102	4657534	NT	Homo sapiens down-regulated in adenoma (DRA) mRNA
1118	8258	11420	5.62	1.0E-102	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
1272	8401	11574	1.69	1.0E-102	11437146	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1272	8401	11575	1.69	1.0E-102	11437148	NT	Homo sapiens solute carrier family 2 (facilitated glucose transporter), member 9 (SLC2A9), mRNA
1427	6554	11738	490.48	1.0E-102	BE408447.1	EST_HUMAN	601289882F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3629901 5'
2286	7395	12648	4.12	1.0E-102	A1124689.1	EST_HUMAN	am00c10x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95;
2286	7395	12647	4.12	1.0E-102	A1124689.1	EST_HUMAN	am00c10x1 Johnston frontal cortex Homo sapiens cDNA clone IMAGE:1539954 3' similar to SW:GG95_HUMAN Q08379 GOLGIN-95;
2822	7978	13137	0.7	1.0E-102	11419442	NT	Homo sapiens peroxisome biogenesis factor 1 (PEX1), mRNA
2897	8152	13347	0.78	1.0E-102	Y13932.1	NT	Homo sapiens PRKY exon 7
3037	8191	13347	1.83	1.0E-102	7661978	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
3111	8284	13418	5.67	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLAGE4 Homo sapiens cDNA clone PLAGE4000650 5'
3111	8284	13419	5.67	1.0E-102	AU141005.1	EST_HUMAN	AU141005 PLAGE4 Homo sapiens cDNA clone PLAGE4000650 5'
4210	9335	14487	1.54	1.0E-102	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
4369	8909	14651	1.93	1.0E-102	BE251310.1	EST_HUMAN	601107843F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3343882 5'
5097	10197	15339	1.04	1.0E-102	R68488.1	EST_HUMAN	y32c04.t1 Soares placenta Nb2HP Homo sapiens cDNA clone IMAGE:140834 5'
68	6278	10413	2.08	1.0E-103	BE908158.1	EST_HUMAN	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
68	6278	10414	2.08	1.0E-103	BE908158.1	EST_HUMAN	601500405F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3902305 5'
98	6305	10444	6.79	1.0E-103	DB7078.2	NT	Homo sapiens mRNA for KIAA0235 protein, partial cds
205	5400	10542	3.51	1.0E-103	5463793	NT	Homo sapiens nuclear protein (KKEID repeat) (NOP56) mRNA
882	6128	11296	0.84	1.0E-103	AJ276348.1	NT	Homo sapiens mRNA for pregnancy-associated plasma protein-E (PAPPE gene)
1247	6377	11556	6.89	1.0E-103	BE977541.1	EST_HUMAN	601485388F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3887878 5'
1609	6737	11831	3.26	1.0E-103	AF012872.1	NT	Homo sapiens phosphatidylinositol 4-kinase 230 (p4K230) mRNA, complete cds
1817	7036	12256	1.53	1.0E-103	7657592	NT	Homo sapiens smg GDS-ASSOCIATED PROTEIN (SMAP), mRNA
1977	7094	12323	0.99	1.0E-103	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
1977	7094	12324	0.99	1.0E-103	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8) mRNA
2281	7391	12942	4.9	1.0E-103	AU134891.1	EST_HUMAN	AU134891 PLAGE1 Homo sapiens cDNA clone PLAGE1000665 5'
2427	7531	12784	1.1	1.0E-103	AF060568.1	NT	Homo sapiens promyelocytic leukemia zho finger protein (PLZF) gene, complete cds
2564	7685	12939	1.87	1.0E-103	N32770.1	EST_HUMAN	yw61d08.s1 Soares placenta_808weeks_2NbHP1808W Homo sapiens cDNA clone IMAGE:259589 3'
3041	8195	12942	2.94	1.0E-103	BE744722.1	EST_HUMAN	60157313F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3834315 5'
3361	8506	13673	3.62	1.0E-103	AW298246.1	EST_HUMAN	U1-H-BW6-qlt-h-11-0-U1.st NCI_CGAP_Sub0 Homo sapiens cDNA clone IMAGE:2733165 3'

Page 161 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3421	8563	13720	0.97	1.0E-103	AB040882.1	NT	Homo sapiens mRNA for KIAA1459 protein, partial cds
3735	8873		14.84	1.0E-103	AF023881.1	NT	Mus musculus cyclophilin A mRNA, complete cds
3771	8908	14061	1.88	1.0E-103	AA485633.1	EST_HUMAN	ab10d12.s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:840407 3' similar to contains element LTR10 repetitive element
3808	8946	14094	1.88	1.0E-103		NT	Homo sapiens neuropilin 1 (NRP1), mRNA
3978	9112	14280	2.69	1.0E-103	11430876	EST_HUMAN	seq340 b4HB3MA-Cor109+10-B10 Homo sapiens cDNA clone b4HB3MA-Cor109+10-B10-7 3'
232	8428	10584	4.96	1.0E-104	AL037549.3	EST_HUMAN	DKFZ564H1072.1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZ564H1072 5'
232	8428	10585	4.96	1.0E-104	AL037549.3	EST_HUMAN	DKFZ564H1072.1 564 (synonym: hibr2) Homo sapiens cDNA clone DKFZ564H1072 5'
1896	7015	12235	1.59	1.0E-104	4502428	NT	Homo sapiens bone morphogenetic protein 8 (osteogenic protein 2) (BMP8), mRNA
2177	7290	12637	7.35	1.0E-104	AA182876.1	EST_HUMAN	z022c06.s1 Stralagene colon (#937204) Homo sapiens cDNA clone IMAGE:587628 3' similar to gb:214116_mai1 CD59 GLYCOPROTEIN PRECURSOR (HUMAN)
2187	7299	12548	5.57	1.0E-104	BE744828.1	EST_HUMAN	601577460F1 NIH_MGC 9 Homo sapiens cDNA clone IMAGE:3928438 5'
2349	7456	12710	1.14	1.0E-104	BF334221.1	EST_HUMAN	RC1-CT0249-110900-214-112 CT0249 Homo sapiens cDNA
2349	7456	12711	1.14	1.0E-104	BF334221.1	EST_HUMAN	RC1-CT0249-110900-214-112 CT0249 Homo sapiens cDNA
2414	7520	12770	7.5	1.0E-104	5031570	NT	Homo sapiens ARP2 (actin-related protein 2, yeast) homolog (ACTR2), mRNA
2473	7577	12828	2.1	1.0E-104	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2473	7577	12828	2.1	1.0E-104	7662126	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2835	7980	13150	7.41	1.0E-104	M34671.1	NT	Human lymphocytic antigen CD59/MEP43 mRNA, complete cds
2882	8036		2.55	1.0E-104	Y11151.1	NT	H. sapiens gene encoding phenylpyruvate tautomerase II
3246	8398	13558	1.02	1.0E-104	AU133928.1	EST_HUMAN	AU133928 OVARI1 Homo sapiens cDNA clone OVARI1000936 5'
3372	8517		2.01	1.0E-104	AA310436.1	EST_HUMAN	EST121658 Adrenal gland tumor Homo sapiens cDNA 5' end
3914	9050	14209	1.03	1.0E-104	AB032998.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
4101	9230	14367	0.77	1.0E-104	F11745.1	EST_HUMAN	HSG31A071 normalized infant brain cDNA Homo sapiens cDNA clone c-31a07
4356	9478	14618	3.84	1.0E-104	X02761.1	NT	Human mRNA for fibronectin (FN precursor)
4581	9689	14838	2.16	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
4691	9699	14837	2.16	1.0E-104	AF231920.1	NT	Homo sapiens chromosome 21 unknown mRNA
276	7861	10608	4.52	1.0E-105	4502166	NT	Homo sapiens amyloid beta (A4) precursor protein (protease resistant-II, Alzheimer disease) (APP), mRNA
424	5211	10323	39.88	1.0E-105	4505150	NT	Homo sapiens Meis1 (mouse) homolog (MEIS1), mRNA
592	5754	10881	3.78	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
592	5754	10882	3.78	1.0E-105	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
1693	6822		2.63	1.0E-105	AB020981.1	NT	Homo sapiens mRNA for cyclin B2, complete cds
1832	6985	12177	0.99	1.0E-105	AL163280.2	NT	Homo sapiens chromosome 21 segment HS21C080
1931	7050	12271	1.54	1.0E-105	D50918.1	NT	Human mRNA for KIAA0128 gene, partial cds

Page 162 of 214
Table 4
Single Exon Probes Expressed in BT474

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2172	7285	12533	65.09	1.0E-105	AA318399.1	EST_HUMAN	EST20609 Spleen 1 Homo sapiens cDNA 5' end similar to autoimmunity antigen Ku, p70/p80 subunit
2302	7411		1.11	1.0E-105	BE891788.1	EST_HUMAN	601434481F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3919511 5'
2683	7780		1.32	1.0E-105	AA684808.1	EST_HUMAN	no10d05.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100265 3'
2978	8132		2.96	1.0E-105	AJ226041.1	NT	Homo sapiens 959 kb contig between AML1 and CBR1 on chromosome 21q22; segment 1/3
3333	8479	13644	0.87	1.0E-105	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 28 (BAZ2B), mRNA
3333	8479	13645	0.87	1.0E-105	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 28 (BAZ2B), mRNA
4073	8203	14339	2.78	1.0E-105	AW661688.1	EST_HUMAN	EST373761 MAGG resequencing, MAGG Homo sapiens cDNA
4918	10026		4.61	1.0E-105	AL169208.2	NT	Homo sapiens chromosome 21 segment HS21C008
5089	10189	15329	0.91	1.0E-105	AB018339.1	NT	Homo sapiens mRNA for KIAA0708 protein, partial cds
5130	10230	15365	1.44	1.0E-105	AB020673.1	NT	Homo sapiens mRNA for KIAA0666 protein, complete cds
146	5343		2.75	1.0E-108	AW503208.1	EST_HUMAN	U1-HF-BNO-akt-g-07-0-J1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078348 5'
202	5397	10540	1.83	1.0E-106	AW565065.1	EST_HUMAN	tg79c01.x1 NCI_CGAP_U11 Homo sapiens cDNA clone IMAGE:2215008 3'
540	5706	10840	1.77	1.0E-106	AW965556.1	EST_HUMAN	EST377628 MAGG resequencing, MAGI Homo sapiens cDNA
602	5784	10892	1.69	1.0E-106	J00146.1	NT	Human dihydrofolate reductase pseudogene (psd-hd1)
603	5784	10892	2.18	1.0E-106	J00146.1	NT	Human dihydrofolate reductase pseudogene (psd-hd1)
1538	5666	11852	1.63	1.0E-106	AF145712.1	NT	Homo sapiens soluble neuropilin-1 mRNA, complete cds
1716	5843	12046	3.28	1.0E-106	U48724.1	NT	Human epidermal growth factor receptor (EGFR) precursor-mRNA, exon 4, partial cds
1815	6938	12154	2.46	1.0E-106	AA527448.1	EST_HUMAN	ng41c05.s1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:937382 3' similar to contains element LTR3 repetitive element
1815	6938	12155	2.46	1.0E-106	AA527448.1	EST_HUMAN	ng41c05.s1 NCI_CGAP_C03 Homo sapiens cDNA clone IMAGE:937352 3' similar to contains element LTR3 repetitive element
2114	7229	12471	1.86	1.0E-106	BE144288.1	EST_HUMAN	NR0-HT0165-140200-008-J10 HT0165 Homo sapiens cDNA
2285	7404	12656	12.07	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2475	7579	12831	1	1.0E-106	AF003528.1	NT	Homo sapiens X-linked encephalitic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
2565	7666	12921	1.36	1.0E-106	U64676.2	NT	Homo sapiens sperm membrane protein BS-63 mRNA, complete cds
2567	7668	12923	1.3	1.0E-106	BE260201.1	EST_HUMAN	601149783F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3602461 5'
2721	7816	13072	9.55	1.0E-106	AJ276523.1	EST_HUMAN	q76h10.x1 Soares_Nh-HMPu_S1 Homo sapiens cDNA clone IMAGE:1878307 3'
2785	6569	11755	2.61	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2785	6569	11756	2.61	1.0E-106	4504184	NT	Homo sapiens glutathione S-transferase theta 1 (GSTT1), mRNA
2840	7935	13153	1.51	1.0E-106	BE384296.1	EST_HUMAN	601272876F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3613818 5'
2807	8060	13230	4.79	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1326 protein, partial cds
2907	8060	13231	4.79	1.0E-106	AB037747.1	NT	Homo sapiens mRNA for KIAA1326 protein, partial cds
3160	8311	13471	3.81	1.0E-106	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11279), mRNA

Page 163 of 214
Table 4
Single Exon Probes Expressed In BT474

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3160	8311	13472	3.81	1.0E-103	8922965	NT	Homo sapiens hypothetical protein FLJ11273 (FLJ11273), mRNA
3355	8500	13688	0.77	1.0E-103	AB030881.1	NT	Homo sapiens gene for actinin receptor type IIB, complete cds
3422	8564	13721	1.06	1.0E-103	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
3422	8564	13722	1.06	1.0E-103	AB033104.1	NT	Homo sapiens mRNA for KIAA1278 protein, partial cds
4012	9145	14285	7.75	1.0E-103	AW974650.1	EST_HUMAN	EST386875 IMAGE: ressequences, MAGN Homo sapiens cDNA
4012	9145	14286	7.75	1.0E-103	AW974650.1	EST_HUMAN	EST386875 IMAGE: ressequences, MAGN Homo sapiens cDNA
4031	9162	14304	1.26	1.0E-103	5728729	NT	Homo sapiens API5-like 1 (API5L1), mRNA
4471	9590	14730	1.29	1.0E-103	AA825526.1	EST_HUMAN	af7287.1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1047589 5'
4574	9692	14829	1.05	1.0E-103	BE144286.1	EST_HUMAN	NR0-HT0165-140200-008-d10 HT0165 Homo sapiens cDNA
233	5427		3.11	1.0E-107	AJ271735.1	NT	Homo sapiens Xq pseudautosomal region, segment 1/2
282	5452		1.88	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
619	5779		4.12	1.0E-107	4826863	NT	Homo sapiens neuronal cell adhesion molecule (NRCAM) mRNA
629	5789	10822	2.1	1.0E-107	AF155103.1	NT	Homo sapiens NY-REN-25 antigen mRNA, partial cds
814	5967	11128	2	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
887	6037	11208	2.88	1.0E-107	X60459.1	NT	Human IFNAR gene for interferon alpha/beta receptor
970	6117	11288	10.71	1.0E-107	AF154121.1	NT	Homo sapiens sodium-dependent high-affinity dicarboxylate transporter (NADC3) mRNA, complete cds
1282	6411	11587	2.27	1.0E-107	AB032263.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
1683	6712	11903	3.56	1.0E-107	BF087405.1	EST_HUMAN	QV2-HT0540-120900-358-a08 HT0540 Homo sapiens cDNA
1764	6800	12096	2.27	1.0E-107	AF136275.1	NT	Homo sapiens cathespain 2 precursor (CTS2) gene, exon 3
1853	6974	12195	2.84	1.0E-107	AB007922.2	NT	Homo sapiens mRNA for KIAA0453 protein, partial cds
1853	6974	12195	2.84	1.0E-107	AB007922.2	NT	Homo sapiens mRNA for KIAA0453 protein, partial cds
2342	7449	12703	2.18	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
2342	7449	12704	2.18	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
2506	7609	12860	1.51	1.0E-107	BE732460.1	EST_HUMAN	601567619F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
2506	7609	12861	1.51	1.0E-107	BE732460.1	EST_HUMAN	601567619F1 NIH_MGC_21 Homo sapiens cDNA clone IMAGE:3842309 5'
2879	8133	13295	4.68	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
2879	8133	13296	4.68	1.0E-107	AW842451.1	EST_HUMAN	PM1-CN0031-190100-001-d03 CN0031 Homo sapiens cDNA
3074	8227	13378	3.46	1.0E-107	5902097	NT	Homo sapiens SMT3 (suppressor of mit two 3, yeast) homolog 2 (SMT3H2), mRNA
3805	8942	14090	4.44	1.0E-107	AF020871.1	NT	Homo sapiens myokubulin (MTM1) gene, exon 8
958	6104	11273	2.51	1.0E-103	BE288042.1	EST_HUMAN	601177016F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3532048 5'
1269	6398	11571	6.07	1.0E-103	Y18000.1	NT	Homo sapiens NF2 gene
2070	7185	12427	2.92	1.0E-103	BF026728.1	EST_HUMAN	601671914F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954939 5'

Page 164 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2311	7420	12670	1.13	1.0E-108	AI685040.1	EST_HUMAN	h81e10.x1 NCL CGAP_P28 Homo sapiens cDNA clone IMAGE:2248938 3' similar to gb:M14219 BONE PROTEOGLYCAN II PRECURSOR (HUMAN);
2311	7420	12671	1.13	1.0E-108	AI685040.1	EST_HUMAN	h81e10.x1 NCL CGAP_P28 Homo sapiens cDNA clone IMAGE:2248938 3' similar to gb:M14219 BONE PROTEOGLYCAN II PRECURSOR (HUMAN);
2405	7511	12761	65.48	1.0E-108	BE206994.1	EST_HUMAN	bb25b10.x1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2963893 3' similar to gb:X53777 60S RIBOSOMAL PROTEIN L23 (HUMAN); gb:J05277 Mouse hexokinase mRNA, complete cds (MOUSE);
2928	8083	13250	1.27	1.0E-108	6006979	NT	Homo sapiens Kruppel-like factor 8 (KLF8), mRNA
3331	8477	13640	0.63	1.0E-108	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
3331	8477	13641	0.63	1.0E-108	AF032897.1	NT	Homo sapiens potassium channel subunit (HERG-3) mRNA, complete cds
4129	9257	14395	1.35	1.0E-108	AW664438.1	EST_HUMAN	h12a11.x1 NCL CGAP_GU1 Homo sapiens cDNA clone IMAGE:2872060 3' similar to SW3BP1_MOUSE
4500	9619	14760	5.12	1.0E-108	U72961.1	NT	P65194 SH3-BINDING PROTEIN 3BP-1;
4500	9619	14761	5.12	1.0E-108	U72961.1	NT	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4772	9885	15031	2.17	1.0E-108	7881978	NT	Human hepatocyte nuclear factor 4-alpha gene, exon 2
4897	10008	15153	1.09	1.0E-108	AW504789.1	EST_HUMAN	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
4927	10037	15177	2.75	1.0E-108	AJ008006.1	NT	UJHF-BNO-eln-e04-QJL NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3080166 5'
5118	10217	15352	0.67	1.0E-108	5031624	NT	Homo sapiens PSN1 gene, alternative transcript
5141	10241	15377	1.15	1.0E-108	Y12480.1	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
5149	10249	15386	1.49	1.0E-108	8400718	NT	Homo sapiens mRNA for Golgi-associated microtubule-binding protein (GMAP-210)
5204	10301		3.35	1.0E-108	AL163209.2	NT	Homo sapiens rebulin (NEB), mRNA
41	5252	10370	2.08	1.0E-109	AW603116.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C009
64	5274	10409	3.56	1.0E-109	D86974.1	NT	IL2-JM0077-280400-079-D06 UN0077 Homo sapiens cDNA
216	5410	10550	0.72	1.0E-109	11422486	NT	Human mRNA for KIAA0220 gene, partial cds
225	5418	10555	4.54	1.0E-108	11438391	NT	Homo sapiens hypothetical protein FLJ11316 (FLJ11316), mRNA
486	5534	10772	4.05	1.0E-109	4507712	NT	Homo sapiens reticulocalbin 1, EF-hand calcium binding domain (RCN1), mRNA
596	5738	10886	26.83	1.0E-109	AB023216.1	NT	Homo sapiens tetrapeptide repeat domain 2 (TTC2) mRNA
596	5738	10887	26.83	1.0E-109	AB023216.1	NT	Homo sapiens mRNA for KIAA0999 protein, partial cds
1013	6166	11322	0.61	1.0E-109	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
1205	6338	11508	37.97	1.0E-109	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
1206	6338	11508	20.28	1.0E-109	M28699.1	NT	Homo sapiens nuclear phosphoprotein B23 (NPM1) mRNA, complete cds
1556	6885	11872	2.97	1.0E-109	BE293673.1	EST_HUMAN	60118692F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859636 5'
1556	6885	11873	2.97	1.0E-109	BE293673.1	EST_HUMAN	60118692F2 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2859636 5'
1894	7004	12223	9.05	1.0E-108	D13643.2	NT	Homo sapiens mRNA for KIAA0018 protein, partial cds

Page 165 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2223	7335	12589	1.78	1.0E-109	AF153284.2	NT	Homo sapiens chromosome 21 segment HS21C084
2231	7343	12597	3.7	1.0E-109	Y17123.1	NT	Homo sapiens SNF6/INI1 gene, exon 6
2587	7688	12943	4.89	1.0E-109	AI022328.1	EST_HUMAN	ov85a01.x1 Soares fetal liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:002187 002187 CIRCULATING CATHODIC ANTIGEN ;
2587	7688	12944	4.89	1.0E-109	AI022328.1	EST_HUMAN	ov85a01.x1 Soares fetal liver spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:1654536 3' similar to TR:002187 002187 CIRCULATING CATHODIC ANTIGEN ;
2588	7689	12945	1.95	1.0E-109	4504206	NT	Homo sapiens guanylate cyclase activator 1A (retina) (GUCA1A) mRNA
3030	8184	13339	2.43	1.0E-109	N85190.1	EST_HUMAN	J2818F Human fetal heart, Lambda ZAP Express Homo sapiens cDNA clone J2818 5' similar to ZINC FINGER PROTEIN ZNF43
3389	8514	13681	1.07	1.0E-109	AW893192.1	EST_HUMAN	GM3-NN0009-190400-150-F10 NN0009 Homo sapiens cDNA
3389	8514	13682	1.01	1.0E-109	AW893192.1	EST_HUMAN	GM3-NN0009-190400-150-F10 NN0009 Homo sapiens cDNA
3503	8644	13810	1.13	1.0E-109	AF240988.1	NT	Homo sapiens retinol dehydrogenase homolog isoform-1 (RDH) mRNA, complete cds
3545	8688	13848	0.99	1.0E-109	M37628.1	NT	Homo sapiens adenosine monophosphate deaminase 1 (AMPD1) gene, exons 8-10
3545	8688	13849	0.99	1.0E-109	M37628.1	NT	Homo sapiens adenosine monophosphate deaminase 1 (AMPD1) gene, exons 8-10
3819	8956	14251	1.26	1.0E-109	BE148144.1	EST_HUMAN	MRO-HT0209-110400-108-e04 HT0209 Homo sapiens cDNA
3988	9103	14251	0.97	1.0E-109	AB011181.2	NT	Homo sapiens mRNA for KIAA0609 protein, partial cds
3988	9103	14252	0.97	1.0E-109	AB011181.2	NT	Homo sapiens mRNA for KIAA0609 protein, partial cds
4118	9246	14383	3.75	1.0E-109	AI655417.1	EST_HUMAN	ts98a06.x1 NCI_CGAP_GC8 Homo sapiens cDNA clone IMAGE:2239330 3' similar to WP:F53A2.8
4383	9504	14847	2.77	1.0E-109	4504206	NT	CE16100 ;
4573	9891	14828	1.56	1.0E-109	7882083	NT	Homo sapiens guanylate cyclase activator 1A (retina) (GUCA1A) mRNA
4804	10014	15158	0.99	1.0E-109	R15400.1	EST_HUMAN	Homo sapiens KIAA0377 gene product (KIAA0377), mRNA
5034	10136	15268	0.63	1.0E-109	BE263973.1	EST_HUMAN	ys48a06.r1 Soares infant brain 1NIB Homo sapiens cDNA clone IMAGE:53057 5'
5034	10136	15269	0.63	1.0E-109	BE263973.1	EST_HUMAN	601186922F2 NIH_MGC_13 Homo sapiens cDNA clone IMAGE:2959836 5'
3	5216	10327	0.75	1.0E-110	7549804	NT	601186922F2 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:2959836 5'
36	5247	10364	3.66	1.0E-110	5803073	NT	Homo sapiens deiodinase iodothyronine, type II (DIO2), transcript variant 2, mRNA
36	5247	10365	3.66	1.0E-110	5803073	NT	Homo sapiens leucine-zipper-like transcriptional regulator, 1 (LZTR1), mRNA
105	5215	10327	0.86	1.0E-110	7549804	NT	Homo sapiens leucine-zipper-like transcriptional regulator, 1 (LZTR1), mRNA
292	5480	10622	0.76	1.0E-110	D87281.1	NT	Homo sapiens deiodinase, iodothyronine, type II (DIO2), transcript variant 2, mRNA
526	5681	10823	1.39	1.0E-110	U84550.1	NT	Human mRNA for inward rectifier potassium channel, complete cds
1182	6317	11495	1.01	1.0E-110	5031620	NT	Human dystrobrevin (DTN) gene, exon 20
1283	6412	11588	2.49	1.0E-110	AB032253.1	NT	Homo sapiens calcitonin receptor-like (CALCRL) mRNA
1926	7045	12266	1.67	1.0E-110	BE379477.1	EST_HUMAN	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
2050	7166		0.98	1.0E-110	BF508886.1	EST_HUMAN	601237545F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3809633 5'
							UHH-B14-aos-b-05-o-U1.st NCI_CGAP_Sub8 Homo sapiens cDNA clone IMAGE:3085784 3'

Page 166 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2803	7959		0.88	1.0E-110	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
3002	8412	11588	1.48	1.0E-110	AB032253.1	NT	Homo sapiens BAZ1B mRNA for bromodomain adjacent to zinc finger domain 1B, complete cds
3059	8212		1.12	1.0E-110	U76027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds
4175	8301	14437	2.25	1.0E-110	M15918.1	NT	Human autolysosomal antigen small ribonucleoprotein E pseudogene
4803	9721	14855	2.31	1.0E-110	A017213.1	EST_HUMAN	cd32b10.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:1627963 3' similar to
4823	9741	14883	4.09	1.0E-110	AU117812.1	EST_HUMAN	SW:NI21_RAT P52691 NUCLEAR ENVELOPE PORE MEMBRANE PROTEIN POM 121 ;
4858	10068		2.28	1.0E-110	7682441	NT	AU117812 HEMBA1 Homo sapiens cDNA clone HEMBA1002241 5'
5165	10283	15402	7.72	1.0E-110	A1781362.1	EST_HUMAN	Homo sapiens KIAA1002 protein (KIAA1002), mRNA
170	5365		42.79	1.0E-111	U43701.1	NT	Human ribosomal protein L23a mRNA, complete cds
183	5388	10531	0.61	1.0E-111	4758807	NT	Homo sapiens ras GTPase activating protein-like (NGAP) mRNA
733	5889		2.03	1.0E-111	BF035327.1	EST_HUMAN	80145853F1 NIH_MGC_68 Homo sapiens cDNA clone IMAGE:3862086 5'
742	6898	11061	3.32	1.0E-111	8330382	NT	Homo sapiens cat eye syndrome critical region gene 1 (CECR1), mRNA
928	8076	11245	2.2	1.0E-111	M25142.1	NT	Human cardiac alpha-myosin heavy chain (MYH6) gene, exons 32 to 34
3677	8816	13872	1.05	1.0E-111	6912941	NT	Homo sapiens alpha-myosin heavy chain (MYH6) gene, exons 32 to 34
3677	8816	13873	1.05	1.0E-111	6912941	NT	Homo sapiens sex comb on midleg homolog 1 (SCMH1), mRNA
4142	9270	14408	1.06	1.0E-111	7661569	NT	Homo sapiens sex comb on midleg homolog 1 (SCMH1), mRNA
4306	9428	14563	4.63	1.0E-111	K02268.1	NT	Homo sapiens DKFZP434D155 protein (DKFZP434D155), mRNA
605	5765	10893	0.78	1.0E-112	4601864	NT	Human enkephalin B (enkeB) gene, exon 4 and 3' flank and complete cds
607	5767	10895	4.13	1.0E-112	U29103.1	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
607	5767	10896	4.13	1.0E-112	U29103.1	NT	Human steroidogenic acute regulatory protein (STAR) gene, exon 5
631	5791	10924	1.98	1.0E-112	BF509039.1	EST_HUMAN	U14-B14-aot-g-04-0-U1.st NCI CGAP Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
631	5791	10925	1.98	1.0E-112	BF509039.1	EST_HUMAN	U14-B14-aot-g-04-0-U1.st NCI CGAP Sub8 Homo sapiens cDNA clone IMAGE:3086023 3'
1002	8148	11315	1.22	1.0E-112	AF157623.1	NT	Homo sapiens HTRA serine protease (PRSS11) gene, complete cds
1063	8204	11386	2.27	1.0E-112	P52742	SWISSPROT	ZINC FINGER PROTEIN 195
1698	8826	12025	4.1	1.0E-112	7662126	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
1698	8826	12026	4.1	1.0E-112	7662125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
2181	7294	12541	0.98	1.0E-112	A1766925.1	EST_HUMAN	w50706.x1 NCI CGAP_KR12 Homo sapiens cDNA clone IMAGE:2400611 3'
2478	7593	12833	1.67	1.0E-112	BE866859.1	EST_HUMAN	60142874F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3846858 5'
3050	8204		0.76	1.0E-112	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
3861	8597	14154	0.66	1.0E-112	BE076073.1	EST_HUMAN	MR2-BT0590-090300-113-059 BT0590 Homo sapiens cDNA
4577	9656	14832	0.9	1.0E-112	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
4717	9832	14975	5.79	1.0E-112	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds

Table 4

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4717	9832	14976	6.79	1.0E-112	AB037832.1	NT	Homo sapiens mRNA for KIAA1411 protein, partial cds
741	5887	11049	7.68	1.0E-113	AJ385586.1	EST_HUMAN	ac05f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
741	5897	11050	7.68	1.0E-113	AJ365586.1	EST_HUMAN	ac05f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
942	6000	11268	30.99	1.0E-113	M11985.1	NT	Human X-linked phosphoglycerate kinase gene, exon 8
1555	6884	11871	3.46	1.0E-113	AJ365586.1	EST_HUMAN	ac05f01.x1 Schiller meningioma Homo sapiens cDNA clone IMAGE:1953625 3'
1943	7873	12285	1.77	1.0E-113	AF240775.1	NT	Homo sapiens eIF4E-transcripter mRNA, complete cds
2086	7202	12446	1.23	1.0E-113	BF515218.1	EST_HUMAN	U1-HBW1-ant-f03-0-UJ.s1 NCL CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3082876 3'
2431	7535	12788	4.69	1.0E-113	AJ006976.1	NT	Homo sapiens PLP gene
3107	8280	13414	3.16	1.0E-113	AJ223948.1	NT	Homo sapiens mRNA for putative RNA helicase, 3' end
5049	10151	15281	0.6	1.0E-113	5453562	NT	Homo sapiens activating transcription factor B (B-ATF), mRNA
5049	10151	15282	0.6	1.0E-113	5453562	NT	Homo sapiens activating transcription factor B (B-ATF), mRNA
57	5268	10397	3.85	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABGC3)
57	5268	10398	3.85	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABGC3)
57	5268	10399	3.85	1.0E-114	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABGC3)
644	5805	10940	5.72	1.0E-114	T70551.1	EST_HUMAN	y415c01.s1 Soares fetal liver spleen 1NLS Homo sapiens cDNA clone IMAGE:108288 3' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN); contains Alu repetitive element;
1072	6212	11376	4.74	1.0E-114	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1317	6446	11625	7.17	1.0E-114	7557529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1654	6782	11975	3.61	1.0E-114	6631094	NT	Homo sapiens minichromosome maintenance deficient (S. cerevisiae) 3 (MCM3), mRNA
1686	6815	12013	10.80	1.0E-114	8979073	NT	Homo sapiens nucleoporin-like protein 1 (NLP_1), mRNA
2074	7190	12433	3.82	1.0E-114	BE171984.1	EST_HUMAN	MRO-H10459-230200-002-d07 HT0559 Homo sapiens cDNA
2236	7348	12603	1.19	1.0E-114	AB002374.1	NT	Human mRNA for KIAA0376 gene, partial cds
2765	5254	10373	1.13	1.0E-114	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
2765	5254	10374	1.13	1.0E-114	AB033102.1	NT	Homo sapiens mRNA for KIAA1276 protein, partial cds
3108	8281	13415	2.8	1.0E-114	X04086.1	NT	Human gene for cathepsin (EC 1.11.1.10) exon 2 mapping to chromosome 11, band p13
3151	8302	13462	1.01	1.0E-114	BF206374.1	EST_HUMAN	601868932F1 NIH_MGC 10 Homo sapiens cDNA clone IMAGE:4100214 5'
3991	9125	14270	1.35	1.0E-114	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
4192	9318	14451	1	1.0E-114	AA574056.1	EST_HUMAN	nk11d02.s1 NCL CGAP_Co2 Homo sapiens cDNA clone IMAGE:1013187 3' similar to gb:X65857_cds1
4369	9490	14634	0.76	1.0E-114	J03171.1	NT	OLFACTORY RECEPTOR-LIKE PROTEIN HGMPO7E (HUMAN);
5118	10219	15353	1.43	1.0E-114	BE275324.1	EST_HUMAN	Human interferon-alpha receptor (HuIFN-alpha-Ree) mRNA, complete cds
22	5233	10347	10.03	1.0E-115	4758111	NT	601122173F1 NIH_MGC 20 Homo sapiens cDNA clone IMAGE:3346099 5'
125	5323	10468	4.96	1.0E-115	4505639	NT	Homo sapiens HLA-B associated transcript-1 (D6S81E) mRNA
							Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA

Page 168 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
129	5327		52.4	1.0E-115	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
290	5478	10619	9.75	1.0E-115	AW804759.1	EST_HUMAN	QV4-UM0094-300300-158-b08 UM0094 Homo sapiens cDNA
534	5700	10832	1.52	1.0E-115	AI339206.1	EST_HUMAN	q0601.x1 NCL CGAP GC4 Homo sapiens cDNA clone IMAGE:1046809 3' similar to TR:000535 O00536
534	5700	10833	1.52	1.0E-115	AI339206.1	EST_HUMAN	TTF-1 INTERACTING PEPTIDE 5;
787	6941	11100	1.26	1.0E-115	5174702	NT	q0601.x1 NCL CGAP GC4 Homo sapiens cDNA clone IMAGE:1046809 3' similar to TR:000535 O00536
787	5941	11101	1.26	1.0E-115	5174702	NT	TTF-1 INTERACTING PEPTIDE 5;
789	6943	11103	186.09	1.0E-115	4503794	NT	q0601.x1 NCL CGAP GC4 Homo sapiens cDNA clone IMAGE:1046809 3' similar to TR:000535 O00536
1574	6702	11690	1.49	1.0E-115	AF228180.1	NT	TTF-1 INTERACTING PEPTIDE 5;
1574	6702	11691	1.49	1.0E-115	AF228180.1	NT	TTF-1 INTERACTING PEPTIDE 5;
1940	6961	12184	1.89	1.0E-115	AJ277892.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2072	7188	12429	1.22	1.0E-115	BE745469.1	EST_HUMAN	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2072	7188	12430	1.22	1.0E-115	BE745469.1	EST_HUMAN	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2278	7385	12634	1.35	1.0E-115	AF231124.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2813	7569		1.84	1.0E-115	AW804759.1	EST_HUMAN	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
3091	8244	13394	3.74	1.0E-115	AJ245922.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
3091	8244	13395	3.74	1.0E-115	AJ245922.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
3454	8596	13760	2.04	1.0E-115	AJ277892.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4016	9149	14291	4.51	1.0E-115	AB002348.2	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4240	9365	14498	0.73	1.0E-115	AL137163.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4380	9501	14644	3.37	1.0E-115	6912859	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4413	9533	14672	3.17	1.0E-115	4758279	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4847	9785	14809	3.36	1.0E-115	AL088857.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4847	9785	14910	3.36	1.0E-115	AL088857.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4879	9890	15136	2.95	1.0E-115	AL163268.2	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
4879	9890	15137	2.95	1.0E-115	AL163268.2	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
571	5735	10863	1.37	1.0E-116	BE275602.1	EST_HUMAN	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
801	5955	11115	1.24	1.0E-116	4507334	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
860	6011		0.63	1.0E-116	4507334	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
1998	7115	12350	1.69	1.0E-116	5174478	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
1998	7115	12351	1.69	1.0E-116	5174478	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2018	7136	12375	2.34	1.0E-116	AJ133080.1	EST_HUMAN	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA
2088	7632	12447	1.18	1.0E-116	M19824.1	NT	Homo sapiens transforming growth factor beta-activated kinase-binding protein 1 (TAB1), mRNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2088	7632	12448	1.18	1.0E-116	M19824.1	NT	Human apolipoprotein B-100 (apoB) gene, exons 17 and 18
2284	7393	12644	1.09	1.0E-116	5453941	NT	Homo sapiens protein phosphatase, EF hand calcium-binding domain 1 (PPEF1) mRNA
2322	7430		1.27	1.0E-116	U76308.1	NT	Human olfactory receptor olfr17-201-1 (OR17-201-1) gene, olfactory receptor olfr17-32 (OR17-32) gene and olfactory receptor pseudo_cdlr17-01 (OR17-01) pseudogene, complete cds
2433	7537	12790	2.13	1.0E-116	AB018333.1	NT	Homo sapiens mRNA for KIAA0780 protein, partial cds
2696	7890	13043	4.58	1.0E-116	BE889256.1	EST_HUMAN	601513337F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3814600 5'
3154	8305	13464	5.48	1.0E-116	L77670.1	NT	Homo sapiens DiGeorge syndrome critical region, centromeric end
3154	8305	13465	5.46	1.0E-116	L77510.1	NT	Homo sapiens DiGeorge syndrome critical region, centromeric end
4357	9479	14917	2.21	1.0E-116	5031954	NT	Homo sapiens sodium phosphate transporter 3 (NPT3) mRNA
4453	9572	14711	1.62	1.0E-116	AB028898.1	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4826	9937	16078	1.66	1.0E-116	AB07006.1	EST_HUMAN	PM-BT135-070499-016 BT135 Homo sapiens cDNA
5033	10135	15268	1.18	1.0E-116	U59109.1	NT	Mus musculus nebulin mRNA, partial cds
5033	10135	15267	1.18	1.0E-116	U59109.1	NT	Mus musculus nebulin mRNA, partial cds
557	5722	10853	9.69	1.0E-117	4826636	NT	Homo sapiens acetyl-Coenzyme A carboxylase alpha (ACACA), mRNA
1079	7908	11384	2.2	1.0E-117	AF124393.1	NT	Mus musculus fragile-X-related protein 1 (Fxr1h) gene, exons 13a through 15
1228	6360	11630	1.2	1.0E-117	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1845	8966	12187	1.38	1.0E-117	M19816.1	NT	Human apolipoprotein B-100 (apoB) gene, exon 10
2193	7305	12555	3.45	1.0E-117	AW957999.1	EST_HUMAN	EST369769 MAGE resequences, MAGE Homo sapiens cDNA
3291	8401	13563	1.08	1.0E-117	AA978114.1	EST_HUMAN	qp32c11.s1 Soares_NFL_T_OBC_S1 Homo sapiens cDNA clone IMAGE:1578548 3'
3866	9100	14249	5.62	1.0E-117	AA318723.1	EST_HUMAN	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
4321	9443	14576	1.76	1.0E-117	8659594	NT	Homo sapiens collagen, type IV, alpha 5 (Alport syndrome) (COL4A5), mRNA
4550	9668	14810	3.06	1.0E-117	AL042120.1	EST_HUMAN	DKFZp434C1120_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434C1120 5'
4892	9808	14954	1.08	1.0E-117	X89670.1	NT	H. sapiens mRNA for TPCR15 protein
4892	9808	14955	1.08	1.0E-117	X89670.1	NT	H. sapiens mRNA for TPCR16 protein
4778	9891	15037	10.26	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4778	9891	15038	10.26	1.0E-117	AF134304.2	NT	Homo sapiens Scar2 (SCAR2) gene, partial cds
4839	9951	15096	1.5	1.0E-117	U59109.1	NT	Mus musculus nebulin mRNA, partial cds
4839	9951	15096	1.5	1.0E-117	U59109.1	NT	Mus musculus nebulin mRNA, partial cds
4917	10027	15169	3.3	1.0E-117	AB020573.1	NT	Homo sapiens mRNA for KIAA0866 protein, complete cds
69	5279	10415	7.76	1.0E-118	AF161500.1	NT	Homo sapiens HSPC151 mRNA, complete cds
91	5300	10439	1.53	1.0E-118	AL045854.1	EST_HUMAN	DKFZp434I056_r1 434 (synonym: htes3) Homo sapiens cDNA clone DKFZp434I056 5'
515	5681	10815	11.4	1.0E-118	7657016	NT	Homo sapiens hypothetical protein (DJ328E18.C1.1), mRNA

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
815	7904	11231	2.6	1.0E-118	5174880	NT	Homo sapiens sine oculis homeobox (Drosophila) homolog 1 (SIX1) mRNA
2214	7326	12576	3.87	1.0E-118	BE389705.1	EST_HUMAN	501281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2214	7326	12577	3.87	1.0E-118	BE389705.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 6'
2214	7329	12578	3.87	1.0E-118	BE389705.1	EST_HUMAN	601281947F1 NIH_MGC_44 Homo sapiens cDNA clone IMAGE:3604019 5'
2310	7419		19.78	1.0E-118	AW951729.1	EST_HUMAN	EST363789 IMAGE:3604019 5'
2703	7799	13050	6.32	1.0E-118	U07000.1	NT	Human breakpoint cluster region (BCR) gene, complete cds
2703	7799	13051	6.32	1.0E-118	U07000.1	NT	Human breakpoint cluster region (BCR) gene, complete cds
3080	8233		4.24	1.0E-118	Y13932.1	NT	Homo sapiens PRKY exon 7
3178	8329	13492	4.93	1.0E-118	A1347694.1	EST_HUMAN	qp01105.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1918769 3'
3178	8329	13493	4.93	1.0E-118	A1347694.1	EST_HUMAN	qp01105.x1 NCI_CGAP_Kid5 Homo sapiens cDNA clone IMAGE:1918769 3'
3921	9057	14216	0.99	1.0E-118	AB024469.1	NT	Pongo pygmaeus DNA, similar to pol gene of HERV-W and MSRV isolate:ORW3-3
4085	9195	14334	8.96	1.0E-118	D23680.1	NT	Human mRNA for ribosomal protein, complete cds
4875	9791	14937	1.17	1.0E-118	11425793	NT	Homo sapiens KIAA0478 gene product (KIAA0478), mRNA
756	5911	11068	0.63	1.0E-118	AF170492.1	NT	Homo sapiens chloride channel CLC4 (CLC4) mRNA, complete cds
1039	7907	11344	1.89	1.0E-119	7705607	NT	Homo sapiens CGI-105 protein (LOC51011), mRNA
1837	7056	12277	3.87	1.0E-119	AB023147.1	NT	Homo sapiens mRNA for KIAA0930 protein, partial cds
3077	8230	13382	0.94	1.0E-119	8922203	NT	Homo sapiens hypothetical protein FLJ10052 (FLJ10052), mRNA
3925	9081	14219	1.07	1.0E-119	4504116	NT	Homo sapiens glutamate receptor, ionotropic, kainate 1 (GRIK1) mRNA
296	5487	10628	0.77	1.0E-120	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
1043	6184	11350	2.38	1.0E-120	AF248540.1	NT	Homo sapiens Intersectin 2 (SH3D1B) mRNA, complete cds
1043	6184	11351	2.38	1.0E-120	AF248540.1	NT	Homo sapiens Intersectin 2 (SH3D1B) mRNA, complete cds
1434	6851	11744	5.03	1.0E-120	N44873.1	EST_HUMAN	y40g12.71 Soares melanocyte 2NBM Homo sapiens cDNA clone IMAGE:273766 5'
1615	6743	11938	2.55	1.0E-120	AF167706.1	NT	Homo sapiens cysteine-rich repeat-containing protein S82 precursor, mRNA, complete cds
1818	6941	12159	4.32	1.0E-120	4557250	NT	Homo sapiens disintegrin and metalloprotease domain 10 (ADAM10) mRNA
2098	7213	12460	2.02	1.0E-120	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
2098	7213	12461	2.02	1.0E-120	AB011399.1	NT	Homo sapiens gene for AF-6, complete cds
2500	7804	12852	1.23	1.0E-120	4755124	NT	Homo sapiens aquaporin 4 (AQP4), splice variant b, mRNA
3289	5487	10628	1.13	1.0E-120	4507334	NT	Homo sapiens synaptotagmin 1 (SYNJ1), mRNA
4335	9457	14654	1.71	1.0E-120	AF056490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4335	9457	14595	1.71	1.0E-120	AF056490.1	NT	Homo sapiens cAMP-specific phosphodiesterase 8A (PDE8A) mRNA, partial cds
4632	9750	14898	1.79	1.0E-120	AF098463.1	NT	Homo sapiens stannocalcin (STC) gene, partial cds
4632	9750	14897	1.79	1.0E-120	AF098463.1	NT	Homo sapiens stannocalcin (STC) gene, partial cds
72	5281	10419	0.87	1.0E-121	Y18000.1	NT	Homo sapiens NF2 gene
376	5554	10698	2.09	1.0E-121	AU134963.1	EST_HUMAN	AU134963 PLACE1 Homo sapiens cDNA clone PLACE1000869 5'

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
722	7898	11026	1.11	1.0E-121	5032182	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA
1587	8718	11908	0.99	1.0E-121	AB011153.1	NT	Homo sapiens mRNA for KIAA0581 protein, partial cds
1969	7086	12312	1.31	1.0E-121	4755139	NT	Homo sapiens Inositol polyphosphate-4-phosphatase, type I, 107KD (INPP4A), splice variant a, mRNA
1969	7086	12313	1.31	1.0E-121	4755139	NT	Homo sapiens inositol polyphosphate-4-phosphatase, type I, 107KD (INPP4A), splice variant a, mRNA
2093	7208	12484	1.15	1.0E-121	L76831.1	NT	Homo sapiens metabotropic glutamate receptor 1 beta (mGluR1beta) mRNA, complete cds
2540	7643	12892	1.37	1.0E-121	BF344378.1	EST_HUMAN	602014759F1 NCI_CGAP_Brf64 Homo sapiens cDNA clone IMAGE:4150286 5'
2540	7643	12893	1.37	1.0E-121	BF344378.1	EST_HUMAN	602014759F1 NCI_CGAP_Brf64 Homo sapiens cDNA clone IMAGE:4150286 5'
2638	8092	13259	1.11	1.0E-121	AF111688.2	NT	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
3053	8206	13361	5.9	1.0E-121	Y19208.1	NT	Homo sapiens hrb3 gene for hair keratin, exons 1 to 9
3053	8206	13362	5.9	1.0E-121	Y19208.1	NT	Homo sapiens hrb3 gene for hair keratin, exons 1 to 9
3524	8665	13832	1	1.0E-121	AB037758.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3524	8665	13833	1	1.0E-121	AB037758.1	NT	Homo sapiens mRNA for KIAA1337 protein, partial cds
3655	8794	13950	7.87	1.0E-121	AF155166.2	NT	Homo sapiens adaptor-related protein complex AP-4 epsilon subunit mRNA, complete cds
3704	8842	13997	0.7	1.0E-121	AF1504151.1	EST_HUMAN	CM-BT043-050289-D75 BT043 Homo sapiens cDNA
4307	9429	14564	1.48	1.0E-121	A1283294.1	EST_HUMAN	q57601.x1 NCI_CGAP_Pan1 Homo sapiens cDNA clone IMAGE:2005417 3'
4961	10069	15205	2.74	1.0E-121	X91837.1	NT	H.sapiens ECE-1 gene (exon 17)
4961	10069	15205	2.74	1.0E-121	X91837.1	NT	H.sapiens ECE-1 gene (exon 17)
265	5455	10593	1.76	1.0E-122	11528176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TJAM1), mRNA
334	5517	10653	2.2	1.0E-122	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
355	5536	10677	1.98	1.0E-122	11528176	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TJAM1), mRNA
863	6033	11205	3.01	1.0E-122	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
1222	6354	11524	5.81	1.0E-122	M20707.1	NT	Human kappa-immunoglobulin germline pseudogene (Chr22.4) variable region (subgroup V kappa II)
1727	8854	12059	2.28	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1727	8854	12060	2.28	1.0E-122	11418424	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
1826	6949	12171	3.48	1.0E-122	BE96024.1	EST_HUMAN	601497032F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3699358 5'
2464	7588	12821	22.83	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4128234 5'
2464	7588	12822	22.83	1.0E-122	BF316170.1	EST_HUMAN	601896173F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4128234 5'
2801	7958	13122	2.09	1.0E-122	AF284717.1	NT	Homo sapiens FIVE domain-containing dual specificity protein phosphatase FYVE-DSP2 mRNA, complete cds
4815	8927	15068	2.79	1.0E-122	4502168	NT	Homo sapiens amyloid beta (A4) precursor protein (precursor medin-II, Alzheimer disease) (APP), mRNA
4575	10083		1.34	1.0E-122	AW504645.1	EST_HUMAN	UJ-HF-BND-all-a-03-0-UJr1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3076948 5'

Page 172 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
185	5380	10521	0.84	1.0E-123	U31519.1	NT	Human phosphoenolpyruvate carboxylase (PCK1) gene, promoter region and partial cds
768	5922	11079	2.61	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4153670 5'
768	5922	11080	2.61	1.0E-123	BF345274.1	EST_HUMAN	602018058F1 NCI_CGAP_Bn67 Homo sapiens cDNA clone IMAGE:4153670 5'
1014	6157	11323	4.65	1.0E-123	AL163249.2	NT	Homo sapiens chromosome 21 segment HS21C049
1023	6164	11330	5.67	1.0E-123	5803114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
1242	6372	11547	11.95	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
1242	6372	11548	11.95	1.0E-123	4505818	NT	Homo sapiens phosphatidylinositol-4-phosphate 5-kinase, type II, beta (PIP5K2B) mRNA, and translated products
2050	7205	12450	2.04	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2050	7205	12451	2.04	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2050	7205	12452	2.04	1.0E-123	M55419.1	NT	Human amelogenin (AMELY) gene, 3' end of cds
2268	7402	12452	1.6	1.0E-123	7705982	NT	Homo sapiens RAB9-like protein (LOC51209), mRNA
266	5456	10594	1.6	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
266	5456	10595	1.6	1.0E-124	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
272	5482	10792	1.57	1.0E-124	D87676.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
485	5553	10792	2.1	1.0E-124	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
689	5846	10988	3.14	1.0E-124	AA397551.1	EST_HUMAN	z81504.1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
689	5846	10988	3.14	1.0E-124	AA397551.1	EST_HUMAN	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT) ;
737	5912	11070	8.92	1.0E-124	AF155654.1	NT	z81504.1 Stratagene schizo brain S11 Homo sapiens cDNA clone IMAGE:728719 5' similar to TR:G300482
809	5982	11124	1.68	1.0E-124	4507500	NT	G300482 POL=REVERSE TRANSCRIPTASE HOMOLOG (RETROVIRAL ELEMENT) ;
905	6055	11224	3.62	1.0E-124	7705446	NT	Human putative ribosomal protein S1 mRNA
1318	6448	11628	0.74	1.0E-124	11418082	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
1353	6482	11661	4.17	1.0E-124	AF274892.1	NT	Homo sapiens hypothetical protein (HSPC069), mRNA
1353	6482	11662	4.17	1.0E-124	AF274892.1	NT	Homo sapiens ring finger protein (RNF), mRNA
1827	6950	12172	3.71	1.0E-124	AJ131712.1	NT	Homo sapiens glucose transporter 3 gene, exons 9, 10, and complete cds
2054	7170	12409	1.39	1.0E-124	BE870524.1	EST_HUMAN	Homo sapiens glucose transporter 3 gene, exons 9, 10, and complete cds
2434	7398	12791	1.69	1.0E-124	AB024069.1	NT	Homo sapiens mRNA for nuclear RNA-helicase (ncl-81 gene)
3471	8013	13779	0.84	1.0E-124	S78684.1	NT	601491715F1 NIH_MGC_89 Homo sapiens cDNA clone IMAGE:3883954 5'
3471	8013	13780	0.84	1.0E-124	S78684.1	NT	Homo sapiens gene for B120, exon 11
3876	9012	14169	0.8	1.0E-124	4507500	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6BIR1) gene, exon
4051	9182	14324	0.73	1.0E-124	4504116	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6BIR1) gene, exon

Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4710	9826	14969	1.71	1.0E-124	AB024089.1	NT	Homo sapiens gene for B120, exon 11
317	5503		11.1	1.0E-125	AB032898.1	NT	Homo sapiens mRNA for KIAA1172 protein, partial cds
425	5212	10324	3.84	1.0E-125	BE743922.1	EST_HUMAN	601577681F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3826885 5'
643	5804	10938	0.64	1.0E-125	AI110658.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
643	5804	10939	0.64	1.0E-125	AI110659.1	EST_HUMAN	HA0086 Human fetal liver cDNA library Homo sapiens cDNA
726	5882	11030	1.81	1.0E-125	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
991	6012	11183	3.17	1.0E-125	AA042813.1	EST_HUMAN	263c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
999	6145	11312	1.51	1.0E-125	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
1155	6281	11454	1.12	1.0E-125	7662279	NT	Homo sapiens KIAA0744 gene product; histone deacetylase 7 (KIAA0744), mRNA
1823	6948	12167	3.61	1.0E-125	AF015450.1	NT	Homo sapiens Usurpin-alpha mRNA, complete cds
1823	6946	12168	3.61	1.0E-125	AF015450.1	NT	Homo sapiens Usurpin-alpha mRNA, complete cds
2338	7445	12697	2.96	1.0E-125	AA011278.1	EST_HUMAN	201g09.r1 Soares_fetal_liver_spleen_1NPLS_S1 Homo sapiens cDNA clone IMAGE:429568 5'
2474	7578	12830	2.08	1.0E-125	AA042813.1	EST_HUMAN	263c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
2559	7661	12914	1.66	1.0E-125	4504698	NT	Homo sapiens inhibin, alpha (INH) mRNA
2559	7661	12915	1.68	1.0E-125	4504698	NT	Homo sapiens inhibin, alpha (INH) mRNA
2563	7664	12919	11.32	1.0E-125	A1732966.1	EST_HUMAN	ch64d02.x5 NCJ_CGAP_Kids Homo sapiens cDNA clone IMAGE:1471779 3'
2981	10303	13290	1	1.0E-125	BE018009.1	EST_HUMAN	bb7406.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048131 5' similar to TR:O86604 O86604 ZINC FINGER PROTEIN ;
3837	8973	14129	1.42	1.0E-125	AA042813.1	EST_HUMAN	263c07.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb:X65857_cds1 OLFACTORY RECEPTOR-LIKE PROTEIN HGMP07E (HUMAN);
4523	9541	14788	1.94	1.0E-125	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
4523	9541	14789	1.94	1.0E-125	11425114	NT	Homo sapiens zinc finger protein ZNF287 (ZNF287), mRNA
4598	9706	14844	1.96	1.0E-125	BE315412.1	EST_HUMAN	601141152F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3140799 5'
774	5528	11087	2.04	1.0E-126	4758007	NT	Homo sapiens CDC-like kinase (CLK) mRNA
777	5931	11080	1.04	1.0E-126	IM61836.1	NT	Human laminin B1 chain gene, exon 20
919	6088	11233	0.97	1.0E-126	X68735.1	NT	H. sapiens gene for alphat-antithymosin, exon 3
2325	7433	12685	1.42	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2325	7433	12686	1.42	1.0E-126	8923056	NT	Homo sapiens hypothetical protein FLJ20048 (FLJ20048), mRNA
2660	7662	12916	3.07	1.0E-126	6382078	NT	Homo sapiens RAN binding protein 2 (RANBP2), mRNA
3044	8198	13354	7.24	1.0E-126	AA160709.1	EST_HUMAN	zo72c03.r1 Stratiogene pancreas (#637208) Homo sapiens cDNA clone IMAGE:592420 5'
3044	8198	13355	7.24	1.0E-126	AA160709.1	EST_HUMAN	zo72c03.r1 Stratiogene pancreas (#637208) Homo sapiens cDNA clone IMAGE:592420 5'
3609	8748	13904	1.24	1.0E-126	X63941.1	NT	H. sapiens DNA for liver cytochrome b5 pseudogene

Table 4

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3632	8771	13927	2.35	1.0E-128	7667038	NT	Homo sapiens death receptor 8 (DR8), mRNA
4802	9916	15056	1.67	1.0E-126	N34078.1	EST_HUMAN	hX78c08.r1 Soares melanocyte 2NbrHM Homo sapiens cDNA clone IMAGE:267850 5'
167	5363	10504	8.45	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
167	5363	10506	8.45	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
168	5363	10504	7	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
168	5363	10506	7	1.0E-127	AB024597.1	NT	Homo sapiens mRNA for casein kinase I epsilon, complete cds
271	5461	10602	1.52	1.0E-127	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
271	5461	10603	1.52	1.0E-127	D87675.1	NT	Homo sapiens DNA for amyloid precursor protein, complete cds
882	6032	11204	1.34	1.0E-127	AF114488.1	NT	Homo sapiens interseclin short isoform (ITSN) mRNA, complete cds
1705	6833	12034	1.59	1.0E-127	4827053	NT	Homo sapiens ubiquitin specific protease 8 (USP8) mRNA
2058	7174	12412	1.78	1.0E-127	5803085	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2058	7174	12413	1.78	1.0E-127	5803085	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 1 (LILRA1), mRNA
2184	7297	12545	47.43	1.0E-127	4506820	NT	Homo sapiens ribosomal protein L26 (RPL26) mRNA
2323	7431	12883	3.12	1.0E-127	AF245505.1	NT	Homo sapiens adican mRNA, complete cds
2573	7673	12928	49.35	1.0E-127	X12891.1	NT	Human mRNA for cytokeratin 18
2585	7686	12940	1	1.0E-127	AA450131.1	EST_HUMAN	z42a02.r1 Soares total fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789088 5'
2585	7686	12941	1	1.0E-127	AA450131.1	EST_HUMAN	z42a02.r1 Soares total fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:789088 5'
							TR:Q16170 Q16170 TRANSCRIPTION FACTOR S-II-RELATED PROTEIN ; contains element MER22 repetitive element ;
3788	8925	14075	1	1.0E-127	AW101297.1	EST_HUMAN	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4230	9355	14487	19.81	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4230	9355	14488	19.81	1.0E-127	7708239	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
4473	9592	14731	0.73	1.0E-127	AF252297.1	NT	Homo sapiens cytochrome P450 rethroid metabolizing protein P450RA1-2 mRNA, complete cds
4576	9694	14831	4.77	1.0E-127	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
4601	9719		2.3	1.0E-127	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
4844	9782	14907	1.49	1.0E-127	6912639	NT	Homo sapiens Ring1 and YY1 binding protein (RYBP), mRNA
459	5627	10767	2.94	1.0E-128	BE3883617.1	EST_HUMAN	601278127F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3618822 5'
2063	7176	12417	80.69	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2063	7176	12418	80.69	1.0E-128	U02523.1	NT	Human FAU1P pseudogene, trinucleotide repeat regions
2191	7303	12553	172.11	1.0E-128	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
2422	7627		6.08	1.0E-128	11437455	NT	Homo sapiens chromatin-specific transcription elongation factor, 140 kDa subunit (FACTP140), mRNA

Page 175 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3375	8520	13684	1.11	1.0E-128	AB033073.1	NT	Homo sapiens mRNA for KIAA1247 protein, partial cds
4634	9762	14899	5.88	1.0E-128	11428673	NT	Homo sapiens prorepto-related homeobox 1 (PROX1), mRNA
117	5680	10730	3.07	1.0E-129	S37722.1	NT	Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1019 nt, segment 2 of 4]
412	5580	10730	3.48	1.0E-129	S37722.1	NT	Insulin-like growth factor binding protein-2 [human, placenta, Genomic, 1019 nt, segment 2 of 4]
1733	6880	12063	5.33	1.0E-129	AL096880.1	NT	Novel human mRNA containing Zinc finger C2H2 type domain
							Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1737	6884	12087	1.66	1.0E-128	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
1737	6884	12088	1.66	1.0E-128	AF240786.1	NT	Homo sapiens zinc finger protein 78 (expressed in testis) (ZNF78), mRNA
1857	6977	12199	3.1	1.0E-129	11418622	NT	ZINC FINGER PROTEIN HZF10
3105	8258	13409	1.84	1.0E-129	Q14885	SWISSPROT	ZINC FINGER PROTEIN HZF10
3105	8258	13410	1.84	1.0E-129	Q14885	SWISSPROT	ZINC FINGER PROTEIN HZF10
3105	8258	13411	1.84	1.0E-129	Q14885	SWISSPROT	ZINC FINGER PROTEIN HZF10
4135	9263	14402	2.01	1.0E-129	AB040862.1	NT	Homo sapiens mRNA for KIAA1469 protein, partial cds
							CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151935 similar to CMYA5
4254	9379	14510	2.21	1.0E-129	AW755254.1	EST_HUMAN	Cardiomyopathy associated gene 5
							CMYA5 Human cardiac muscle expression library Homo sapiens cDNA clone 4151935 similar to CMYA5
4254	9379	14511	2.21	1.0E-129	AW755254.1	EST_HUMAN	Cardiomyopathy associated gene 5
75	6284	10423	2.24	1.0E-130	7705530	NT	Homo sapiens hypothetical protein (HSPC242), mRNA
1172	6307	11474	0.87	1.0E-130	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1680	6809	12007	36.02	1.0E-130	BE275192.1	EST_HUMAN	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346366 5'
1680	6809	12008	36.02	1.0E-130	BE275192.1	EST_HUMAN	601121995F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346366 5'
1685	7102		2.3	1.0E-130	X04082.1	NT	Human gene for catalase (EC 1.11.1.6) exon 9 mapping to chromosome 11, band p13
2733	7627		3.54	1.0E-130	AJ010230.1	NT	Homo sapiens RET finger protein-like 1 antisense transcript, partial
2844	7989	13157	1.29	1.0E-130	BE64219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685468 5'
2844	7989	13158	1.29	1.0E-130	BE64219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685468 5'
3555	8706	13967	0.8	1.0E-130	AF240698.1	NT	Homo sapiens retinal dehydrogenase homolog isoform-1 (RDH) mRNA, complete cds
3748	7999	13157	5.46	1.0E-130	BE64219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685468 5'
3748	7999	13158	5.45	1.0E-130	BE64219.1	EST_HUMAN	601343016F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3685468 5'
3908	9045	14204	1.33	1.0E-130	AW503580.1	EST_HUMAN	UI-HF-BNO-aky-g-06-0-U1.1 NIH_MGC_50 Homo sapiens cDNA clone IMAGE:3078731 5'
4048	9179	14320	1.05	1.0E-130	M97710.1	NT	Human T-cell receptor (V alpha 22.1, J alpha RPA4266-variant, C alpha 1) mRNA
4511	9630	14774	6.92	1.0E-130	AW843983.1	EST_HUMAN	CM4-CN0045-180200-511-102 CN0045 Homo sapiens cDNA
5082	10183	15320	1.33	1.0E-130	AW363299.1	EST_HUMAN	RCO-CT0318-201189-031-ct1 CT0318 Homo sapiens cDNA
5082	10183	15321	1.33	1.0E-130	AW363299.1	EST_HUMAN	RCO-CT0318-201189-031-ct1 CT0318 Homo sapiens cDNA

Page 176 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4	5216	10328	1.91	0.0E+00	AA228126.1	EST_HUMAN	zf58c04.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667690 5' similar to TR:G222811
4	5216	10320	1.91	0.0E+00	AA228126.1	EST_HUMAN	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN. ;
7	5216	10332	3.34	0.0E+00	4885136	NT	zf58c04.r1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:667690 5' similar to TR:G222811
14	5225	10337	1.38	0.0E+00	8923349	NT	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN. ;
14	5225	10338	1.38	0.0E+00	8923349	NT	Homo sapiens checkpoint suppressor 1 (CHES1), mRNA
21	5222	10345	13.75	0.0E+00	D83327.1	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
21	5232	10346	13.75	0.0E+00	D83327.1	NT	Homo sapiens hypothetical protein FLJ20371 (FLJ20371), mRNA
26	5226	10350	51.42	0.0E+00	AF141349.1	NT	Homo sapiens DCRR1 mRNA, partial cds
33	5244	10360	1.99	0.0E+00	5802697	NT	Homo sapiens beta-tubulin mRNA, complete cds
35	5246	10363	0.77	0.0E+00	M58600.1	NT	Homo sapiens Cdc42 effector protein 2 (CEP2), mRNA
39	5250	10368	9.5	0.0E+00	0957625	NT	Human heparin cofactor II (HCF2) gene, exons 1 through 5
56	5267	10395	12.92	0.0E+00	Y17151.2	NT	Homo sapiens RNA-binding protein S1, serine-rich domain (RNPS1), mRNA
56	5267	10396	12.92	0.0E+00	Y17151.2	NT	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
58	5269	10400	6.86	0.0E+00	D78804.1	EST_HUMAN	Homo sapiens mRNA for multidrug resistance protein 3 (ABCC3)
58	5269	10401	6.86	0.0E+00	D78804.1	EST_HUMAN	HUM5161088 Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516108 5'
59	5270	10402	37.3	0.0E+00	L16558.1	NT	HUM5161088 Human placenta polyA+ (TFujwara) Homo sapiens cDNA clone GEN-516108 5'
61	5272	10405	13.22	0.0E+00	AW069534.1	EST_HUMAN	Human ribosomal protein L7 (RPL7) mRNA, complete cds
61	5272	10406	13.22	0.0E+00	AW069534.1	EST_HUMAN	cr48e07.x1 Jila bone marrow stroma Homo sapiens cDNA clone HBMSC_cr48e07 3'
65	5275	10410	1.1	0.0E+00	M60676.1	NT	cr48e07.x1 Jila bone marrow stroma Homo sapiens cDNA clone HBMSC_cr48e07 3'
66	5276		0.79	0.0E+00	M60676.1	NT	Human von Willebrand factor pseudogene corresponding to exons 23 through 34
74	5283	10421	1.92	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
74	5283	10422	1.92	0.0E+00	4758977	NT	Homo sapiens protein tyrosine phosphatase, non-receptor type substrate 1 (PTPNS1) mRNA
78	5287	10427	0.72	0.0E+00	4501850	NT	Homo sapiens amiloride binding protein 1 (amine oxidase (copper-containing)) (ABP1), nuclear gene
78	5287		0.72	0.0E+00	4501850	NT	encoding mitochondrial protein, mRNA
78	5288		31.31	0.0E+00	4504444	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
87	5288	10435	94.62	0.0E+00	5016088	NT	Homo sapiens actin, beta (ACTB) mRNA
90	5299	10436	71.3	0.0E+00	U89277.1	NT	Homo sapiens actin, beta (ACTB) mRNA
97	5306	10445	4.27	0.0E+00	A1114743.1	EST_HUMAN	Human polyhomeotic 1 homolog (HPH1) mRNA, partial cds
98	5307	10446	1.52	0.0E+00	AB037784.1	NT	HA1347 Human fetal liver cDNA library Homo sapiens cDNA
112	5316	10455	1.5	0.0E+00	A1823701.1	EST_HUMAN	Homo sapiens mRNA for KIAA1363 protein, partial cds
							ts38805.x1 NCI CGAP_U14 Homo sapiens cDNA clone IMAGE:2230833 3' similar to TR:Q99551 Q99551
							MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR. ;

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
113	5316	10455	3.14	0.0E+00	A1623701.1	EST_HUMAN	ts38b05.x1 NCI CGAP_U14 Homo sapiens cDNA clone IMAGE:2230833 3' similar to TR:Q89551 Q89551
114	7860	10456	4.81	0.0E+00	N36040.1	EST_HUMAN	MITOCHONDRIAL TRANSCRIPTION TERMINATION FACTOR PRECURSOR ;
114	7860	10456	4.81	0.0E+00	N36040.1	EST_HUMAN	W01h09.r1 Soares melanocyte 2N8HM Homo sapiens cDNA clone IMAGE:270017 5'
126	5324	10469	5.01	0.0E+00	4505938	NT	y01h09.r1 Soares melanocyte 2N8HM Homo sapiens cDNA clone IMAGE:270017 5'
128	5324	10470	5.01	0.0E+00	4505938	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA
134	5368	10714	1.62	0.0E+00	4503680	NT	Homo sapiens polymerase (RNA) II (DNA directed) polypeptide A (220kD) (POLR2A) mRNA
136	5332	10477	1.43	0.0E+00	T56945.1	EST_HUMAN	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
136	5332	10478	1.43	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'
148	5345		24.18	0.0E+00	4504444	NT	ye83g04.r2 Stratagene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:68310 5'
162	6349	10491	6.08	0.0E+00	BF036881.1	EST_HUMAN	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
154	5351		93.55	0.0E+00	4504444	NT	601460376F1 NIH_MGC_66 Homo sapiens cDNA clone IMAGE:3883803 5'
157	5354	10494	0.85	0.0E+00	AF111168.2	NT	Homo sapiens heterogeneous nuclear ribonucleoprotein A1 (HNRPA1) mRNA
169	5358	10495	4.11	0.0E+00	BE236973.1	EST_HUMAN	Homo sapiens serine palmitoyl transferase, subunit II gene, complete cds; and unknown genes
160	5358	10495	3.81	0.0E+00	BE236973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3528864 5'
161	5357	10496	7.12	0.0E+00	W73973.1	EST_HUMAN	601174270F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:3528864 5'
162	5358	10497	2.87	0.0E+00	BE162832.1	EST_HUMAN	z062b05.r1 Soares_fetal_heart_NIH-H19W Homo sapiens cDNA clone IMAGE:345201 5' similar to
162	5358	10498	2.87	0.0E+00	BE162832.1	EST_HUMAN	gbX16282_cds1 ZINC FINGER PROTEIN CLONE 847 (HUMAN);
163	5359	10499	3.87	0.0E+00	AF244088.1	NT	QV3-HT0457-140200-088-d04 HT0457 Homo sapiens cDNA
166	5362	10502	57.01	0.0E+00	AL163202.2	NT	QV3-HT0457-140200-088-d04 HT0457 Homo sapiens cDNA
166	5362	10503	57.01	0.0E+00	AL163202.2	NT	Homo sapiens zinc finger protein mRNA, complete cds
176	5370	10510	6.34	0.0E+00	BE018970.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C002
176	5370	10511	6.34	0.0E+00	BE018970.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C002
181	5376	10514	7.96	0.0E+00	AB018327.1	NT	bb24e12.y1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2963854 5' similar to WP:Y57A10A.Z
181	5376	10515	7.68	0.0E+00	AB018327.1	NT	CE22631 ;
182	5376	10516	6.19	0.0E+00	AB018327.1	NT	bb24e12.y1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:2963854 5' similar to WP:Y57A10A.Z
182	5376	10517	6.19	0.0E+00	AB018327.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
191	5388	10520	309.91	0.0E+00	D50669.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
196	5391	10534	13.52	0.0E+00	AF273045.1	NT	Homo sapiens mRNA for KIAA0784 protein, partial cds
196	5391	10535	13.52	0.0E+00	AF273045.1	NT	Human gamma-cytoplasmic actin (ACTG3P) pseudogene
198	5393	10537	7.31	0.0E+00	AF167174.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
198	5393	10537	7.31	0.0E+00	AF167174.1	NT	Homo sapiens CTCL tumor antigen set14-3 mRNA, complete cds
198	5393	10537	7.31	0.0E+00	AF167174.1	NT	Homo sapiens chromosome X MSL3-2 protein mRNA, complete cds

Page 178 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
198	5393	10538	7.31	0.0E+00	AF167174.1	NT	Homo sapiens chromosome X MSL-3-2 protein mRNA, complete cds
207	7885	10544	27.02	0.0E+00	AI587308.1	EST_HUMAN	iq04f08.x1 NCL CGAP_U13 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb.J03191 PROFILIN 1 (HUMAN);
207	7895	10545	27.02	0.0E+00	AI507308.1	EST_HUMAN	iq04f08.x1 NCL CGAP_U13 Homo sapiens cDNA clone IMAGE:2207847 3' similar to gb.J03191 PROFILIN 1 (HUMAN);
209	5403	10547	2.59	0.0E+00	AF195888.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
212	5406		53.6	0.0E+00	4506632	NT	Homo sapiens ribosomal protein L31 (RPL31) mRNA
213	5407		8.58	0.0E+00	AF132000.1	NT	Homo sapiens TADA1 protein mRNA, complete cds
219	5413	10552	4.01	0.0E+00	AB018284.1	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds
220	5413	10552	2.98	0.0E+00	AB018284.1	NT	Homo sapiens mRNA for KIAA0721 protein, partial cds
221	5414	10553	4.61	0.0E+00	6678444	NT	Mus musculus testis-specific protein, Y-encoded-like (Tspyl) mRNA
235	5428	10568	22.84	0.0E+00	5453805	NT	Homo sapiens NS1-associated protein 1 (NSAP1) mRNA
237	5430		14.18	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
244	5435	10574	3.02	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
248	5437	10577	1.02	0.0E+00	X89772.1	NT	H. sapiens mRNA for interferon alpha/beta receptor (long form)
254	5445		6.18	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
267	5457	10596	1.45	0.0E+00	4507600	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
267	5457	10597	1.45	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
269	5459	10599	2.13	0.0E+00	7706028	NT	Homo sapiens hypothetical protein (LOC57250), mRNA
280	5469		4.7	0.0E+00	D83327.1	NT	Homo sapiens DORR1 mRNA, partial cds
281	5470	10612	5.27	0.0E+00	D83327.1	NT	Homo sapiens DORR1 mRNA, partial cds
281	5470	10613	5.27	0.0E+00	D83327.1	NT	Homo sapiens DORR1 mRNA, partial cds
282	5471		1.16	0.0E+00	AW845293.1	EST_HUMAN	IL2-CT0031-181189-020-803 CT0031 Homo sapiens cDNA
291	5479	10620	5.27	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15) mRNA
291	5479	10621	5.27	0.0E+00	4557029	NT	Homo sapiens potassium inwardly-rectifying channel, subfamily J, member 15 (KCNJ15) mRNA
302	5490	10631	14.01	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
303	5491	10632	7.12	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
304	7888		24.79	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S6 (RPS6) mRNA
305	5492	10633	0.93	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminidazole synthetase (GART) mRNA
306	5493		3.88	0.0E+00	AA480002.1	EST_HUMAN	zr18c06.r1 Soerees_NHMFu_S1 Homo sapiens cDNA clone IMAGE:763894 5'
307	5494	10634	17.26	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
308	5494	10634	18.94	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON) mRNA
312	5498	10638	2.05	0.0E+00	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds

Page 179 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
325	5510	10647	1.9	0.0E+00	O14867	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
326	5510	10648	1.9	0.0E+00	O14867	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
329	5511	10649	3.19	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
327	5511	10649	2.21	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
342	5525	10631	5.87	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (with orax (Drosophila) homolog); translocated to, 4 (MLLT4) mRNA
345	5528	10685	43.24	0.0E+00	4827057	NT	Homo sapiens X-box binding protein 1 (XBP1) mRNA
348	5531	10670	2.56	0.0E+00	U71600.1	NT	Human zinc finger protein zfp31 (zfp31) mRNA, partial cds
353	5535	10674	2.88	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
353	5535	10675	2.88	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
354	7889	10676	2.95	0.0E+00	AF231919.1	NT	Homo sapiens chromosome 21 unknown mRNA
356	5537	10678	1.14	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
359	5540	10682	1.84	0.0E+00	4503854	NT	Homo sapiens QA-binding protein transcription factor, alpha subunit (90kD) (GABPA), mRNA
360	5541	10683	2.71	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
361	5541	10683	2.65	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
363	5543	10685	1.05	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
374	5552	10696	4.43	0.0E+00	AU134963.1	EST_HUMAN	AU134963 PLACE1 Homo sapiens cDNA clone PLACE1000899 5'
385	5594	10740	7.75	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
386	5595	10741	2.53	0.0E+00	A1363014.1	EST_HUMAN	qy81h05.x1 NCL CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2018457 3' similar to gb:X54189
391	5590	10703	4.73	0.0E+00	AW754180.1	EST_HUMAN	PHOSPHORIBOSYLAMINE-GLYCINE LIGASE (HUMAN);
394	5592	10706	2.69	0.0E+00	4503680	NT	RC2-CT0320-300100-016-a09 CT0320 Homo sapiens cDNA
395	5593	10707	2.17	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
395	5593	10708	2.17	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
396	5594	10709	1.86	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
397	5595	10710	2.01	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
397	5595	10711	2.01	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
398	5598	10712	2.45	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
399	5597	10713	3.28	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
400	5598	10714	2.6	0.0E+00	4503680	NT	Homo sapiens IgG Fc binding protein (FC(GAMMA)BP) mRNA
401	5599	10715	3.22	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
401	5599	10716	3.22	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
402	5599	10715	3.76	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29
402	5599	10716	3.76	0.0E+00	X74870.1	NT	H. sapiens gene for RNA pol II largest subunit, exons 23-29

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
406	5573		752.9	0.0E+00	4506608	NT	Homo sapiens ribosomal protein L19 (RPL19) mRNA
419	5206	10318	1.15	0.0E+00	R17795.1	EST_HUMAN	y00802.1 Soares infant brain 1N1B Homo sapiens cDNA clone IMAGE:31652 5'
427	5598	10742	1.21	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase,
428	5597		20.02	0.0E+00	4506728	NT	phosphoribosylmethimidazole synthetase (GART) mRNA
429	5598	10743	6.43	0.0E+00	AB028942.1	NT	Homo sapiens ribosomal protein S6 (RPS6) mRNA
430	5599	10744	15.73	0.0E+00	4507162	NT	Homo sapiens ribosomal protein S6 (RPS6) mRNA
430	5599	10744	15.73	0.0E+00	4507162	NT	Homo sapiens SON DNA binding protein (SON) mRNA
431	5600	10745	15.73	0.0E+00	4507162	NT	Homo sapiens SON DNA binding protein (SON) mRNA
431	5600	10745	6.04	0.0E+00	AF193807.1	NT	Mus musculus truncated SON protein (Son) mRNA, complete cds
443	5611		1.6	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
449	5613	10759	1.95	0.0E+00	4557879	NT	Homo sapiens interferon gamma receptor 1 (IFNGR1) mRNA
450	5618		1.13	0.0E+00	AA324262.1	EST_HUMAN	EST17054 Cerebellum II Homo sapiens cDNA 5' end
461	5619		1.64	0.0E+00	BE264447.1	EST_HUMAN	601111520F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:3352348 5'
467	5635	10773	3.39	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
467	5635	10774	3.39	0.0E+00	4504532	NT	Homo sapiens 5-hydroxytryptamine (serotonin) receptor 1B (HTR1B) mRNA
473	5640	10782	55.72	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
473	5640	10783	55.72	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
483	5651	10789	4.42	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
484	5652	10790	5.18	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
484	5652	10791	5.18	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
493	5650	10790	3.46	0.0E+00	AB033035.1	NT	Homo sapiens mRNA for KIAA1209 protein, partial cds
495	5652	10798	1.68	0.0E+00	AU132898.1	EST_HUMAN	AU132898 NT2RP4 Homo sapiens cDNA clone NT2RP4000837 5'
603	5670	10804	3.16	0.0E+00	BE385144.1	EST_HUMAN	601274951F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3615756 5'
604	7852	10806	1.28	0.0E+00	AW938825.1	EST_HUMAN	PMO-DT0065-130400-002-c06 DT0065 Homo sapiens cDNA
607	5673	10807	2.7	0.0E+00	AL117233.1	NT	Novel human gene mapping to chromosome 1
608	5674	10808	1.28	0.0E+00	8923956	NT	Homo sapiens PC328 protein (PC328) mRNA
517	5683	10817	5.2	0.0E+00	AL163210.2	NT	Homo sapiens chromosome 21 segment HS21C010
524	7893	10821	1.96	0.0E+00	BE081527.1	EST_HUMAN	QV2-BT0835-160400-142-h05 BT0835 Homo sapiens cDNA
529	5695	10827	1.37	0.0E+00	BF028005.1	EST_HUMAN	601784858F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:3998998 5'
535	5701	10834	2.3	0.0E+00	AB040809.1	NT	Homo sapiens mRNA for KIAA1476 protein, partial cds
538	5704	10837	19.21	0.0E+00	6000030	NT	Homo sapiens transcription elongation factor B (SII), polypeptide 1-like (TOEB1L) mRNA
539	5705	10838	4.52	0.0E+00	4504036	NT	Homo sapiens guanine nucleotide binding protein (G protein), alpha 11 (Gq class) (GNA11) mRNA
539	5705	10839	4.52	0.0E+00	4504036	NT	Homo sapiens guanine nucleotide binding protein (G protein), alpha 11 (Gq class) (GNA11) mRNA
541	5707	10841	5.08	0.0E+00	8923831	NT	Homo sapiens anillin (LOC54443), mRNA

Page 181 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
542	5708	10842	2.92	0.0E+00	8923831	NT	Homo sapiens enilin (LOC54443), mRNA
542	5708	10843	2.92	0.0E+00	8923831	NT	Homo sapiens enilin (LOC54443), mRNA
547	5712		5.28	0.0E+00	AF003528.1	NT	Homo sapiens X-linked arylidic ectodermal dysplasia protein gene (EDA), exon 2 and flanking repeat regions
555	5720	10852	2.09	0.0E+00	AW135324.1	EST_HUMAN	UHH-B11-acb-h-04-0.U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2713951 3'
565	5730		4.68	0.0E+00	D10083.1	NT	Homo sapiens RGH1 gene, retrovirus-like element
584	5747	10870	4.19	0.0E+00	5174742	NT	Homo sapiens ubiquinol-cytochrome c reductase, Rieske iron-sulfur polypeptide 1 (UQCRCF1), nuclear gene encoding mitochondrial protein, mRNA
597	5759		3.99	0.0E+00	J04066.1	NT	Human apolipoprotein A-I (ApoA-I) gene, exon 1
600	5762	10890	2.17	0.0E+00	BF104898.1	EST_HUMAN	G01822627F1 NIH_MGC_75 Homo sapiens cDNA clone IMAGE:4045447 5'
606	5766	10894	0.67	0.0E+00	4501854	NT	Homo sapiens acetyl-Coenzyme A carboxylase beta (ACACB), mRNA
611	5771	10900	1	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
611	5771	10901	1	0.0E+00	AF221712.1	NT	Homo sapiens Smad- and Olf-interacting zinc finger protein mRNA, partial cds
621	5781	10911	2.78	0.0E+00	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
623	5783	10914	2.3	0.0E+00	AB037807.1	NT	Homo sapiens mRNA for KIAA1396 protein, partial cds
625	5785	10915	1.54	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
626	5786	10916	1.9	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
626	5786	10917	1.9	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
627	5787	10918	0.89	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
627	5787	10919	0.89	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
634	5795	10929	1.16	0.0E+00	AA399486.1	EST_HUMAN	Zf6007 r1 Soares, testis, NHT Homo sapiens cDNA clone IMAGE:726732 5'
638	5799	10933	5.96	0.0E+00	D11078.1	NT	Homo sapiens RGH2 gene, retrovirus-like element
642	5803	10936	0.67	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares, fetal liver, spleen, 1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
642	5803		0.67	0.0E+00	W78811.1	EST_HUMAN	zh51b04.r1 Soares, fetal liver, spleen, 1NFLS_S1 Homo sapiens cDNA clone IMAGE:415587 5' similar to gb:A21187 ALPHA-2-MACROGLOBULIN PRECURSOR (HUMAN);
645	5803	10937	4.64	0.0E+00	4885528	NT	Homo sapiens novel SH2-containing protein 3 (NSP3) mRNA
652	5813	10949	2.56	0.0E+00	6006003	NT	Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2B (GRIN2B) mRNA
654	5815	10952	2	0.0E+00	5031624	NT	Homo sapiens CCAAT-box-binding transcription factor (CBF2) mRNA
657	5818	10959	5.7	0.0E+00	U05235.1	NT	Human neutral amino acid transporter (ASCT1) gene, exon 8
661	5822	10959	0.8	0.0E+00	AF108389.1	NT	Homo sapiens sodium/calcium exchanger isoform NCX3 (NCX1) mRNA, complete cds
661	5822	10960	0.8	0.0E+00	AF108389.1	NT	Homo sapiens sodium/calcium exchanger isoform NCX3 (NCX1) mRNA, complete cds
667	5827	10965	4.66	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
667	5827	10966	4.66	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA

Page 182 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
673	7898		2.1	0.0E+00	X57147.1	NT	Human endogenous retrovirus pHE.1 (ERV9)
681	5839	10979	18.62	0.0E+00	4504424	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 1 (HMG1) mRNA
685	5843	10982	15.6	0.0E+00	AB029012.1	NT	Homo sapiens mRNA for KIAA1089 protein, partial cds
695	5852	10997	3.94	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
707	5864	11011	7.47	0.0E+00	AA814537.1	EST_HUMAN	np49001.s1 NCI_CGAP_Brl.1 Homo sapiens cDNA clone IMAGE:1129833 3' similar to gb-X57352
711	5868	11015	5.35	0.0E+00	M60675.1	NT	INTERFERON-INDUCIBLE PROTEIN 1-8U (HUMAN);
711	5868	11016	5.35	0.0E+00	M60675.1	NT	Human von Willebrand factor gene, exons 23 through 34
721	5878	11025	1.28	0.0E+00	5032182	NT	Human von Willebrand factor gene, exons 23 through 34
727	5883	11031	4.5	0.0E+00	AF284750.1	NT	Homo sapiens TNF receptor-associated factor 1 (TRAF1) mRNA
727	5883	11032	4.5	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
729	5885	11035	8.31	0.0E+00	11545800	NT	Homo sapiens hypothetical protein FLJ21634 (FLJ21634), mRNA
736	5891	11043	3.29	0.0E+00	BE241577.1	EST_HUMAN	TCAAP1D0779 Podiatric acute myelogenous leukemia cell (FAB M1) Baylor-HGSC project-TCAA Homo sapiens cDNA clone TCAAP0779
755	5910	11087	0.87	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
755	5910	11088	0.87	0.0E+00	AF226990.2	NT	Homo sapiens MHC class I antigen (HLA-G) mRNA, HLA-G1 allele, complete cds
758	5913	11071	0.77	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
758	5913	11072	0.77	0.0E+00	J03764.1	NT	Human, plasminogen activator inhibitor-1 gene, exons 2 to 9
761	5916	11073	2.25	0.0E+00	AB037760.1	NT	Homo sapiens mRNA for KIAA1339 protein, partial cds
762	5917	11074	3.68	0.0E+00	6912749	NT	Homo sapiens zinc finger protein 212 (ZNF212), mRNA
764	7900	11078	4.44	0.0E+00	D30612.1	NT	Homo sapiens mRNA for repressor protein, partial cds
765	5919	11077	8.27	0.0E+00	BE869735.1	EST_HUMAN	Homo sapiens mRNA for repressor protein, partial cds
769	5923	11081	3.55	0.0E+00	R48915.1	EST_HUMAN	60144564/F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3849803 5'
770	5924	11082	6.85	0.0E+00	5032088	NT	y89g08.r1 Scores breast 2NBH8t Homo sapiens cDNA clone IMAGE:154046 5'
779	5933	11091	2.29	0.0E+00	AB011399.1	NT	Homo sapiens splicing factor 3a, subunit 1, 120kD (SF3A1), mRNA
782	5937	11095	4.63	0.0E+00	7661966	NT	Homo sapiens gene for AF-6, complete cds
783	5947	11107	1.45	0.0E+00	D80006.1	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
783	5947	11108	1.45	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
783	5947	11108	1.45	0.0E+00	D80006.1	NT	Human mRNA for KIAA0184 gene, partial cds
798	5952	11112	1.99	0.0E+00	X89772.1	NT	H sapiens mRNA for interferon alpha/beta receptor (long form)
802	5956	11116	2.27	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
802	5956	11117	2.27	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
807	5960	11123	7.36	0.0E+00	5174478	NT	Homo sapiens perlecanin (PCNT) mRNA
808	5961		7.7	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1) mRNA
825	5978	11144	1.77	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
826	5978	11145	2.22	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
828	5981	11147	2.39	0.0E+00	4557680	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 1 (KCNIE1), mRNA
834	5986	11153	1.75	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH), mRNA, complete cds
834	5986	11154	1.75	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH), mRNA, complete cds
835	5987	11155	0.94	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH), mRNA, complete cds
840	5992	11160	2.02	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (60kD) (GABPA), mRNA
844	5995	11165	1.79	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
844	5995	11166	1.79	0.0E+00	4507500	NT	Homo sapiens T-cell lymphoma invasion and metastasis 1 (TIAM1), mRNA
851	6002		1.67	0.0E+00	AF027153.1	NT	Homo sapiens sodium/myo-inositol cotransporter (SLOC5A3) gene, complete cds
855	6006	11177	6.75	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
855	6008	11178	6.75	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
856	6007	11179	14.37	0.0E+00	4507152	NT	Homo sapiens SON DNA binding protein (SON), mRNA
857	6008	11180	9.8	0.0E+00	AB028942.1	NT	Homo sapiens mRNA for KIAA1019 protein, partial cds
858	6009	11181	12.33	0.0E+00	4506728	NT	Homo sapiens ribosomal protein S6 (RPS6), mRNA
862	6013	11184	1.11	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
862	6013	11185	1.11	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
863	6014	11186	1.69	0.0E+00	AA533272.1	EST_HUMAN	U86607.s1 NCI_CGAP_P10 Homo sapiens cDNA clone IMAGE:587453
863	6014	11187	1.69	0.0E+00	AA533272.1	EST_HUMAN	U86607.s1 NCI_CGAP_P10 Homo sapiens cDNA clone IMAGE:587453
864	6015		6.77	0.0E+00	BF677694.1	EST_HUMAN	802085579F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248915 5'
868	6019	11188	1.57	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
868	6019	11189	1.57	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
869	6020	11190	1.93	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
869	6020	11191	1.93	0.0E+00	7657213	NT	Homo sapiens hormonally upregulated neu tumor-associated kinase (HUNK), mRNA
892	6042	11214	0.99	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
898	6049	11219	1.47	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
899	6049	11220	1.47	0.0E+00	BE089592.1	EST_HUMAN	QV0-BT0703-280400-211-g11 BT0703 Homo sapiens cDNA
909	6059	11229	3.59	0.0E+00	AL163203.2	NT	Homo sapiens chromosome 21 segment HS21C003
918	6067		28.71	0.0E+00	4504958	NT	Homo sapiens laminin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
921	6067		23.9	0.0E+00	4504958	NT	Homo sapiens laminin receptor 1 (67kD, ribosomal protein SA) (LAMR1), mRNA
922	6070	11236	1	0.0E+00	AF089747.1	NT	Homo sapiens alpha-1-antitrypsin precursor, mRNA, partial cds
923	6071	11237	0.75	0.0E+00	S69384.1	NT	protein C inhibitor [human, leukocytes, Genomic, 1216 nt, segment 2 of 5]
923	6071	11238	0.75	0.0E+00	S69384.1	NT	protein C inhibitor [human, leukocytes, Genomic, 1216 nt, segment 2 of 5]
923	6071	11239	0.75	0.0E+00	S69384.1	NT	protein C inhibitor [human, leukocytes, Genomic, 1216 nt, segment 2 of 5]
924	6072	11240	1.65	0.0E+00	L28101.1	NT	Homo sapiens kallistatin (P14) gene, exons 1-4, complete cds

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
927	6075	11243	4.57	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
927	6075	11244	4.57	0.0E+00	Z20656.1	NT	Homo sapiens of cardiac alpha-myosin heavy chain gene
947	6095	11262	2.02	0.0E+00	AB023211.1	NT	Homo sapiens mRNA for KIAA0694 protein, partial cds
947	6095	11263	2.02	0.0E+00	AB023211.1	NT	Homo sapiens mRNA for KIAA0694 protein, partial cds
952	6100	11268	1.26	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
953	6101	11269	6.7	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
954	6102	11270	0.79	0.0E+00	M37190.1	NT	Human res inhibitor mRNA, 3' end
955	6103	11271	2.01	0.0E+00	4807430	NT	Homo sapiens thyrotrophic embryonic factor (TEF), mRNA
955	6103	11272	2.01	0.0E+00	4507430	NT	Homo sapiens thyrotrophic embryonic factor (TEF), mRNA
963	7905	11279	2.13	0.0E+00	AI001948.1	EST_HUMAN	os98a03.s1 NCI CGAP GC3 Homo sapiens cDNA clone IMAGE:1613404 3'
963	7905	11280	2.13	0.0E+00	AI001948.1	EST_HUMAN	os98a03.s1 NCI CGAP GC3 Homo sapiens cDNA clone IMAGE:1613404 3'
965	6112	11282	11.65	0.0E+00	7857266	NT	Homo sapiens KIAA0929 protein Msc2 interacting nuclear target (MINT) homolog (KIAA0929), mRNA
978	6122	11282	1.42	0.0E+00	AB030566.1	NT	Homo sapiens mRNA for PSP24, complete cds
984	6130	11298	1.57	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-402 GN0014 Homo sapiens cDNA
984	6130	11299	1.57	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-402 GN0014 Homo sapiens cDNA
984	6130	11300	1.57	0.0E+00	BF366974.1	EST_HUMAN	PM2-GN0014-050900-001-402 GN0014 Homo sapiens cDNA
985	6131	11301	1.52	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
985	6131	11302	1.52	0.0E+00	X52207.1	NT	Homo sapiens partial c-fgr gene, exons 2 and 3
994	6140	11309	5.63	0.0E+00	4757969	NT	Homo sapiens chromodomain protein, Y chromosome-like (CDYL), mRNA
1005	6150	11317	1.56	0.0E+00	U93668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1008	6151	11318	37.21	0.0E+00	U93668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1007	6151	11318	22.91	0.0E+00	U93668.1	NT	Human beta-tubulin (TUB4q) gene, complete cds
1010	6154		4.91	0.0E+00	AF198490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1011	6154		9.74	0.0E+00	AF198490.1	NT	Homo sapiens 8q22.1 region and MTG8 (CBFA2T1) gene, partial cds
1015	6158	11324	2.06	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1016	6158	11324	3.84	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1017	6158	11324	3.21	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1018	6159	11325	4.91	0.0E+00	AF111170.3	NT	Homo sapiens 14q32 Jagged2 gene, complete cds; and unknown gene
1021	6162	11328	2.38	0.0E+00	7661695	NT	Homo sapiens DKFZP886M0122 protein (DKFZP886M0122), mRNA
1025	6166	11332	3.63	0.0E+00	5803114	NT	Homo sapiens inner membrane protein, mitochondrial (mitofilin) (IMMT), mRNA
1027	6168		4.4	0.0E+00	AA458680.1	EST_HUMAN	aa86g07.s1 Stratiogene fetal retina 937202 Homo sapiens cDNA clone IMAGE:838236 3' similar to SW:PR58_HUMAN P47210 26S PROTEINASE REGULATORY SUBUNIT 8;

Page 185 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1030	6171	11337	7.44	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 5124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1030	6171	11338	7.44	0.0E+00	N43182.1	EST_HUMAN	EST5124 WATM1 Homo sapiens cDNA clone 5124 similar to DNA-DIRECTED RNA POLYMERASE II (alignment Ser and Pro with BLASTx or p)
1031	6172	11339	1.27	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1031	6172	11340	1.27	0.0E+00	4759249	NT	Homo sapiens TRAF family member-associated NFKB activator (TANK) mRNA
1035	6176	11355	2.42	0.0E+00	8922933	NT	Homo sapiens heat shock 70kD protein 9B (mortalin-2) (HSPA9B) mRNA
1049	6190	11355	10.11	0.0E+00	4756663	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1066	6206	11388	2.38	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1066	6206	11388	2.38	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1066	6206	11388	2.38	0.0E+00	4826672	NT	Homo sapiens cadherin 6, K-cadherin (fetal kidney) (CDH6) mRNA
1070	6210	11373	2.8	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1070	6210	11373	2.8	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1070	6210	11374	2.8	0.0E+00	8923624	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
1071	6211	11375	58.12	0.0E+00	AJ245922.1	NT	Homo sapiens mRNA for alpha-tubulin 8 (TUBA8 gene)
1073	6213	11379	2.44	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1073	6213	11379	2.44	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1073	6213	11379	2.44	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1073	6213	11379	2.44	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
1083	6222	11380	4.37	0.0E+00	5174384	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1083	6222	11380	4.37	0.0E+00	5174384	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1083	6222	11380	4.37	0.0E+00	5174384	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1083	6222	11380	4.37	0.0E+00	5174384	NT	Homo sapiens Death associated protein 3 (DAP3) mRNA
1097	6235	11398	2.69	0.0E+00	BE005203.1	EST_HUMAN	MFO-BND115-200300-003-108 BND115 Homo sapiens cDNA
1097	6235	11398	2.69	0.0E+00	BE005203.1	EST_HUMAN	MFO-BND115-200300-003-108 BND115 Homo sapiens cDNA
1097	6235	11398	2.69	0.0E+00	BE005203.1	EST_HUMAN	MFO-BND115-200300-003-108 BND115 Homo sapiens cDNA
1097	6235	11398	2.69	0.0E+00	BE005203.1	EST_HUMAN	MFO-BND115-200300-003-108 BND115 Homo sapiens cDNA
1120	6258	11422	5.21	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1120	6258	11422	5.21	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1120	6258	11422	5.21	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1120	6258	11422	5.21	0.0E+00	7706134	NT	Homo sapiens potassium channel, subfamily K, member 9 (KCNK9), mRNA
1133	6270	11433	2.38	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1133	6270	11433	2.38	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1133	6270	11433	2.38	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1133	6270	11433	2.38	0.0E+00	4826947	NT	Homo sapiens protein kinase, X-linked (PRKX) mRNA
1134	6271	11435	20.33	0.0E+00	4506712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1134	6271	11435	20.33	0.0E+00	4506712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1134	6271	11435	20.33	0.0E+00	4506712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1134	6271	11435	20.33	0.0E+00	4506712	NT	Homo sapiens ribosomal protein S27a (RPS27A) mRNA
1138	6273	11437	1.6	0.0E+00	8923230	NT	Homo sapiens DNA for Human P2XM, complete cds
1138	6273	11437	1.6	0.0E+00	8923230	NT	Homo sapiens DNA for Human P2XM, complete cds
1138	6273	11437	1.6	0.0E+00	8923230	NT	Homo sapiens DNA for Human P2XM, complete cds
1138	6273	11437	1.6	0.0E+00	8923230	NT	Homo sapiens DNA for Human P2XM, complete cds
1139	6276	11440	15.73	0.0E+00	AB002059.1	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1139	6276	11440	15.73	0.0E+00	AB002059.1	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1139	6276	11440	15.73	0.0E+00	AB002059.1	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1139	6276	11440	15.73	0.0E+00	AB002059.1	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
1141	6278	11441	52.48	0.0E+00	7657468	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51729), mRNA
1141	6278	11441	52.48	0.0E+00	7657468	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51729), mRNA
1141	6278	11441	52.48	0.0E+00	7657468	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51729), mRNA
1141	6278	11441	52.48	0.0E+00	7657468	NT	Homo sapiens Npw38-binding protein NpwBP (LOC51729), mRNA
1142	6279	11442	5.53	0.0E+00	7706500	NT	H.sapiens ART14 gene
1142	6279	11442	5.53	0.0E+00	7706500	NT	H.sapiens ART14 gene
1142	6279	11442	5.53	0.0E+00	7706500	NT	H.sapiens ART14 gene
1142	6279	11442	5.53	0.0E+00	7706500	NT	H.sapiens ART14 gene
1146	6282	11446	2.67	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1146	6282	11446	2.67	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1146	6282	11446	2.67	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1146	6282	11446	2.67	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1147	6283	11447	0.7	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1147	6283	11447	0.7	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1147	6283	11447	0.7	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1147	6283	11447	0.7	0.0E+00	X95926.1	NT	H.sapiens ART14 gene
1148	6284	11449	1.44	0.0E+00	AI147650.1	EST_HUMAN	q622d10.x1 Soares, pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:16970113
1148	6284	11449	1.44	0.0E+00	AI147650.1	EST_HUMAN	q622d10.x1 Soares, pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:16970113
1148	6284	11449	1.44	0.0E+00	AI147650.1	EST_HUMAN	q622d10.x1 Soares, pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:16970113
1148	6284	11449	1.44	0.0E+00	AI147650.1	EST_HUMAN	q622d10.x1 Soares, pregnant uterus_NbHPU Homo sapiens cDNA clone IMAGE:16970113
1150	6286	11451	1.59	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1150	6286	11451	1.59	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1150	6286	11451	1.59	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1150	6286	11451	1.59	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0903 protein, partial cds
1157	6293	11457	1.11	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1157	6293	11457	1.11	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1157	6293	11457	1.11	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA
1157	6293	11457	1.11	0.0E+00	4758081	NT	Homo sapiens chondroitin sulfate proteoglycan 2 (versican) (CSPG2) mRNA

Table 4

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1158	6294	11459	0.9	0.0E+00	9898844	NT	Homo sapiens chromosome 12 open reading frame 3 (C12ORF3), mRNA
1170	6305	11471	3.47	0.0E+00	7305076	NT	Homo sapiens glutamate decarboxylase 1 (brain, 67kD) (GAD1), transcript variant GAD25, mRNA
1170	6305	11472	3.47	0.0E+00	7305076	NT	Homo sapiens glutamate decarboxylase 1 (brain, 67kD) (GAD1), transcript variant GAD25, mRNA
1173	6308	11476	1.64	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds
1180	6315	11484	51.8	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18), mRNA
1184	6328	11495	2.36	0.0E+00	AF073289.1	NT	Homo sapiens Nav/H+ exchanger isoform 2 (NHE2) mRNA, complete cds
1212	6344		1.73	0.0E+00	7657336	NT	Homo sapiens mul. (E. coli) homolog 3 (MLH3), mRNA
1225	6357	11527	1.26	0.0E+00	8922593	NT	Homo sapiens hypothetical protein FLJ10697 (FLJ10697), mRNA
1229	6361	11531	3.23	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1229	6361	11532	3.23	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1230	6362	11533	5.19	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1231	7811	11534	4.17	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
1230	6380	11559	8.44	0.0E+00	AF109718.1	NT	Homo sapiens chromosome 3 subtelomeric region
1251	6381	11560	1.11	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
1261	6390	11568	10.12	0.0E+00	4505740	NT	Homo sapiens prefoldin 4 (PF4N4), mRNA
1270	6399		2.69	0.0E+00	Y18000.1	NT	Homo sapiens NF2 gene
1278	6407	11581	191.34	0.0E+00	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2), mRNA
1285	6414	11590	5.41	0.0E+00	AF084479.1	NT	Homo sapiens Williams-Beuren syndrome deletion transcript 9 (WBSR9), mRNA, complete cds
1291	6420	11594	2.8	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1291	6420	11595	2.8	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
1304	6434	11608	2.48	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1304	6434	11609	2.48	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1304	6434	11610	2.48	0.0E+00	5174748	NT	Homo sapiens Wolfram syndrome (WFS) mRNA
1305	6435		2.72	0.0E+00	AF096156.1	NT	Homo sapiens protein phosphatase 2A BR gamma subunit gene, exon 5
1316	7913	11622	1.16	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1316	7913	11623	1.16	0.0E+00	7657529	NT	Homo sapiens rhabdoid tumor deletion region protein 1 (RTDR1), mRNA
1321	6450	11628	1.18	0.0E+00	5803146	NT	Homo sapiens ring finger protein 9 (RNFG), mRNA
1322	6451	11630	3.29	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173), mRNA
1324	6453	11631	1.01	0.0E+00	5803146	NT	Homo sapiens zinc finger protein 173 (ZNF173), mRNA
1325	6454	11632	2.76	0.0E+00	4508004	NT	Homo sapiens zinc finger protein 173 (ZNF173), mRNA
1327	6456	11634	4.1	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
1328	6457	11635	7.17	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1329	6458	11636	4.33	0.0E+00	7661965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1330	6459	11637	4.06	0.0E+00	8567387	NT	Homo sapiens period (Drosophila) homolog 3 (PER3), mRNA

Page 187 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1330	6459	11638	4.06	0.0E+00	8567387	NT	Homo sapiens perid (Drosophila) homolog 3 (PER3), mRNA
1342	6470	11651	2.07	0.0E+00	M14123.1	NT	Human endogenous retrovirus HERV-K10
1416	6543	11722	0.98	0.0E+00	AJ250014.1	NT	Homo sapiens mRNA for Familial Cylindromatosis cyd gene
1422	6549	11730	5.33	0.0E+00	AJ277892.1	NT	Homo sapiens partial TTN gene for titin
1425	6552	11734	1.43	0.0E+00	AJ208756.1	EST_HUMAN	qg38606.x1 Scores_testis_NHT Homo sapiens cDNA clone IMAGE:1637427 3' similar to WP.T27A1.5 CE14213 ;
1426	6553	11735	22.77	0.0E+00	6042206	NT	RAN, member RAS oncogene family-Homo sapiens RAN, member RAS oncogene family (RAN), mRNA
1435	6552	11745	2.3	0.0E+00	4505646	NT	Homo sapiens proprotein convertase subtilisin/kexin type 2 (PCSK2) mRNA
1435	6552	11746	2.3	0.0E+00	4505646	NT	Homo sapiens proprotein convertase subtilisin/kexin type 2 (PCSK2) mRNA
1437	6594	11749	4.16	0.0E+00	7705565	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1437	6594	11750	4.16	0.0E+00	7705565	NT	Homo sapiens KIAA1114 protein (KIAA1114), mRNA
1440	6567	11762	4.87	0.0E+00	AJ238093.1	NT	Homo sapiens partial AF-4 gene, exons 2 to 7 and Alu repeat elements
1450	6578	11765	4.23	0.0E+00	AF038280.1	NT	Homo sapiens alpha1-5lucosyltransferase (alpha1-5lucT) gene, exon 7
1461	6598	11776	2.18	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1461	6598	11777	2.18	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1466	6593	11781	4.88	0.0E+00	U35637.1	NT	Human nebulin mRNA, partial cds
1466	6593	11782	4.88	0.0E+00	U35637.1	NT	Human nebulin mRNA, partial cds
1474	6601	11788	2.57	0.0E+00	AL132998.1	NT	Novel human gene on chromosome 20
1475	6602	11787	1.36	0.0E+00	AL137784.1	NT	Novel human gene mapping to chromosome 1
1479	6606	11792	1.8	0.0E+00	D87077.1	NT	Human mRNA for KIAA0240 gene, partial cds
1482	6609	11795	6.7	0.0E+00	6912457	NT	Human mRNA for KIAA0170 gene product (KIAA0170), mRNA
1484	6611	11797	1.25	0.0E+00	7681965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1484	6611	11798	1.25	0.0E+00	7681965	NT	Homo sapiens KIAA0170 gene product (KIAA0170), mRNA
1525	6652	11838	1.35	0.0E+00	7706434	NT	Homo sapiens hHDC for homolog of Drosophila headcase (LOC51698), mRNA
1539	6667	11853	1.51	0.0E+00	AW959687.1	EST_HUMAN	EST371757 MAGE resequences, MAGF Homo sapiens cDNA
1540	6668	11854	2.48	0.0E+00	AA481172.1	EST_HUMAN	ag34803.1 NCL_GGAP_GCB1 Homo sapiens cDNA clone IMAGE:815116 5'
1546	6674	11858	130.24	0.0E+00	AF023860.1	NT	Cercopithecus aethiops cyclophilin A mRNA, complete cds
1546	6674	11859	130.24	0.0E+00	AF023860.1	NT	Cercopithecus aethiops cyclophilin A mRNA, complete cds
1548	6676	11862	1.27	0.0E+00	AW976097.1	EST_HUMAN	EST386206 MAGE resequences, MAGN Homo sapiens cDNA
1548	6676	11863	1.27	0.0E+00	AW976097.1	EST_HUMAN	EST386206 MAGE resequences, MAGN Homo sapiens cDNA
1549	6677	11864	2.41	0.0E+00	D10884.1	NT	Bovine mRNA for neurocalcin
1551	6678		2.42	0.0E+00	U76027.1	NT	Homo sapiens Bruton's tyrosine kinase (BTK), alpha-D-galactosidase A (GLA), L44-like ribosomal protein (L44L) and FTP3 (FTP3) genes, complete cds

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1552	6881	11868	5.69	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1552	6881	11869	5.69	0.0E+00	4505404	NT	Homo sapiens transmembrane glycoprotein (GPNMB) mRNA
1553	6882	11870	2.73	0.0E+00	7682405	NT	Homo sapiens KIAA0957 protein (KIAA0957), mRNA
1554	6883		7.14	0.0E+00	7656972	NT	Homo sapiens TNF-inducible protein CG12-1 (CG12-1), mRNA
1560	6889	11876	3.37	0.0E+00	M88478.1	NT	Human transglutaminase mRNA, complete cds
1563	6892	11878	2.36	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1563	6892	11879	2.36	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1564	7920		46.38	0.0E+00	4506654	NT	Homo sapiens ribosomal protein L5 (RPL5) mRNA
1565	6893	11880	42.77	0.0E+00	M14199.1	NT	Human laminin receptor (2H6 epitope) mRNA, 5' end
1576	6705	11895	2.22	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1576	6705	11896	2.22	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
1578	6707	11897	6.99	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
1584	6713		3.79	0.0E+00	D00333.1	NT	human c-yes-2 gene
1593	6722	11912	11.87	0.0E+00	Z83738.1	NT	H. sapiens HH2B/ε gene
1594	6723	11913	1.35	0.0E+00	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1594	6723	11914	1.35	0.0E+00	5921460	NT	Homo sapiens butyrophilin, subfamily 2, member A1 (BTN2A1), mRNA
1595	6724	11915	7.46	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKG Homo sapiens cDNA clone GKCB0F02 5'
1595	6724	11916	7.46	0.0E+00	AV690831.1	EST_HUMAN	AV690831 GKG Homo sapiens cDNA clone GKCB0F02 5'
1598	7921	11919	6.37	0.0E+00	AB040908.1	NT	Homo sapiens mRNA for KIAA1472 protein, partial cds
1601	6729	11920	1.64	0.0E+00	AF167476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1603	6731	11923	6.11	0.0E+00	7692183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1603	6731	11924	6.11	0.0E+00	7692183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
1605	6733	11925	108.24	0.0E+00	5729876	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1605	6733	11926	108.24	0.0E+00	5729876	NT	Homo sapiens heat shock 70kD protein 10 (HSC71) (HSPA10), mRNA
1607	6735	11928	2.08	0.0E+00	M91803.1	NT	Human sodium channel mRNA
1622	6750	11944	9.74	0.0E+00	H26973.1	EST_HUMAN	yo76c05.s1 Soares adult brain N2b-4HB55Y Homo sapiens cDNA clone IMAGE:183848 3'
1630	6759	11954	2.1	0.0E+00	AB046829.1	NT	Homo sapiens mRNA for KIAA1609 protein, partial cds
1630	6759	11955	2.1	0.0E+00	AB046829.1	NT	Homo sapiens mRNA for KIAA1609 protein, partial cds
1649	6777	11969	1.59	0.0E+00	AW444637.1	EST_HUMAN	U1-H-B13-elw-c-04-0-U1.s1 NCI CGAP_Sub6 Homo sapiens cDNA clone IMAGE:2733294 3'
1678	6807	12004	1.63	0.0E+00	BE144364.1	EST_HUMAN	MRO-HT0168-191169-004-b11 HT0168 Homo sapiens cDNA
1679	6807	12005	1.53	0.0E+00	BE144364.1	EST_HUMAN	MRO-HT0168-191169-004-b11 HT0168 Homo sapiens cDNA
							wg81b07.x1 Soares NSF F8_9W_OT_PA_P_S1 Homo sapiens cDNA clone IMAGE:2371477 3' similar to
1682	6811	12009	2.57	0.0E+00	AI768104.1	EST_HUMAN	TR:Q62768 Q62768 CYS2/HIS2 ZINC FINGER PROTEIN. ;
1683	6812	12010	1.99	0.0E+00	4758513	NT	Homo sapiens hematopoietic-derived zinc finger protein (HD-ZNF1) mRNA

Page 189 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1684	6813	12011	2.16	0.0E+00	AF057177.1	NT	Homo sapiens T-cell receptor gamma V1 gene region
1687	6816	12014	3.33	0.0E+00	M29580.1	NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1687	6816	12015	3.33	0.0E+00	M29580.1	NT	Human zinc-finger protein 7 (ZFP7) mRNA, complete cds
1689	6818	12017	46.19	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
1690	6819	12018	1	0.0E+00	7657065	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
1694	6823	12021	1.5	0.0E+00	BE222374.1	EST_HUMAN	h11d05.x1 NCL CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:095147 O95147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1694	6823	12022	1.5	0.0E+00	BE222374.1	EST_HUMAN	h11d05.x1 NCL CGAP Lu24 Homo sapiens cDNA clone IMAGE:3166281 3' similar to TR:095147 O95147 MKP-1 LIKE PROTEIN TYROSINE PHOSPHATASE ;
1696	6824	12024	1.75	0.0E+00	4557610	NT	Homo sapiens gamma-aminobutyric acid (GABA) A receptor, gamma 2 (GABRG2) mRNA
1699	6827	12027	5.05	0.0E+00	H30132.1	EST_HUMAN	yo59e08.t1 Soares breast 3Nbt-Hst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GANMA-GLUTAMYLTRANSFERASE 5 PRECURSOR (HUMAN);
1699	6827	12028	5.05	0.0E+00	H30132.1	EST_HUMAN	yo59e08.t1 Soares breast 3Nbt-Hst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GANMA-GLUTAMYLTRANSFERASE 5 PRECURSOR (HUMAN);
1701	6829	12030	10.76	0.0E+00	Z80760.1	EST_HUMAN	yo59e08.t1 Soares breast 3Nbt-Hst Homo sapiens cDNA clone IMAGE:182246 5' similar to gb:M64099 GANMA-GLUTAMYLTRANSFERASE 5 PRECURSOR (HUMAN);
1701	6829	12031	10.76	0.0E+00	Z80760.1	NT	H. sapiens H2B/h gene
1704	6832	12041	37.83	0.0E+00	5031748	NT	H. sapiens H2B/h gene
1712	6840	12041	1.57	0.0E+00	AF169863.1	NT	Homo sapiens high-mobility group (nonhistone chromosomal) protein 17 (HMG17), mRNA
1714	6841	12044	4.76	0.0E+00	8923841	NT	Homo sapiens WNT16 protein (WNT16) mRNA, complete cds
1717	6844	12047	1.8	0.0E+00	5453855	NT	Homo sapiens FOXJ2 forkhead factor (LOC55810), mRNA
1722	6849	12054	1.39	0.0E+00	4826873	NT	Homo sapiens pericentriolar material 1 (PCM1) mRNA
1728	6855	12061	0.99	0.0E+00	AB029542.1	NT	Homo sapiens RNA binding motif protein, Y chromosome, family 1, member A1 (RBM1A1) mRNA
1730	6857	12061	1.94	0.0E+00	S94400.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds
1744	6824	12075	1.21	0.0E+00	11545811	NT	TCR zeta [human, Genomic/mRNA, 369 nt, segment 1 of 8]
1757	6883	12090	2.78	0.0E+00	AF273841.1	NT	Homo sapiens NOD2 protein (NOD2), mRNA
1795	7925	12136	97	0.0E+00	4506718	NT	Homo sapiens SMCY (SMCY) gene, complete cds
1800	6925	12137	2.56	0.0E+00	4557559	NT	Homo sapiens ribosomal protein S2 (RPS2) mRNA
1800	6925	12137	2.56	0.0E+00	4557556	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1803	6927	12141	2.04	0.0E+00	U63963.1	NT	Homo sapiens E1A binding protein p300 (EP300) mRNA
1807	6931	12148	1.14	0.0E+00	W79571.1	EST_HUMAN	Human CSF-1 receptor (FMS) gene, complete cds, and (SMF) gene, partial cds
1808	7926	12148	5.37	0.0E+00	4505332	NT	z66g09.t1 Soares fetal heart Nbt-H19W Homo sapiens cDNA clone IMAGE:345864 5'
1818	6942	12160	21.46	0.0E+00	U14987.1	NT	Homo sapiens nuclear autoantigenic sperm protein (histone-binding) (NASP) mRNA
1821	6944	12163	16.15	0.0E+00	AB002331.1	NT	Human ribosomal protein L21 mRNA, complete cds
							Human mRNA for KIAA0333 gene, partial cds

Table 4

Single Exon Probes Expressed In BT474

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1822	6945	12164	25.6	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1822	6946	12165	25.6	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1822	6945	12168	25.6	0.0E+00	4502284	NT	Homo sapiens activating transcription factor 4 (tax-responsive enhancer element B67) (ATF4) mRNA
1836	6958	12181	2.33	0.0E+00	4504626	NT	Homo sapiens immunoglobulin superfamily, member 3 (IGSF3) mRNA, and translated products
1836	6958	12182	2.33	0.0E+00	4504626	NT	Homo sapiens immunoglobulin superfamily, member 3 (IGSF3) mRNA, and translated products
1848	6969	12189	4.05	0.0E+00	6008855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
1848	6969	12190	4.05	0.0E+00	6008855	NT	Homo sapiens Retina-derived POU-domain factor-1 (RPF-1), mRNA
1855	6976	12197	2.57	0.0E+00	AB032978.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds
1855	6976	12198	2.57	0.0E+00	AB032978.1	NT	Homo sapiens mRNA for KIAA1152 protein, partial cds
1859	6979	12200	3.46	0.0E+00	4828783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCMB1) mRNA
1859	6979	12201	3.46	0.0E+00	4828783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCMB1) mRNA
1860	6980	12202	6.38	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1860	6980	12203	6.38	0.0E+00	U07147.1	NT	Human retinal degeneration slow (RDS) gene, exon 1
1863	6983	12208	4.21	0.0E+00	AW207280.1	EST_HUMAN	UHF-B11-afn-4-07-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722333 3'
1863	6983	12207	4.21	0.0E+00	AW207280.1	EST_HUMAN	UHF-B11-afn-4-07-0-U1.s1 NCI_CGAP_Sub3 Homo sapiens cDNA clone IMAGE:2722333 3'
1865	7005	12224	3.11	0.0E+00	BE277495.1	EST_HUMAN	601179164F1 NIH_MGC 20 Homo sapiens cDNA clone IMAGE:3547239 5'
1865	7005	12225	3.11	0.0E+00	BE277495.1	EST_HUMAN	601179164F1 NIH_MGC 20 Homo sapiens cDNA clone IMAGE:3547239 5'
1901	7020	12240	1.4	0.0E+00	BE006292.1	EST_HUMAN	RC2-BN0126-200300-012-504 BN0126 Homo sapiens cDNA
1925	7044	12264	1.89	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1926	7044	12265	1.89	0.0E+00	7657390	NT	Homo sapiens nuclear protein (NP220), mRNA
1928	7047	12267	3.05	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1928	7047	12268	3.05	0.0E+00	4506384	NT	Homo sapiens RAD1 (S. pombe) homolog (RAD1) mRNA, and translated products
1933	7052	12274	2.16	0.0E+00	AB037788.1	NT	Homo sapiens mRNA for KIAA1367 protein, partial cds
1936	7055		1.49	0.0E+00	AF157476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
1941	7060	12283	3.37	0.0E+00	4607464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1941	7060	12284	3.37	0.0E+00	4607464	NT	Homo sapiens transforming growth factor, beta 3 (TGFB3), mRNA
1944	7062	12286	1.05	0.0E+00	7657038	NT	Homo sapiens death receptor 6 (DR6), mRNA
1946	7064		6.43	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds

Table 4

Single Exon Probes Expressed in BT474

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
1951	7069		2.25	0.0E+00	M55632.1	NT	Human topoisomerase I pseudogene 1
1952	7930	12283	1.2	0.0E+00	5801905	NT	Homo sapiens butyrophilin, subfamily 3, member A2 (BTN3A2), mRNA
1064	7071	12266	1.05	0.0E+00	BE018066.1	EST_HUMAN	b673f11.y1 NIH_MGC_12 Homo sapiens cDNA clone IMAGE:3048045 5'
1960	7077	12300	1.49	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL), mRNA
1960	7077	12301	1.49	0.0E+00	4809282	NT	Homo sapiens histidine ammonia-lyase (HAL), mRNA
1971	7088	12315	2.57	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1971	7088	12316	2.57	0.0E+00	8400716	NT	Homo sapiens nebulin (NEB), mRNA
1972	7089	12317	10.13	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4), mRNA
1972	7089	12318	10.13	0.0E+00	4826638	NT	Homo sapiens actinin, alpha 4 (ACTN4), mRNA
1982	7099	12330	1.53	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0780 protein, partial cds
1982	7099	12331	1.53	0.0E+00	AB018333.1	NT	Homo sapiens mRNA for KIAA0780 protein, partial cds
1987	7104	12335	1.16	0.0E+00	M33782.1	NT	Human TFEB protein mRNA, partial cds
1987	7104	12336	1.16	0.0E+00	M33782.1	NT	Human TFEB protein mRNA, partial cds
1989	7106	12337	3.18	0.0E+00	AW193024.1	EST_HUMAN	xl89b01.x1 NCI_GGAP_Pan1 Homo sapiens cDNA clone IMAGE:2679813 3'
1989	7106	12338	3.18	0.0E+00	AW193024.1	EST_HUMAN	xl89b01.x1 NCI_GGAP_Pan1 Homo sapiens cDNA clone IMAGE:2679813 3'
1990	7107	12339	6.81	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1990	7107	12340	6.81	0.0E+00	6912457	NT	Homo sapiens calcineurin binding protein 1 (KIAA0330), mRNA
1992	7109	12342	1.01	0.0E+00	7662095	NT	Homo sapiens KIAA0408 gene product (KIAA0408), mRNA
1993	7110	12343	1.8	0.0E+00	AB011149.1	NT	Homo sapiens mRNA for KIAA0577 protein, complete cds
1994	7111	12344	1.53	0.0E+00	Z47556.1	NT	H. sapiens genes for semenogelin I and semenogelin II
1994	7111	12345	1.53	0.0E+00	Z47556.1	NT	H. sapiens genes for semenogelin I and semenogelin II
2001	7118	12354	5.36	0.0E+00	AB040948.1	NT	Homo sapiens mRNA for KIAA1513 protein, partial cds
2016	7133	12370	1.75	0.0E+00	AF273941.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
2016	7133	12371	1.75	0.0E+00	AF273941.1	NT	Homo sapiens SMCY (SMCY) gene, complete cds
2045	7161	12400	1.13	0.0E+00	7708742	NT	Homo sapiens TP53.TG3a (TP53.TG3a), mRNA
2049	7165	12404	23.48	0.0E+00	BE743215.1	EST_HUMAN	601673895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
2049	7165	12405	23.48	0.0E+00	BE743215.1	EST_HUMAN	601673895F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3835198 5'
2061	7167	12408	1.37	0.0E+00	4503648	NT	Homo sapiens coagulation factor IX (plasma thromboplastic component, Christmas disease, hemophilia B) (F9), mRNA
2052	7168	12407	2.16	0.0E+00	BF207988.1	EST_HUMAN	601651974F1 NIH_MGC_53 Homo sapiens cDNA clone IMAGE:4081483 5'
2053	7169	12408	3.63	0.0E+00	AU140831.1	EST_HUMAN	AU140831 PLACE4 Homo sapiens cDNA clone PLACE400321 5'
2055	7171	12410	1.56	0.0E+00	AA077989.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2055	7171	12411	1.56	0.0E+00	AA077989.1	EST_HUMAN	7B22E10 Chromosome 7 Fetal Brain cDNA Library Homo sapiens cDNA clone 7B22E10
2057	7173		1.8	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA

Page 192 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2059	7175		1.25	0.0E+00	4585863	NT	Homo sapiens phosphodiesterase 9A, cGMP-specific, rod, alpha (PDE9A), mRNA
2060	7176	12414	1.76	0.0E+00	Z42399.1	EST_HUMAN	HSC01C021 normalized infant brain cDNA Homo sapiens cDNA clone c-01c02
2062	7178		1.1	0.0E+00	A1244247.1	EST_HUMAN	q00008.x1 NCI_CGAP_U12 Homo sapiens cDNA clone IMAGE:1888871 3' similar to contains Alu repetitive element
2066	7182	12422	2.39	0.0E+00	BE877225.1	EST_HUMAN	601485140F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3867747 5'
2068	7184	12424	2.08	0.0E+00	BF315325.1	EST_HUMAN	601802804F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2068	7184	12425	2.08	0.0E+00	BF315325.1	EST_HUMAN	601802804F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4135320 5'
2073	7189	12431	2.68	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-410 CT0413 Homo sapiens cDNA
2073	7189	12432	2.66	0.0E+00	BE697125.1	EST_HUMAN	RC3-CT0413-270700-022-410 CT0413 Homo sapiens cDNA
2079	7195	12439	2.02	0.0E+00	L00820.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2079	7195	12440	2.02	0.0E+00	L00820.1	NT	Human plasma membrane calcium ATPase isoform 2 (APT2B2) mRNA, complete cds
2080	7196	12441	1.02	0.0E+00	AJ297709.1	NT	Homo sapiens mRNA for CDC2L5 protein kinase, (CDC2L5 gene), isoform 1
2083	7199	12444	1.6	0.0E+00	4758489	NT	Homo sapiens GTP binding protein 1 (GTPBP1) mRNA
2103	7218		3.19	0.0E+00	BE767864.1	EST_HUMAN	QV1-GN0065-140800-318-o10 GN0065 Homo sapiens cDNA
2104	7219		1.48	0.0E+00	AF019963.1	NT	Homo sapiens X-linked juvenile retinoschisis protein (XLR51) gene, exon 6 and complete cds
2106	7221	12465	6.48	0.0E+00	BF027562.1	EST_HUMAN	601872066F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3954785 5'
2107	7222	12466	1.85	0.0E+00	BE072624.1	EST_HUMAN	PM0-BT0547-210300-004-F04 BT0547 Homo sapiens cDNA
2109	7224	12467	2.8	0.0E+00	AF240786.1	NT	Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
2112	7227	12469	6.05	0.0E+00	AW762708.1	EST_HUMAN	IL3-CT0219-271099-022-G10 CT0219 Homo sapiens cDNA
2113	7228	12470	1.02	0.0E+00	L76627.1	NT	Homo sapiens metabotropic glutamate receptor 1 alpha (mGluR1 alpha) mRNA, complete cds
2115	7230	12472	10.62	0.0E+00	A1804640.1	EST_HUMAN	QV-BT065-020399-092 BT065 Homo sapiens cDNA
2115	7230	12473	10.62	0.0E+00	A1804640.1	EST_HUMAN	QV-BT065-020399-092 BT065 Homo sapiens cDNA
2161	7274		2.02	0.0E+00	L14767.1	NT	Human DNA-binding protein mRNA, 3' end
2168	7281	12527	1.29	0.0E+00	BE274696.1	EST_HUMAN	601122333F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:3346888 5'
2170	7283	12530	1.18	0.0E+00	DB7885.1	NT	Human mRNA for KIAA0244 gene, partial cds
2171	7284	12531	47.76	0.0E+00	AV738288.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone CBNBDE08 5'
2171	7284	12532	47.76	0.0E+00	AV738288.1	EST_HUMAN	AV738288 CB Homo sapiens cDNA clone CBNBDE08 5'
2173	7286	12534	202.57	0.0E+00	AA831691.1	EST_HUMAN	cc32a01.s1 NCI_CGAP_Lu5 Homo sapiens cDNA clone IMAGE:1567896 3'
2176	7288		1.32	0.0E+00	M19828.1	NT	Human apolipoprotein B-100 (apoB) gene, exons 22 through 29
2178	7291	12538	8.02	0.0E+00	BF344434.1	EST_HUMAN	602014829F1 NCI_CGAP_Brn84 Homo sapiens cDNA clone IMAGE:4150734 5'
2179	7292	12539	143.71	0.0E+00	BE748899.1	EST_HUMAN	601572186T1 NIH_MGC_85 Homo sapiens cDNA clone IMAGE:3839012 3'
2183	7296	12543	2.92	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2183	7296	12544	2.92	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2188	7305	12547	7.23	0.0E+00	BF313617.1	EST_HUMAN	601800261F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:4126822 5'
2189	7301	12550	2.24	0.0E+00	BE018760.1	EST_HUMAN	bb84e02.y1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3049082 5' similar to TR:Q15170 Q15170 TRANSCRIPTION FACTOR S-I-RELATED PROTEIN ;
2190	7302	12551	2.98	0.0E+00	AA042813.1	EST_HUMAN	zk53c07.s1 Soares_pregnant1_uterus_Nb1-PU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb-X65857_cds1 OLFATORY RECEPTOR-LIKE PROTEIN HGMPOTE (HUMAN);
2190	7302	12552	2.98	0.0E+00	AA042813.1	EST_HUMAN	zk53c07.s1 Soares_pregnant1_uterus_Nb1-PU Homo sapiens cDNA clone IMAGE:486540 3' similar to gb-X65857_cds1 OLFATORY RECEPTOR-LIKE PROTEIN HGMPOTE (HUMAN);
2197	7309	12559	3.51	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2197	7309	12560	3.51	0.0E+00	AL163204.2	NT	Homo sapiens chromosome 21 segment HS21C004
2198	7310	12561	3.77	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2198	7310	12562	3.77	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2203	7315	12563	2.39	0.0E+00	U36284.1	NT	Human beta-prime-adaptin (BAM22) gene, exon 16
2210	7322	12572	6.18	0.0E+00	BE897487.1	EST_HUMAN	601432317F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3917453 5'
2220	7334	12588	6.73	0.0E+00	4557556	NT	Homo sapiens ETA binding protein p300 (EP300) mRNA
2227	7339	12583	1.81	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2233	7345	12600	4.45	0.0E+00	BE895281.1	EST_HUMAN	601433529F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918607 5'
2237	7349	12604	2.4	0.0E+00	BE905563.1	EST_HUMAN	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2239	7350	12607	2.92	0.0E+00	AB037784.1	NT	601495208F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3897457 5'
2274	7384	12632	3.79	0.0E+00	BF344766.1	EST_HUMAN	Homo sapiens mRNA for KIAA1363 protein, partial cds
2274	7384	12633	3.79	0.0E+00	BF344766.1	EST_HUMAN	602014009F1 NCI_CGAP_Brn84 Homo sapiens cDNA clone IMAGE:4149770 5'
2276	7386	12636	3.08	0.0E+00	11545748	NT	602014009F1 NCI_CGAP_Brn84 Homo sapiens cDNA clone IMAGE:4149770 5'
2277	7387	12637	3.08	0.0E+00	11545748	NT	Homo sapiens differentially expressed in FDCP (mouse homologue) 6 (DEF6), mRNA
2277	7387	12637	2.3	0.0E+00	AI076404.1	EST_HUMAN	Homo sapiens differentially expressed in FDCP (mouse homologue) 6 (DEF6), mRNA
2280	7390	12640	3.56	0.0E+00	AA429001.1	EST_HUMAN	602014009F1 NCI_CGAP_Brn84 Homo sapiens cDNA clone IMAGE:4149770 5'
2280	7390	12641	3.56	0.0E+00	AA429001.1	EST_HUMAN	602014009F1 NCI_CGAP_Brn84 Homo sapiens cDNA clone IMAGE:4149770 5'
2282	7392	12643	2.98	0.0E+00	BF347039.1	EST_HUMAN	602021846F1 NCI_CGAP_Brn87 Homo sapiens cDNA clone IMAGE:4167339 5'
2283	6980	11867	1.1	0.0E+00	M19788.1	NT	Human T-cell receptor gamma chain VJCI-CII region mRNA, complete cds
2288	7397	12649	1.03	0.0E+00	L02840.1	NT	Homo sapiens potassium channel Kv2.1 mRNA, complete cds
2289	7398	12650	1.01	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
2289	7398	12651	1.01	0.0E+00	AB020717.1	NT	Homo sapiens mRNA for KIAA0910 protein, partial cds
2290	7399	12652	1.23	0.0E+00	6325468	NT	Homo sapiens flavin containing monooxygenase 3 (FMO3), mRNA
2297	7406	12658	2.86	0.0E+00	BE976095.1	EST_HUMAN	722a02.x1 NCI_CGAP_CLL1 Homo sapiens cDNA clone IMAGE:3286370 3' similar to TR:O94839 O94839 KIAA0857 PROTEIN ;

Page 194 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E- Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2300	7409	12660	11.14	0.0E+00	AF044571.1	NT	Homo sapiens phosphatase kinase alpha subunit (PHKA2) gene, exon 32
2301	7410	12661	1.94	0.0E+00	AI625542.1	EST_HUMAN	hs57608.x1 NC_ CGAP_U12 Homo sapiens cDNA clone IMAGE:2283182 3'
2303	7412	12662	1.89	0.0E+00	AB011399.1	NT	Homo sapiens gene for AF-8, complete cds
2306	7415	12664	3.71	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2306	7415	12665	3.71	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
2309	7418	12668	2.32	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2309	7418	12669	2.32	0.0E+00	5803178	NT	Homo sapiens sperm specific antigen 2 (SSFA2), mRNA
2316	7424	12674	1.92	0.0E+00	7682007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2316	7424	12675	1.92	0.0E+00	7682007	NT	Homo sapiens KIAA0218 gene product (KIAA0218), mRNA
2320	7428	12680	1.25	0.0E+00	D83178.1	NT	Human mRNA for KIAA0194 gene, partial cds
2320	7428	12681	1.25	0.0E+00	D83178.1	NT	Human mRNA for KIAA0194 gene, partial cds
2328	7436	12688	1.8	0.0E+00	5174678	NT	Homo sapiens signal regulatory protein, beta, 1 (SIRP-BETA-1) mRNA
2332	7439	12692	2.97	0.0E+00	AU131142.1	EST_HUMAN	AU131142 NT2RP3 Homo sapiens cDNA clone NT2RP3002084 5'
2333	7440	12693	70.49	0.0E+00	BE794026.1	EST_HUMAN	601589543F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3941003 5'
2334	7441	12693	1	0.0E+00	AW867076.1	EST_HUMAN	MIR1-SN0033-120400-002-a04 SN0033 Homo sapiens cDNA
2335	7442	12694	6.53	0.0E+00	7682017	NT	Homo sapiens KIAA0244 protein (KIAA0244), mRNA
2336	7443	12695	1.52	0.0E+00	4758497	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2338	7443	12696	1.52	0.0E+00	4758497	NT	Homo sapiens hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) (H6PD), mRNA
2337	7444		2.39	0.0E+00	AF280107.1	NT	Homo sapiens cytochrome P450 polypeptide 43 (CYP3A43) gene, partial cds; cytochrome P450 polypeptide 5 (CYP3A5) gene, complete cds, and cytochrome P450 polypeptide 5 (CYP3A5) gene, partial cds
2339	7446	12698	19.43	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2339	7446	12699	19.43	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2339	7446	12700	19.43	0.0E+00	AU118082.1	EST_HUMAN	AU118082 HEMBA1 Homo sapiens cDNA clone HEMBA1002839 5'
2340	7447	12701	1.58	0.0E+00	8923089	NT	Homo sapiens hypothetical protein FLJ20081 (FLJ20081), mRNA
2358	7465		4.27	0.0E+00	BE814424.1	EST_HUMAN	MRO-BN0070-090600-028-R12 BN0070 Homo sapiens cDNA
2392	7498		3.25	0.0E+00	AI042035.1	EST_HUMAN	alpha002.x1 Soares_NHMPU_S1 Homo sapiens cDNA clone IMAGE:1860683 3' similar to TR:O08662
2394	7600	12751	4.38	0.0E+00	8923620	NT	O08662 230KDA PHOSPHATIDYLINOSITOL 4-KINASE ;
2398	7602	12752	1	0.0E+00	AW303998.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ20693 (FLJ20693), mRNA
2398	7604		3.28	0.0E+00	BE895605.1	EST_HUMAN	xv1507.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2813221 3' similar to TR:O54924
2410	7516		4.98	0.0E+00	AB005622.1	EST_HUMAN	O54924 EXO84 ;
2413	7519	12769	5.58	0.0E+00	6060002	NT	601432609F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3918168 5'
							AB005622 Hala cDNA (T.Noma) Homo sapiens cDNA similar to adenylylate kinase isozyme 2
							Homo sapiens glutamate receptor, ionotropic, N-methyl D-aspartate 2A (GRIN2A) mRNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2417	7522	12773	1.61	0.0E+00	D85906.1	NT	Homo sapiens gene for cholesterylkin type-A receptor, complete cds
2417	7522	12774	1.61	0.0E+00	D85906.1	NT	Homo sapiens gene for cholesterylkin type-A receptor, complete cds
2425	7530	12783	1.04	0.0E+00	AF106276.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (IL11c) gene, exon 6
2429	7533	12786	1.5	0.0E+00	BF345274.1	EST_HUMAN	602018059F1 NCI_CGAP_Bn87 Homo sapiens cDNA clone IMAGE:4163870 5'
2436	7540	12784	2.44	0.0E+00	572977.1	NT	Homo sapiens collagen, type XII, alpha 1 (COL12A1), mRNA
2439	7543	12786	1.13	0.0E+00	BE831003.1	EST_HUMAN	CM0-MT0033-150800-428-h11 MT0033 Homo sapiens cDNA
2439	7543	12787	1.13	0.0E+00	BE831003.1	EST_HUMAN	CM0-MT0033-150800-428-h11 MT0033 Homo sapiens cDNA
2444	7548	12801	37.91	0.0E+00	BF569144.1	EST_HUMAN	602184658T1 NIH_MGC_42 Homo sapiens cDNA clone IMAGE:4300383 3'
2451	7555	12807	4.45	0.0E+00	AW46822.1	EST_HUMAN	ha04h04.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone IMAGE:2872759 3'
2453	7557	12808	2.12	0.0E+00	AW501010.1	EST_HUMAN	UI-HF-BPop-ale-c-07-O-U1.r1 NIH_MGC_51 Homo sapiens cDNA clone IMAGE:3072780 5'
2476	7580		1.9	0.0E+00	AW813853.1	EST_HUMAN	RC3-ST0197-300300-018-c04 ST0197 Homo sapiens cDNA
2480	7585	12835	56.02	0.0E+00	BE708542.1	EST_HUMAN	601592530F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3946518 5'
2481	7602	12836	1.18	0.0E+00	7687038	NT	Homo sapiens death receptor 6 (DR6), mRNA
2482	7586	12836	2.07	0.0E+00	BF509482.1	EST_HUMAN	UI-H-B14-eoz-b-08-O-U1.s1 NCI_CGAP_Sub88 Homo sapiens cDNA clone IMAGE:3086535 3'
2485	7589	12838	1.23	0.0E+00	Z32684.2	NT	Homo sapiens mRNA for membrane transport protein (XK gene)
2487	7591		2.28	0.0E+00	545387.1	NT	Homo sapiens platelet-derived growth factor receptor-like (PDGFR) mRNA
2490	7594	12842	1.61	0.0E+00	BE910378.1	EST_HUMAN	601503356F1 NIH_MGC_70 Homo sapiens cDNA clone IMAGE:3905148 5'
2491	7595	12843	1.54	0.0E+00	7687488	NT	Homo sapiens similar to rat Integral membrane glycoprotein POM121 (POM121L1), mRNA
2492	7596	12844	6.51	0.0E+00	BE150886.1	EST_HUMAN	RC4-HT0278-160200-019-405 HT0278 Homo sapiens cDNA
2493	7597	12845	3.17	0.0E+00	8923340	NT	Homo sapiens hypothetical protein FLJ20366 (FLJ20366), mRNA
2494	7598	12846	10.75	0.0E+00	U93239.1	NT	Human Sec62 (Sec62) mRNA, complete cds
2499	7603	12851	10.62	0.0E+00	BE886480.1	EST_HUMAN	601508211F1 NIH_MGC_71 Homo sapiens cDNA clone IMAGE:3909868 5'
2504	7607	12857	3.04	0.0E+00	BE875511.1	EST_HUMAN	601489241F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3881371 5'
2504	7607	12858	3.04	0.0E+00	BE875511.1	EST_HUMAN	601489241F1 NIH_MGC_69 Homo sapiens cDNA clone IMAGE:3881371 5'
2505	7608	12859	1.27	0.0E+00	AF114027.1	EST_HUMAN	AF114027 Homo sapiens lung fetus Homo sapiens cDNA clone ESF6
2507	7610	12862	1.44	0.0E+00	AF245505.1	NT	Homo sapiens adiclan mRNA, complete cds
2522	7626	12870	1.17	0.0E+00	BE536921.1	EST_HUMAN	601084738F1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:3451161 5'
2528	7629	12876	11.25	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y79AA1 Homo sapiens cDNA clone Y79AA1001673 5'
2528	7629	12877	11.25	0.0E+00	AU143277.1	EST_HUMAN	AU143277 Y79AA1 Homo sapiens cDNA clone Y79AA1001673 5'
2527	7630	12878	1.85	0.0E+00	BE292896.1	EST_HUMAN	601105312F1 NIH_MGC_16 Homo sapiens cDNA clone IMAGE:2887955 5'
2527	7630	12878	1.85	0.0E+00	BE292896.1	EST_HUMAN	601105312F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:2887955 5'
2530	7633	12881	4.83	0.0E+00	AF245505.1	NT	Homo sapiens adiclan mRNA, complete cds
2561	7678	12917	3.58	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds
2561	7678	12918	3.58	0.0E+00	AB037836.1	NT	Homo sapiens mRNA for KIAA1415 protein, partial cds

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2562	7663		1.77	0.0E+00	BF613836.1	EST_HUMAN	U1H-BW1-amp-f-12-0-JL1 NCI CGAP Sub7 Homo sapiens cDNA clone IMAGE:3070631 3'
2568	7669	12924	1.94	0.0E+00	BF6172818.1	EST_HUMAN	60215263F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4293612 5'
2570	7671		1.23	0.0E+00	BE616695.1	EST_HUMAN	601279873F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3621786 5'
2576	7676	12930	4.12	0.0E+00	AB037742.1	NT	Homo sapiens mRNA for KIAA1321 protein, partial cds
2577	7677	12931	0.95	0.0E+00	AI571737.1	EST_HUMAN	tn18b08.x1 NCI CGAP Bm25 Homo sapiens cDNA clone IMAGE:2108055 3' similar to gbL20977 CALCIUM-TRANSPORTING ATPASE PLASMA MEMBRANE, BRAIN ISOFORM 2 (HUMAN); Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28KD (TAF21) mRNA
2578	7678	12932	2.82	0.0E+00	5032150	NT	Homo sapiens mRNA for KIAA1438 protein, partial cds
2580	7681	12933	3.58	0.0E+00	AB037859.1	NT	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2581	7682	12937	1.35	0.0E+00	BE795445.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2581	7682	12938	1.35	0.0E+00	BE795445.1	EST_HUMAN	601590108F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3944304 5'
2591	7692		13.31	0.0E+00	BE792472.1	EST_HUMAN	Homo sapiens mRNA for KIAA0903 protein, partial cds
2593	7694	12948	1.19	0.0E+00	AB020710.1	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1) mRNA
2600	7700	12955	3.59	0.0E+00	4504886	NT	Homo sapiens tlin (TTN) mRNA
2602	7948	12958	0.99	0.0E+00	4507720	NT	Homo sapiens guanylate cyclase-activating protein 2 (GUCA1B) gene, exon 1
2608	7707	12962	3.82	0.0E+00	AF173227.1	NT	Homo sapiens mRNA for KIAA0536 protein, partial cds
2611	7710	12963	1.84	0.0E+00	AB011108.1	NT	Homo sapiens NT2RP4 Homo sapiens cDNA clone NT2RP4001984 5'
2613	7712	12965	1.12	0.0E+00	AU133385.1	EST_HUMAN	Human bullous pemphigoid antigen (BPAG1) mRNA, complete cds
2614	7713	12966	1.11	0.0E+00	M69225.1	NT	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2616	7715	12968	3.79	0.0E+00	AU130403.1	EST_HUMAN	AU130403 NT2RP3 Homo sapiens cDNA clone NT2RP3000779 5'
2616	7715	12969	3.79	0.0E+00	AU130403.1	EST_HUMAN	RG1-OT0096-220300-011-407 OT0089 Homo sapiens cDNA
2619	7718	12972	1.43	0.0E+00	AW887015.1	EST_HUMAN	7n15h05.x1 NCI CGAP C016 Homo sapiens cDNA clone IMAGE:3316089 3'
2622	7721	12975	1.95	0.0E+00	BF000018.1	EST_HUMAN	601298714F1 NIH_MGC_19 Homo sapiens cDNA clone IMAGE:3628923 5'
2623	7722	12976	4.51	0.0E+00	BE383185.1	EST_HUMAN	601276373F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3810287 5'
2624	7723		2.17	0.0E+00	BE531263.1	EST_HUMAN	Homo sapiens hypothetical protein FLJ11062 (FLJ11062), mRNA
2649	7747	12998	1.33	0.0E+00	8922843	NT	Homo sapiens mRNA for KIAA1311 protein, partial cds
2659	7755	13006	1.25	0.0E+00	AB037732.1	NT	EST188414 HCC cell line (metastasis to liver in mouse) II Homo sapiens cDNA 5' end similar to ribosomal protein L29
2684	7781		24.69	0.0E+00	AA316723.1	EST_HUMAN	601589625F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3943591 5'
2685	7782	13030	43.93	0.0E+00	BE794884.1	EST_HUMAN	Human beta-prime-adaptin (BAM22) gene, exon 5
2690	7787	13037	4.97	0.0E+00	U36263.1	NT	Homo sapiens neurogranin 1 (NRG1), transcript variant SMDF, mRNA
2692	7789	13039	1.68	0.0E+00	7699517	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL-1) gene, complete cds
2693	7790	13040	1.85	0.0E+00	AF110763.1	NT	Homo sapiens H228K mRNA for GTP-binding protein like 1, complete cds
2694	7791	13041	2.6	0.0E+00	AB051826.1	NT	

Page 197 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2700	7796	13047	90.08	0.0E+00	BE798376.1	EST_HUMAN	601591891F1 NIH_MGC_7 Homo sapiens cDNA clone IMAGE:3945883 5'
2701	7797	13048	1.94	0.0E+00	BF680632.1	EST_HUMAN	602155923F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4287132 5'
2704	7949	13052	75.81	0.0E+00	BE563433.1	EST_HUMAN	601335485F1 NIH_MGC_39 Homo sapiens cDNA clone IMAGE:3688564 5'
2705	7800		2.71	0.0E+00	AV721647.1	EST_HUMAN	AV721647 HTB Homo sapiens cDNA clone HTBBYE09 5'
2707	7802	13055	1.9	0.0E+00	5174488	NT	Homo sapiens spermatogenesis associated PDI (KIAA0757) mRNA
2707	7802	13056	1.9	0.0E+00	5174486	NT	Homo sapiens spermatogenesis associated PDI (KIAA0757) mRNA
2708	7803	13057	1.94	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2708	7803	13058	1.94	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
2709	7804	13059	9.14	0.0E+00	AF290105.1	NT	Homo sapiens hypertension-related calcium-regulated gene mRNA, complete cds
2710	7805		61.45	0.0E+00	AV651086.1	EST_HUMAN	AV651086 GLC Homo sapiens cDNA clone GLCCLD07 3'
2711	7806	13060	2.74	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2711	7806	13061	2.74	0.0E+00	BF377897.1	EST_HUMAN	CM1-TN0141-250900-439-b08 TN0141 Homo sapiens cDNA
2715	7810	13064	6.04	0.0E+00	4757983	NT	Homo sapiens cerebellar degeneration-related protein (34kD) (CDR1) mRNA
2715	7810	13065	6.04	0.0E+00	4757983	NT	Homo sapiens cerebellar degeneration-related protein (34kD) (CDR1) mRNA
2719	7814	13070	37.71	0.0E+00	BE747183.1	EST_HUMAN	601580903F1 NIH_MGC_9 Homo sapiens cDNA clone IMAGE:3928472 5'
2730	7825		1.28	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2731	7828	13081	2.6	0.0E+00	BF514110.1	EST_HUMAN	UIH-BW1-armw-e-07-Q.U.1 s1 NCL CGAP_Sub7 Homo sapiens cDNA clone IMAGE:3071340 3'
2742	7836	13089	1.66	0.0E+00	7705275	NT	Homo sapiens angiotensin-3 (ANG-3), mRNA
2743	7837	13091	2.45	0.0E+00	BF677694.1	EST_HUMAN	Homo sapiens angiotensin-3 (ANG-3), mRNA
2749	7843	13099	1.65	0.0E+00	7427522	NT	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
2752	7846	13101	37.83	0.0E+00	AV725534	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 5'
2762	7846	13102	37.83	0.0E+00	AV725534.1	EST_HUMAN	AV725534 HTC Homo sapiens cDNA clone HTCCCA03 5'
2764	7848		14.98	0.0E+00	AB78163.1	EST_HUMAN	au55d04.y1 Schneider fetal brain 00004 Homo sapiens cDNA clone IMAGE:2518663 5' similar to SW:R13A_HUMAN P40429 60S RIBOSOMAL PROTEIN L13A ;
2757	7851	13107	2.14	0.0E+00	BF530681.1	EST_HUMAN	602071957F1 NCL CGAP_Bm87 Homo sapiens cDNA clone IMAGE:4214679 5'
2768	7852	13108	147.71	0.0E+00	BE872788.1	EST_HUMAN	601450912F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3854942 5'
2760	7854	13109	3.85	0.0E+00	AU131494.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2760	7854	13110	3.85	0.0E+00	AU131494.1	EST_HUMAN	AU131494 NT2RP3 Homo sapiens cDNA clone NT2RP3002672 5'
2761	7855	13111	128.52	0.0E+00	BE300344.1	EST_HUMAN	600944794F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960806 5'
2761	7855	13112	128.52	0.0E+00	BE300344.1	EST_HUMAN	600944794F1 NIH_MGC_17 Homo sapiens cDNA clone IMAGE:2960806 5'
2767	5378	10519	3.63	0.0E+00	S76830.1	NT	glycoprotein D-Duffy group antigen [human, blood, Genomic DNA, 3088 nt]
2770	7862		2.78	0.0E+00	AB033281.1	NT	Homo sapiens BTIRCP2 mRNA for F-box and WD-repeats protein isoform C, complete cds
2776	5886	11040	3.94	0.0E+00	AF284750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds

Page 198 of 214
Table 4
Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2776	5888	11041	3.94	0.0E+00	AF264750.1	NT	Homo sapiens ALR-like protein mRNA, partial cds
2780	6182	11347	2.85	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily 1 (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2780	6182	11348	2.85	0.0E+00	4503202	NT	Homo sapiens cytochrome P450, subfamily 1 (dioxin-inducible), polypeptide 1 (glaucoma 3, primary infantile) (CYP1B1) mRNA
2797	7954	13120	2.95	0.0E+00	X85980.1	NT	H. sapiens serine hydroxymethyltransferase pseudogene
2798	7955		1.43	0.0E+00	AF068624.1	NT	Homo sapiens 5-aminolevulinic acid synthase 2 (ALAS2) gene, complete cds
2800	7957		1.28	0.0E+00	AB040980.1	NT	Homo sapiens mRNA for KIAA1527 protein, partial cds
2807	7963		1.07	0.0E+00	AJ238852.1	NT	Homo sapiens partial rpl3 gene for ribosomal protein L3, U82 snoRNA, U83a snoRNA and U83b snoRNA genes
2808	7964	13125	2.44	0.0E+00	AL163201.2	NT	Homo sapiens chromosome 21 segment HS21C001
2812	7968	13128	5.27	0.0E+00	M80902.1	NT	Human AHNK nucleoprotein mRNA, 5' end
2816	7971	13130	1.01	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281298-003-e02 HT0343 Homo sapiens cDNA
2816	7971	13131	1.01	0.0E+00	BE154504.1	EST_HUMAN	PMO-HT0343-281298-003-e02 HT0343 Homo sapiens cDNA
2817	7973		1.91	0.0E+00	X73428.1	NT	H. sapiens l3 gene for HLH type transcription factor
2819	7975		2.62	0.0E+00	AL163288.2	NT	Homo sapiens chromosome 21 segment HS21C088
2820	7976	13134	1.39	0.0E+00	7016584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2820	7976	13135	1.39	0.0E+00	7016584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2820	7976	13136	1.39	0.0E+00	7016584	NT	Homo sapiens zinc finger protein 221 (ZNF221), mRNA
2826	7981	13142	45.48	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2826	7981	13143	45.48	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTGP3) pseudogene
2830	7985	13146	3.23	0.0E+00	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
2831	7986		5.71	0.0E+00	Y10658.1	NT	H. sapiens mRNA for nuclear DNA helicase II
2832	7987		1.11	0.0E+00	AF152303.1	NT	Homo sapiens proboscoidin alpha C1 (PODH-alpha-C1) mRNA, complete cds
2833	7988	13147	89.98	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2833	7988	13148	89.98	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2846	8001	13161	2.44	0.0E+00	4507280	NT	Homo sapiens serine/threonine kinase 9 (STK9) mRNA
2849	8004	13165	1.2	0.0E+00	AL047599.1	EST_HUMAN	DKFZp556G0621_j1 586 (synonym: hute1) Homo sapiens cDNA clone DKFZp556G0621
2850	8005	13166	0.93	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2850	8005	13167	0.93	0.0E+00	7661883	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2851	8008		1.55	0.0E+00	4503098	NT	Homo sapiens KIAA0054 gene product; Helicase (KIAA0054), mRNA
2854	8009	13169	5.69	0.0E+00	BE081896.1	EST_HUMAN	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
2854	8009	13170	5.69	0.0E+00	BE081896.1	EST_HUMAN	QV2-BT0638-130400-138-h03 BT0638 Homo sapiens cDNA
2859	8014	13178	0.82	0.0E+00	6806918	NT	QV2-BT0638-130400-138-h03 BT0638 Homo sapiens cDNA
							Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA

Page 199 of 214
Table 4

Single Exon Probes Expressed In BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2859	8014	13179	0.82	0.0E+00	6806918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
2862	8017	13183	2	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C008
2862	8017	13184	2	0.0E+00	AL163206.2	NT	Homo sapiens chromosome 21 segment HS21C006
2869	8023	13183	3.71	0.0E+00	Y19210.1	NT	Homo sapiens hrb5 gene for hair keratin, exons 1 to 9
2872	8028	13183	1.05	0.0E+00	4756279	NT	Homo sapiens EphA4 (EPHA4) mRNA
2874	8028	13186	42.84	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
2875	8029	13197	0.98	0.0E+00	AI561002.1	EST_HUMAN	tn18d07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167981 3' similar to TR:O18247
2875	8029	13198	0.98	0.0E+00	AI561002.1	EST_HUMAN	tn18d07.x1 NCI_CGAP_Bm25 Homo sapiens cDNA clone IMAGE:2167981 3' similar to TR:O18247
2876	8030	13199	1.47	0.0E+00	P32740	SWISSPROT	ZINC FINGER PROTEIN 132
2877	8031	13200	0.95	0.0E+00	AF152338.1	NT	Homo sapiens protoderm gamma C4 (PDDH-gamma-C4) mRNA, complete cds
2893	8047	13212	1.7	0.0E+00	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2893	8047	13213	1.7	0.0E+00	AB033093.1	NT	Homo sapiens mRNA for KIAA1267 protein, partial cds
2894	8048	13214	5.83	0.0E+00	AB040841.1	NT	Homo sapiens mRNA for KIAA1508 protein, partial cds
2894	8048	13215	5.83	0.0E+00	AB040841.1	NT	Homo sapiens mRNA for KIAA1508 protein, partial cds
2897	8051	13218	3.66	0.0E+00	7691903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2897	8051	13219	3.55	0.0E+00	7691903	NT	Homo sapiens KIAA0100 gene product (KIAA0100), mRNA
2898	8052	13220	3.81	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLL.T4) mRNA
2898	8052	13221	3.81	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog); translocated to, 4 (MLL.T4) mRNA
2903	8058	13226	1.18	0.0E+00	BF110702.1	EST_HUMAN	7n40d03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3587028 3' similar to TR:Q9VLN1
2903	8058	13226	1.18	0.0E+00	BF110702.1	EST_HUMAN	7n40d03.x1 NCI_CGAP_Lu24 Homo sapiens cDNA clone IMAGE:3587028 3' similar to TR:Q9VLN1
2911	8065	13237	2.63	0.0E+00	4505084	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2911	8065	13238	2.63	0.0E+00	4505084	NT	Homo sapiens melanoma antigen, family B, 4 (MAGEB4), mRNA
2920	8074	13244	1.53	0.0E+00	4758827	NT	Homo sapiens neurexin III (NRXN3) mRNA
2921	8075	13247	0.99	0.0E+00	X98494.1	NT	H. sapiens mRNA for M phase phosphoprotein 10
2924	8078	13247	1.5	0.0E+00	AB033034.1	NT	Homo sapiens mRNA for KIAA1208 protein, partial cds
2927	8081	13249	8.59	0.0E+00	AF106275.1	NT	Homo sapiens immunoglobulin-like transcript 1c variant 4 (ILT1c) gene, exon 6
2943	8097	13270	0.98	0.0E+00	AI140880.1	EST_HUMAN	q43709.x1 Soares testis_NHT Homo sapiens cDNA clone IMAGE:1752803 3'
2951	8105	13270	2.42	0.0E+00	AB004894.1	NT	Homo sapiens mRNA for PKU-alpha, partial cds

Page 200 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
2862	8116	13278	1.8	0.0E+00	7662273	NT	Homo sapiens KIAA0737 gene product (KIAA0737), mRNA
2863	8117	13279	2.04	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNGC3), mRNA
2863	8117	13280	2.04	0.0E+00	5729755	NT	Homo sapiens calcium channel, voltage-dependent, gamma subunit 3 (CACNGC3), mRNA
2867	8121	13286	1.1	0.0E+00	AB037852.1	NT	Homo sapiens mRNA for KIAA1431 protein, partial cds
2875	8129	13292	0.78	0.0E+00	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
2975	8129	13293	0.78	0.0E+00	AF114488.1	NT	Homo sapiens Intersectin short isoform (ITSN) mRNA, complete cds
2998	8163		0.67	0.0E+00	AL163246.2	NT	Homo sapiens chromosome 21 segment HS21C046
2999	8154	13313	1.15	0.0E+00	M74089.1	NT	Human displacement protein (CCAAT) mRNA
3009	8163	13320	0.85	0.0E+00	4506882	NT	Homo sapiens semenogelin I (SEMG1) mRNA
3011	8165	13322	1.09	0.0E+00	AW976266.1	EST_HUMAN	EST388375 MAGE resequences, MAGE Homo sapiens cDNA
3016	8170		3.92	0.0E+00	AF195953.1	NT	Homo sapiens membrane-bound aminopeptidase P (XNPEP2) gene, complete cds
3019	8173	13330	6.99	0.0E+00	5578469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3019	8173	13331	6.99	0.0E+00	5578469	NT	Homo sapiens heat shock 70kD protein 1 (HSPA1A), mRNA
3021	8175		6.28	0.0E+00	AL359403.1	NT	Isform 2 of a novel human mRNA from chromosome 22
3025	8179	13335	2.77	0.0E+00	AF017433.1	NT	Homo sapiens putative transcription factor CR33 (CR33) mRNA, partial cds
							Homo sapiens transcription factor (GHM enhancer 3, JM11 protein, JM4 protein, T54 protein, JM10 protein, A4 differentiation-dependent protein, triple LIM domain protein 6, and synaptophysin genes, complete cds; and L-type calcium channel a2
3028	8182		1.92	0.0E+00	AF198778.1	NT	Human germline gene 16.1 for Ig lambda L-chain C region (Ig-L-C16.1)
3048	8202	13358	3.16	0.0E+00	X03529.1	NT	Homo sapiens F-box protein FBL5 (FBL5) mRNA, complete cds
3054	8207		1.54	0.0E+00	AF199356.1	NT	Homo sapiens melanoma-associated antigen (MAGE-C1) gene, complete cds
3058	8211	13365	1.49	0.0E+00	AF084589.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds
3082	8235	13385	4.26	0.0E+00	AF265208.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
3083	8236	13386	5.02	0.0E+00	AF149773.1	NT	Homo sapiens NOD1 protein (NOD1) gene, exons 1, 2, and 3
3088	8241	13390	3.23	0.0E+00	7662139	NT	Homo sapiens KIAA0469 gene product (KIAA0469), mRNA
3089	8242	13391	1.32	0.0E+00	AF042076.1	NT	Homo sapiens diacylglycerol receptor-like protein (OLFR 42B) gene, OLFR 42B-8110 allele, partial cds
							Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3119	8271	13427	3.27	0.0E+00	4826783	NT	Human ferritin heavy chain mRNA, complete cds
3129	8280	13436	50.99	0.0E+00	L20941.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3132	8283	13439	1.16	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
3132	8283	13440	1.16	0.0E+00	AB011121.1	NT	Homo sapiens mRNA for KIAA0549 protein, partial cds
							ye32003 s1 Stralagene lung (#937210) Homo sapiens cDNA clone IMAGE:119453 3' similar to SP-S29539
3139	8280	13447	22.17	0.0E+00	T94870.1	EST_HUMAN	S29539 BASIC PROTEIN, 23K -;
3155	8306	13466	1.16	0.0E+00	BF243336.1	EST_HUMAN	601878507F1 NIH_MGC_55 Homo sapiens cDNA clone IMAGE:4107433 5'
3157	8308	13467	1.08	0.0E+00	AI968086.1	EST_HUMAN	wu12h10.xt NC1 CGAP GC8 Homo sapiens cDNA clone IMAGE:2516803 3'

Page 201 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3162	8313	13474	4.29	0.0E+00	X98922.1	NT	H.sapiens mRNA for gamma-glutamyltransferase
3162	8313	13475	4.29	0.0E+00	X98922.1	NT	H.sapiens mRNA for gamma-glutamyltransferase
3164	8316	13477	1.37	0.0E+00	AI095950.1	EST HUMAN	tu38g09.x1 NCJ CGAP_P28 Homo sapiens cDNA clone IMAGE:2253376 3' similar to SW:RASD_D10CDI
3176	8327	13490	1.73	0.0E+00	4758827	NT	P03987 RAS-LIKE PROTEIN RASD
3176	8327	13491	1.73	0.0E+00	4758827	NT	Homo sapiens neurixin III (NRXN3) mRNA
3183	8334	13497	8.16	0.0E+00	4504658	NT	Homo sapiens neurixin III (NRXN3) mRNA
3202	8353	13515	8.26	0.0E+00	M29639.1	NT	Homo sapiens neurixin III (NRXN3) mRNA
3205	8356	13517	2.66	0.0E+00	4502098	NT	Homo sapiens solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 (SLC25A5), nuclear gene encoding mitochondrial protein, mRNA
3211	8362	13525	0.79	0.0E+00	4758055	NT	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3211	8362	13526	0.79	0.0E+00	4758055	NT	Homo sapiens CREB binding protein (Rubinstein-Taybi syndrome) (CREBBP) mRNA
3213	8364	13527	3.87	0.0E+00	AA774783.1	EST HUMAN	aa87b11.e1 Strategene echizo brain S11 Homo sapiens cDNA clone IMAGE:871133 3'
3221	8372	13535	5.97	0.0E+00	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3221	8372	13538	5.97	0.0E+00	AF286598.1	NT	Homo sapiens angiotensin binding protein 1 mRNA, complete cds
3231	8381	13541	1.18	0.0E+00	4557590	NT	Homo sapiens fibrillin 1 (Marfan syndrome) (FBN1) mRNA
3238	8388	13548	0.92	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
3244	8394	13556	1.1	0.0E+00	AF019413.1	NT	Homo sapiens HLA class III region containing tenascin X (tenascin-X) gene, partial cds; cytochrome P450 21-hydroxylase (CYP21B), complement component C4 (C4B) G11, helicase (SKI2W), RD, complement factor B (Bf), and complement component C2 (C2) genes, >
3247	8397	13559	4.03	0.0E+00	AF055084.1	NT	Homo sapiens very large G-protein coupled receptor-1 (VLGR1) mRNA, complete cds
3250	8400	13561	1.25	0.0E+00	7682125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3250	8400	13562	1.25	0.0E+00	7682125	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
3258	10304	13569	2.51	0.0E+00	4502014	NT	Homo sapiens A kinase (PKA) anchor protein 1 (AKAP1), mRNA
3258	10304	13570	2.51	0.0E+00	4502014	NT	Homo sapiens A kinase (PKA) anchor protein 1 (AKAP1), mRNA
3274	8423	13584	3.1	0.0E+00	AF265208.1	NT	Homo sapiens SWI-SNF complex protein p270 mRNA, partial cds
3275	8424	13585	1.83	0.0E+00	6923924	NT	Homo sapiens hypothetical protein FLJ20695 (FLJ20695), mRNA
3295	8442	13604	0.67	0.0E+00	4895312	NT	Homo sapiens G protein-coupled receptor 24 (GPR24), mRNA
3305	8462	13614	4.47	0.0E+00	AI589294.1	EST HUMAN	55808.x2 NCJ CGAP_Pan1 Homo sapiens cDNA clone IMAGE:222535 3' similar to SW:RL11_RAT
3313	8460	13622	2.76	0.0E+00	AF128893.1	NT	P25121 60S RIBOSOMAL PROTEIN L11, contains Alu repetitive element
3313	8460	13623	2.76	0.0E+00	AF128893.1	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-8
3314	8461	13624	1.06	0.0E+00	7657213	NT	Homo sapiens telomerase reverse transcriptase (TERT) gene, exons 1-8
3314	8461	13625	1.06	0.0E+00	7657213	NT	Homo sapiens homonally upregulated neu tumor-associated kinase (HUNK), mRNA
3314	8461	13625	1.06	0.0E+00	7657213	NT	Homo sapiens homonally upregulated neu tumor-associated kinase (HUNK), mRNA

Page 202 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3317	8464	13627	2.12	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3317	8464	13628	2.12	0.0E+00	4502582	NT	Homo sapiens caspase 8, apoptosis-related cysteine protease (CASP8) mRNA
3320	8467	13630	10.5	0.0E+00	AF111163.1	NT	Homo sapiens p70 (MEFV) gene, complete cds
3322	8469	13632	1.78	0.0E+00	AB040940.1	NT	Homo sapiens mRNA for KIAA1507 protein, partial cds
3329	8475	13638	0.62	0.0E+00	BE79039.1	EST_HUMAN	60140495F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868246 5'
3339	8485	13651	0.74	0.0E+00	AF02559.1	EST_HUMAN	Wb10104.x1 NCJ_CGAP_G08 Homo sapiens cDNA clone IMAGE:2305279 3' similar to TR:Q91928 Q91929
3377	8522	13686	6.65	0.0E+00	AU123664.1	EST_HUMAN	ZINC FINGER PROTEIN. ;
3384	8528	13689	0.98	0.0E+00	7363436	NT	AU123664 NT2RM2 Homo sapiens cDNA clone NT2RM2000735 5'
3384	8528	13690	0.98	0.0E+00	7363436	NT	Homo sapiens effector receptor, family 10, subfamily C, member 1 (OR10C1), mRNA
3387	8531	13692	1.98	0.0E+00	7706239	NT	Homo sapiens effector receptor, family 10, subfamily C, member 1 (OR10C1), mRNA
3388	8532	13693	1.14	0.0E+00	AF211188.1	NT	Homo sapiens neuroblastoma-amplified protein (LOC51594), mRNA
3393	8537	13701	1.12	0.0E+00	AW867015.1	EST_HUMAN	Homo sapiens T-type calcium channel alpha1 subunit Alpha1-Ia isoform (CACNA1I) mRNA, complete cds
3408	8549	13707	1.44	0.0E+00	7682401	NT	MR1-SN0033-100400-001-c08 SN0033 Homo sapiens cDNA
3406	8549	13708	1.44	0.0E+00	7682401	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3407	8550	13709	1.16	0.0E+00	4502398	NT	Homo sapiens KIAA0952 protein (KIAA0952), mRNA
3409	8552	13710	1.95	0.0E+00	5803087	NT	Homo sapiens beaded filament structural protein 1, filensin (BFSP1) mRNA
3418	7790	13040	1.46	0.0E+00	AF110763.1	NT	Homo sapiens leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 2 (LILRA2), mRNA
3423	8565	13723	1.95	0.0E+00	7687038	NT	Homo sapiens skeletal muscle LIM-protein 1 (FHL1) gene, complete cds
3426	8568	13727	1.19	0.0E+00	AJ277276.1	NT	Homo sapiens death receptor 6 (DR6), mRNA
3426	8568	13728	1.19	0.0E+00	AJ277276.1	NT	Homo sapiens mRNA for rapa-2 (rapa gene)
3427	8569	13729	4.66	0.0E+00	K02380.1	NT	Homo sapiens mRNA for rapa-2 (rapa gene)
3429	8571	13731	1.17	0.0E+00	7427522	NT	Bacteriophage P1 replication region including repA, parA, and parB genes and incA, incB, and incC incompatibility determinants
3437	8579	13738	4.18	0.0E+00	AF035159.1	EST_HUMAN	Homo sapiens protein tyrosine phosphatase, receptor type, T (PTPRT), mRNA
3437	8579	13739	4.18	0.0E+00	AF035159.1	EST_HUMAN	wp14d10.x1 NCJ_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2464819 3' similar to TR:O73634 O73634
3441	8583	13744	2.5	0.0E+00	AJ278120.1	NT	NEURAL CELL ADHESION MOLECULE. ;
3447	8589	13752	4.5	0.0E+00	6552332	NT	wp14d10.x1 NCJ_CGAP_Lu19 Homo sapiens cDNA clone IMAGE:2464819 3' similar to TR:O73634 O73634
3447	8589	13753	4.5	0.0E+00	6552332	NT	NEURAL CELL ADHESION MOLECULE. ;
3453	8595	13759	1.7	0.0E+00	M14123.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
							Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
							Homo sapiens v-fos FBJ murine osteosarcoma viral oncogene homolog (FOS), mRNA
							Human endogenous retrovirus HERV-K10

Page 203 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3458	8600	13764	5.67	0.0E+00	U43293.1	NT	Human MDS1A (AML1/MDS1 fusion) mRNA, partial cds
3463	8605	13768	0.96	0.0E+00	9558718	NT	Homo sapiens hypothetical protein (AF038169), mRNA
3463	8605	13769	0.96	0.0E+00	9558718	NT	Homo sapiens hypothetical protein (AF038169), mRNA
3467	8609	13774	2.45	0.0E+00	AF045452.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3467	8609	13775	2.45	0.0E+00	AF045452.1	NT	Homo sapiens cell-line KG1 transcriptional regulatory protein p54 mRNA, complete cds
3474	8616	13783	0.97	0.0E+00	AF231922.1	NT	Homo sapiens chromosome 21 unknown mRNA
3479	8620	13785	1.12	0.0E+00	AJ010770.1	NT	Homo sapiens hypericin gene, exons 1-50
3481	8622	13787	1.1	0.0E+00	AA626677.1	EST_HUMAN	ab51112.1 Strabagene lung carcinoma 837218 Homo sapiens cDNA clone IMAGE:844367 6'
3481	8622	13788	1.1	0.0E+00	AA626677.1	EST_HUMAN	ab51112.1 Strabagene lung carcinoma 837218 Homo sapiens cDNA clone IMAGE:844367 5'
3481	8622	13789	1.1	0.0E+00	AA626677.1	EST_HUMAN	ab51112.1 Strabagene lung carcinoma 837218 Homo sapiens cDNA clone IMAGE:844367 6'
3485	8626	13793	1.02	0.0E+00	4508028	NT	Homo sapiens zinc finger protein 45 (a Kruppel-associated box (KRAB) domain polypeptide) (ZNF45) mRNA
3488	8629	13795	2.4	0.0E+00	BE304791.1	EST_HUMAN	601143953F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3488	8629	13796	2.4	0.0E+00	BE304791.1	EST_HUMAN	601143953F1 NIH_MGC_15 Homo sapiens cDNA clone IMAGE:3051373 5'
3492	8633	13800	0.98	0.0E+00	4826796	NT	Homo sapiens potassium voltage-gated channel, Isk-related family, member 2 (KCNK2) mRNA
3495	8636	13803	1.52	0.0E+00	O14887	SWISSPROT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
3499	8640	13806	0.62	0.0E+00	AI384007.1	EST_HUMAN	tx35g12.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:2088742 3' similar to TR:O00498
3502	8643	13809	1.25	0.0E+00	M10976.1	NT	Human endogenous retroviral DNA (4-1), complete retroviral segment
3519	8660	13827	0.77	0.0E+00	AB032879.1	NT	Homo sapiens mRNA for KIAA1153 protein, partial cds
3519	8660	13828	0.77	0.0E+00	AB032879.1	NT	Homo sapiens mRNA for KIAA1153 protein, partial cds
3526	8668	13834	1.13	0.0E+00	AB029019.1	NT	Homo sapiens mRNA for KIAA1096 protein, partial cds
3528	8670	13835	1.29	0.0E+00	AV701869.1	EST_HUMAN	AV701869 ADB Homo sapiens cDNA clone ADBDAH08 5'
3528	8671	13838	0.97	0.0E+00	4608884	NT	Homo sapiens semogelin II (SEM32) mRNA
3531	8673	13844	2.24	0.0E+00	AF078668.1	NT	Homo sapiens homologous yeast-44.2 protein mRNA, complete cds
3539	8681	13844	0.96	0.0E+00	AL133204.1	NT	Novel human gene mapping to chromosome X
3541	8682	13845	1.16	0.0E+00	AB040809.1	NT	Homo sapiens mRNA for KIAA1478 protein, partial cds
3551	8692	13854	2.08	0.0E+00	8923087	NT	Homo sapiens hypothetical protein FLJ20080 (FLJ20080), mRNA
3561	8702	13862	1.08	0.0E+00	8997248	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
3561	8702	13863	1.08	0.0E+00	8997248	NT	Homo sapiens sal (Drosophila)-like 1 (SALL1), mRNA
3562	8703		1.39	0.0E+00	AI081907.1	EST_HUMAN	ox77c11.x1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:1662359 3' similar to WP:T1984.4 CE13742
3564	8705	13868	1.09	0.0E+00	6325463	NT	Homo sapiens butyrophilin, subfamily 3, member A3 (BTN3A3), mRNA
3569	8710		4.53	0.0E+00	AW852217.1	EST_HUMAN	QV0-CT0225-230300-169-e01 CT0225 Homo sapiens cDNA

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3576	8717		0.92	0.0E+00	AF118846.1	NT	Homo sapiens gamma-glutamylcysteine synthetase (GLCLC) gene, partial cds
3577	8718	13875	0.8	0.0E+00	BF678393.1	EST_HUMAN	602084583F1 NIH_MGC_83 Homo sapiens cDNA clone IMAGE:4248588 5'
3588	8728	13885	1.05	0.0E+00	AW637077.1	EST_HUMAN	QVO-DT0047-170200-123-g01 DT0047 Homo sapiens cDNA
3598	8737	13890	1.23	0.0E+00	BF672054.1	EST_HUMAN	602162488F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4293845 5'
3598	8737	13891	1.23	0.0E+00	BF672054.1	EST_HUMAN	602162486F1 NIH_MGC_81 Homo sapiens cDNA clone IMAGE:4293845 5'
3599	8738		1.31	0.0E+00	4826867	NT	Homo sapiens retinoblastoma-binding protein 2 (RBBP2) mRNA
3601	8740	13893	0.72	0.0E+00	AW664683.1	EST_HUMAN	h184g01.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878024 3'
3601	8740	13894	0.72	0.0E+00	AW664683.1	EST_HUMAN	h184g01.x1 Scores_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2878024 3'
3603	8742	13896	0.71	0.0E+00	4826763	NT	Homo sapiens heparan sulfatase (glucosaminase) 3-O-sulfotransferase, 1 (HS3ST1) mRNA
3605	8744	13898	1.06	0.0E+00	7662319	NT	Homo sapiens KIAA0805 gene product (KIAA0805), mRNA
3610	8749	13905	1.19	0.0E+00	4557752	NT	Homo sapiens midline 1 (Optiz/BBB syndrome) (MID1) mRNA
3610	8749	13906	1.19	0.0E+00	4557752	NT	Homo sapiens midline 1 (Optiz/BBB syndrome) (MID1) mRNA
3625	8764	13919	2.89	0.0E+00	D87327.1	NT	Homo sapiens mRNA for G protein-coupled inward rectifier potassium channel, complete cds
3628	8767		39.83	0.0E+00	7669491	NT	Homo sapiens glyceraldehyde-3-phosphate dehydrogenase (GAPD), mRNA
3644	8783	13937	4.72	0.0E+00	AB028542.1	NT	Homo sapiens WAVE2 mRNA for WASP-family protein, complete cds
3646	8785	13939	1.12	0.0E+00	AB007668.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
3648	8787	13940	4.08	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3648	8787	13941	4.08	0.0E+00	AF124250.1	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
3657	8796	13955	1.22	0.0E+00	AW851714.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C004
3657	8796	13955	1.22	0.0E+00	AW851714.1	EST_HUMAN	Homo sapiens chromosome 21 segment HS21C004
3662	8801	13957	2.19	0.0E+00	5729928	NT	MR2-CT0222-281099-005-e05 CT0222 Homo sapiens cDNA
3684	8803	13959	1.08	0.0E+00	AB018339.1	NT	Homo sapiens matrix metalloproteinase 24 (membrane-inserted) (MMP24), mRNA
3686	8805	13961	1.62	0.0E+00	O14867	SWISSPROT	Homo sapiens mRNA for KIAA0796 protein, partial cds
3688	8807	13963	1.15	0.0E+00	7662237	NT	TRANSCRIPTION REGULATOR PROTEIN BACH1 (BTB AND CNC HOMOLOG 1) (HA2303)
3688	8807	13964	1.15	0.0E+00	7662237	NT	Homo sapiens KIAA0870 protein/actin (KIAA0870), mRNA
3688	8821	13976	4.6	0.0E+00	AW298134.1	EST_HUMAN	Homo sapiens KIAA0870 protein/actin (KIAA0870), mRNA
3682	8821	13977	4.6	0.0E+00	AW298134.1	EST_HUMAN	UI-HBW0-ajc-e-12-Q-UI.s1 NCI CGAP Sub6 Homo sapiens cDNA clone IMAGE:2733022 3'
3710	8848	14002	1	0.0E+00	AB004630.1	NT	Human gene for Type XIX collagen a1 chain, exon 6
3711	8849	14003	0.9	0.0E+00	AA463659.1	EST_HUMAN	aa08g01.r1 Scores_NHMPu_S1 Homo sapiens cDNA clone IMAGE:812498 5' similar to SW:KRBA_SHEEP P02446 KERATIN, HIGH-SULFUR MATRIX PROTEIN, IIB4. [1];
3716	8854	14008	1.5	0.0E+00	AB020710.1	NT	Homo sapiens mRNA for KIAA0803 protein, partial cds
3719	8857	14010	3.8	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3728	8865	14019	0.92	0.0E+00	AB037835.1	NT	Homo sapiens mRNA for KIAA1414 protein, partial cds

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3740	8878	14029	5.49	0.0E+00	7682183	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3743	8881	14032	35.82	0.0E+00	4506718	NT	Homo sapiens ribosomal protein S2 (RPS2), mRNA
3751	8888	14038	1.22	0.0E+00	7667065	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
3751	8888	14038	1.22	0.0E+00	7667065	NT	Homo sapiens v-ets avian erythroblastosis virus E26 oncogene related (ERG), mRNA
3751	8888	14038	1.22	0.0E+00	7667065	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
3798	8935	14082	0.95	0.0E+00	AF185658.1	NT	Pan troglodytes olfactory receptor (PTR208) gene, partial cds
3799	8936	14082	2.6	0.0E+00	AF179733.1	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3802	8939	14086	2.11	0.0E+00	7657468	NT	Homo sapiens similar to rat integral membrane glycoprotein POM121 (POM121L1), mRNA
3802	8939	14087	2.11	0.0E+00	7657468	NT	Homo sapiens smooth muscle myosin heavy chain SM1 mRNA, alternatively spliced, partial cds
3803	8940	14088	1.31	0.0E+00	AF020081.1	NT	Homo sapiens RAB9, member RAS oncogene family (RAB9) mRNA
3807	8944	14093	1.23	0.0E+00	4756011	NT	Homo sapiens protocadherin beta 3 (PCDH-beta3) mRNA, complete cds
3810	8947	14093	1.29	0.0E+00	AF152498.1	NT	Homo sapiens desmoplakin (DPI, DP1) (DSP) mRNA
3811	8948	14096	3.81	0.0E+00	4758199	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNJ6/BIR1) gene, complete cds
3814	8951	14099	20.71	0.0E+00	S76685.1	NT	Homo sapiens methyl CpG binding protein 2 (MECP2), mRNA
3816	8953	14101	2.23	0.0E+00	7710148	NT	Homo sapiens KIAA0569 gene product (KIAA0569), mRNA
3817	8954	14102	0.95	0.0E+00	7662183	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
3820	8957	14104	0.95	0.0E+00	AF069601.2	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
3820	8957	14105	0.95	0.0E+00	AF069601.2	NT	Homo sapiens myosin light chain kinase isoform 2 (MLCK) mRNA, complete cds
3825	8961	14110	0.93	0.0E+00	AB001523.1	NT	Homo sapiens gene for TMEM1 and PWP2, complete and partial cds
3825	8961	14111	0.93	0.0E+00	AB001523.1	NT	Homo sapiens gene for TMEM1 and PWP2, complete and partial cds
3828	8964	14115	0.7	0.0E+00	6912735	NT	Homo sapiens transient receptor potential channel 5 (TRPC5), mRNA
3833	8969	14123	6.36	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3833	8969	14124	6.36	0.0E+00	4503178	NT	Homo sapiens chromosome X open reading frame 5 (CXORF5) mRNA
3835	8971	14127	4.16	0.0E+00	U09412.1	NT	Human zinc finger protein ZNF134 mRNA, complete cds
3836	8972	14128	0.87	0.0E+00	AF114488.1	NT	Homo sapiens intersectin short isoform (ITSN) mRNA, complete cds
3839	8975	14130	1.24	0.0E+00	4826783	NT	Homo sapiens potassium voltage-gated channel, Shab-related subfamily, member 1 (KCNB1) mRNA
3842	8978	14133	0.91	0.0E+00	AF012615.1	NT	Homo sapiens familial mental retardation protein 2 (FMR2) gene, exon 11
3843	8979	14134	2.52	0.0E+00	4759171	NT	Homo sapiens SC35-interacting protein 1 (SRRP128), mRNA
3845	8981	14136	0.6	0.0E+00	AF098117.1	NT	Homo sapiens amphiphysin gene, partial cds
3853	8989	14145	2.76	0.0E+00	AI864727.1	EST_HUMAN	wk01f01.x1 NCI_CGAP_Lym12 Homo sapiens cDNA clone IMAGE:2411085 3' similar to TR-O43340
3856	8992	14149	13.45	0.0E+00	4506742	NT	O43340 R28830_2: contains element PTR7 repetitive element;
3860	8996	14153	1.84	0.0E+00	AL040338.1	EST_HUMAN	Homo sapiens ribosomal protein S8 (RPS8), mRNA
							DKFZp434N0413_r1 434 (synonym: hies3) Homo sapiens cDNA clone DKFZp434N0413 5'

Page 206 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
3894	9000	14157	2.4	0.0E+00	6005887	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3894	9000	14158	2.4	0.0E+00	6005887	NT	Homo sapiens AP1 gamma subunit binding protein 1 (AP1GBP1), mRNA
3896	9002	14160	2.09	0.0E+00	4504138	NT	Homo sapiens glutamate receptor, metabotropic 3 (GRM3) mRNA
3898	9004		1.7	0.0E+00	4505078	NT	Homo sapiens melanoma antigen, family B, 1 (MAGEB1) mRNA
3872	9008	14164	1.22	0.0E+00	AF149412.1	NT	Homo sapiens HBP17 heparin-binding and FGF-binding protein gene, complete cds
3881	9017	14174	1.65	0.0E+00	4508768	NT	Homo sapiens ryanodine receptor 3 (RYR3) mRNA
3885	9021	14178	2.15	0.0E+00	4585642	NT	Homo sapiens zinc finger protein (KIAA0412) mRNA
3880	9026	14184	3.22	0.0E+00	BF355295.1	EST_HUMAN	RG3-HT0860-170800-011-a12 HT0860 Homo sapiens cDNA
3891	9027	14185	2.92	0.0E+00	AW889221.1	EST_HUMAN	MXRA5 Human matrix tissue expression library Homo sapiens cDNA clone Incyte 1998726 similar to MXRA5
3891	9027	14186	2.92	0.0E+00	AW889221.1	EST_HUMAN	Matrix remodeling associated gene 5
3899	9035	14194	1.69	0.0E+00	AF128533.1	NT	MXRA5 Human matrix tissue expression library Homo sapiens cDNA clone Incyte 1998726 similar to MXRA5
3902	9038	14197	0.93	0.0E+00	U86281.1	NT	Matrix remodeling associated gene 6
3902	9038	14198	0.93	0.0E+00	U86281.1	NT	Homo sapiens F-box protein Fbx3b (FBL3B) mRNA, partial cds
3905	9041	14201	3.91	0.0E+00	BE378602.1	EST_HUMAN	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3913	9049	14208	1.33	0.0E+00	AW680740.1	EST_HUMAN	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3948	9083	14235	4.18	0.0E+00	AF116195.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3948	9083	14236	4.18	0.0E+00	AF116195.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3959	9094		3.65	0.0E+00	M23910.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3962	9097		5.73	0.0E+00	AL163303.2	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3972	9108	14254	2.97	0.0E+00	AL163284.2	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3980	9114	14262	2.12	0.0E+00	AL163286.2	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3983	9127		79.42	0.0E+00	4503470	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
3987	9131		1.29	0.0E+00	AB657078.1	EST_HUMAN	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4000	9133	14277	2.32	0.0E+00	U09366.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4020	9152	14298	6.2	0.0E+00	AB015510.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4029	9160		3.39	0.0E+00	AJ238617.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4041	9172	14313	2.42	0.0E+00	AL163203.2	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4042	9173	14314	2.68	0.0E+00	AJ277276.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4042	9173	14315	2.68	0.0E+00	AJ277276.1	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4049	9180	14321	7.15	0.0E+00	5032026	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds
4049	9180	14322	7.15	0.0E+00	5032026	NT	Homo sapiens olfactory receptor (OR7-141) gene, partial cds

Page 207 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4061	8192	14333	0.87	0.0E+00	4503914	NT	Homo sapiens phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase, phosphoribosylaminoimidazole synthetase (GART) mRNA
4066	9196	14335	4.93	0.0E+00	4895306	NT	Homo sapiens G protein-coupled receptor 21 (GPR21), mRNA
4067	9197	14336	1.34	0.0E+00	AB006625.1	NT	Homo sapiens mRNA for KIAA0287 gene, partial cds
4070	9200	14337	7.7	0.0E+00	11418297	NT	Homo sapiens IMP (inosine monophosphate) dehydrogenase 1 (IMPDH1), mRNA
4071	9201	14338	4.25	0.0E+00	AL096857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4078	9208	14345	3.09	0.0E+00	AF165527.1	NT	Homo sapiens DGC88 (DGC88) mRNA, complete cds
4087	9270	11433	1.6	0.0E+00	4826947	NT	Homo sapiens protein kinase X-linked (PRKX) mRNA
4087	9270	11434	1.6	0.0E+00	4826947	NT	Homo sapiens protein kinase X-linked (PRKX) mRNA
4091	9220	14356	1.34	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (GBPA), mRNA
4091	9220	14357	1.34	0.0E+00	4503854	NT	Homo sapiens GA-binding protein transcription factor, alpha subunit (GBPA), mRNA
4094	9223	14359	1.34	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4094	9223	14360	1.34	0.0E+00	8922391	NT	Homo sapiens hypothetical protein FLJ10379 (FLJ10379), mRNA
4098	9227	14363	0.9	0.0E+00	AB020702.1	NT	Homo sapiens mRNA for KIAA0895 protein, partial cds
4104	9233	14370	4.5	0.0E+00	AI882597.1	EST_HUMAN	wu04404.x1 NCL CGAP_G08 Homo sapiens cDNA clone IMAGE:2515975 3'
4104	9233	14371	4.5	0.0E+00	AI882597.1	EST_HUMAN	wu04404.x1 NCL CGAP_G08 Homo sapiens cDNA clone IMAGE:2515975 3'
4107	9236	14373	1.33	0.0E+00	BE184856.1	EST_HUMAN	MR1-HT0707-100500-001-a02 HT0707 Homo sapiens cDNA
4107	9235	14374	1.33	0.0E+00	BE184856.1	EST_HUMAN	MR1-HT0707-100500-001-a02 HT0707 Homo sapiens cDNA
4112	9240		3.99	0.0E+00	BE274217.1	EST_HUMAN	601120778F1 NIH_MGC_20 Homo sapiens cDNA clone IMAGE:2987680 5'
4117	9245	14381	4.44	0.0E+00	AB032951.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
4117	9245	14382	4.44	0.0E+00	AB032951.1	NT	Homo sapiens mRNA for KIAA1125 protein, partial cds
4119	9247	14384	0.92	0.0E+00	4507476	NT	Homo sapiens transglutaminase 3 (E polypeptide, protein-glutamine-gamma-glutamyltransferase) (TGMS3) mRNA
4120	9248	14385	3.12	0.0E+00	5729725	NT	Homo sapiens nuclear receptor coactivator 3 (NCOA3), mRNA
4128	9256		5.44	0.0E+00	AW675599.1	EST_HUMAN	ba51f04.x1 NIH_MGC_10 Homo sapiens cDNA clone IMAGE:2900095 3' similar to SW:TH12_BOVIN
4133	9261	14399	1.02	0.0E+00	AW408788.1	EST_HUMAN	Q95108 MITOCHONDRIAL THIOREDOXIN PRECURSOR ;
4134	9262	14400	1.94	0.0E+00	8922468	NT	U1-HF-BM0-abc-c-02-0-U1r1 NIH_MGC_38 Homo sapiens cDNA clone IMAGE:3063147 6'
4134	9262	14401	1.94	0.0E+00	8922468	NT	Homo sapiens hypothetical protein FLJ10498 (FLJ10498), mRNA
4143	9271		2.37	0.0E+00	6174632	NT	Homo sapiens hypothetical protein FLJ10498 (FLJ10498), mRNA
4155	9281	14417	0.99	0.0E+00	AB037739.1	NT	Homo sapiens polycystic kidney diseases (polycystin) and REJ (sperm receptor for egg jelly, oca urchin homolog)-like (PKDREJ) mRNA
4163	9289	14424	9.44	0.0E+00	AA401438.1	EST_HUMAN	Homo sapiens mRNA for KIAA1918 protein, partial cds zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element;

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4163	9289	14425	9.44	0.0E+00	AA401438.1	EST_HUMAN	zu68h07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743197 3' similar to contains Alu repetitive element; contains element MER35 repetitive element ;
4167	9293	14431	1.19	0.0E+00	AF167476.1	NT	Homo sapiens DNA polymerase zeta catalytic subunit (REV3) mRNA, complete cds
4181	9307	14444	1.22	0.0E+00	7662129	NT	Homo sapiens KIAA0440 protein (KIAA0440), mRNA
4193	5216	10328	1.12	0.0E+00	AA228126.1	EST_HUMAN	z58c04.t1 Soares_NHMPu_S1 Homo sapiens cDNA clone IMAGE:867590 5' similar to TR:G222811
4193	5216	10328	1.12	0.0E+00	AA228126.1	EST_HUMAN	G222811 ALPHA 1 CHAIN OF TYPE XII COLLAGEN. ;
4196	9321	14453	1.21	0.0E+00	7661969	NT	Homo sapiens KIAA0173 gene product (KIAA0173), mRNA
4199	9324	14454	13.09	0.0E+00	4758199	NT	Homo sapiens desmoglein (DPI, DPI1) (DSP) mRNA
4199	9324	14455	13.09	0.0E+00	4758199	NT	Homo sapiens desmoglein (DPI, DPI1) (DSP) mRNA
4208	9333		0.85	0.0E+00	AL163303.2	NT	Homo sapiens chromosome 21 segment HS21C103
4233	9358	14400	1.07	0.0E+00	AJ010770.1	NT	Homo sapiens hyperion gene, exons 1-50
4247	9372	14505	4.01	0.0E+00	JD2610.1	NT	Human apolipoprotein B-100 mRNA, complete cds
4292	9387	14524	1.06	0.0E+00	AW996699.1	EST_HUMAN	PM2-DT0023-080300-004-a08 DT0023 Homo sapiens cDNA
4297	8475	13638	0.6	0.0E+00	BE779039.1	EST_HUMAN	601454995F1 NIH_MGC_67 Homo sapiens cDNA clone IMAGE:3868246 5'
4271	9395	14534	4.79	0.0E+00	AF174590.1	NT	Homo sapiens F-box protein Fbx4 (FBL4) mRNA, partial cds
4279	9402	14541	0.84	0.0E+00	6808918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4279	9402	14542	0.84	0.0E+00	6808918	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4280	9403		2.49	0.0E+00	AI189844.1	EST_HUMAN	q423f06.x1 Soares_placenta_8to9weeks_2NHP8to9W Homo sapiens cDNA clone IMAGE:1724579 3' similar to contains MER20.b2 MER20 repetitive element ;
4284	9408		4.17	0.0E+00	U14520.1	NT	Human CSFA3 (Cbrf3) gene, partial cds
4287	9409	14545	1.04	0.0E+00	5174574	NT	Homo sapiens myeloid/lymphoid or mixed-lineage leukemia (trithorax (Drosophila) homolog), translocated to, 4 (MLLT4) mRNA
4296	9418	14551	0.91	0.0E+00	4505846	NT	Homo sapiens proprotein convertase subtilisin/kexin type 2 (PCSK2) mRNA
4302	9424	14558	1.01	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4302	9424	14559	1.01	0.0E+00	6563384	NT	Homo sapiens protein kinase C, nu (PRKCN), mRNA
4308	9430	14565	1.11	0.0E+00	U10891.1	NT	Human G2 protein mRNA, partial cds
4308	9430	14566	1.11	0.0E+00	U10891.1	NT	Human G2 protein mRNA, partial cds
4318	9440	14573	8.66	0.0E+00	6912281	NT	Homo sapiens COMPLEMENT COMPONENT C1q RECEPTOR (C1QR), mRNA
4338	9460		1.1	0.0E+00	AF153047.2	NT	Homo sapiens gap junction protein connexin-30 (CX30) gene, complete cds
4343	9465	14601	1.31	0.0E+00	U03901.1	NT	Human Ig light chain VL1 region germline (hum1v1c2c) gene, partial cds
4349	9471	14608	4.62	0.0E+00	L14591.1	NT	Homo sapiens plasma membrane calcium ATPase isoform 1 (ATP2B1) gene, alternative splice products, partial cds

Page 209 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4353	9475	14613	4.82	0.0E+00	Z80780.1	NT	H.sapiens H2B/h gene
4353	9475	14614	4.82	0.0E+00	Z80780.1	NT	H.sapiens H2B/h gene
4354	9476	14615	1.17	0.0E+00	AW166933.1	EST_HUMAN	xc63e10.x1 NCI CGAP U14 Homo sapiens cDNA clone IMAGE:2633514 3' similar to TR:P07385 P07385
4360	9482	14621	1.55	0.0E+00	X60483.1	NT	ZINC FINGER PROTEIN 64 ;
4360	9482	14622	1.55	0.0E+00	X60483.1	NT	H.sapiens H4/d gene for H4 histone
4365	9486	14628	8.91	0.0E+00	7662091	NT	H.sapiens H4/d gene for H4 histone
4365	9486	14629	8.91	0.0E+00	7662091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4373	9494	14638	1.28	0.0E+00	X82338.1	NT	Homo sapiens Marles disease gene, exon 4
4376	9497	14642	15.1	0.0E+00	4888128	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4377	9498	14643	1.48	0.0E+00	AJ271736.1	NT	Homo sapiens Xq pseudautosomal region, segment 22
4378	9499	14645	0.98	0.0E+00	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
4381	9502	14645	1.08	0.0E+00	AB037781.1	NT	Homo sapiens mRNA for KIAA1360 protein, partial cds
4410	9530	14670	1.24	0.0E+00	7019456	NT	Homo sapiens myosin regulatory light chain interacting protein (MIR), mRNA
4420	9540	14685	6.61	0.0E+00	AF189553.1	NT	Homo sapiens membrane-bound aminopeptidase P (ANPEP2) gene, complete cds
4426	9546	14684	2.27	0.0E+00	AJ249765.1	NT	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4426	9546	14685	2.27	0.0E+00	AJ249765.1	NT	Homo sapiens ACTN2 gene for alpha-Actinin 2, exon 10
4430	9549	14691	0.75	0.0E+00	W26179.1	EST_HUMAN	24g7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4430	9549	14692	0.75	0.0E+00	W26179.1	EST_HUMAN	24g7 Human retina cDNA randomly primed sublibrary Homo sapiens cDNA
4447	9568		2.08	0.0E+00	AF200529.1	NT	Homo sapiens HPS1 gene, intron 5
4497	9586		1	0.0E+00	M14123.1	NT	Human endogenous retrovirus HERV-K10
4478	9598	14737	31.05	0.0E+00	AW084084.1	EST_HUMAN	xc63e08.x1 NCI CGAP_Esc2 Homo sapiens cDNA clone IMAGE:2589446 3' similar to SW:AHNK_HUMAN Q09866 NEUROBLAST DIFFERENTIATION ASSOCIATED PROTEIN AHNK ;
4480	10310		1.72	0.0E+00	8051619	NT	Homo sapiens LIM domain kinase 2 (LMK2), transcript variant 2a, mRNA
4482	9601	14740	0.91	0.0E+00	AF018050.1	NT	Homo sapiens vascular endothelial cell growth factor 165 receptor/neuropilin (VEGF165) mRNA, complete cds
4484	9603		8.23	0.0E+00	AL163207.2	NT	Homo sapiens chromosome 21 segment HS21C007
4491	9610	14748	1.27	0.0E+00	AJ278120.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4491	9610	14750	1.27	0.0E+00	AJ278120.1	NT	Homo sapiens mRNA for putative ankyrin-repeat containing protein (ORF1)
4493	9612	14762	1.18	0.0E+00	4769467	NT	Homo sapiens G protein-coupled receptor 60 (GPR60) mRNA
4494	9613	14753	2.95	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
4498	9618	14759	1.01	0.0E+00	4508952	NT	Homo sapiens sialyltransferase B (alpha-N-acetylneuraminase, alpha-2,8-sialyltransferase, GD3 synthase) (SIAT8) mRNA
4504	9623	14765	1.14	0.0E+00	S78694.1	NT	Homo sapiens ATP-sensitive inwardly rectifying K-channel subunit (KCNU6/BIR1) gene, exon

Page 210 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4505	8624	14766	1.38	0.0E+00	AF111163.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
4505	8624	14767	1.38	0.0E+00	AF111163.1	NT	Homo sapiens pyrin (MEFV) gene, complete cds
4512	10311	14775	2.71	0.0E+00	6006973	NT	Homo sapiens zinc finger protein 195 (ZNF195), mRNA
4517	8635	14780	5.93	0.0E+00	AF208181.1	NT	Homo sapiens syncytin precursor, mRNA, complete cds
4522	8640	14787	1.15	0.0E+00	AF152337.1	NT	Homo sapiens proteasome gamma C3 (PCDH-gamma-C3) mRNA, complete cds
4525	8643	14791	1.98	0.0E+00	6454175	NT	Homo sapiens zinc finger protein 211 (ZNF211), mRNA
4538	8654	14799	44.34	0.0E+00	4503470	NT	Homo sapiens eukaryotic translation elongation factor 1 alpha 1 (EEF1A1) mRNA
4543	8661	14804	0.97	0.0E+00	4505016	NT	Homo sapiens low density lipoprotein receptor-related protein 6 (LRP6) mRNA, and translated products
4547	8665	14807	1.06	0.0E+00	4503098	NT	Homo sapiens chondroitin sulfate proteoglycan 4 (melanoma-associated) (CSPG4), mRNA
4552	8670	14813	1.48	0.0E+00	4502558	NT	Homo sapiens calcium/calmodulin-dependent protein kinase IV (CAMK4) mRNA
4555	8673	14817	1.52	0.0E+00	BE871908.1	EST_HUMAN	601447832F1 NIH_MGC_65 Homo sapiens cDNA clone IMAGE:3852127 5'
4558	8676	14818	2.62	0.0E+00	L35485.1	NT	Homo sapiens iduronate sulphate sulphasase (IDS) gene, complete cds
4560	8678	14819	10.88	0.0E+00	7682091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4560	8678	14817	10.88	0.0E+00	7682091	NT	Homo sapiens KIAA0390 gene product (KIAA0390), mRNA
4575	8683	14830	2.49	0.0E+00	AF143314.1	NT	Homo sapiens PTEN (PTEN) gene, exons 3 through 5
4578	8686	14833	10.97	0.0E+00	AJ245418.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4578	8686	14834	10.97	0.0E+00	AJ245418.1	NT	Homo sapiens mRNA for G7c protein (G7c gene located in the class III region of the major histocompatibility complex)
4593	8711	14835	2.31	0.0E+00	AA174072.1	EST_HUMAN	zp19g08.s1 Stratagene field retina 837202 Homo sapiens cDNA clone IMAGE:609854 3'
4595	8713	14836	1.47	0.0E+00	7657410	NT	Homo sapiens cdz (odd Ozten-m, Drosophila) homolog 1 (ODZ1), mRNA
4597	8715	14837	2.4	0.0E+00	AL163284.2	NT	Homo sapiens chromosome 21 segment HS21C084
4598	8716	14862	1.38	0.0E+00	AF184110.1	NT	Homo sapiens cyclophilin-related protein (NKTR) gene, complete cds
4599	8717	14853	4.87	0.0E+00	AL163300.2	NT	Homo sapiens chromosome 21 segment HS21C100
4600	8718	14854	1.71	0.0E+00	AB037621.1	NT	Homo sapiens gene for nucleotide protein, partial cds
4602	8720	14854	0.74	0.0E+00	AF195556.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
4606	8724	14859	0.98	0.0E+00	AB007866.2	NT	Homo sapiens mRNA for KIAA0406 protein, partial cds
4609	8727	14863	1.09	0.0E+00	AL162331.1	NT	Novel human gene mapping to chromosome 1
4611	8729	14865	30.74	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
4611	8729	14868	30.74	0.0E+00	4557887	NT	Homo sapiens keratin 18 (KRT18) mRNA
4612	8730	14867	2.56	0.0E+00	AF167441.1	NT	Mus musculus E-cadherin binding protein E7 mRNA, complete cds
4621	8739	14878	0.91	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4621	8739	14878	0.91	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4621	8739	14879	0.91	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds

Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO.	Exon SEQ ID NO.	ORF SEQ ID NO.	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4621	9739	14880	0.91	0.0E+00	L78810.1	NT	Homo sapiens ADP/ATP carrier protein (ANT-2) gene, complete cds
4622	9740	14881	1.18	0.0E+00	AB028970.1	NT	Homo sapiens mRNA for KIAA1047 protein, partial cds
4622	9740	14882	1.18	0.0E+00	AB028970.1	NT	Homo sapiens mRNA for KIAA1047 protein, partial cds
4629	9747	14892	10.76	0.0E+00	Y18890.1	NT	Human endogenous retrovirus type K (HERV-K), gag, pol and env genes
4635	9753	14900	1.28	0.0E+00	BE081527.1	EST_HUMAN	QV2-BT0835-100400-142-105 BT0835 Homo sapiens cDNA
4636	9754	14901	1.42	0.0E+00	AA418246.1	EST_HUMAN	z98b07.s1 Soares_NHMPU_S1 Homo sapiens cDNA clone IMAGE:767605 3'
4643	9761						Homo sapiens truncated tenascin XB (TNXB) gene, partial cds and TNXA gene recombination breakpoint region
4650	9767	14912	2.12	0.0E+00	AF086941.1	NT	Homo sapiens mRNA for KIAA1368 protein, partial cds
4650	9767	14913	2.23	0.0E+00	AB037820.1	NT	Homo sapiens mRNA for KIAA1369 protein, partial cds
4651	9768	14914	2.34	0.0E+00	M74098.1	NT	Human displacement protein (OCAAT) mRNA
4654	9771	14917	1.02	0.0E+00	AW294800.1	EST_HUMAN	U-H-B12-ahc-05-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2726792 3'
4654	9771	14918	1.02	0.0E+00	AW294800.1	EST_HUMAN	U-H-B12-ahc-05-0-U1.s1 NCI_CGAP_Sub4 Homo sapiens cDNA clone IMAGE:2726792 3'
4656	9773	14919	2.18	0.0E+00	8453812	NT	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4656	9773	14920	2.18	0.0E+00	8453812	NT	Homo sapiens butyrophilin, subfamily 2, member A2 (BTN2A2), mRNA
4658	9797	14942	4.19	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Strategene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:88310 5'
4658	9797	14942	4.19	0.0E+00	T56945.1	EST_HUMAN	ye83g04.r2 Strategene fetal spleen (#837205) Homo sapiens cDNA clone IMAGE:88310 5'
4681	9797	14942	44.63	0.0E+00	M80902.1	NT	Human AHNK nucleoprotein mRNA, 5' end
4684	9800	14945	1.91	0.0E+00	M89197.1	NT	Human hemoglobin and hemoglobin-related protein (HP and HPR) genes, complete cds
4684	9800	14946	1.91	0.0E+00	M89197.1	NT	Human hemoglobin and hemoglobin-related protein (HP and HPR) genes, complete cds
4686	9804	14951	1.62	0.0E+00	AF194110.1	NT	Homo sapiens cyclophilin-related protein (NKTR) gene, complete cds
4689	9805	14952	0.73	0.0E+00	7662479	NT	Homo sapiens KIAA1084 protein (KIAA1084), mRNA
4691	9807	14953	2.53	0.0E+00	7662187	NT	Homo sapiens KIAA0563 gene product (KIAA0563), mRNA
4697	9813	14961	1.66	0.0E+00	U07593.1	NT	Human proto-oncogene tyrosine-protein kinase (ABL) gene, exon 1a and exons 2-10, complete cds
4702	9818	14966	1.18	0.0E+00	AL038857.1	NT	Novel human mRNA from chromosome 1, which has similarities to BAT2 genes
4709	9826		1.28	0.0E+00	X58487.1	NT	Human CYP2D7AP pseudogene for cytochrome P450 2D6
4715	9831	14973	1.09	0.0E+00	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4715	9831	14974	1.09	0.0E+00	7304922	NT	Homo sapiens bromodomain adjacent to zinc finger domain, 2B (BAZ2B), mRNA
4725	9838	14982	1.27	0.0E+00	AF028801.1	NT	Homo sapiens alpha-3 type IX collagen (COL9A3) gene, promoter region, and exons 1-28
4727	9840	14984	1.04	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA
4727	9840	14985	1.04	0.0E+00	6677700	NT	Homo sapiens G-protein coupled receptor (RE2), mRNA
4729	9842	14987	0.83	0.0E+00	7019320	NT	Homo sapiens protein0008 (AD013), mRNA
4729	9842	14988	0.83	0.0E+00	7019320	NT	Homo sapiens protein0008 (AD013), mRNA

Page 212 of 214
Table 4
Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4753	9866	15015	1.74	0.0E+00	AW444637.1	EST_HUMAN	UJ-H-B13-ajw-c-04-0-U1.51 NCI CGAP Sub5 Homo sapiens cDNA clone IMAGE:2733294 3'
4759	9872	15023	1.41	0.0E+00	AF303134.1	NT	Homo sapiens aldehyde dehydrogenase 12 (ALDH12) mRNA, complete cds
4762	9875		1.63	0.0E+00	AF083242.1	NT	Homo sapiens HSPC024-Iso mRNA, complete cds
4807	9819	15080	1.09	0.0E+00	5901893	NT	Homo sapiens AT-binding transcription factor 1 (ATBF1), mRNA
4810	9922						Homo sapiens glutathione S-transferase theta 2 (GSTT2) and glutathione S-transferase theta 1 (GSTT1) genes, complete cds
4814	9826	15087	4.79	0.0E+00	AF240786.1	NT	M.fascicularis mRNA for metalloproteinase-like, disintegrin-like protein, IVa
4816	9928	15069	3.29	0.0E+00	X87205.1	NT	Homo sapiens Williams-Beuren syndrome deletion transcript 9 (WBSCHR9) mRNA, complete cds
4818	9830	15071	2.79	0.0E+00	AF08479.1	NT	Mus musculus zinc finger transcription factor Kafeo mRNA, complete cds
4819	9931	15072	2.11	0.0E+00	AF097416.1	NT	Homo sapiens fragile X mental retardation 2 (FMR2) mRNA
4821	9833	15074	4.47	0.0E+00	4503768	NT	Homo sapiens actin, alpha, cardiac muscle (ACTC), mRNA
4822	9834	15075	27.4	0.0E+00	4855048	NT	Homo sapiens actin, alpha, cardiac muscle (ACTC), mRNA
4824	9836	15077	1.43	0.0E+00	P92740	SWISSPROT	ZINC FINGER PROTEIN 132
4827	9839	15081	1.33	0.0E+00	8922180	NT	Homo sapiens hypothetical protein DKFZp762E1312 (DKFZp762E1312), mRNA
4831	9943	15085	8.77	0.0E+00	8923080	NT	Homo sapiens hypothetical protein FLJ20073 (FLJ20073), mRNA
4832	9944	15086	1.25	0.0E+00	7651978	NT	Homo sapiens KIAA0187 gene product (KIAA0187), mRNA
4832	9944	15087					Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-J61 segments; and Tcr-C-alpha gene, exons 1-4
4834	9946	15089	1.61	0.0E+00	M84081.1	NT	Human Tcr-C-delta gene, exons 1-4; Tcr-V-delta gene, exons 1-2; T-cell receptor alpha (Tcr-alpha) gene, J1-J61 segments; and Tcr-C-alpha gene, exons 1-4
4834	9946	15090	1.15	0.0E+00	X94828.1	NT	H. sapiens MeCP-2 gene
4838	9950	15094	1.15	0.0E+00	X94828.1	NT	H. sapiens MeCP-2 gene
4840	9952	15097	2.24	0.0E+00	AL103280.2	NT	Homo sapiens chromosome 21 segment HS21C080
4848	9860	15104	1.05	0.0E+00	7708904	NT	Homo sapiens MAGE-C2 (MAGEC2), mRNA
4854	9866	15111	1.26	0.0E+00	5032150	NT	Homo sapiens TATA box binding protein (TBP)-associated factor, RNA polymerase II, 1, 28KD (TAF2)
4856	9868	15113	0.6	0.0E+00	6806918	NT	mRNA
4858	9970	15115	1.3	0.0E+00	X92841.1	NT	Homo sapiens low density lipoprotein-related protein 2 (LRP2), mRNA
4859	9971	15116	2.22	0.0E+00	4555642	NT	H. sapiens MICA gene
4860	9972	15117	1.29	0.0E+00	AB037894.1	NT	Homo sapiens zinc finger protein (KIAA0412) mRNA
4861	9973	15118	0.9	0.0E+00	Y09232.1	NT	Homo sapiens mRNA for KIAA1443 protein, partial cds
4862	9974	15119	2.01	0.0E+00	AB014633.1	NT	H. sapiens ferritin alpha pseudogene
4863	9975	15120	2.39	0.0E+00	6977848	NT	Homo sapiens mRNA for KIAA0633 protein, partial cds
4864	9976	15121	1.5	0.0E+00	5174560	NT	Mus musculus zinc finger protein interacting with K protein 1 (Zik1), mRNA
			2.16	0.0E+00	BE007835.1	EST_HUMAN	Homo sapiens meningioma expressed antigen 8 (coiled-coil proline-rich) (MGEA8), mRNA
							QV0-BN0147-280400-2:13-g11 BN0147 Homo sapiens cDNA

Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
4864	9978	15122	2.18	0.0E+00	BE007635.1	EST_HUMAN	QVC-BN0147-280400-213-g11 BN0147 Homo sapiens cDNA
4866	9978	15124	10.15	0.0E+00	4768190	NT	Homo sapiens desmoplakin (DPI, DPLI) (DSP) mRNA
4867	9979	15126	1.35	0.0E+00	Y16723.1	NT	Homo sapiens gene encoding filensin, exon 8
4868	9980	15126	1.63	0.0E+00	5174560	NT	Homo sapiens meningioma expressed antigen 6 (coiled-coil proline-rich) (MGEA6), mRNA
4868	9980	15126	1.63	0.0E+00	5174560	NT	Homo sapiens meningioma expressed antigen 6 (coiled-coil proline-rich) (MGEA6), mRNA
4868	9980	15127	1.63	0.0E+00	5174560	NT	Homo sapiens ziro-finger DNA-binding protein (HUMHXY1), mRNA
4869	9981	15128	1.42	0.0E+00	7705546	NT	Homo sapiens mRNA for immunoglobulin kappa light chain, anti-RhD, therad 7
4870	9982		3.34	0.0E+00	AJ010442.1	NT	Homo sapiens MHC class 1 region
4873	9984	15131	6.4	0.0E+00	AF055068.1	NT	Homo sapiens oploid receptor, delta 1 (OPRD1) mRNA
4875	9986		2.08	0.0E+00	4505508	NT	Homo sapiens splice variant AKAP350 mRNA, partial cds
4876	9987	15134	2.43	0.0E+00	AF091711.1	NT	Homo sapiens partial TTN gene for titin
4880	9991	15138	1.15	0.0E+00	AJ277892.1	NT	Homo sapiens COL4A8 gene for $\alpha 8$ (IV) collagen, exon 44 and partial cds
4890	10001	15147	0.85	0.0E+00	D83562.1	NT	Homo sapiens farnesyl diphosphate synthase (farnesyl pyrophosphate synthetase, dimethylallyltransferase, geranyltransferase) (FDPS) mRNA
4894	10005	15149	1.58	0.0E+00	4503684	NT	Homo sapiens sialyltransferase 8 (alpha-N-acetylneuraminase: alpha-2,8-sialyltransferase, GD3 synthase) (SIAT8) mRNA
4902	9918	14759	0.97	0.0E+00	4506952	NT	Homo sapiens DNA, DLEC1 to ORCTL4 gene region, section 1/2 (DLEC1, ORCTL3, ORCTL4 genes, complete cds)
4914	10024	15168	1.18	0.0E+00	AB026898.1	NT	Homo sapiens chromosome 21 segment HS21C084
4932	10042	15182	1.47	0.0E+00	AL163284.2	NT	Homo sapiens KIAA0808 gene product (KIAA0808), mRNA
4938	10048	15186	0.81	0.0E+00	7662319	NT	Homo sapiens KIAA0808 gene product (KIAA0808), mRNA
4946	10055	15183	0.7	0.0E+00	AA205437.1	EST_HUMAN	2366506.e1 Stragene neuroepithelium (8937231) Homo sapiens cDNA clone IMAGE:646547 3'
4950	10059	15197	1.45	0.0E+00	8922928	NT	Homo sapiens hypothetical protein FLJ11190 (FLJ11190), mRNA
4951	9998	15144	0.93	0.0E+00	4507720	NT	Homo sapiens titin (TTN) mRNA
4953	10061	15200	0.97	0.0E+00	4502398	NT	Homo sapiens beaded filament structural protein 1, filensin (BFSP1) mRNA
4957	10065		5.03	0.0E+00	U14967.1	NT	Human ribosomal protein L21 mRNA, complete cds
4957	10075	15213	1.86	0.0E+00	M10976.1	NT	Human endogenous retroviral DNA (ψ -1), complete retroviral segment
4959	10077		2.72	0.0E+00	BE408863.1	EST_HUMAN	601303729F1 NIH_MGC 21 Homo sapiens cDNA clone IMAGE:3638118 5'
4973	10081	15218	0.21	0.0E+00	4758199	NT	Homo sapiens desmoplakin (DPI, DPLI) (DSP) mRNA
4981	10088	15222	1.12	0.0E+00	AB028965.1	NT	Homo sapiens mRNA for KIAA1043 protein, partial cds
4985	10101	15231	2.04	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
4985	10101	15232	2.04	0.0E+00	8923441	NT	Homo sapiens hypothetical protein FLJ20477 (FLJ20477), mRNA
5007	10111	15240	0.78	0.0E+00	AA601246.1	EST_HUMAN	not4q09.s1 NC1_CGAP_Phat Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140 E239140 SPALT PROTEIN;

Page 214 of 214
Table 4

Single Exon Probes Expressed in BT474 Cells

Probe SEQ ID NO:	Exon SEQ ID NO:	ORF SEQ ID NO:	Expression Signal	Most Similar (Top) Hit BLAST E Value	Top Hit Accession No.	Top Hit Database Source	Top Hit Descriptor
5007	10111	15241	0.78	0.0E+00	AA801246.1	EST_HUMAN	no14g09.s1 NCI_CGAP_Phe1 Homo sapiens cDNA clone IMAGE:1100704 3' similar to TR:E239140
5007	10111	15242	0.78	0.0E+00	AA801246.1	EST_HUMAN	E239140 SPALT PROTEIN ;
5016	6403	10547	0.87	0.0E+00	AF195658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
5018	10120		0.94	0.0E+00	4758226	NT	Homo sapiens E2F transcription factor 2 (E2F2) mRNA
5028	10130	15259	1.39	0.0E+00	AF016705.1	NT	Homo sapiens E6-AP ubiquitin-protein ligase (UBE3A) gene, exon 3
5036	10138		1.19	0.0E+00	AL163209.2	NT	Homo sapiens chromosome 21 segment HS21C009
5039	10141		44.4	0.0E+00	D50657.1	NT	Homo sapiens gamma-cytoplasmic actin (ACTG3) pseudogene
5089	10171	15306	3.62	0.0E+00	X52688.1	NT	Homo sapiens PR domain containing 1, with ZNF domain (PRDM1) mRNA
6070	10172	15307	0.72	0.0E+00	X72701.1	NT	Human endogenous retrovirus mRNA for gag protein
5102	10203	15342	1.17	0.0E+00	4567382	NT	Homo sapiens ring finger protein (RNF), mRNA
5104	10205	15343	0.76	0.0E+00	5902055	NT	Homo sapiens retrovirus-K, LTR U5 and gag gene
5108	10209	15346	1.05	0.0E+00	Y08032.1	NT	Human endogenous retrovirus-K, LTR U5 and gag gene
5120	10221	15355	0.62	0.0E+00	5902091	NT	Homo sapiens SH2-containing protein Nsp2 mRNA, complete cds
5121	10222	15356	1.03	0.0E+00	AF124250.1	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
5136	10236	15372	1.31	0.0E+00	7682421	NT	Homo sapiens KIAA0971 protein (KIAA0971), mRNA
5142	10242	15378	0.95	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
5143	10243	15380	0.95	0.0E+00	AF108830.1	NT	Homo sapiens serine-threonine protein kinase (MNBH) mRNA, complete cds
5146	10245	15384	1.01	0.0E+00	U71601.1	NT	Human zinc finger protein zip47 (zf47) mRNA, partial cds
5147	10247	15385	0.91	0.0E+00	4757859	NT	Homo sapiens chromosome 8 open reading frame 1 (C8ORF1) mRNA
5151	10251	15390	0.98	0.0E+00	AF195658.1	NT	Homo sapiens DNA mismatch repair protein (MLH3) gene, complete cds
5160	10260		0.95	0.0E+00	4826777	NT	Homo sapiens jumonji (mouse) homolog (JmJ) mRNA
5179	10276	15414	1.32	0.0E+00	BE144725.1	EST_HUMAN	Homo sapiens mRNA for KIAA1513 protein, partial cds
							CMO-HT0178-051099-064-e05 HT0178 Homo sapiens cDNA

CLAIMS

1. A spatially-addressable set of single exon nucleic acid probes for measuring gene expression in a sample derived
5 from human Breast comprising a plurality single exon nucleic probes, said probes comprising any one of the nucleotide sequences set out in SEQ ID NOS: 1 - 5,205 or a complementary sequence, or a portion of such a sequence.
- 10 2. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably amplifiable.
3. A spatially-addressable set of single exon nucleic acid
15 probes as claimed in claim 1 wherein each of said plurality of probes is separately and addressably isolatable from said plurality.
4. A spatially-addressable set of single exon nucleic acid
20 probes as claimed in any of claims 1 to 3 wherein said probes comprise any one of the nucleotide sequences set out in SEQ ID NOS.: 5,206 - 10,317.
5. A spatially-addressable set of single exon nucleic acid
25 probes as claimed in any of claims 1 to 4, wherein each of said plurality of probes is amplifiable using at least one common primer.
6. A spatially-addressable set of single exon nucleic acid
30 probes as claimed in any of claims 1 to 5 wherein the set comprises between 50 - 20,000 single exon nucleic acid probes.
7. A spatially-addressable set of single exon nucleic acid
35 probes as claimed in any of claims 1 to 6, wherein the

average length of the single exon nucleic acid probes is between 200 and 500 bp.

8. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 7, wherein at least 50% of said single exon nucleic acid probes lack prokaryotic and bacteriophage vector sequence.

9. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 to 8, wherein at least 50% of said single exon nucleic acid probes lack homopolymeric stretches of A or T.

10. A spatially-addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 9 characterised in that said set of probes is addressably disposed upon a substrate.

11. A spatially-addressable set of single exon nucleic acid probes as claimed in claim 10 wherein said substrate is selected from glass, amorphous silicon, crystalline silicon and plastic.

12. A microarray comprising a spatially addressable set of single exon nucleic acid probes as claimed in any of claims 1 - 11.

13. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human Breast comprising a nucleotide sequence as set out in any of SEQ ID NOs.: 1 - 5,205 or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid molecule expressed in the human Breast.

35

14. A single exon nucleic acid probe as claimed in claim 13 comprising a nucleotide sequence as set out in any of SEQ ID NOs.: 5,206 - 10,317 or a complementary sequence or a fragment thereof.

5

15. A single exon nucleic acid probe for measuring human gene expression in a sample derived from human Breast which is a nucleic acid molecule having a sequence encoding a peptide comprising a peptide sequence as set out in any of
10 SEQ ID NOs.: 10,318 - 15,438, or a complementary sequence or a fragment thereof wherein said probe hybridizes at high stringency to a nucleic acid expressed in the human Breast.

16. A single exon nucleic acid probe as claimed in any one
15 of claims 13 to 15 wherein said single exon nucleic acid probe comprises between 15 and 25 contiguous nucleotides of said SEQ ID NO.

17. A single exon nucleic acid probe as claimed in any one
20 of claims 13 to 15, wherein said probe is between 3 - 25 kb in length.

18. A single exon nucleic acid probe as claimed in any one of claims 13 - 17, wherein said probe is DNA, RNA or PNA.

25

19. A single exon nucleic acid probe as claimed in any one of claims 13 - 18, wherein said probe is detectably labeled.

30 20. A single exon nucleic acid probe as claimed in any one of claims 13 - 19, wherein said probe lacks prokaryotic and bacteriophage vector sequence.

21. A single exon nucleic acid probe as claimed in any one
35 of claims 13 - 20, wherein said probe lacks homopolymeric

stretches of A or T.

22. A method of measuring gene expression in a sample derived from human Breast, comprising:

5 contacting the microarray of claim 12, with a first collection of detectably labeled nucleic acids, said first collection of nucleic acids derived from mRNA of human Breast; and then measuring the label detectably bound to each probe of
10 said microarray.

23. A method of identifying exons in a eukaryotic genome, comprising:

15 algorithmically predicting at least one exon from genomic sequence of said eukaryote; and then detecting specific hybridization of detectably labeled nucleic acids to a single exon probe, wherein said detectably labeled nucleic acids are derived from mRNA from the Breast of said eukaryote, said probe is
20 a single exon probe having a fragment identical in sequence to, or complementary in sequence to, said predicted exon, said probe is included within a microarray according to claim 12, and said fragment is selectively hybridizable at high stringency.

25

24. A method of assigning exons to a single gene, comprising:

30 identifying a plurality of exons from genomic sequence according to the method of claim 23; and then

 measuring the expression of each of said exons in a plurality of tissues and/or cell types using hybridization to single exon microarrays having a probe with said exon,

35 wherein a common pattern of expression of said exons in

said plurality of tissues and/or cell types indicates that the exons should be assigned to a single gene.

25. A nucleic acid sequence as set out in any of SEQ ID
5 NOS: 1 - 10,317 which encodes a peptide.

26. A peptide encoded by a sequence as set out in any of
SEQ ID Nos: 1 - 10,317.

10 27. A peptide comprising a sequence as set out in any of
SEQ ID Nos: 10,318 - 15,438.

1/10




Fig. 1

2/10





Fig. 2

3/10



4/10




Fig. 4

5/10




Fig. 5

6/10





Fig. 6



EST Hit
Bone Marrow
Brain
BT474
Fetal Liver
HBL100
Heart
Hela
Liver
Lung
Placenta

Fig. 7a

ratio legend




Fig. 7b




Fig. 7c




Fig. 8

9/10




Fig. 9

10/10

Fig. 10

